

## 9 REFERENCES

1. Moxon, A. L., and Rhian, M. (1943) SELENIUM POISONING. *Physiol. Rev.* 23, 305-337
2. Schwarz, K., and C.M., F. (1957) Selenium as an integral part of factor 3 against dietary necrotic liver degeneration. *J. Am. Chem. Soc* 79, 3292-3293
3. Levander, O. A. (1987) A global view of human selenium nutrition. *Annu.Rev.Nutr.* 7, 227-250
4. Ge, K., Xue, A., Bai, J., and Wang, S. (1983) Keshan disease-an endemic cardiomyopathy in China. *Virchows Arch A Pathol Histopathol* 401, 1-15
5. Nesterov, A. (1964) The clinical course of Kashin-Beck disease. *Arthritis Rheum* 7, 29-40
6. Rayman, M. P. (2000) The importance of selenium to human health. *The Lancet* 356, 233-241
7. Spallholz, J. E., Boylan, L. M., and Larsen, H. S. (1990) Advances in understanding selenium's role in the immune system. *Annals of the New York Academy of Sciences* 587, 123-139
8. McKenzie, R. C., Arthur, J. R., Miller, S. M., Rafferty, T. S., and Beckett, G. J. (2002) *Selenium and the immune system.*, CAB International, Oxford, U.K.
9. Taylor, E. W., Nadimpalli, R. G., and Ramanathan, C. S. (1997) Genomic structures of viral agents in relation to the biosynthesis of selenoproteins. *Biological Trace Element Research* 56, 63-91
10. Behne, D., Kyriakopoulos, A., and Weiler, H. (1996) Effects of selenium deficiency on testicular morphology and function in rats. *Journal of Reproduction and Fertility* 106, 291-297
11. Hawkes, W. C., and Hornbostel, L. (1996) Effects of dietary selenium on mood in healthy men living in a metabolic research unit. *Biological Psychiatry* 39, 121-128
12. Finley, J. W., and Penland, J. G. (1998) Adequacy or deprivation of dietary selenium in healthy men: Clinical and psychological findings. *Journal of Trace Elements in Experimental Medicine* 11, 11-27
13. Beckett, G. J., and Arthur, J. R. (2005) Selenium and endocrine systems. *J Endocrinol* 184, 455-465
14. Nève, J. (1996) Selenium as a risk factor for cardiovascular diseases. *Journal of Cardiovascular Risk* 3, 42-47
15. Brenneisen, P., Steinbrenner, H., and Sies, H. (2005) Selenium, oxidative stress, and health aspects. *Molecular Aspects of Medicine* 26, 256-267
16. Clark, L. C., Combs, G. F., Jr., Turnbull, B. W., Slate, E. H., Chalker, D. K., Chow, J., Davis, L. S., Glover, R. A., Graham, G. F., Gross, E. G., Krongrad, A., Lesher, J. L., Jr., Park, H. K., Sanders, B. B., Jr., Smith, C. L., and Taylor, J. R. (1996) Effects of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. Nutritional Prevention of Cancer Study Group. *JAMA* 276, 1957-1963
17. Klein, E. A., Lippman, S. M., Thompson, I. M., Goodman, P. J., Albanes, D., Taylor, P. R., and Coltman, C. (2003) The Selenium and Vitamin E Cancer Prevention Trial. *World Journal of Urology* 21, 21-27
18. Johansson, L., Gafvelin, G., and Arner, E. S. (2005) Selenocysteine in proteins-properties and biotechnological use. *Biochim Biophys Acta* 1726, 1-13

19. Behne, D., and Kyriakopoulos, A. (2001) Mammalian selenium-containing proteins. *Annu.Rev.Nutr.* 21, 453-473
20. Burk, R. F., and Hill, K. E. (2005) SELENOPROTEIN P: An Extracellular Protein with Unique Physical Characteristics and a Role in Selenium Homeostasis. *Annual Review of Nutrition* 25, 215-235
21. Zhong, L., Arner, E. S. J., and Holmgren, A. (2000) Structure and mechanism of mammalian thioredoxin reductase: The active site is a redox-active selenolthiol/selenenylsulfide formed from the conserved cysteine-selenocysteine sequence. *PNAS* 97, 5854-5859
22. Bock, A. (2000) Biosynthesis of selenoproteins--an overview. *Biofactors* 11, 77-78
23. Lee, B. J., Worland, P. J., Davis, J. N., Stadtman, T. C., and Hatfield, D. L. (1989) Identification of a selenocysteinyl-tRNA(Ser) in mammalian cells that recognizes the nonsense codon, UGA. *J. Biol. Chem.* 264, 9724-9727
24. Hatfield, D. L., Gladyshev, V. N., Park, J. M., Park, H. S., Chittum, J. R., Huh, B. A., Carlson, B. A., Kim, M., Moustafa, M. E., and Lee, B. J. (1999) Biosynthesis of selenocysteine and its incorporation into proteins as the 21st amino acid. *Comprehensive natural products chemistry* 4, 353-380
25. Low, S. C., and Berry, M. J. (1996) Knowing when not to stop: selenocysteine incorporation in eukaryotes. *Trends Biochem.Sci.* 21, 203-208
26. Copeland, P. R., Stepanik, V. A., and Driscoll, D. M. (2001) Insight into Mammalian Selenocysteine Insertion: Domain Structure and Ribosome Binding Properties of Sec Insertion Sequence Binding Protein 2. *Mol. Cell. Biol.* 21, 1491-1498
27. Fagegaltier, D., Hubert, N., Yamada, K., Mizutani, T., Carbon, P., and Krol, A. (2000) Characterization of mSelB, a novel mammalian elongation factor for selenoprotein translation. *EMBO J.* 19, 4796-4805
28. Atkins, J. F., and Gesteland, R. F. (2000) The twenty-first amino acid. *Nature* 407, 463-465
29. Bosl, M. R., Takaku, K., Oshima, M., Nishimura, S., and Taketo, M. M. (1997) Early embryonic lethality caused by targeted disruption of the mouse selenocysteine tRNA gene (Trsp). *PNAS* 94, 5531-5534
30. Kyriakopoulos, A., and Behne, D. (2002) Selenium-containing proteins in mammals and other forms of life. *Rev.Physiol Biochem.Pharmacol.* 145, 1-46
31. Zhang, Y., Fomenko, D., and Gladyshev, V. (2005) The microbial selenoproteome of the Sargasso Sea. *Genome Biology* 6, R37
32. Bräuer, A. U., and Savaskan, N. E. (2004) Molecular actions of selenium in the brain: Neuroprotective mechanisms of an essential trace element. *Reviews in the Neurosciences* 15, 19-32
33. Flohe, L., Gunzler, W. A., and Schock, H. H. (1973) Glutathione peroxidase: a selenoenzyme. *FEBS Lett* 32, 132-134
34. Chu, F. F., Doroshow, J. H., and Esworthy, R. S. (1993) Expression, characterization, and tissue distribution of a new cellular selenium-dependent glutathione peroxidase, GSHPx-GI. *The Journal Of Biological Chemistry* 268, 2571-2576
35. Takahashi, K., Avissar, N., Whitin, J., and Cohen, H. (1987) Purification and characterization of human plasma glutathione peroxidase: A selenoglycoprotein distinct from the known cellular enzyme. *Archives of Biochemistry and Biophysics* 256, 677-686

36. Borchert, A., Kuhn, H., and Savaskan, N. E. (2003) Regulation of expression of the phospholipid hydroperoxide/sperm nucleus glutathione peroxidase gene: Tissue-specific expression pattern and identification of functional cis- and trans-regulatory elements. *Journal of Biological Chemistry* 278, 2571-2580
37. Pfeifer, H., Conrad, M., Roethlein, D., Kyriakopoulos, A., Brielmeyer, M., Bornkamm, G. W., and Behne, D. (2001) Identification of a specific sperm nuclei selenoenzyme necessary for protamine thiol cross-linking during sperm maturation. *The FASEB journal: official publication of the Federation of American Societies for Experimental Biology* 15, 1236-1238
38. Behne, D., Hilmert, H., Scheid, S., Gessner, H., and Elger, W. (1988) Evidence for specific selenium target tissues and new biologically important selenoproteins. *Biochimica et Biophysica Acta - General Subjects* 966, 12-21
39. Kryukov, G. V., Castellano, S., Novoselov, S. V., Lobanov, A. V., Zehtab, O., Guigo, R., and Gladyshev, V. N. (2003) Characterization of mammalian selenoproteomes. *Science* 300, 1439-1443
40. Tamura, T., and Stadtman, T. C. (1996) A new selenoprotein from human lung adenocarcinoma cells: Purification, properties, and thioredoxin reductase activity. *PNAS* 93, 1006-1011
41. Lee, S. R., Kim, J. R., Kwon, K. S., Yoon, H. W., Rhee, S. G., Levine, R. L., and Ginsburg, A. (1999) Molecular cloning and characterization of a mitochondrial selenocysteine-containing thioredoxin reductase from rat liver. *Journal of Biological Chemistry* 274, 4722-4734
42. Watabe, S., Makino, Y., Ogawa, K., Hiroi, T., Yamamoto, Y., and Takahashi, S. Y. (1999) Mitochondrial thioredoxin reductase in bovine adrenal cortex. Its purification, properties, nucleotide/amino acid sequences, and identification of selenocysteine. *European Journal of Biochemistry* 264, 74-84
43. Bindoli, A., and Rigobello, M. P. (2002) Mitochondrial thioredoxin reductase and thiol status. *Methods Enzymol* 347, 307-316
44. Kawai, H., Suzuki, F., Tatsuka, M., and Ota, T. (2000) Molecular cloning of mouse thioredoxin reductases. *Gene* 242, 321-330
45. Arthur, J. R., Nicol, F., and Beckett, G. J. (1990) Hepatic iodothyronine 5'-deiodinase. The role of selenium. *Biochemical Journal* 272, 537-540
46. Behne, D., Kyriakopoulos, A., Meinholt, H., and Kohrle, J. (1990) Identification of type I iodothyronine 5'-deiodinase as a selenoenzyme. *Biochemical and Biophysical Research Communications* 173, 1143-1149
47. Bates, J. M., St. Germain, D. L., and Galton, V. A. (1999) Expression profiles of the three iodothyronine deiodinases, D1, D2, and D3, in the developing rat. *Endocrinology* 140, 844-851
48. Croteau, W., Davey, J. C., Galton, V. A., and St. Germain, D. L. (1996) Cloning of the mammalian type II iodothyronine deiodinase. A selenoprotein differentially expressed and regulated in human and rat brain and other tissues. *Journal of Clinical Investigation* 98, 405-417
49. Davey, J. C., Becker, K. B., Schneider, M. J., St. Germain, D. L., and Galton, V. A. (1995) Cloning of a cDNA for the type II iodothyronine deiodinase. *Journal of Biological Chemistry* 270, 26786-26789
50. Guimaraes, M. J., Peterson, D., Vicari, A., Cocks, B. G., Copeland, N. G., Gilbert, D. J., Jenkins, N. A., Ferrick, D. A., Kastelein, R. A., Bazan, J. F., and Zlotnik, A. (1996) Identification of a novel selD homolog from eukaryotes,

- bacteria, and archaea: is there an autoregulatory mechanism in selenocysteine metabolism? *Proc Natl Acad Sci U S A* 93, 15086-15091
51. Low, S. C., Harney, J. W., and Berry, M. J. (1995) Cloning and functional characterization of human selenophosphate synthetase, an essential component of selenoprotein synthesis. *J Biol Chem* 270, 21659-21664
52. Gladyshev, V. N., Hatfield, D. L., Jeang, K. T., and Wootton, J. C. (1998) A new human selenium-containing protein. Purification, characterization, and cDNA sequence. *Journal of Biological Chemistry* 273, 8910-8915
53. Kalcklosch, M., Kyriakopoulos, A., Hammel, C., and Behne, D. (1995) A new selenoprotein found in the glandular epithelial cells of the rat prostate. *Biochemical and Biophysical Research Communications* 217, 162-170
54. Korotkov, K. V., Novoselov, S. V., Hatfield, D. L., and Gladyshev, V. N. (2002) Mammalian selenoprotein in which selenocysteine (Sec) incorporation is supported by a new form of Sec insertion sequence element. *Mol. Cell Biol.* 22, 1402-1411
55. Ferreiro, A., Quijano-Roy, S., Pichereau, C., Moghadaszadeh, B., Goemans, N., Bönnemann, C., Jungbluth, H., Straub, V., Villanova, M., Leroy, J. P., Romero, N. B., Martin, J. J., Muntoni, F., Voit, T., Estournet, B., Richard, P., Fardeau, M., and Guicheney, P. (2002) Mutations of the selenoprotein N gene, which is implicated in rigid spine muscular dystrophy, cause the classical phenotype of multiminicore disease: reassessing the nosology of early-onset myopathies. *American Journal of Human Genetics* 71, 739-749
56. Petit, N., Lescure, A., Rederstorff, M., Krol, A., Moghadaszadeh, B., and Wewer, U. M. (2003) Selenoprotein N: An endoplasmic reticulum glycoprotein with an early developmental expression pattern. *Human Molecular Genetics* 12, 1045-1053
57. Motsenbocker, M. A., and Tappel, A. L. (1982) Selenium and selenoproteins in the rat kidney. *Biochimica et Biophysica Acta* 709, 160-165
58. Hill, K. E., Lloyd, R. S., Yang, J. G., Read, R., and Burk, R. F. (1991) The cDNA for rat selenoprotein P contains 10 TGA codons in the open reading frame. *Journal of Biological Chemistry* 266, 10050-10053
59. Kryukov, G. V., Kumar, R. A., Koc, A., Sun, Z., and Gladyshev, V. N. (2002) Selenoprotein R is a zinc-containing stereo-specific methionine sulfoxide reductase. *Proceedings of the National Academy of Sciences of the United States of America* 99, 4245-4250
60. Kryukov, G. V., Kumar, R. A., Koc, A., Sun, Z., and Gladyshev, V. N. (2002) Selenoprotein R is a zinc-containing stereo-specific methionine sulfoxide reductase. *Proceedings of the National Academy of Sciences of the United States of America* 99, 4245-4250
61. Kryukov, G. V., Kryukov, V. M., and Gladyshev, V. N. (1999) New mammalian selenocysteine-containing proteins identified with an algorithm that searches for selenocysteine insertion sequence elements. *J Biol Chem* 274, 33888-33897
62. Vendeland, S. C., Beilstein, M. A., Chen, C. L., Jensen, O. N., Barofsky, E., and Whanger, P. D. (1993) Purification and properties of selenoprotein W from rat muscle. *Journal of Biological Chemistry* 268, 17103-17107
63. Vendeland, S. C., Beilstein, M. A., Yeh, J. Y., Ream, W., and Whanger, P. D. (1995) Rat skeletal muscle selenoprotein W: cDNA clone and mRNA modulation by dietary selenium. *Proc Natl Acad Sci U S A* 92, 8749-8753

64. Lescure, A., Gautheret, D., Carbon, P., and Krol, A. (1999) Novel selenoproteins identified in silico and in vivo by using a conserved RNA structural motif. *J Biol Chem* 274, 38147-38154
65. Schweizer, U., Brauer, A. U., Kohrle, J., Nitsch, R., and Savaskan, N. E. (2004) Selenium and brain function: a poorly recognized liaison. *Brain Res.Brain Res.Rev.* 45, 164-178
66. Behne, D., Hilpert, H., Scheid, S., Gessner, H., and Elger, W. (1988) Evidence for specific selenium target tissues and new biologically important selenoproteins. *Biochimica et Biophysica Acta - General Subjects* 966, 12-21
67. Burk, R. F., Brown, D. G., Seely, R. J., and Scaife 3rd, C. C. (1972) Influence of dietary and injected selenium on whole-blood retention, route of excretion, and tissue retention of  $^{75}\text{SeO}_3$  2- in the rat. *Journal of Nutrition* 102, 1049-1055
68. Chittum, H. S., Hill, K. E., Carlson, B. A., Lee, B. J., Burk, R. F., and Hatfield, D. L. (1997) Replenishment of selenium deficient rats with selenium results in redistribution of the selenocysteine tRNA population in a tissue specific manner. *Biochimica et Biophysica Acta - Molecular Cell Research* 1359, 25-34
69. Gromer, S., Eubel, J. K., Lee, B. L., and Jacob, J. (2005) Human selenoproteins at a glance. *Cell Mol Life Sci* 62, 2414-2437
70. Behne, D., and Kyriakopoulos, A. (1993) Effects of dietary selenium on the tissue concentrations of type I iodothyronine 5'-deiodinase and other selenoproteins. *American Journal of Clinical Nutrition* 57, 310S-312S
71. Bermano, G., Nicol, F., Dyer, J. A., Sunde, R. A., Beckett, G. J., Arthur, J. R., and Hesketh, J. E. (1995) Tissue-specific regulation of selenoenzyme gene expression during selenium deficiency in rats. *Biochemical Journal* 311, 425-430
72. Bermano, G., Arthur, J. R., and Hesketh, J. E. (1996) Selective control of cytosolic glutathione peroxidase and phospholipid hydroperoxide glutathione peroxidase mRNA stability by selenium supply. *FEBS Letters* 387, 157-160
73. Weitzel, F., Ursini, F., and Wendel, A. (1990) Phospholipid hydroperoxide glutathione peroxidase in various mouse organs during selenium deficiency and repletion. *Biochimica et Biophysica Acta (BBA) - General Subjects* 1036, 88-94
74. Brigelius-Flohé, R. (1999) Tissue-specific functions of individual glutathione peroxidases. *Free Radical Biology and Medicine* 27, 951-965
75. Ho, Y.-S., Magnenat, J.-L., Bronson, R. T., Cao, J., Gargano, M., Sugawara, M., and Funk, C. D. (1997) Mice Deficient in Cellular Glutathione Peroxidase Develop Normally and Show No Increased Sensitivity to Hyperoxia. *J. Biol. Chem.* 272, 16644-16651
76. Crack, P. J., and Taylor, J. M. (2005) Reactive oxygen species and the modulation of stroke. *Free Radical Biology and Medicine* 38, 1433-1444
77. Kreutzberg, G. W. (1996) Microglia: a sensor for pathological events in the CNS. *Trends Neurosci.* 19, 312-318
78. Del Rio-Hortega, P. (1932) Microglia. *Cytology and cellular pathology of the nervous system* II, 481-534
79. Rezaie, P., and Male, D. (2002) Mesoglia and microglia - A historical review of the concept of mononuclear phagocytes within the central nervous system. *Journal of the History of the Neurosciences* 11, 325-374

80. Hanisch, U. K. (2002) Microglia as a source and target of cytokines. *Glia* 40, 140-155
81. Bal-Price, A., and Brown, G. C. (2001) Inflammatory neurodegeneration mediated by nitric oxide from activated glia-inhibiting neuronal respiration, causing glutamate release and excitotoxicity. *J Neurosci* 21, 6480-6491
82. Nakamura, Y. (2002) Regulating factors for microglial activation. *Biol Pharm Bull* 25, 945-953
83. Morioka, T., Kalehua, A. N., and Streit, W. J. (1991) The microglial reaction in the rat dorsal hippocampus following transient forebrain ischemia. *J Cereb Blood Flow Metab* 11, 966-973
84. Griffin, W. S. T., Stanley, L. C., Ling, C., White, L., MacLeod, V., Perrot, L. J., White III, C. L., and Araoz, C. (1989) Brain interleukin 1 and S-100 immunoreactivity are elevated in Down syndrome and Alzheimer disease. *Proceedings of the National Academy of Sciences of the United States of America* 86, 7611-7615
85. Streit, W. J. (2005) Microglia and neuroprotection: implications for Alzheimer's disease. *Brain Res Brain Res Rev* 48, 234-239
86. Tanaka, M., Sotomatsu, A., Yoshida, T., Hirai, S., and Nishida, A. (1994) Detection of Superoxide Production by Activated Microglia Using a Sensitive and Specific Chemiluminescence Assay and Microglia-Mediated PC12h Cell Death. *Journal of Neurochemistry* 63, 266-270
87. Münch, G., and Robinson, S. R. (2002) Potential neurotoxic inflammatory responses to A-beta vaccination in humans. *Journal of Neural Transmission* 109, 1081-1087
88. Nicoll, J. A. R., Wilkinson, D., Holmes, C., Steart, P., Markham, H., and Weller, R. O. (2003) Neuropathology of human Alzheimer disease after immunization with amyloid-[beta] peptide: a case report. *Nat Med* 9, 448-452
89. Schenk, D., Barbour, R., Dunn, W., Gordon, G., Grajeda, H., Guldo, T., Hu, K., Huang, J., Johnson-Wood, K., Khan, K., Kholodenko, D., Lee, M., Liao, Z., Lieberburg, I., Motter, R., Mutter, L., Soriano, F., Shopp, G., Vasquez, N., Vandevert, C., Walker, S., Wogulis, M., Yednock, T., Games, D., and Seubert, P. (1999) Immunization with amyloid-beta attenuates Alzheimer disease-like pathology in the PDAPP mouse. *Nature* 400, 173-177
90. Sies, H., and Cadena, E. (1985) Oxidative stress: damage to intact cells and organs. *Philosophical transactions of the Royal Society of London. Series B: Biological sciences* 311, 617-631
91. Floyd, R. A., and Carney, J. M. (1992) Free radical damage to protein and DNA: mechanisms involved and relevant observations on brain undergoing oxidative stress. *Ann Neurol* 32 Suppl, S22-27
92. Reiter, R. J. (1998) Oxidative damage in the central nervous system: Protection by melatonin. *Progress in Neurobiology* 56, 359-384
93. Bocchini, V., Mazzolla, R., Barluzzi, R., Blasi, E., Sick, P., and Kettenmann, H. (1992) An immortalized cell line expresses properties of activated microglial cells. *J Neurosci Res* 31, 616-621
94. Gluzman, Y. (1981) SV40-transformed simian cells support the replication of early SV40 mutants. *Cell* 23, 175-182
95. Liu, Y., Peterson, D. A., Kimura, H., and Schubert, D. (1997) Mechanism of cellular 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT) reduction. *J Neurochem* 69, 581-593

96. Mattson, M. P., Lovell, M. A., Furukawa, K., and Markesberry, W. R. (1995) Neurotrophic factors attenuate glutamate-induced accumulation of peroxides, elevation of intracellular Ca<sup>2+</sup> concentration, and neurotoxicity and increase antioxidant enzyme activities in hippocampal neurons. *J Neurochem* 65, 1740-1751
97. Hu, J., Castets, F., Guevara, J. L., and Van Eldik, L. J. (1996) S100 beta stimulates inducible nitric oxide synthase activity and mRNA levels in rat cortical astrocytes. *J Biol Chem* 271, 2543-2547
98. Green, L. C., Wagner, D. A., Glogowski, J., Skipper, P. L., Wishnok, J. S., and Tannenbaum, S. R. (1982) Analysis of nitrate, nitrite, and [15N]nitrate in biological fluids. *Anal Biochem* 126, 131-138
99. Kim, T., Jung, U., Cho, D. Y., and Chung, A. S. (2001) S-methylselenocysteine induces apoptosis through caspase activation in HL-60 cells. *Carcinogenesis* 22, 559-565
100. Lin, K. I., Lee, S. H., Narayanan, R., Baraban, J. M., Hardwick, J. M., and Ratan, R. R. (1995) Thiol agents and Bcl-2 identify an alphavirus-induced apoptotic pathway that requires activation of the transcription factor NF-kappa B. *J Cell Biol.* 131, 1149-1161
101. Smith, P. K., Krohn, R. I., Hermanson, G. T., Mallia, A. K., Gartner, F. H., Provenzano, M. D., Fujimoto, E. K., Goeke, N. M., Olson, B. J., and Klenk, D. C. (1985) Measurement of protein using bicinchoninic acid. *Anal Biochem* 150, 76-85
102. Laemmli, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227, 680-685
103. Eckerskorn, C., Jungblut, P., Mewes, W., Klose, J., and Lottspeich, F. (1988) Identification of mouse brain proteins after two-dimensional electrophoresis and electroblotting by microsequence analysis and amino acid composition analysis. *Electrophoresis* 9, 830-838
104. Rabilloud, T. (1999) Silver staining of 2-D electrophoresis gels. *Methods Mol.Biol.* 112, 297-305
105. Shuman, S. (1994) Novel approach to molecular cloning and polynucleotide synthesis using vaccinia DNA topoisomerase. *J Biol Chem* 269, 32678-32684
106. Tatusova, T. A., and Madden, T. L. (1999) BLAST 2 Sequences, a new tool for comparing protein and nucleotide sequences. *FEMS Microbiol Lett* 174, 247-250
107. Brummelkamp, T. R., Bernards, R., and Agami, R. (2002) A system for stable expression of short interfering RNAs in mammalian cells. *Science* 296, 550-553
108. Reynolds, A., Leake, D., Boese, Q., Scaringe, S., Marshall, W. S., and Khvorova, A. (2004) Rational siRNA design for RNA interference. *Nat Biotechnol* 22, 326-330
109. Sambrook, J., Fritsch, E. F., and Maniatis, T. (1989) *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor, New York
110. Paglia, D. E., and Valentine, W. N. (1967) Studies on the quantitative and qualitative characterization of erythrocyte glutathione peroxidase. *J Lab Clin Med* 70, 158-169
111. Brauer, A. U., Savaskan, N. E., Kuhn, H., Prehn, S., Ninnemann, O., and Nitsch, R. (2003) A new phospholipid phosphatase, PRG-1, is involved in axon growth and regenerative sprouting. *Nat Neurosci* 6, 572-578

112. Madeja, Z., Sroka, J., Nystrom, C., Bjorkhem-Bergman, L., Nordman, T., Damdimopoulos, A., Nalvarite, I., Eriksson, L. C., Spyrou, G., Olsson, J. M., and Bjornstedt, M. (2005) The role of thioredoxin reductase activity in selenium-induced cytotoxicity. *Biochem Pharmacol* 69, 1765-1772
113. Savaskan, N. E., Brauer, A. U., Kuhbacher, M., Eyupoglu, I. Y., Kyriakopoulos, A., Ninnemann, O., Behne, D., and Nitsch, R. (2003) Selenium deficiency increases susceptibility to glutamate-induced excitotoxicity. *FASEB J.* 17, 112-114
114. Julian, D., Chen, J., Ingeman, J. E., George, J. K., and Noponen, M. (1989) The role of mononuclear phagocytes in wound healing after traumatic injury to adult mammalian brain. *J Neurosci* 9, 4416-4429
115. Schreck, R., Albermann, K., and Baeuerle, P. A. (1992) Nuclear factor kappa B: an oxidative stress-responsive transcription factor of eukaryotic cells (a review). *Free Radic Res Commun* 17, 221-237
116. Ke, Z. J., and Gibson, G. E. (2004) Selective response of various brain cell types during neurodegeneration induced by mild impairment of oxidative metabolism. *Neurochem Int* 45, 361-369
117. Chao, C. C., Hu, S., Sheng, W. S., Bu, D., Bukrinsky, M. I., and Peterson, P. K. (1996) Cytokine-stimulated astrocytes damage human neurons via a nitric oxide mechanism. *GLIA* 16, 276-284
118. Hu, J., Ferreira, A., and Van Eldik, L. J. (1997) S100 $\beta$  Induces Neuronal Cell Death Through Nitric Oxide Release from Astrocytes. *Journal of Neurochemistry* 69, 2294-2301
119. Kingham, P. J., Cuzner, M. L., and Pocock, J. M. (1999) Apoptotic Pathways Mobilized in Microglia and Neurones as a Consequence of Chromogranin A-Induced Microglial Activation. *Journal of Neurochemistry* 73, 538-547
120. Liberatore, G. T., Jackson-Lewis, V., Vukosavic, S., Mandir, A. S., Vila, M., McAuliffe, W. G., Dawson, V. L., Dawson, T. M., and Przedborski, S. (1999) Inducible nitric oxide synthase stimulates dopaminergic neurodegeneration in the MPTP model of Parkinson disease. *Nat Med* 5, 1403-1409
121. Vermes, I., Haanen, C., Steffens-Nakken, H., and Reutelingsperger, C. (1995) A novel assay for apoptosis. Flow cytometric detection of phosphatidylserine expression on early apoptotic cells using fluorescein labelled Annexin V. *J Immunol Methods* 184, 39-51
122. Schneider, M. J., Fiering, S. N., Pallud, S. E., Parlow, A. F., St. Germain, D. L., and Galton, V. A. (2001) Targeted Disruption of the Type 2 Selenodeiodinase Gene (DIO2) Results in a Phenotype of Pituitary Resistance to T4. *Mol Endocrinol* 15, 2137-2148
123. Guadano-Ferraz, A., Obregon, M. J., Germain, D. L. S., and Bernal, J. (1997) The type 2 iodothyronine deiodinase is expressed primarily in glial cells in the neonatal rat brain. *PNAS* 94, 10391-10396
124. Behne, D., Kyriakopoulos, A., Kalcklösch, M., Weiss-Nowak, C., Pfeifer, H., Gessner, H., and Hammel, C. (1997) Two New Selenoproteins Found in the Prostatic Glandular Epithelium and in the Spermatid Nuclei. *Biomedical and Environmental Sciences* 10, 340-345
125. Whanger, P. D. (2000) Selenoprotein W: a review. *Cellular and Molecular Life Sciences (CMLS)* 57, 1846-1852
126. Arner, E. S. J., and Holmgren, A. (2000) Physiological functions of thioredoxin and thioredoxin reductase. *European Journal of Biochemistry* 267, 6102-6109

127. Han, I. O., Kim, K. W., Jong, H. R., and Kim, W. K. (2002) p38 mitogen-activated protein kinase mediates lipopolysaccharide, not interferon-gamma, - induced inducible nitric oxide synthase expression in mouse BV2 microglial cells. *Neuroscience Letters* 325, 9-12
128. Nakashima, M. N., Yamashita, K., Kataoka, Y., Yamashita, Y. S., and Niwa, M. (1995) Time course of nitric oxide synthase activity in neuronal, glial, and endothelial cells of rat striatum following focal cerebral ischemia. *Cellular and Molecular Neurobiology* 15, 341-349
129. Björkhem-Bergman, L., Jönsson, K., Eriksson, L. C., Olsson, J. M., Lehmann, S., Paul, C., and Björnstedt, M. (2002) Drug-resistant human lung cancer cells are more sensitive to selenium cytotoxicity: Effects on thioredoxin reductase and glutathione reductase. *Biochemical Pharmacology* 63, 1875-1884
130. Ullrich, O., Diestel, A., Eyupoglu, I. Y., and Nitsch, R. (2001) Regulation of microglial expression of integrins by poly(ADP-ribose) polymerase-1. *Nat Cell Biol* 3, 1035-1042
131. Schreck, R., Rieber, P., and Baeuerle, P. A. (1991) Reactive oxygen intermediates as apparently widely used messengers in the activation of the NF-kappa B transcription factor and HIV-1. *Embo J* 10, 2247-2258
132. Schmidt, K. N., Amstad, P., Cerutti, P., and Baeuerle, P. A. (1995) The roles of hydrogen peroxide and superoxide as messengers in the activation of transcription factor NF-kappaB. *Chemistry and Biology* 2, 13-22
133. Kim, H. S., Woo, M. S., Park, J. S., Whang, S. Y., Han, I. O., and Kim, W. K. (2004) Sodium butyrate suppresses interferon-gamma-, but not lipopolysaccharide- mediated induction of nitric oxide and tumor necrosis factor-alpha in microglia. *Journal of Neuroimmunology* 151, 85-93
134. Behne, D., Weiss-Nowak, C., Kalckloesch, M., Westphal, C., Gessner, H., and Kyriakopoulos, A. (1994) Application of nuclear analytical methods in the investigation and identification of new selenoproteins. *Biological Trace Element Research* 43-45, 287-297
135. Jack L. Leonard, D. M. L. Q. S. A. P. F. P. E. N. (1996) Selenium-regulated translation control of heterologous gene expression: Normal function of selenocysteine-substituted gene products. *Journal of Cellular Biochemistry* 61, 410-419
136. Hirrlinger, J., Gutterer, J. M., Kussmaul, L., Hamprecht, B., and Dringen, R. (2000) Microglial cells in culture express a prominent glutathione system for the defense against reactive oxygen species. *Developmental Neuroscience* 22, 384-392
137. Hirsch, E. C. (1992) Why are nigral catecholaminergic neurons more vulnerable than other cells in Parkinson's disease? *Annals of Neurology* 32, S88-93