

6. References.

- Altschul, S.F., Gish, W., Miller, W., Myers, E. W., and Lipman, D. J. (1990). Basic local alignment search tool. *J Mol Biol* *215*, 403-10.
- Alves, A. M., Holland, D., Edge, M. D., and Carr, F. J. (1988). Hybridisation detection of single nucleotide changes with enzyme labelled oligonucleotides. *Nucleic Acids Research* *16*, 8722.
- Armitage, B., Koch, T., Frydenlund, H., Orum, H., and Schuster, G. B. (1998). Peptide nucleic acid (PNA)/DNA hybrid duplexes: intercalation by an internally linked anthraquinone. *Nucleic Acids Research* *26*, 715-20.
- Bains, W. and Smith, G.C. (1988) *J.Theor. Biol.* *135*, 303-307
- Bowling, J. M., Bruner, K. L., Cmarik, J. L., and Tibbetts, C. (1991). Neighboring nucleotide interactions during DNA sequencing gel electrophoresis. *Nucleic Acids Research* *19*, 3089-97.
- Boffa, L. C., Carpaneto, E. M., and Allfrey, V. G. (1995). Isolation of Active Genes Containing Cag Repeats By Dna Strand Invasion By a Peptide Nucleic Acid. *Proceedings of the National Academy of Sciences of the United States of America* *92*, 1901-1905.
- Breslauer, K. J., Frank, R., Blocker, H., and Marky, L. A. (1986). Predicting DNA duplex stability from the base sequence. *Proceedings of the National Academy of Sciences of the United States of America* *83*, 3746-50.
- Bronstein, I., Fortin, J., Stanley, P. E., Stewart, G. S., and Kricka, L. J. (1994). Chemiluminescent and bioluminescent reporter gene assays. *Anal Biochem* *219*, 169-81.
- Bryant, D. A., and Cohen-Bazire, G. (1981). Effects of chromatic illumination on cyanobacterial phycobilisomes. Evidence for the specific induction of a second pair of phycocyanin subunits in *Pseudanabaena* 7409 grown in red light. *Eur J Biochem* *119*, 415-24.
- Butler, J. M., Jiangbaucum, P., Huang, M., Belgrader, P., and Girard, J. (1996). Peptide Nucleic Acid Characterization By Maldi-Tof Mass Spectrometry. *Analytical Chemistry* *68*, 3283-3287.
- Chee, M., Yang, R., Hubbell, E., Berno, A., Huang Xiaohua, C., Stern, D., Winkler, J., Lockhart David, J., Morris Macdonald, S., and Fodor Stephen, P. A. (1996). Accessing genetic information with high-density DNA arrays. *Science* *274*, 610-614.
- Cherny, D. Y., Belotserkovskii, B. P., Frank-Kamenetskii, M. D., Egholm, M., Buchardt, O., Berg, R. H., and Nielsen, P. E. (1993). DNA unwinding upon strand-displacement binding of a thymine-substituted polyamide to double-stranded DNA. *Proceedings of the National Academy of Sciences of the United States of America* *90*, 1667-70.
- Cherry, J. L., Young, H., Di Sera, L. J., Ferguson, F. M., Kimball, A. W., Dunn, D. M., Gesteland, R. F., and Weiss, R. B. (1994). Enzyme-linked fluorescent detection for automated multiplex DNA sequencing. *Genomics* *20*, 68-74.
- Clark, M. D., Panopoulou, G. D., Cahill, D. J., Bussow, K., and Lehrach, H. (1999). Construction and analysis of arrayed cDNA libraries. *Methods in Enzymology* *303*, 205-33.
- Craig, A. G., Nizetic, D., Hoheisel, J. D., Zehetner, G., and Lehrach, H. (1990). Ordering of cosmid clones covering the herpes simplex virus type I (HSV-I) genome: a test case for fingerprinting by hybridisation. *Nucleic Acids Research* *18*, 2653-60.
- Cuticchia, A. J., Arnold, J., and Timberlake, W. E. ODS: Ordering DNA sequences: A physical mapping algorithm based on simulated annealing. *Computer Applications in the Biosciences*.
- Demers, D. B., Curry, E. T., Egholm, M., and Sozer, A. C. (1995). Enhanced Pcr Amplification of Vntr Locus D1s80 Using Peptide Nucleic Acid (Pna). *Nucleic Acids Research* *23*, 3050-3055.

- Drmanac, R. and Crkvenjakov, R. (1987) Yugoslav patent Application 570.
- Drmanac, R., Strezoska, Z., Labat, I., Drmanac, S., and Crkvenjakov, R. (1990). Reliable hybridization of oligonucleotides as short as six nucleotides. *DNA & Cell Biology* 9, 527-34.
- Demolis, N., Mallet, L., Bussereau, F., and Jacquet, M. (1995). Improved strategy for large-scale DNA sequencing using DNaseI cleavage for generating random subclones. *Biotechniques* 18, 453-7.
- Drmanac, R., and Drmanac, S. (1999). cDNA screening by array hybridization. *Meth. Enzymol.* 303, 165-78.
- Drmanac, R., Drmanac, S., Strezoska, Z., Paunesku, T., Labat, I., Zeremski, M., Snoddy, J., Funhouser, W. K., Koop, B., and et al. (1993). DNA sequence determination by hybridization: A strategy for efficient large-scale sequencing. *Science* 260, 1649-1652.
- Drmanac, R., Labat Snezana Vv, D., Crkvenjakov, R., Vicentic, A., and Gemmell, A. (1992). Sequencing by hybridization: Towards an automated sequencing of one million M13 clones arrayed on membranes. *Electrophoresis* 13, 566-573.
- Drmanac, S., Stavropoulos, N. A., Labat, I., Vonau, J., Hauser, B., Soares, M. B., and Drmanac, R. (1996). Gene-representing cDNA clusters defined by hybridization of 57,419 clones from infant brain libraries with short oligonucleotide probes. *Genomics* 37, 29-40.
- Drobyshev, A., Mologina, N., Shik, V., Pobedimskaya, D., Yershov, G., and Mirzabekov, A. (1997). Sequence analysis by hybridization with oligonucleotide microchip: identification of beta-thalassemia mutations. *Gene* 188, 45-52.
- Durrant, I., and Fowler, S. (1994). Nonradioactive oligonucleotide probe labeling. *Meth. Mol Biol* 31, 163-75.
- Egholm, M., Buchardt, O., Christensen, L., Behrens, C., Freier, S. M., Driver, D. A., Berg, R. H., Kim, S. K., Norden, B., and Nielsen, P. E. (1993). PNA hybridizes to complementary oligonucleotides obeying the Watson-Crick hydrogen-bonding rules. *Nature* 365, 566-8.
- Eickhoff, H. (1998). Microtechnologies and Miniaturization. *Drug Discovery Today* 3, 148-149.
- Frank, R., and Koster, H. (1979). DNA chain length markers and the influence of base composition on electrophoretic mobility of oligodeoxyribonucleotides in polyacrylamide-gels. *Nucleic Acids Research* 6, 2069-87.
- Giesen, U., Kleider, W., Berding, C., Geiger, A., Orum, H., and Nielsen, P. E. (1998). A Formula For Thermal Stability (T-M) Prediction of Pna/Dna Duplexes. *Nucleic Acids Research* 26, 5004-5006.
- Gonzalez, M., Bagatolli, L. A., Echabe, I., Arrondo, J. L. R., Argarana, C. E., Cantor, C. R., and Fidelio, G. D. (1997). Interaction of biotin with streptavidin. Thermostability and conformational changes upon binding. *Journal of Biological Chemistry* 272, 11288-94.
- Good, L., and Nielsen, P. E. (1998). Antisense Inhibition of Gene Expression in Bacteria By Pna Targeted to Mrna. *Nature Biotechnology* 16, 355-358.
- Good, L., and Nielsen, P. E. (1998). Inhibition of Translation and Bacterial Growth By Peptide Nucleic Acid Targeted to Ribosomal Rna. *Proceedings of the National Academy of Sciences of the United States of America* 95, 2073-2076.
- Griffin, T. J., Tang, W., and Smith, L. M. (1997). Genetic Analysis By Peptide Nucleic Acid Affinity Maldi-Tof Mass Spectrometry. *Nature Biotechnology* 15, 1368-1372.
- Guerasimova, A., Ivanov, I., and Lehrach, H. (1999). A method of one-step enzyme labelling of short oligonucleotide probes for filter hybridisation. *Nucleic Acids Research* 27, 703-705.

Gut, I.G., Berlin, K. und Lehrach, H. "Verfahren zur Identifikation von DNA mit MALDI", Patentanmeldung Dezember 1997, EP 97 12 1471.3.

Gut, I. G., Jeffry, W. A., Pappin, D. J. C. and Beck, S. (1997) *Rapid Commun. Mass Spectrom.*, **11**, 43-50.

Haugland, R. P. (1996). Handbook of fluorescent probes and research chemicals, Sixth Edition, S.M.T.Z., ed.

Herwig, R., Poustka, A. J., Muller, C., Bull, C., Lehrach, H., and O'Brien, J. (1999). Large-scale clustering of cDNA-fingerprinting data. *Genome Research* 9, 1093-1105.

Hoheisel, J. D., Craig, A. G., and Lehrach, H. (1990). Effect of 5-bromo- and 5-methyldeoxycytosine on duplex stability and discrimination of the NotI octadeoxynucleotide. Quantitative measurements using thin-layer chromatography. *Journal of Biological Chemistry* 265, 16656-60.

Hoheisel, J. D., Lennon, G. G., Zehetner, G., and Lehrach, H. (1991). Use of high coverage reference libraries of *Drosophila melanogaster* for relational data analysis. A step towards mapping and sequencing of the genome. *Journal of Molecular Biology* 220, 903-14.

Hoffmann, R., Bril, G., and Otvos, L. (1998). Prediction of Retention Times of Peptide Nucleic Acids During Reversed-Phase High-Performance Liquid Chromatography. *Journal of Chromatography* 814, 111-119.

Igloi, G. L. (1998). Variability in the Stability of Dna-Peptide Nucleic Acid (Pna) Single-Base Mismatched Duplexes - Real-Time Hybridization During Affinity Electrophoresis in Pna-Containing Gels. *Proceedings of the National Academy of Sciences of the United States of America* 95, 8562-8567.

Karger, A. E., Weiss, R., and Gesteland, R. F. (1992). Digital chemiluminescence imaging of DNA sequencing blots using a charge-coupled device camera. *Nucleic Acids Research* 20, 6657-65.

Khrapko, K. R., Lysov Yu, P., Khorlyn, A. A., Shick, V. V., Florentiev, V. L., and Mirzabekov, A. D. (1989). An oligonucleotide hybridization approach to DNA sequencing. *FEBS Lett* 256, 118-22.

Kel, A., Ptitsyn, A., Babenko, V., Meier-Ewert, S., and Lehrach, H. (1998). A genetic algorithm for designing gene family-specific oligonucleotide sets used for hybridization: the G protein-coupled receptor protein superfamily. *Bioinformatics* 14, 259-70.

Kozlov, I. A., Nielsen, P. E., and Orgel, L. E. (1998). A Method For the P-32 Labeling of Peptides or Peptide Nucleic Acid Oligomers. *Bioconjugate Chemistry* 9, 415-417.

Kolchanov, N. A., Vishnevsky, O. V., Babenko, V. N., Kel, A. E., and Shindyalov, I. N. (1995). Identification of cDNA sequences by specific oligonucleotide sets. Computer tool and application. *Ismb* 3, 206-14.

Kuchrzhak, R. (1999) Diplomarbeit, Universität Potsdam

Lehrach, H., Dramanac, R., Hoheisel, J.D. et al. (1990) In K.E. Davies, S. M. T. (ed.), *Genome Analysis*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, Vol. 1, pp. 39-81.

Lockhart David, J., Dong, H., Byrne Michael, C., Follettie Maximillian, T., Gallo Michael, V., Chee Mark, S., Mittmann, M., Wang, C., Kobayashi, M., Horton, H., and Brown Eugene, L. (1996). Expression monitoring by hybridization to high-density oligonucleotide arrays. *Nature Biotechnology* 14, 1675-1680.

Lysov, Y.P., Florentiev, V.L., Khorlin, A.A., Khrapko, K.R., Shick, V.V. and Mirzabekov, A.D. (1988) *Dokl. Acad. Nauk SSSR* 303, 1508-1511

Maier, E. (1995). Robotic Technology in Library Screening. *Laboratory Robotics & Automation* 7, 123-132.

Maier, E., Crollius, H. R., and Lehrach, H. (1994). Hybridisation techniques on gridded high density DNA and in situ colony filters based on fluorescence detection. *Nucleic Acids Res* 22, 3423-4.

Maier, E., Meier-Ewert, S., Ahmadi, A. R., Curtis, J., and Lehrach, H. (1994). Application of robotic technology to automated sequence fingerprint analysis by oligonucleotide hybridisation. *Journal of Biotechnology* 35, 191-203.

Makowski, G. S., and Ramsby, M. L. (1997). *Protein Structure: a practical approach*, C. T.E., ed.: IRL Press, Oxford), pp. 3.

Maskos, U., and Southern, E. M. (1993). A novel method for the parallel analysis of multiple mutations in multiple samples. *Nucleic Acids Res* 21, 2269-70.

Mayraz, G., and Shamir, R. Construction of physical maps from oligonucleotide fingerprints data. *Journal of Computational Biology*.

Meier-Ewert, S., Lange, J., Gerst, H., Herwig, R., Schmitt, A., Freund, J., Elge, T., Mott, R., Herrmann, B., and Lehrach, H. (1998). Comparative Gene Expression Profiling By Oligonucleotide Fingerprinting. *Nucleic Acids Research* 26, 2216-2223.

Meier-Ewert S.(1996) PhD Thesis, University College London

Milosavljevic, A., Strezoska, Z., Zeremski, M., Grujic, D., Paunesku, T., and Crkvenjakov, R. (1995). Clone Clustering By Hybridization. *Genomics* 27, 83-89.

Milosavljevic, A., Savkovic, S., Crkvenjakov, R., Salbego, D., Serrato, H., Kreuzer, H., Gemmell, A., Batus, S., Grujic, D., Carnahan, S., Paunesku, T., and Tepavcevic, J. (1996). DNA sequence recognition by hybridization to short oligomers: experimental verification of the method on the E. coli genome. *Genomics* 37, 77-86.

Milosavljevic, A., Strezoska, Z., Zeremski, M., Grujic, D., Paunesku, T., and Crkvenjakov, R. (1995). Clone Clustering By Hybridization. *Genomics* 27, 83-89.

Milosavljevic, A., Zeremski, M., Strezoska, Z., Grujic, D., Dyanov, H., Batus, S., Salbego, D., Paunesku, T., Soares, M. B., and Crkvenjakov, R. (1996). Discovering distinct genes represented in 29,570 clones from infant brain cDNA libraries by applying sequencing by hybridization methodology. *Genome Res* 6, 132-41.

Nielsen, P. E., Egholm, M., Berg, R. H., and Buchardt, O. (1991). Sequence-selective recognition of DNA by strand displacement with a thymine-substituted polyamide. *Science* 254, 1497-500.

Oi, V. T., Glazer, A. N., and Stryer, L. (1982). Fluorescent phycobiliprotein conjugates for analyses of cells and molecules. *J Cell Biol* 93, 981-6.

Orum, H., Nielsen, P. E., Egholm, M., Berg, R. H., Buchardt, O., and Stanley, C. (1993). Single base pair mutation analysis by PNA directed PCR clamping. *Nucleic Acids Research* 21, 5332-6.

Parinov, S., Barsky, V., Yershov, G., Kirillov, E., Timofeev, E., Belgovskiy, A., and Mirzabekov, A. (1996). DNA sequencing by hybridization to microchip octa- and decanucleotides extended by stacked pentanucleotides. *Nucleic Acids Research* 24, 2998-3004.

Peffer Nancy, J., Hanvey Jeffery, C., Bisi John, E., Thomson Stephen, A., Hassman, C. F., Noble Stewart, A., and Babiss Lee, E. Strand-invasion of duplex DNA by peptide nucleic acid oligomers. *Proceedings of the National Academy of Sciences of the United States of America*.

Perry-O'Keefe, H., Yao, X. W., Coull, J. M., Fuchs, M., and Egholm, M. (1996). Peptide Nucleic Acid Pre-Gel Hybridization - an Alternative to Southern Hybridization. *Proceedings of the National Academy of Sciences of the United States of America* 93, 14670-14675.

Poustka, A. J., Herwig, R., Krause, A., Hennig, S., Meier-Ewert, S., and Lehrach, H. (1999). Toward the gene catalogue of sea urchin development: the construction and analysis of an unfertilized egg cDNA library highly normalized by oligonucleotide fingerprinting. *Genomics* 59, 122-33.

Radelof, U., Hennig, S., Seranski, P., Steinfath, M., Ramser, J., Reinhardt, R., Poustka, A., Francis, F., and Lehrach, H. (1998). Preselection of shotgun clones by oligonucleotide fingerprinting: an efficient and high throughput strategy to reduce redundancy in large-scale sequencing projects. *Nucleic Acids Research* 26, 5358-64.

Ross, P. L., Lee, K., and Belgrader, P. (1997). Discrimination of Single-Nucleotide Polymorphisms in Human Dna Using Peptide Nucleic Acid Probes Detected By Maldi-Tof Mass Spectrometry. *Analytical Chemistry* 69, 4197-4202.

Sambrook, J., Fritsch, E. F., and Maniatis, T. (1989). *Molecular Cloning: A Laboratory Manual*: Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY).

Sanger, F., Nicklen, S., and Coulson, A. R. (1977). DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* 74, 5463-7.

Schena, M., Shalon, D., Heller, R., Chai, A., Brown, P. O., and Davis, R. W. (1996). Parallel human genome analysis: microarray-based expression monitoring of 1000 genes. *Proc Natl Acad Sci U S A* 93, 10614-9.

Schmidt, J. G., Nielsen, P. E., and Orgel, L. E. (1996). Separation of Uncharged Oligodeoxynucleotide Analogs By Anion-Exchange Chromatography At High Ph. *Analytical Biochemistry* 235, 239-241.

Schwarz, F. P., Robinson, S., and Butler, J. M. (1999). Thermodynamic comparison of PNA/DNA and DNA/DNA hybridization reactions at ambient temperature. *Nucleic Acids Research* 27, 4792-4800.

Southern, E.M. (1988) UK Patent Application GB8810400

Southern, E. M., Maskos, U., and Elder, J. K. (1992). Analyzing and comparing nucleic acid sequences by hybridization to arrays of oligonucleotides: evaluation using experimental models. *Genomics* 13, 1008-17.

Tizard, R., Cate, R. L., Ramachandran, K. L., Wysk, M., Voyta, J. C., Murphy, O. J., and Bronstein, I. (1990). Imaging of DNA sequences with chemiluminescence. *Proc Natl Acad Sci U S A* 87, 4514-8.

Tomac, S., Sarkar, M., Ratilainen, T., Wittung, P., Nielsen, P. E., Norden, B., and Graslund, A. Ionic effects on the stability and conformation of peptide nucleic acid (PNA) complexes. *Progress in Biophysics & Molecular Biology*.

Urdea, M. S., Warner, B. D., Running, J. A., Stempien, M., Clyne, J., and Horn, T. (1988). A comparison of non-radioisotopic hybridization assay methods using fluorescent, chemiluminescent and enzyme labeled synthetic oligodeoxyribonucleotide probes. *Nucleic Acids Research* 16, 4937-56.

Weiler, J., Gausepohl, H., Hauser, N., Jensen, O. N., and Hoheisel, J. D. (1997). Hybridisation Based Dna Screening On Peptide Nucleic Acid (Pna) Oligomer Arrays. *Nucleic Acids Research* 25, 2792-2799.

Wetmur, J. G. (1991). DNA probes: applications of the principles of nucleic acid hybridization. *Critical Reviews in Biochemistry & Molecular Biology* 26, 227-59.

Williams, J. C., Case-Green, S. C., Mir, K. U., and Southern, E. M. (1994). Studies of oligonucleotide interactions by hybridisation to arrays: the influence of dangling ends on duplex yield. *Nucleic Acids Res* 22, 1365-7.

Wodicka, L., Dong, H., Mittmann, M., Ho, M.-H., and Lockhart David, J. (1997). Genome-wide expression monitoring in *Saccharomyces cerevisiae*. *Nature Biotechnology* 15, 1359-1367

Yao, S., Anex, D. S., Caldwell, W. B., Arnold, D. W., Smith, K. B., and Schultz, P. G. (1999). Proceedings of the National Academy of Sciences of the United States of America 96, 5372-5377.