

6 References

- Allmendinger, R.W.; Figueroa, D.; Snyder, D.; Beer, J.; Mpodozis, C.; Isacks, B.L. (1990), Foreland Shortening and Crustal Balancing in the Andes at 30°S Latitude, *Tectonics*, V9, NO 4, p. 789-809
- Allmendinger, R.W., and T. Gubbels (1996), Pure and simple shear plateau uplift, Altiplano-Puna, Argentina and Bolivia, *Tectonophysics*, 259, 1-13.
- Allmendinger, R.W., T.E. Jordan, S.M. Kay and B.L. Isacks (1997), The evolution of the Altiplano-Puna Plateau of the Central Andes, *Annual Reviews Earth Planetary Sciences*, 25, 139-174.
- ANCORP Working Group (1999), Seismic reflection image of Andean subduction zone revealing offset of intermediate depth seismicity into oceanic mantle, *Nature* 397, 341-344.
- ANCORP Working Group (2003), Seismic imaging of a convergent continental margin and plateau in the central Andes (Andean Continental Research Project 1996 (ANCORP'96)), *J. Geophys. Res.*, 108(7), 2328, doi:10.1029/2002JB001771.
- Andersen, O.B., P. Knudsen, and R. Trimmer (2001), The KMS2001 global mean sea surface and gravity field, *Proc IAG2001 Scientific Assembly*, Budapest, Hungary.
- Angermann, D., Klotz, J., Reiber, C (1999), Space-geodetic estimation of the Nazca-South American Euler vector, *Earth and Planetary Science Letter* 171, 329 – 334.
- Artemieva, I.M., and W. D. Mooney (2001), Thermal thickness and evolution of Precambrian lithosphere: a global study, *J. Geophys. Res.*, 106, 16387-16414.
- Arriagada, C., P. Roperch, C. Mpodozis, G. Dupont-Nivet, P. R. Cobbold, A. Chauvin, and J. Cortés (2003), Paleogene clockwise tectonic rotations in the forearc of central Andes, Antofagasta region, northern Chile, *J. Geophys. Res.*, 108(B1), 2032, doi:10.1029/2001JB001598.

Austrheim, H (1998), Influence of fluid and deformation on metamorphism of deep crust and consequences for the geodynamics of collision zones, in *When continents collide: geodynamics and geochemistry of Ultra-high pressure rocks* edited by B. Hacker and J. Liou, Kluwer academic publishers, 297-323.

Assumpcao, M., D. James and A. Snoke (2002), Crustal thickness in SE Brazilian Shield by receiver function analysis: Implications for isostatic compensation, *J. Geophys. Res.*, 107, 10.1029/2001JB000422.

Babeyko, A.; Sobolev, S.; Trumbull, R.; Oncken, O.; Lavier, L. (2002), Numerical models of crustal scale convection and partial melting beneath the Altiplano – Puna plateau, *Earth and Planetary Sciences Letters*, V 199, p. 373 – 388.

Baby, P; Rochat, P; Mascle, G; Herail, G. (1997), Neogene shortening contribution to crustal thickening in the back arc of the Central Andes. *Geology*, Vol. 25, No. 10, p. 883 - 886.

Bangs, N. L., and S. C. Cande (1997), Episodic development of a convergent margin inferred from structures and processes along the southern Chile margin, *Tectonics*, 16, 489–503.

Barrientos, S., E. Vera, P. Alvarado, and T. Monfret (2004), Crustal seismicity in central Chile. *Journal of South American Earth Sciences*, 16(8), 759-768.

Beck, S., G. Zandt , S. Myers, T. Wallace, R. Silver, and L. Drake (1996), Crustal-thickness variations in the central Andes, *Geology*, 24, 407-410.

Beck, S., and G. Zandt (2002), The nature of orogenic crust in the central Andes, *J. Geophys. Res.*, 107(B10), 2230, doi:10.1029/2000JB000124.

Behn, M. D., and P. B. Kelemen (2003), Relationship between seismic P-wave velocity and the composition of anhydrous igneous and meta-igneous rocks, *Geochem. Geophys. Geosyst.*, 4(5), 1041, doi:10.1029/2002GC000393.

Belmonte, A. (2002), Krustale Seismizität, Struktur und Rheologie der Oberplatte zwischen der Präkordillere und dem magmatischen Bogen in Nordchile (22° - 24°S), Ph.D. Thesis, 120 pp., Freie Universität Berlin, Germany.

Berrocal, J., Y. Marangoni, N. de Sá, R. Fuck, J. Soares, E. Dantas, F. Perosi and C. Fernandes (2004), Deep seismic refraction and gravity crustal model and tectonic deformation in Tocantins Province, Central Brazil, *Tectonophysics*, 388, 187-199.

Bevis, M.; Kendrick, E.; Smalley Jr, R.; Brooks, B. A.; Allmendinger, R. W.; Isacks, B. L. (2001), On the strength of interplate coupling and the rate of back arc convergence in the central Andes: An analysis of the interseismic velocity field, *Geochem. Geophys. Geosyst.*, 2, 10.129/2001GC000198.

Bird, P (1979), Continental delamination and the Colorado plateau, *J. Geophys. Res.*, 84, 7561-7571.

Bjornerud, M., and H. Austrheim (2004), Inhibited eclogite formation: The key to the rapid growth of strong and buoyant Archean continental crust, *Geology*, 32, 765-768.

Bodine (1981), Numerical computation of plate flexure in marine geophysics. Technical Report NO 1, CU-1-80, Lamont-Doherty Geological Observatory, Columbia University.

Bohm, M., S. Lüth, H. Echtler, G. Asch, K. Bataille, C. Bruhn, A. Rietbrock, and P. Wigger (2002), The Southern Andes between 36° and 40°S latitude: seismicity and average seismic velocities, *Tectonophysics*, 356 (4), 275-289.

Bohm, M (2003), 3-D Lokalbebentomographie der südlichen Anden zwischen 36° und 40°S, Ph.D. Thesis, 130 pp., Freie Universität Berlin, Germany.

Bonatti, E., C.G.A. Harrison, D.E. Fisher, J. Honnorez, J.G. Schilling, J.J. Stipp, and M. Zentilli (1977), Easter volcanic chain (south east Pacific): A mantle hot line, *Journal of Geophysical Research*, 82, 2457–2478.

Bown, J. W., and R. S. White (1994), Variation with spreading rate of oceanic crustal thickness and geochemistry, *Earth Planet. Sci. Lett.*, 121, 435-449.

Bousquet, R., B. Goffé, P. Henry, X. Le Pichon, and C. Chopin (1997), Kinematic, thermal and petrological model of the central Alps: Lepontine metamorphism in the upper crust and eclogitisation of the lower crust, *Tectonophysics*, 273, 105– 127.

Brasse, H., Lezaeta, P., Rath, V., Schwalenberg, K., Soyer, W., Haak, V. (2002), The Bolivian Altiplano conductivity anomaly, *Journal of Geophysical Research*, Vol 107, No B5, 10.1029/2001JB000391.

Breunig, M., A.B. Cremers, H.-J. Götze, R. Seidemann, S. Schmidt, S. Shumilov, and A. Siehl (2000), Geologic mapping based on 3D models using an interoperable GIS. *GIS - Journal for Spatial Information and Decision Making*, 13, 12-18.

Burov, E; Diament, M. (1995), The effective elastic thickness (T_e) of continental lithosphere: What does it really mean?, *Journal of Geophysical Research*, Vol 100, No B3, p. 3905 - 3927.

Byerlee, J.D. (1978), Friction of Rocks, *Pure Appl. Geophys*, 116, 615-626.

Cahill, T., and B. Isacks (1992), Seismicity and shape of the subducted Nazca plate, *Journal of Geophysical Research*, 97, 17503 - 17529.

Calahorrano, A., V. Sallarés, J-Y. Collot, F. Sage and C. Ranero (2005), Structure and physical properties of the subduction channel off the Gulf of Guayaquil (Ecuador) from seismic reflection data, European Geosciences Union Annual Meeting, *Geophysical Research Abstracts*, Vol. 7, 08050.

Campos, J., D. Hatzfeld, R. Madariaga, G. Lopez, E. Kausel, A. Zollo, G. Iannacone, R. Fromm, S. Barrientos, and H. Lyon-Caen (2002), A seismological study of the 1835 seismic gap in south-central Chile, *Physics of the Earth and Planetary Interiors*, 132, 177-195.

Carlson, R. (2004), Seismic properties of layer 2A at 11 Ma: Results of a vertical seismic profile at Ocean Drilling Program Site 1243, *Geophysical Research Letters*, 31, L17601, doi:10.1029/2004GL020598.

Carlson, R. L., and D. J. Miller (2003), Mantle wedge water contents estimated from seismic velocities in partially serpentinized peridotites, *Geophys. Res. Lett.*, 30(5), 1250, doi:10.1029/2002GL016600.

Carlson, R. L., and D. Miller (2004), Influence of pressure and mineralogy on seismic velocities in oceanic gabbros: Implications for the composition and state of the lower oceanic crust, *J. Geophys. Res.*, 109, B09205, doi:10.1029/2003JB002699.

Carlson, R. W., D. G. Pearson, and D. E. James (2005), Physical, chemical, and chronological characteristics of continental mantle, *Rev. Geophys.*, 43, RG1001, doi:10.1029/2004RG000156.

Carmichael, R. S. (1989), *Practical Handbook of Physical Properties of Rocks and Minerals*, CRC Press, Boston, USA.

Carter, N; Tsenn, M. (1987), Flow properties of continental lithosphere, *Tectonophysics*, V136, p 27-63.

Cembrano, J., F. Herve, and A. Lavenu (1996), The Liquiñe-Ofqui fault zone; a long-lived intra-arc fault system in southern Chile, *Tectonophysics*, 259, 55-66.

Charrier, R., O. Baeza, S. Elgueta, J. Flynn, P. Gans, S. Kay, N. Muñoz, A. Wyss, and E. Zurita (2002), Evidence for Cenozoic extensional basin development and tectonic inversion south of the flat-slab segment, southern central Andes, Chile (33°-36°S.L.), *J S Am Earth Sci*, 15, 117–139.

Chernicoff, C.J., and E. Zappettini (2003), Delimitación de los terrenos tectonoestratigráficos de la región centro-austral argentina: evidencias aeromagnéticas, *Revista Geológica de Chile*, 30, 299-316.

Christensen, N. I., and W. D. Mooney (1995), Seismic velocity structure and composition of the continental crust: A global view, *J. Geophys. Res.*, 100, 9761–9788.

Clift, P.D., I.A. Pecher, N. Kukowski, and A. Hampel (2003), Tectonic erosion of the Peruvian forearc, Lima Basin, by subduction and Nazca Ridge collision, *Tectonics*, 22(3), 1023, doi:10.1029/2002TC001386.

Cobbold, P.R., and E. Rossello (2003), Aptian to Recent compressional deformation, foothills of the Neuquen Basin, Argentina, *Marine and Petroleum Geology*, 20(5), 429-443.

Comte, D., H. Haessler, L. Dorbath, M. Pardo, T. Monfret, A. Lavenu, B. Pontoise, and Y. Hello (2002), Seismicity and stress distribution in the Copiapo, northern Chile subduction zone using combined on- and off-shore seismic observations, *Physics of the Earth and Planetary Interiors*, 132, 197-217.

Comte, D., J. Battaglia, C. Thurber, H. Zhang, L. Dorbath, and B. Glass (2004), High-resolution subducting slab structure beneath northern Chile using the double-difference tomography method, *Eos Trans. AGU* 85(47), Fall Meet. Suppl.

Connolly, J.A.D. (1990), Multi-variable phase diagrams; an algorithm based on generalized thermodynamics, *Am. J. Sci.*, 290, 666-718.

Connolly, J.A.D., and D.M. Kerrick (2002), Metamorphic controls on seismic velocity of subducted oceanic crust at 100-250 km depth, *Earth and Planetary Sciences Letters*, 204, 61-74.

Costa, F., M. Dungan, and B. Singer (2002), Hornblende- and phlogopite-bearing gabbroic xenoliths from Volcán San Pedro (36°S), Chilean Andes: Evidence for melt and fluid migration and reactions in subduction-related plutons, *Journal of Petrology*, 43, 219-241.

Creager, K.C., C. Ling Yun, J.P. Winchester, and E.R. Engdahl (1995), Membrane strain rates in the subducting plate beneath South America, *Geophys. Res. Lett.*, 22, 2321–2324.

Cristallini, E.; Ramos, V. (2000), Thick-skinned and thin-skinned thrusting in the La Ramada fault and thrust belt: crustal evolution of the High Andes of San Juan, Argentina (32°S), *Tectonophysics*, V317, p. 205 – 305.

David, C., Martinod, J., Comte, D., Herail, G., Haessler, H. (2002), Intracontinental seismicity and Neogene deformation of the Andean forearc in the region of Arica (18.5°S-19.5°S). *V International Symposium of Andean Geodynamics*, Toulouse, France, 171-174.

DeBari, S., and R. Coleman (1989), Examination of the deep levels of an island arc: evidence from the Tonsina ultramafic-mafic assemblage, Tonsina, Alaska, *J. Geophys. Res.*, 94, 4373-4391.

de Ignacio, C., I. López, R. Oyarzun, and A. Márquez (2001), The northern Patagonian Somuncura plateau basalts: a product of slab-induced, shallow asthenospheric upwelling, *Terra Nova*, 13, 117-121.

de Silva, S. (1989), Altiplano – Puna volcanic complex of the Central Andes, *Geology* 17, 1102 – 1106.

Dewey, J.F., and S.H. Lamb (1992), Active tectonics of the Andes, *Tectonophysics*, 205, 79-95.

Diraison, M., P.R. Cobbold, E.A. Rossello, and A.J. Amos (1998), Neogene dextral transpression due to oblique convergence across the Andes of northwestern Patagonia, Argentina, *Journal of South American Earth Sciences*, 11(6), 519-532.

Ducea, M. N. (2002), Constraints on the bulk composition and root foundering rates of continental arcs: A California arc perspective. *J. Geophys. Res.*, 107, doi:10.1029/2001JB000643.

Ducea, M., and J. Saleeby (1998), The age and origin of a thick mafic-ultramafic keel from beneath the Sierra Nevada batholith, *Contrib. Mineral Petrol.*, 133, 169-185.

Dufek, J., and G. Bergantz (2005), Lower crustal magma genesis and preservation: a stochastic framework for the evaluation of basalt-crust interaction, *Journal of Petrology*, doi:10.1093/petrology/egi049.

Dungan, M., and J. Davidson (2004), Partial assimilative recycling of the mafic plutonic roots of arc volcanoes: An example from the Chilean Andes, *Geology*, 32, 773-776.

Engdahl, E.R., R.D. van der Hilst, and R. Buland (1998), Global teleseismic earthquake relocation with improved travel times and procedures for depth determination, *Bull. Seis. Soc. Amer.*, 88, 722-743.

Feng, M., M. Assumpcao, and S. van der Lee (2004), Group-velocity tomography and lithospheric S-velocity structure of the South American continent, *Physics of the Earth and Planetary Interiors*, 147, 315-331.

Folguera, A., D. Melnick, and V.A. Ramos (2002). Partición de la deformation en la zona del arco volcanico de los Andes neuquinos (36-39°S) en los últimos 30 millones de años, *Revista Geologica de Chile*, 29(2), 227-240.

Folguera, A., V.A. Ramos, R. Hermanns, and J. Naranjo (2004), Neotectonics in the foothills of the southernmost central Andes (37° - 38°S): Evidence of strike-slip displacement along the Antinir-Copahue fault zone, *Tectonics*, 23, doi:10.1002/2003TC001533

Forneris, J., and J. Holloway (2003), Phase equilibria in subducting basaltic crust: implications for H₂O release from the slab, *Earth and Planetary Science Letters*, 214, 187-201.

Flüh, E., N. Vidal, C. Ranero, A. Hojka, R. von Huene, J. Bialas, K. Hinz, D. Cordoba, J. Dañobeitia, and C. Zelt (2002), Seismic investigation of the continental margin off- and onshore Valparaiso, Chile, *Tectonophysics*, 288, 251-263.

Froidevaux, C., Isacks, B. (1984), The Mechanical State of the Lithosphere in the Altipano-Puna Segment of the Andes, *Earth Planet. Sci. Letts.*, 71, p. 305-314.

Fromm, R., G. Zandt, and S. L. Beck (2004), Crustal thickness beneath the Andes and Sierras Pampeanas at 30°S inferred from Pn apparent phase velocities, *Geophys. Res. Lett.*, 31, L06625, doi:10.1029/2003GL019231.

Gaetani, G.A., T.L. Grove, and W.B. Bryan (1993), The influence of water on the petrogenesis of subduction-related igneous rocks, *Nature*, 365, 332-334.

Gao S., B.-R. Zhang, Z.-M. Jin, H. Kern, T.-C.Luo, and Zhao Z.-D. (1998), How mafic is the lower continental crust? *Earth Planet. Sci. Lett.*, 106, 101–117.

Gansser, A. (1973), Facts and theories on the Andes, *J. Geol. Soc. London*, 129, 93-131.

García, M. ; Herail, G. (2001), Comment on 'Geochronology (Ar-Ar, K-Ar and He-exposure ages) of Cenozoic magmatic rocks from northern Chile (18-22°S): implications for magmatism and tectonic evolution of the central Andes' of Wörner et al. (2000), *Revista Geológica Chilena*, 28(1), 127 – 130.

García, M.; Herail, G.; Charrier, R.; Mascle, G.; Fornari, M.; Perez de Arce, C. (2002), Oligocene – Neogene tectonic evolution of northern Chile (18° - 19°S), In *Fifth International Symposium of Andean Geodynamics*, Toulouse, France, p. 235 – 237.

Gephard, J. (1994), Topography and subduction geometry of the Central Andes: Clues to the mechanics of a non-collisional orogen, *J. Geophys. Res.*, Vol 99, p. 12279 - 12288.

Gerbault, M., J. Martinod, and G. Herail (2005), Possible orogeny-parallel lower crustal flow and thickening in the Central Andes, *Tectonophysics*, 399, doi:10.1016/j.tecto.2004.12.015.

Giambiagi, L.; Ramos, V. (2002), Structural evolution of the Andes in a transitional zone between flat and normal subduction (33°30' - 33°45'S), Argentina and Chile, *Journal of South American Earth Sciences*, V15, p. 101 – 116.

Giese, P; Scheuber, E; Schilling, F; Schmitz, M; Wigger, P. (1999), Crustal thickening process in the Central Andes and the different natures of the Moho-discontinuity, *Journal of South American Earth Sciences* 12, 201-220.

Godoy, E., G. Yáñez, and E. Vera (1999), Inversion of an Oligocene volcano-tectonic basin and uplifting of its superimposed Miocene magmatic arc in the Chilean Central Andes; first seismic and gravity evidences, *Tectonophysics*, 306(2), 217-236.

Götze, H.-J., and S. Schmidt (1997), Integration of constraining data and potential field modelling, *Annales Geophysicae*, EGS Vienna 15, Part I, C13.

Götze, H.-J. (1984), Über den Einsatz interaktiver Computergraphik im Rahmen 3-dimensionaler Interpretationstechniken in Gravimetrie und Magnetik, Habil. Schrift, Techn. Univ. Clausthal, 236 pp.

Götze, H.-J., and B. Lahmeyer (1988), Application of three-dimensional interactive modeling in gravity and magnetics, *Geophysics*, 53, 1096 - 1108.

Götze, H.-J., B. Meurers, S. Schmidt, and P. Steinhauser (1991), On the isostatic state of the Eastern Alps and the Central Andes; a statistical comparison, in *Andean Magmatism and its Tectonic Setting* (Eds.: R.S. Harmon and C.W. Rapela), *GSA Special Paper 265*, 279-290.

Götze, H.-J., B. Lahmeyer, S. Schmidt, and S. Strunk (1994), The lithospheric structure of the Central Andes (20°-26°S) as inferred from quantitative interpretation of regional gravity, in *Tectonics of the Southern Central Andes* (Eds.: Reutter, Scheuber, Wigger), Springer Verlag Heidelberg, 7-21.

Götze, H.-J.; Kirchner, A. (1997), Interpretation of Gravity and Geoid in the Central Andes between 20° and 29°S, *Journal of South American Earth Sciences*, V10, No 2, p. 179 – 188.

Götze, H.-J., Krause, S. (2002), The Central Andean gravity high, a relic of an old subduction complex?, *Journal of South American Earth Sciences* 14, 799 – 811.

Grisson, G., S. DeBari, S. Page, R. Page, L. Villar, R. Coleman, and M. de Ramirez (1991), The deep crust of an early Palaeozoic Arc ; The Sierra de Fiambalá, Northwestern Argentina, in *Andean Magmatism and its tectonic setting*, edited by R. Harmon and C. Rapela, Geological Society of America Special Paper 265, 189-200.

Grove, T.L., L.T. Elkins-Tanton, S.W. Parman, N. Chatterjee, O. Müntener, and G.A. Gaetani (2003), Fractional crystallization and mantle-melting controls on calc-alkaline differentiation trends, *Contributions to Mineralogy and Petrology*, 145, 515-533.

Gutscher, M-A. (2002), Andean subduction styles and their effect on thermal structure and interplate coupling, *Journal of South American Earth Sciences*, 15, 3-10.

Gutscher, M-A, W. Spakman, H. Bijwaard, and R. Engdahl, (2000), Geodynamics of flat subduction: Seismicity and tomographic constraints from the Andean margin, *Tectonics*, 19, 814 - 833.

Haberland, C., and A. Rietbrock (2001), Attenuation tomography in the western central Andes: A detailed insight into the structure of a magmatic arc, *J. Geophys. Res.*, 106, 11151–11167.

Haberland, C., A. Rietbrock, B. Schurr, and H. Brasse (2003), Coincident anomalies of seismic attenuation and electrical resistivity beneath the southern Bolivian Altiplano plateau, *Geophys. Res. Lett.*, 30(18), 1923, doi:10.1029/2003GL017492.

Hacker, B. R. (1996), Eclogite formation and the rheology, buoyancy, seismicity, and H₂O content of oceanic crust, in *Subduction: Top to Bottom*, edited by G. E. Bebout et al., Geophys. Monogr. Ser., Washington, D. C., 96, 337–246.

Hacker, B., E. Gnos, L. Ratschbacher, M. Grove, M. McWilliams, S. Sobolev, L. Wan, W. Zhenhan (2000), Hot and dry deep crustal xenoliths from Tibet, *Science*, 287, 2463-2466.

Hacker, B. R., G. A. Abers, and S. M. Peacock (2003a), Subduction factory, 1; Theoretical mineralogy, density, seismic wave speeds, and H₂O content, *J. Geophys. Res.*, 108, doi:10.1029/2001JB001127.

Hacker, B. R., S. M. Peacock, and G. A. Abers (2003b), Subduction factory, 2; Intermediate-depth earthquakes in subducting slabs are linked to metamorphic dehydration reactions, *J. Geophys. Res.*, 108, doi:10.1029/2001JB001129.

Hacker, B. R., and G. A. Abers (2004), Subduction Factory 3: An Excel worksheet and macro for calculating the densities, seismic wave speeds, and H₂O contents of minerals and rocks at pressure and temperature, *Geochem. Geophys. Geosyst.*, 5, Q01005, doi:10.1029/2003GC000614.

Hamilton, W. (1969), The volcanic central Andes: A modern model for the Cretaceous batholiths and tectonics of western North America, *Oreg. Dep. Geol. Miner. Ind. Bull.* Vol 65, p 175 - 184.

Hamza, V.M., and M. Muñoz (1996), Heat flow map of South America. *Geothermics*, 25, 599– 646.

Handy, M. (1990), The solid-state flow of polymineralic rocks, *J. Geoph. Res.* 95, B6, 8647-8661.

Hartley, A., Geoffrey, M., Chong, G., Turner, s., Kape, S., Jolley, E. (2000), Development of a continental forearc: a Cenozoic example from the Central Andes, northern Chile, *Geology* 28, 331 – 334.

Henry, S.G., and H. Pollack (1988), Terrestrial heat flow above the Andean subduction zone in Bolivia and Peru. *J. Geophys. Res.* 93, 15153–15162.

Henstock, T, and P. Thompson (2004), Self-consistent modeling of crustal thickness at Chagos–Laccadive ridge from bathymetry and gravity data, *Earth and Planetary Science Letters*, 224, 325– 336.

Herail, G., Oller, J., Baby, P., Bonhomme, M., Soler, P. (1996), Strike-slip faulting, thrusting and related basins in the Cenozoic evolution of the southern branch of the Bolivian Orocline, *Tectonophysics* 259, 201-212.

Hervé, F. (1994), The Southern Andes between 39° and 44°S latitude: the geological signature of a transpressive tectonic regime related to a magmatic arc, in *Tectonics of the*

Southern Central Andes (Reutter, K.-J.; Scheuber, E.; Wigger, P.J.; editors), Springer-Verlag, Berlin, Heidelberg, New York, 243-248.

Heuret, A. and S. Lallemand (2005), Plate motions, slab dynamics and back-arc deformation, *Physics of the Earth and Planetary Interiors*, 149, 31-51.

Hickey-Vargas, R., M.J. Abdollahi, M.A. Parada, L. López-Escobar, F.A. Frey (1995), Crustal xenoliths from Calbuco volcano, Andean Southern Volcanic Zone: implications for crustal composition and magma-crust interaction, *Contributions to Mineralogy and Petrology*, 119, 331-344.

Hildreth, W., and S. Moobath (1988), Crustal contributions to arc magmatism in the Andes of Central Chile. *Contributions to Mineralogy and Petrology*, 98, 455-489.

Hindle, D., Kley, J., Klosko, E., Stein, S., Dixon, T., Norambuena, E. (2002), Consistency of geologic and geodetic displacements during Andean orogenesis, *Geophysical Research Letters*, Vol29, No8, 10.1029/2001GL013757.

Hindle, D., J. Kley, O. Oncken, and S. Sobolev (2005), Crustal balance and crustal flux from shortening estimates in the Central Andes, *Earth and Planetary Science Letters*, 230, 113– 124

Hoffmann-Rothe, A., N. Kukowski, G. Dresen, J. Klotz, H. Echtler, O. Oncken, H. Brasse, E. Scheuber, and A. Kellner, Oblique convergence: Partitioning, margin-parallel faulting and coupling along the Chilean margin, paper submitted to *Subduction Orogeny along the Andean Margin* (O. Oncken Editor).

Holland, T. J. B., and R. Powell (1991), A compensated Redlich-Kwong (CORK) equation for volumes and fugacities of carbon dioxide and water in the range 1 bar to 50 kbar and 100–1,600 °C, *Contrib. Mineral. Petrol.*, 109, 265–273

Holland, T. J. B., and R. Powell (1998), An internally consistent thermodynamic data set for phases of petrological interest, *J. Metamorphic Geol.*, 16, 309–343.

Holland, T. J. B., and R. Powell (2001), Calculation of phase relations involving haplogranitic melts using an internally consistent thermodynamic dataset, *Journal of Petrology*, 42(4), 673-683.

Houseman, G. and England, P. (1993), Crustal thickening versus lateral expulsion in the Indian-Asian continental collision, *Journal of Geophysical Research*, vol 98 (B7); p 12233-12249.

Houseman, G.A., and P. Molnar (1997). Gravitational (Rayleigh-Taylor) instability of a layer with non-linear viscosity and convective thinning of continental lithosphere, *Geophys. J. Int.*, 128, 125-150.

Husson, L., and T. Sempere (2003), Thickening the Altiplano crust by gravity-driven crustal channel flow, *Geophys. Res. Lett.* , 30(5), 1243, doi:10.1029/2002GL016877.

Introcaso, A., M.C. Pacino, and H. Fraga (1992), Gravity, isostasy and Andean crustal shortening between latitudes 30° and 35°S. *Tectonophysics*, 205, 31-48.

Isacks, B. (1988), Uplift of the Central Andean Plateau and bending of the Bolivian Orocline, *Journal of Geophysical Research*, 93(B4), 3211-3231.

Iwamori, H. (2004), Phase relations of peridotites under H₂O-saturated conditions and ability of subducting plates for transportation of H₂O, *Earth and Planetary Science Letters*, 227, 57-71.

Jacay, J., Sempere, T., Husson, L., Pino, A. (2002), Structural characteristics of the Incapuquio fault system, southern Peru, *V International Symposium of Andean Geodynamics*, Toulouse, France, 319-321.

Jackson, J. (2002), Strength of the continental lithosphere: time to abandon the jelly sandwich?, *GSA Today*, 4-10.

Jacques, J. (2003), A tectonostratigraphic synthesis of the Sub-Andean basins: implications for the geotectonic segmentation of the Andean Belt, *Journal of the Geological Society, London*, 160, 687-701.

James, D (1970), Plate tectonic model for the evolution of the Central Andes, *Geological Society of America Bulletin*, Vol 82, p. 3325 - 3346.

Jordan , T., B.L. Isacks, R.W. Allmendinger, J. Brewer, V.A. Ramos, and C.J. Ando (1983), Andean tectonics related to geometry of subducted Nazca Plate, *Geological Society of America, Bulletin*, 94, 341-361.

Jordan, T.; Allmendinger, R. 1986. The Sierras Pampeanas of Argentina: A Modern Analogue of Rocky Mountain Foreland Deformation. *Am. Jour. Sci.*, V286, p. 737-764.

Jordan, T. H. (1988), Structure and formation of the continental tectosphere, *J. Petrology*, special lithosphere issue, M. A. Menzies (Ed.), 11-37.

Jull, M., and P. B. Kelemen (2001), On the conditions for lower crustal convective instability, *J. Geophys. Res.*, 106, 6423–6446.

Katz, R.F., M. Spiegelman, and C.H. Langmuir (2003), A new parameterization of hydrous mantle melting, *Geochem. Geophys. Geosyst.*, 4 (9), doi:10.1029/2002GC000433.

Kay, R.W., S. M. Kay (1993), Delamination and delamination magmatism, *Tectonophysics*, 219, 177-189.

Kay, S.M., C. Mpodozis, V. Ramos, F. Munizaga (1991), Magma source variations for mid-late Tertiary magmatic rocks associated with a shallowing subduction zone and a thickening crust in the central Andes (28–33_S), in *Andean Magmatism and its tectonic setting*, edited by R. Harmon and C. Rapela, Geological Society of America Special Paper 265, 113–137.

Kay, S. M., and J.M. Abbruzzi (1996), Magmatic evidence for Neogene lithospheric evolution of the central Andean “Flat-slab” between 30°S and 32°S. *Tectonophysics*, 259, 15–25.

Kay, S; Mpodozis, C; Coira, B. (1999), Neogene magmatism, tectonism and mineral deposits of the Central Andes (22° - 33°S Latitude), In *Geology and ore deposits of the Central Andes*, Skinner, B. Eds, Society of Economic Geology Special Publication 7, p. 27 - 59.

Kay, S.; Mpodozis, C. (2002), Magmatism as a probe to the Neogene shallowing of the Nazca plate beneath the modern Chilean flat-slab, *Journal of South American Earth Sciences*, V15, p. 39 – 57.

Kay, S., M. Gorrington, and V. Ramos (2004), Magmatic sources, setting and causes of Eocene to Recent Patagonian plateau magmatism (36°S to 52°S latitude), *Revista de la Asociación Geológica Argentina*, 59, 556-568.

Kellogg, J., G. Ojeda, H. Duque and J. Cerón (2005), Crustal structure of the Eastern Cordillera, Colombia, *VI International Symposium on Andean Geodynamics*, Barcelona, Spain, Extended Abstracts, 424-427.

Kelly, R. K., P. B. Kelemen, and M. Jull (2003), Buoyancy of the continental upper mantle, *Geochem. Geophys. Geosyst.*, 4(2), 1017, doi:10.1029/2002GC000399.

Kendrick, E., M. Bevis, R. Smalley, B. Brooks, R. Barriga, E Lauría, and L. Souto (2003), The Nazca–South America Euler vector and its rate of change, *Journal of South American Earth Sciences*, 16, 125–131.

Khazaradze, G., and J. Klotz (2003), Short- and long-term effects of GPS measured crustal deformation rates along the south central Andes, *J. Geophys. Res.*, 108(B6), 2289, doi:10.1029/2002JB001879.

Kirby, S.H., E.R. Engdahl, and R. Denlinger (1996), Intermediate-depth intraslab earthquakes and arc volcanism as physical expressions of crustal and uppermost mantle metamorphism in subducting slabs, in *Subduction: Top to Bottom*, Geophys. Monogr. Ser., vol. 96, edited by G. E. Bebout et al., AGU, Washington, D. C., 195– 214.

Kley, J., C.R. Monaldi, and J.A. Salfity (1999), Along-strike segmentation of the Andean foreland: causes and consequences. *Tectonophysics*, 301, 75–94.

Klotz, J.; Khazaradze, G.; Angermann, D.; Reigber, R.; Perdomo, R.; Cifuentes, O. (2001), Earthquake cycle dominates contemporary crustal deformation in the Central and southern Andes, *Earth and Planet. Sci. Lett.* V 193, p. 437 – 446.

Kopp, H., E.R. Flueh, C. Papenberg, and D. Klaeschen (2004), Seismic investigations of the O'Higgins Seamount Group and Juan Fernández Ridge: Aseismic ridge emplacement and lithosphere hydration, *Tectonics*, 23, TC2009, doi:10.1029/2003TC001590.

Kösters, M. (1999), 3D-dichtemodellierung des Kontinentalrandes sowie quantitative Untersuchungen zur Rigidität der Zentralen Andean (20° - 26°S). Ph. D. Thesis (unpublished), Frei Universität Berlin, 181 p.

Krabbenhöft, A., J. Bialas, H. Kopp, N. Kukowsky, and C. Hübscher (2004), Crustal structure of the Peruvian continental margin from wide-angle seismic studies, *Geophysical Journal International*, 159, 749-764.

Krawczyk, C., and the SPOC Team (2003), Amphibious seismic survey images plate interface at 1960 Chile earthquake, *Eos, Transactions AGU*, 84, 301-304.

Kusznir, N., Karner, G. (1985), Dependence of the flexural rigidity of the continental lithosphere on rheology and temperature, *Nature* 316, 138-142.

Lamb, S.; Hoke, L. (1997), Origin of the high plateau in the Central Andes, Bolivia, South America, *Tectonics* 16, 623 – 649.

Lamb, S. (2000), Active deformation in the Bolivian Andes, South America. *Journal Geophys. Res.* 105, B11, 25627 – 2653.

Lamb, S., (2001). Vertical axis rotation in the Bolivian orocline, South America: 2, Kinematic and dynamical implications, *J. Geophys. Res.* 106, 26633– 26653.

Lamb, S., and P. Davies (2003), Cenozoic climate change as a possible cause for the rise of the Andes, *Nature*, 425, 792-797.

Lange, R.L. and I.S.E. Carmichael (1990), Thermodynamic Properties of Silicate Liquids with Emphasis on Density, Thermal Expansion and Compressibility, *Rev. Mineral.*, 24, 25–64.

Lavenu, A., and J. Cembrano (1999), Compressional and tranpressional stress pattern for Pliocene and Quaternary brittle deformation in forearc and intraarc zones (Andes of Central and Southern Chile), *Journal of Structural Geology*, 21, 1669-1691.

Lavier, L. L., and M. S. Steckler (1997), The effect of sedimentary cover on the flexural strength of continental lithosphere, *Nature*, 389, 476– 479.

Lee, C-T., A. Lenardic, C. Cooper, F. Niu, and A. Lavander (2005), The role of chemical boundary layers in regulating the thickness of continental and oceanic thermal boundary layers, *Earth and Planetary Science Letters*, 230, 379-395.

Leech, M. L. (2001), Arrested orogenic development: Eclogitization, delamination, and tectonic collapse, *Earth Planet. Science Lett.*, 185, 149 – 159.

Le Pichon, X., P. Henry, and B. Goffé (1997), Uplift of Tibet: From eclogites to granulites— Implications for the Andean Plateau and the Variscan belt, *Tectonophysics*, 273, 57– 76.

López-Escobar, L., J. Cembrano, H. Moreno (1995), Geochemistry and tectonics of the Chilean Southern Andes basaltic Quaternary volcanism (37-46°S). *Revista Geológica de Chile*, 22, 219-234.

Lowry, A.R., and R.B. Smith (1995), Strength and rheology of the western U. S. Cordillera, *J. Geophys. Res.*, 100, 17,947-17,963.

Lowry, A.R., N.M. Ribe, and R.B. Smith (2000), Dynamic elevation of the Cordillera, western United States, *J. Geophys. Res.*, 105, 23371–23390.

Lucassen, F., R. Becchio, R. Harmon, S. Kasemann, G. Franz, R. Trumbull, H.-G. Wilke, R.L. Romer, and P. Dulski (2001), Composition and density model of the continental crust in an active continental margin—the Central Andes between 18° and 27°S, *Tectonophysics*, 341, 195–223.

Lucassen, F., R. Trumbull, G. Franz, C. Creixell, P. Vásquez, R.L. Romer, and O. Figueroa (2004), Distinguishing crustal recycling and juvenile additions at active continental margins: the Palaeozoic to recent compositional evolution of the Chilean Pacific margin (36-41°S), *Journal of South American Earth Sciences*, 17, 103-119.

Lüth, S., P. Wigger, and ISSA 2000 working group (2003), A crustal model along 39°S from a seismic refraction profile- ISSA 2000, *Revista Geológica de Chile*, 30, 83-101.

Marchenko, D. (in preparation), Geoid model for South America and surrounding oceans, Ph. D. Thesis, Universität Potsdam, Germany.

Marret, R., Strecker, M. (2000), Response of intracontinental deformation in the central Andes to late Cenozoic reorganization of South American Plate motions, *Tectonics* 19 (3), 452-467.

McLennan, S.M. and S.R. Taylor (1996), Heat flow and the chemical composition of continental crust, *J. Geol.*, 104, 377–396.

McQuarrie, N. (2002), The kinematic history of the Central Andean fold-thrust belt, Bolivia: implications for building a high plateau, *GSA Bulletin* 114 (8), 950 – 963.

Mechie, J., S. Sobolev, L. Ratschbacher, A. Babeyko, G. Bock, A. Jones, K. Nelson, K. Solon, L. Brown, and W. Zhao (2004), Precise temperature estimation in the Tibetan crust from seismic detection of the α - β quartz transition, *Geology*, 32, 601-604.

Mégard, F. (1984), The Andean orogenic period and its major structures in Central and northern Peru, *J. Geol. Soc., London*, 141, 893-900.

Miller, D., and N. Christensen (1994), Seismic signature and geochemistry of an island arc: a multidisciplinary study of the Kohistan accreted terrane, northern Pakistan, *J. Geophys. Res.*, 99, 11623-11642.

Miyashiro, A. (1974), Volcanic rock series in island arcs and active continental margins. *American Journal of Science*, 274, 321-355.

Moore, G. and I. Carmichael (1998), The hydrous phase equilibria (to 3 kbar) of an andesite and basaltic andesite from western Mexico: constraints on water content and conditions of phenocryst growth. *Contrib. Mineral. Petrol.*, 130, 304–319.

Moore, V. M., and D. V. Wiltschko (2004), Syn collisional delamination and tectonic wedge development in mechanical process to smaller-scale tectonic wedging and convergent orogens, *Tectonics*, 23, TC2005, doi:10.1029/2002TC001430.

Mpodozis, C. and V.A. Ramos (1989), The Andes of Chile and Argentina. In *Geology of the Andes and its relation to hydrocarbon and mineral resources*, G. Ericksen, M. Cañas Pinochet and J. Reinemund (Editors), Earth Science Series, Circum-Pacific Council of Energy and Mineral Resources, Houston, Texas, 59-89.

Mpodozis, C.; Kay, S. (1990), Provincias magmáticas ácidas y evolución tectónica de Gondwana: Andes chilenos (28° - 31°S), *Revista Geológica de Chile*, V17, N 2, p. 153 – 180.

Mpodozis, C., and Kay, S.M. (1992), Late Paleozoic to Triassic evolution of the Gondwana margin: Evidence from Chilean Cordilleran batholiths (28°–31°S). *Geological Society of America Bulletin*, 104, 999–1014.

Müller, R.D., W.R. Roest, J.-Y. Royer, L.M. Gahagan, and J.G. Sclater (1997), Digital isochrons of the world's ocean floor, *Journal of Geophysical Research*, 102, 3211-3214.

Müntener, O., P.B. Kelemen, and T.L. Grove (2001), The role of H₂O during crystallization of primitive arc magmas under uppermost mantle conditions and genesis of igneous

pyroxenites: an experimental study. *Contributions to Mineralogy and Petrology*, 141, 643-658.

Muñoz, N., Charrier, R. (1996), Uplift of the western border of the Altiplano on a west-vergent thrust system, northern Chile, *J. South Am. Earth Sci.* 9, 171 – 181.

Norambuena, E., Leffer-Griffin, L., Mao, A., Dixon, T., Stein, S., Sacks, S., Ocola, L., Ellis, M. (1998), Space geodetic observations of Nazca-South America convergence across the Central Andes, *Science* 279, 358-362.

Ochs, F. A., and R. A. Lange (1999), The density of hydrous magmatic liquids, *Science*, 283, 1314-1317.

Oleskevich, D.A., R.D. Hyndman, and K. Wang (1999), The updip and downdip limits to great subduction earthquakes: thermal and structural models of Cascadia, south Alaska, SW Japan, and Chile, *J. Geophys. Res.*, 104, 14965-14991.

Pankhurst, R.J., and C.R. Rapela (1995), Production of Jurassic rhyolite by anatexis of the lower crust of Patagonia, *Earth and Planetary Science Letters*, 134, 23–36.

Pankhurst, R.J., C.W. Rapela, J. Saavedra, E. Baldo, J. Dahquist, I. Pascua, and C. Fanning (1998), The Famatinian magmatic arc in the central Sierras Pampeanas: an Early to Mid-Ordovician continental arc on the Gondwana margin, in *The Proto-Andean Margin of Gondwana* edited by R.J. Pankhurst and C.W. Rapela, Geological Society, London, Special Publications, 142, 343–367.

Parada, M.A., S. Rivano, P. Sepúlveda, F. Hervé, A. Puig, F. Munizaga, M. Brook, R.J. Pankhurst, and N. Snelling (1988), Mesozoic and Cenozoic plutonic development in the Andes of central Chile (30°30'-32°30' S). *Journal of South American Earth Sciences*, 1, 249-260.

Pardo, M., D. Comte, and T. Monfret (2002), Seismotectonic and stress distribution in the central Chile subduction zone, *J. South Am. Earth Sci.*, 15, 11-22.

Pardo, M., Comte, D., Monfert, T., Boroscehk, R., Astroza, M. (2002a), The october 15, 1997 Punitaqui earthquake (Mw=7.1): a destructive event within the subducting Nazca plate in central Chile, *Tectonophysics* 345, 199-210.

Pardo, M., Monfret, T., Vera, E., Eisenberg, A., Gaffet, S., Lorca, E., Perez, A. (2002b), Flat-slab subduction zone in Central Chile-Argentina: seismotectonic and body-wave tomography from local data, *V International Symposium on Andean Geodynamics*, Toulouse France, Extended abstracts, p. 469 – 473

Pardo-Casas, F., and P. Molnar (1987), Relative motion of the Nazca (Farallón) and South America plates since Late Cretaceous time, *Tectonics*, 6, 233-248.

Peacock, S., (1996), Thermal and petrologic structure of subduction zones (overview). In: *Subduction, top to bottom*, G. Bebout, D. Scholl, S. Kirby and J. Platt (Eds.), Geophysical Monograph 96, American Geophysical Union.

Peacock, S. M., and K. Wang (1999), Seismic consequences of warm versus cool subduction metamorphism: Examples from southwest and northeast Japan, *Science*, 286, 937–939.

Pérez-Gussinyé, M., A. R. Lowry, A. B. Watts, and I. Velicogna (2004), On the recovery of effective elastic thickness using spectral methods: Examples from synthetic data and from the Fennoscandian Shield, *J. Geophys. Res.*, 109, B10409, doi:10.1029/2003JB002788.

Pfiffner, O., Ramsay, J. (1982), Constraints on geological strain rates: arguments from finite strain states of naturally deformed rocks, *J. Geoph. Res.* 87, B1, 311-321.

Pilger, R (1984), Cenozoic plate kinematics, subduction and magmatism: South American Andes, *Journal of the Geological Society, London*, 141, 793-802.

Porth, R. (2000), A strain-rate-dependent force model of lithospheric strength, *Geophysical Jour. Int.*, 141, p. 647 – 660.

Poudjom Djomani, Y.H., S.Y. O'Reilly, W. L. Griffin, and P. Morgan (2001), The density structure of subcontinental lithosphere through time, *Earth and Planetary Science Letters*, 184, 605–621.

Ramos, V. (1988), Tectonics of the Late Proterozoic-Early Paleozoic; a collisional history of southern South America, *Episodes*, 11, 168-174.

Ramos, V.A., E.O. Cristallini, and D.J. Perez (2002), The Pampean flat-slab of the Central Andes, *Journal of South American Earth Sciences*, 15(1), 59-78.

Ranalli, G. (1987), *Rheology of the earth; deformation and flow process in geophysics and geodynamics*. Allen & Unwin Eds.

Ranalli, G. (1994), Nonlinear flexure and equivalent mechanical thickness of the lithosphere, *Tectonophysics* 240, 107-114.

Rapela, C., R.J. Pankhurst, C. Casquet, E. Baldo, J. Saavedra, C. Galindo, and C. Fanning (1998), The Pampean orogeny of the southern proto-Andes: Cambrian continental collision in the Sierras Pampeanas, in *The Proto-Andean Margin of Gondwana* edited by R.J. Pankhurst and C.W. Rapela, Geological Society, London, Special Publications, 142, 181-217.

Regnier M., J. Chiu, R. Smalley, B. Isacks, and M. Araujo (1994), Crustal thickness variation in the Andean foreland, Argentina, from converted waves, *Bulletin of the Seismological Society of America*, 84, 1097-1111.

Rickwood, P.C. (1989), Boundary lines within petrologic diagrams which use oxides of major and minor elements, *Lithos*, 22, 247-263.

Roperch, P; M. Fornari, G. Herail, G. Parraguez (2000), Tectonic rotations within the Bolivian Altiplano: Implications for the geodynamic evolution of the central Andes during the late Tertiary, *J. Geophys. Res.*, 105. 795 – 820.

Rudnick, R. (1995), Making continental crust, *Nature*, 378, 571–578.

Rudnick, R.L., and D.M. Fountain (1995), Nature and composition of the continental crust: a lower crustal perspective. *Rev. Geophys.* 33, 267–309.

Saleeby, J., M. Ducea, and D. Clemens-Knott (2003), Production and loss of high-density batholithic root—Sierra Nevada, California. *Tectonics* 22, doi:10.1029/2002TC001374.

Sato, A., H. Tickyj, E. Llambías, and K. Sato (2000), The Las Matras tonalitic-trondhjemitic pluton, central Argentina: Grenvillian-age constraints, geochemical characteristics and regional implications, *Journal South American Earth Sciences*, 13, 587-610.

SEGEMAR (1998), Mapa geológico de la Republica Argentina, Servicio Geológico Minero Argentina, Buenos Aires, Argentina.

SERNAGEOMIN (2003), Mapa Geológico de Chile: versión digital, Servicio Nacional de Geología y Minería, Publicación Geológica Digital, No. 4 (CD-ROM, versión1.0, 2003), Santiago, Chile.

Schilling, F.R., G.M. Partzsch, H. Brasse, and G. Schwarz (1997), Partial melting below the magmatic arc in the Central Andes deduced from geoelectromagnetic field experiments and laboratory data, *Phys. Earth planet. Inter.*, 103, 17–32.

Schilling, F.R., and G.M. Parzsch (2001), Quantifying partial melt fraction in the crust beneath the central Andes and the Tibetan plateau, *Physics and Chemistry of the Earth*, 26, 239–246.

Schmidt, M. W., and S. Poli (1998), Experimentally based water budgets for dehydrating slabs and consequences for arc magma generation, *Earth Planet. Sci. Lett.*, 163, 361– 379.

Schmidt, S. and H.-J. Götze (1998), Interactive visualization and modification of 3D models using GIS functions, *Physics and Chemistry of the Earth*, 23, 289-296.

Schmitz, M., W. Heinsohn, and F. Schilling (1997), Seismic, gravity and petrological indications for partial melting beneath the thickened central Andean crust 21°–23°S, *Tectonophysics*, 270, 313–326.

Schmitz, M., et al. (1999), The crustal structure of the central Andean forearc and magmatic arc as derived from seismic studies—The PISCO 94 experiment in northern Chile (21–23°S), *J. S. Am. Earth Sci.*, 12, 237– 260.

Schmitz, M., et al. (2005), Crustal thickness variations in northern Venezuela from deep seismic observations, *VI International Symposium on Andean Geodynamics*, Barcelona, Spain, Extended Abstracts, 655-658

Schobbenhaus, C., and A. Bellizzia (2001), Geological map of South America, scale 1:5000000, CGMW-CPRM-DNPM-UNESCO, Brasilia, Brazil.

Schurr, B.; Asch, G.; Rietbrock, A.; Kind, R.; pardo, M.; Heit, B.; Monfret, T. (1999), Seismicity and average velocities beneath the argentine Puna plateau, *Geophysical Reserch Letters*, V26, No19, p. 3025 – 3028.

Sellés, D., C. Rodriguez, M. Dungan, J. A. Naranjo, and M. Gardeweg (2004), Geochemistry of Nevado de Longaví Volcano (36.2°S): a compositionally atypical arc volcano in the Southern Volcanic Zone of the Andes, *Revista Geologica de Chile*, 31, 293-315.

Sick, C., M. Yoon, K. Rauch, S. Buske, S. Lüth, M. Araneda, K. Bataille, G. Chong, P. Giese, C. Krawczyk, J. Machie, H. Meyer, O. Oncken, C. Reichert, M. Schmitz, S. Shapiro, M. Stiller, and P. Wigger, Seismic images of accretive and erosive subduction processes from the Chilean margin, paper submitted to *Subduction Orogeny along the Andean Margin*, O. Oncken Editor.

Simoes, M., J.P. Avouac, R. Cattin, and P. Henry (2004), The Sumatra subduction zone: A case for a locked fault zone extending into the mantle, *J. Geophys. Res.*, 109, B10402, doi:10.1029/2003JB002958.

Sisson, T. W., and T. L. Grove (1993), Experimental investigations of the role of H₂O in calc-alkaline differentiation and subduction zone magmatism, *Contrib Mineral Petrol*, 113, 143–166.

Smith, W., Sandwell, D. (1997), Global seafloor topography from satellite altimetry and ship depth soundings, *Science* 277, 1957-1962.

Sobolev, S.V., and A.Y. Babeyko (1994), Modelling of mineralogical composition, density and elastic wave velocities in the unhydrous rocks, *Surveys in Geophysics*, 15, 515–544.

Sobolev, S., and A. Babeyko (2005), What drives orogeny in the Andes, *Geology*, 33, doi:10.1130/G21557.1.

Somoza, R. (1998), Updated Nazca (Farallon) - South America relative motions during the last 40 My: implications for the mountain building in the central Andean region, *Journal of South American Earth Sciences*, Vol 11, No 3, p. 211 - 215.

Springer, M. (1999), Interpretation of heat-flow density in the central Andes, *Tectonophysics*, 306, 377–395.

Springer, M., and A. Förster (1998), Heat-flow density across the Central Andean subduction zone. *Tectonophysics* 291, 123–139.

Stern, C. (2004), Active Andean volcanism: its geologic and tectonic setting, *Rev. geol. Chile*, 31(2), 161-206.

Stewart, J.; Watts, A.B. (1997), Gravity anomalies and spatial variations of flexural rigidity at mountain ranges, *Journal of Geophysical Research*, V102, No B3, p. 5327 – 5352.

Swenson, J.; Beck, S.; Zandt, G. (2000), Crustal structure of the Altiplano from broadband regional waveform modeling: implications for the composition of thick continental crust. *Journal of Geophysical Research*, V 105, No B1, p. 607 – 621.

Tapponnier, P., Peltzer, G. & Armijo, R., (1986), On the mechanics of the collision between India and Asia. In: Coward, M.C. & Ries, A.C. (eds.), 1986. *Collision Tectonics*, Geol. Soc. Spec. Pub. Lon., 19, 115-157.

Tatsumi, Y. (2000), Continental crust formation by crustal delamination in subduction zones and complementary accumulation of the Enriched Mantle I component in the mantle. *Geochem. Geophys. Geosyst.*, doi:10.1029/2000gc000094.

Tassara, A. (1997), Segmentación andina desde el análisis flexural de la anomalía de Bouguer. Ms. Sci. thesis, Universidad de Chile, Departamento de Geología, 140 p.

Tassara, A. (2005a), Interaction between the Nazca and South American plates and formation of the Altiplano–Puna plateau: Review of a flexural analysis along the Andean margin (15°–34°S), *Tectonophysics*, 399, 39-57.

Tassara, A. (2005b), Weakness underneath the Altiplano; observations, causes and tectonic implications, European Geosciences Union Annual Meeting, *Geophysical Research Abstracts*, Vol. 7, 08560, 2005

Tassara, A., (submitted paper), Factors controlling the crustal density structure underneath active continental margins with implications for their evolution, paper submitted to *Geochemistry, Geophysics, Geosystems*.

Tassara, A., Yáñez, G. (1996), Thermomechanic segmentation of the Andes (15° - 50°S): a flexural analysis approach, *III International Symposium on Andean Geodynamics*, St. Malo, France, 115 – 118.

Tassara, A., and G. Yáñez (2003), Relación entre el espesor elástico de la litosfera y la segmentación tectónica del margen andino (15-47°S), *Rev. geol. Chile*, 2003, 159-186.

Tassara, A., H.-J. Götze, and S. Schmidt (2005), Structure and dynamics of the Andean margin: insights from a 3D density model (5°-45°S), in *VI International Symposium on Andean Geodynamics*, 12-16 September, Barcelona, Spain, 718-721.

Tassara, A., H.-J. Götze, S. Schmidt and R. Hackney, Three-dimensional density model of the Nazca plate and the Andean continental margin, paper under review by the *Journal of Geophysical Research*.

Tebbens, S.F., and S.C. Cande (1997), Southeast Pacific tectonic evolution from early Oligocene to present, *J. Geophys. Res.*, 102, 12061-12084.

Tichelaar, B.W., and L.J. Ruff (1991), Seismic coupling along the Chilean subduction zone, *J. Geophys. Res.*, 96, 11997–12022.

Turcotte, D.L. and G. Schubert (2002), *Geodynamics*, Second Edition, 456 p., Cambridge University Press, UK.

USGS, EROS data centre. (1996), GTOPO30 (edition 1): Sioux Falls, South dakota, U.S. Geological Survey. <http://edcdaac.usgs.gov/gtopo30/gtopo30.html>.

Vanderhaeghe, O., S. Medvedev, P. Fullsack, C. Beaumont, R. A. Jamieson (2003), Evolution of orogenic wedges and continental plateaux: insights from crustal thermal-mechanical models overlying subducting mantle lithosphere, *Geophysical Journal Int.*, 153, p. 27 – 51.

van der Lee, S., D. James, and P. Silver (2001), Upper mantle S velocity structure of central and western South America, *J. Geophys. Res.*, 106, 30,821–30,835.

van Hunen, J., A. van den Berg, N. Vlaar (2004), Various mechanisms to induce present-day shallow flat subduction and implications for the younger Earth: a numerical parameter study, *Physics of the Earth and Planetary Interiors*, 146, 179–194.

van Keken, P. (2003), The structure and dynamics of the mantle wedge, *Earth Planet. Sci. Lett.*, 215, 323-338.

Vergés, J.; Ramos, V.A.; Bettini, F.; Meigs, A.; Cristallini, E.; Cortés, J.M.; Dunai, T. (2002), Geometría y edad del anticlinal fallado de Cerro Salinas. In Cabaleri N., Cingolani, C.A., Linares, E., López de Luchi, M.G., Osters, H.A. y Panarello, H.O. (eds.). Actas del XV Congreso Geológico Argentino CD-ROM. Artículo N° 358. 5 p.

Vdovin, O., J.A. Rial, A. Levshin, and M. Ritzwoller (1999), Group-velocity tomography of South America and the surrounding oceans, *Geophys. J. Int.*, 136, 324– 340.

Victor, P. (2000), Die Entwicklung der Altiplano Westflanke und ihre Bedeutung für die Plateaubildung und Krustenverdickung in N- Chile (20° - 21°S). Sci. Tech. Rep. STR00/13, GFZ-Potsdam, 140 p.

Vietor, T., Oncken, O. (2002), Numerical modelling of Plateau kinematics in the Central Andes. *V International Symposium on Andean Geodynamics*, Toulouse, France, 685-688.

Vietor, T., and H. Echtler, Episodic Neogene southward growth of the Andean subduction orogen between 30°S and 40°S - plate motions, mantle flow, climate, and upper-plate structure, paper submitted to *Subduction Orogeny along the Andean Margin*, O. Oncken Editor.

Villaseñor, A., W. Spakman, and E.R. Engdahl (2003), Influence of regional travel times in global tomographic models, *Geophysical Research Abstracts*, 5, EAE03-A-08614, EGS-AGU-EUG Joint Assembly, April 6-11, Nice, France.

von Gosen, W. (2003), Thrust tectonics in the North Patagonian Massif (Argentina): Implications for a Patagonia plate, *Tectonics*, 22, 5-33.

von Huene, R., Weinrebe, W., Heeren, F. (1999), Subduction erosion along the North Chile margin, *Geodynamics* 27, 345 – 358.

Vujovich, G.I. and Kay, S.M. (1998) A Laurentian? Grenville-age oceanic arc/back-arc terrane in the Sierra de Pie de Palo, Western Sierras Pampeanas, Argentina. in *The Proto-Andean Margin of Gondwana* edited by R.J. Pankhurst and C.W. Rapela, Geological Society, London, Special Publications, 142, 159-180.

Watts, A. (2001), *Isostasy and flexure of the lithosphere*, 458 pp, Cambridge University Press, Cambridge UK.

Wessel, P., and W. Smith (1998), New, improved version of the Generic Mapping Tools released, *EOS Trans. AGU*, 79, 579.

White, R.S., D. McKenzie, and R. O’Nions (1992), Oceanic crustal thickness from seismic measurements and rare earth element inversions, *J. Geophys. Res.*, 97, 19683–19715.

Wigger, P., et al. (1994), Variation of the crustal structure of the southern central Andes deduced from seismic refraction investigations, in *Tectonics of the Southern Central Andes*, edited by K.-J. Reutter, E. Scheuber, and P. Wigger, Springer-Verlag, Berlin, 23–48.

Whitman, D.; Isacks, B.; Kay, S. (1996), Lithospheric structure and along-strike segmentation of the Central Andean Plateau: seismic Q, magmatism, flexure, topography and tectonics. *Tectonophysics*, 259, p. 29 – 40.

Wörner, G.; Hammerschmidt, K.; Henjes-Kunst, F.; Lezaun J.; Wilke, H. (2000), Geochronology (Ar-Ar, K-Ar and He-exposure ages) of Cenozoic magmatic rocks from northern Chile (18-22°S): implications for magmatism and tectonic evolution of the central Andes, *Rev. Geol. de Chile*, Vol. 27, No. 2, p. 205.

Wörner, G., Seyfried, H. (2001), Reply to the Comment by M. García and G. Hérail on 'Geochronology (Ar-Ar, K-Ar and He-exposure ages) of Cenozoic magmatic rocks from northern Chile (18-22°S): implications for magmatism and tectonic evolution of the central Andes' by Wörner et al. (2000), *Rev. Geol. Chile* 28 (2), 131-137.

Wörner, G., Uhlig, D., Kohler, I., Seyfried, H. (2002), Evolution of the West Andean Scarpment at 18°S (N. Chile) during the last 25 Ma: uplift, erosion and collapse through time, *Tectonophysics* 345, 183-198.

Yang, Y., M. Liu, and S. Stein (2003), A 3-D geodynamic model of lateral crustal flow during Andean mountain building, *Geophys. Res. Lett.*, 30(21), 2093, doi:10.1029/2003GL018308.

Yáñez, G., C. R. Ranero, R. von Huene, and J. Díaz (2001), Magnetic anomaly interpretation across the southern central Andes (32°–34°): The role of the Juan Fernández Ridge in the late Tertiary evolution of the margin, *J. Geophys. Res.*, 106, 6325–6345.

Yáñez, G., J. Cembrano, M. Pardo, C. Ranero, and D. Sellés (2002), The Challenger-Juan Fernández-Maipo major tectonic transition of the Nazca-Andean subduction system at 33–34°S: Geodynamic evidence and implications, *J. S. Am. Earth Sci.*, 15, 23–38.

Yáñez, G., and J. Cembrano (2004), Role of viscous plate coupling in the late Tertiary Andean tectonics, *J. Geophys. Res.*, 109, B02407, doi:10.1029/2003JB002494.

Yoshino, T., and T. Okudaira (2004), Crustal growth by magmatic accretion constrained by metamorphic P-T paths and thermal models of the Kohistan Arc, NW Himalayas, *Journal of Petrology*, doi:10.1093/petrology/egh056.

Yuan, X., S. V. Sobolev, R. Kind, O. Oncken, and Andes Seismology Group (2000), New constraints on subduction and collision processes in the central Andes from comprehensive observations of P to S converted seismic phases, *Nature*, 408, 958–961.

Yuan, X., S. Sobolev, and R. Kind (2002), Moho topography in the central Andes and its geodynamic implications, *Earth Planet. Sci. Lett.*, 199, 389–402.

Yuan X., G. Asch, K. Bataille, G. Bock, M. Bohm, H. Echtler, R. Kind, O. Oncken, I. Wölbern, Deep Seismic Images of the Southern Andes, paper submitted to *The Neuquen Andes*, GSA special publication, V. Ramos Editor.

Zandt, G.; Velasco, L.; Beck, S. (1994), Composition and thickness of the southern Altiplano crust, Bolivia, *Geology*, V 22, p. 1003 – 1006.

Zandt, G., H. Gilbert, T. Owens, M. Ducea, J. Salleby, and C. Jones (2004), Active foundering of the continental arc root beneath the southern Sierra Nevada in California, *Nature*, 431, 41-46.