

# Literaturverzeichnis

- Araki, M., Okuno, Y., Hara, Y. & Sugiura, Y.: Allosteric regulation of a ribozyme activity through ligand-induced conformational change. *Nucleic Acids Res.* **1998** (26) 3379-3384.
- Ban, N., Nissen, P., Hansen, J., Capel, M., Moore, P. B. & Steitz, T. A.: Placement of protein and RNA structures into a 5 Å-resolution map of the 50S ribosomal subunit [see comments]. *Nature* **1999** (400) 841-847.
- Bassi, G. S., Mollegaard, N. E., Murchie, A. I. & Lilley, D. M.: RNA folding and misfolding of the hammerhead ribozyme. *Biochemistry* **1999** (38) 3345-3354.
- Batey, R. T., Rambo, R. P. & Doudna, J. A.: Tertiäre Motive bei Struktur und Faltung von RNA. *Angew. Chem.* **1999** (III) 2472-2491.
- Bhatia, M. B., Vinitsky, A. & Grubmeyer, C.: Kinetic mechanism of orotate phosphoribosyltransferase from salmonella typhimurium. *Biochemistry* **1990** (29) 10480-10487.
- Breaker, R. R.: In vitro selection of catalytic polynucleotides. *Chem. Rev.* **1997** (97) 371-390.
- Burgstaller, P. & Famulok, M.: Isolation of RNA aptamers for biological cofactors by in vitro selection. *Angew. Chem. Int. Ed. Engl.* **1994** (33) 1084-1087.
- Burgstaller, P. & Famulok, M.: Synthetische Ribozyme und das erste Desoxyribozym. *Angew. Chem.* **1995** (107) 1303-1307.
- Carmi, N., Shultz, L. A. & Breaker, R. R.: In vitro selection of selfcleaving DNAs. *Chem. Biol.* **1996** (3) 1039-1046.
- Carola, C. & Eckstein, F.: Nucleic acid enzymes. *Curr. Opin. Chem. Biol.* **1999** (3) 274-283.
- Cech, T. R., Zaugg, A. J. & Grabowski, P. J.: In vitro splicing of the ribosomal RNA precursor of Tetrahymena: involvement of a guanosine nucleotide in the excision of the intervening sequence. *Cell* **1981** (27) 487-496.

- Conn, M. M., Prudent, J. R. & Schultz, P. G.: Porphyrin metalation catalyzed by a small RNA molecule. *J. Am. Chem. Soc.* **1996** (118) 7012-7013.
- Ekland, E. H., Szostak, J. W. & Bartel, D. P.: Structurally complex and highly active RNA ligases derived from random RNA sequences. *Science* **1995** (269) 364-370.
- Ellington, A. D. & Szostak, J. W.: In vitro selection of RNA molecules that bind specific ligands. *Nature* **1990** (346) 818-822.
- England, T. E. & Uhlenbeck, O. C.: 3'-terminal labelling of RNA with T4 RNA ligase. *Nature* **1978** (275) 560-561.
- England, T. E., Bruce, A. G. & Uhlenbeck, O. C.: Specific labeling of 3' termini of RNA with T4 RNA ligase. *Methods Enzymol.* **1980** (65) 65-74.
- Famulok, M.: Molecular recognition of amino acids by RNA aptamers: An L-citrulline binding RNA motif and its evolution into an L-arginine binder. *J. Am. Chem. Soc.* **1994** (116) 1698-1706.
- Feldstein, P. A., Buzayan, J. M., van Tol, H., deBear, J., Gough, G. R., Gilham, P. T. & Bruening, G.: Specific association between an endoribonucleolytic sequence from a satellite RNA and a substrate analogue containing a 2'-5' phosphodiester. *Proc. Natl. Acad. Sci. USA* **1990** (87) 2623-2627.
- Flaks, J. G.: 5-Phosphoribosylpyrophosphate. *Methods Enzymol.* **1959** (6) 473-479.
- Frauendorf, Ch. & Jäschke, A.: Catalysis of organic reactions by RNA. *Angew. Chem. Int. Ed.* **1998** (37) 1378-1381.
- Gaur, R. K. & Krupp, G.: Chemical and enzymatic approaches to construct modified RNAs. *Methods Mol. Biol.* **1997a** (74) 99-110.
- Gaur, R. K., Conrad, F. & Krupp, G.: Applications of modified transcripts. *Methods Mol. Biol.* **1997b** (74) 111-120.
- Geiger, A., Burgstaller, P., von der Eltz, H., Roeder, A. & Famulok, M.: RNA aptamers that bind L-arginine with sub-micromolar dissociation constants and high enantioselectivity. *Nucleic Acids Res.* **1996** (24) 1029-1036.

- Gross, A., Abril, O., Lewis, J. M., Geresh, S. & Whitesides, G.: Practical synthesis of 5-phosphoribosyl α-1-pyrophosphate (PRPP): enzymatic routes from ribose 5-phosphate or ribose. *J. Am. Chem. Soc.* **1983** (105) 7428-7435.
- Guerrier-Takada, C., Gardiner, K., Marsh, T., Pace, N. & Altman, S.: The RNA moiety of ribonuclease P is the catalytic subunit of the enzyme. *Cell* **1983** (35) 849-857.
- Guo, H. C. & Collins, R. A.: Efficient trans-cleavage of a stem-loop RNA substrate by a ribozyme derived from neurospora VS RNA. *EMBO J.* **1995** (14) 368-376.
- Hampel, A., Tritz, R., Hicks, M. & Cruz, P.: 'Hairpin' catalytic RNA model: evidence for helices and sequence requirement for substrate RNA. *Nucleic Acids Res.* **1990** 299-304.
- Hansske, F. & Cramer, F.: Modification of the 3' terminus of tRNA by periodate oxidation and subsequent reaction with hydrazides. *Methods Enzymol.* **1979** (59) 172-181.
- Hartman, S. C. & Buchanan, J. M.: Biosynthesis of the Purines. *J. Biol. Chem.* **1958** (233) 451-455.
- Hausch, F. & Jäschke, A.: Libraries of multifunctional RNA conjugates for the selection of new RNA catalysts. *Bioconjugate Chem.* **1997** (8) 885-890.
- Hausch, F. & Jäschke, A.: A novel carboxy-functionalized photocleavable dinucleotide analog for the selection of RNA catalysts. *Tetrahedron Lett.* **1998** (39) 6157-6158.
- Hermann, T. & Westhof, E.: Aminoglycoside binding to the hammerhead ribozyme: a general model for the interaction of cationic antibiotics with RNA. *J. Mol. Biol.* **1998** (276) 903-12.
- Igloi, G.: Nonradioactive Labeling of RNA. *Anal. Biochem.* **1996** (233) 124-129.
- Igloi, G. L. & Kössel, H.: Affinity electrophoresis for monitoring terminal phosphorylation and the presence of queuosine in RNA. Application of polyacrylamide containing covalently bound boronic acid. *Nucleic Acids Res.* **1985** (13) 6881-6898.
- Igloi, G. L. & Kossel, H.: Use of boronate-containing gels for electrophoretic analysis of both ends of RNA molecules. *Methods Enzymol.* **1987** (155) 433-448.

- Illangasekare, M., Sanchez, G., Nickles, T. & Yarus, M.: Aminoacyl-RNA synthesis catalyzed by an RNA. *Science* 1995 (267) 643-647.
- Jaffe, E. K. & Cohn, M.:  $^{31}\text{P}$  Nuclear Magnetic Resonance Spectra of Thiophosphate Analogues of Adenine Nucleotides; Effects of pH and Mg $^{2+}$  Binding. *Biochemistry* 1978 (17) 652-657.
- Jäschke, A., Frauendorf, Ch. & Hausch, F.: In vitro selected oligonucleotides as tools in organic chemistry. *Synlett* 1999 825-833.
- Jenison, R. D., Gill, S. C., Pardi, A. & Polisky, B.: High-resolution molecular discrimination by RNA. *Science* 1994 (263) 1425-1429.
- Jenne, A. & Famulok, M.: A novel ribozyme with ester transferase activity. *Chem. Biol.* 1998 (5) 23-34.
- Jenne, A., Gmelin, W. & Famulok, M.: Real-Time Characterization of Ribozymes by Fluorescence Resonance Energy Transfer (FRET). *Angew. Chem.* 1999 (111) 1383-1385.
- Joyce, G. F.: RNA evolution and the origins of life. *Nature* 1989 (338) 217-224.
- Kiga, D., Futamura, Y., Sakamoto, K. & Yokoyama, S.: An RNA aptamer to the xanthine/guanine base with a distinctive mode of purine recognition. *Nucleic Acids Res.* 1998 (26) 1755-1760.
- Klußmann, S., Nolte, A., Bald, R., Erdmann, V. A. & Fürste, J. P.: Mirror-image RNA that binds D-adenosine. *Nat. Biotechnol.* 1996 (14) III2-III5.
- Koizumi, M., Soukup, G. A., Kerr, J. N. & Breaker, R. R.: Allosteric selection of ribozymes that respond to the second messengers cGMP and cAMP. *Nat. Struct. Biol.* 1999 (6) 1062-1071.
- Kornberg, A., Lieberman, I. & Simms, E.S.: Enzymatic synthesis and properties of 5-Phosphoribosylpyrophosphate *J. Biol. Chem.* 1955 (215) 389-402.
- Kuo, M. Y.-P., Sharmeen, L., Dinter-Gottlieb, G. & Taylor, J.: Characterization of self-cleaving RNA sequences on the genome and antigenome of human hepatitis delta virus. *J. Virol.* 1988 (62) 4439-4444.
- Lauhon, C. T. & Szostak, J. W.: RNA aptamers that bind flavin and nicotinamide cofactors. *J. Am. Chem. Soc.* 1995 (117) 1246-1257.

Li, Y. & Sen, D.: A catalytic DNA for porphyrin metallation. *Nat. Struct. Biol.* **1996** (3) 743-747.

Lieberman, I., Kornberg, A. & Simms, E.S.: Enzymatic synthesis of Pyrimidin nucleotides. Orotidine-5'-phosphate and Uridine-5'-phosphate. *J. Biol. Chem.* **1955** (215) 403-415.

Lohse, P. A. & Szostak, J. W.: Ribozyme-catalysed amino-acid transfer reactions. *Nature* **1996** (381) 442-444.

Lorsch, J. R. & Szostak, J. W.: In vitro selection of RNA aptamers specific for cyanocobalamin. *Biochemistry* **1994a** (33) 973-982.

Lorsch, J. R. & Szostak, J. W.: In vitro evolution of new ribozymes with polynucleotide kinase activity. *Nature* **1994b** (371) 31-36.

Majerfeld, I. & Yarus, M.: An RNA pocket for an aliphatic hydrophobe. *Nat. Struct. Biol.* **1994** (1) 287-292.

Mannironi, C., Di Nardo, A., Fruscoloni, P. & Tocchini-Valentini, G. P.: In vitro selection of dopamine RNA ligands. *Biochemistry* **1997** (36) 9726-9734.

Marshall, K. A. & Ellington, A. D.: Training ribozymes to switch. *Nat. Struct. Biol.* **1999** (6) 992-994.

Matsuo, T.: In situ visualization of messenger RNA for basic fibroblast growth factor in living cells. *Biochim. Biophys. Acta* **1998** (1379) 178-184.

Michel, F. & Ferat, J. L.: Structure and activities of group II introns. *Annu. Rev. Biochem.* **1995** (64) 435-461.

Murray, A. W., Wong, P. C. L. & Friedrichs, B.: Analogues of ribose 5-phosphate and 5-phosphoribosyl pyrophosphate. *Biochem. J.* **1969** (112) 741-746.

Nissen, P., Ban, N., Hansen, J., Moore, P. B. & Steitz, T. A.: The structure of the 50S ribosomal subunit at 2.7 Å resolution and its functional consequences. RNA 2000 - The fifth annual meeting of the RNA society, 27.05.-01.06.1997, Madison, Wisconsin, USA, S.1

Oh, B. K. & Pace, N. R.: Interaction of the 3'-end of tRNA with ribonuclease P RNA. *Nucleic Acids Res.* **1994** (22) 4087-4094.

- Ordoukhanian, P. & Taylor, J. S.: Design and synthesis of a versatile photocleavable DNA building block. Application to phototriggered hybridization. *J. Am. Chem. Soc.* **1995** (117) 9570-9571.
- Osborne, S. E. & Ellington, A. D.: Nucleic Acid selection and the challenge of combinatorial chemistry. *Chem. Rev.* **1997** (97) 349-370.
- Pitulle, C., Kleineidam, R. G., Sproat, B. & Krupp, G.: Initiator oligonucleotides for the combination of chemical and enzymatic RNA synthesis. *Gene* **1992** (112) 101-105.
- Preiss, J. & Handler, P. J.: Biosynthesis of Diphosphopyridine Nucleotide. *J. Biol. Chem.* **1958** (233) 493-500.
- Prody, G. A., Bakos, J. T., Buzayan, I. R., Schneider, I. R. & Bruening, G.: Autolytic processing of dimeric plant virus satelite RNA. *Science* **1986** (231) 1577-1580.
- Rauscher K., Voigt J., Wilke,I. & Wilke K.T.: Chemische Tabellen und Rechentafeln für die analytische Praxis. 6.Aufl. **1977**, Deutscher Verlag für Grundstoffindustrie, Leipzig
- Robertson, D. L. & Joyce, G. F.: Selection in vitro of an RNA enzyme that specifically cleaves single- stranded DNA. *Nature* **1990** (344) 467-468.
- Robertson, M. P. & Ellington, A. D.: How to make a nucleotide. *Nature* **1998** (395) 223-225.
- Romaniuk, P. J. & Uhlenbeck, O. C.: Joining of RNA molecules with RNA ligase. *Methods Enzymol.* **1983** (100) 52-59.
- Sabeti, P. C., Unrau, P. J. & Bartel, D. P.: Accessing rare activities from random RNA sequences: the importance of the length of molecules in the starting pool. *Chem. Biol.* **1997** 767-774.
- Sambrook, J., Fritsch E.F. & Maniatis, T.: *Molecular Cloning - A Laboratory Manual, Second Edition* (Cold Spring Harbor Laboratory Press) **1989**.
- Sampson, J. R. & Saks, M. E.: Selection of aminoacylated tRNAs from RNA libraries having randomized acceptor stem sequences: using old dogs to perform new tricks. *Methods Enzymol.* **1996** (267) 384-410.

Santoro, S. W. & Joyce, G. F.: A general purpose RNA-cleaving DNA enzyme. *Proc. Natl. Acad. Sci. USA* 1997 (94) 4262-4266.

Sassanfar, M. & Szostak, J. W.: An RNA motif that binds ATP. *Nature* 1993 (364) 550-553.

Schwienhorst, A.: Molekulare Evolution funktionaler Nukleinsäuren. *Chemie in unserer Zeit* 1999 (33) 110-119.

Seelig, B. & Jäschke, A.: Site-specific modification of enzymatically synthesized RNA: transcription initiation and Diels-Alder reaction. *Tetrahedron Lett.* 1997 (38) 7729-7732.

Seelig, B. & Jäschke, A.: A small catalytic RNA motif with Diels-Alderase activity. *Chem. Biol.* 1999a (6) 167-176.

Seelig, B. & Jäschke, A.: Ternary conjugates of guanosine monophosphate as initiator nucleotides for the enzymatic synthesis of 5'-modified RNAs. *Bioconjugate Chem.* 1999b (10) 371-378.

Seelig, B., Keiper, S., Stuhlmann, F. & Jäschke, A.: persönliche Mitteilung

Sengle, G. & Famulok, M.: persönliche Mitteilung

Sengle, G., Jenne, A., Arora, P. S., Seelig, B., Nowick, J. S., Jäschke, A. & Famulok, M.: Synthesis, Incorporation Efficiency and Stability of Disulfide Bridged Functional Groups at RNA 5'-Ends. *Bioorg. Med. Chem.* 2000 (8) 1317-1329.

Singh, K. K., Parwaresch, R. & Krupp, G.: Rapid kinetic characterization of hammerhead ribozymes by real-time monitoring of fluorescence resonance energy transfer (FRET). *RNA* 1999 (5) 1348-1356.

Smithers, G. W. & O'Sullivan, W. J.: Phosphorothioate Analogues of 5-Phosphoribosyl 1-Diphosphate: Synthesis, Purification, and Partial Characterization. *Biochemistry* 1984a (23) 4767-4773.

Smithers, G. W. & O'Sullivan, W. J.: Phosphorothioate analogues of 5-Phosphoribosyl 1-Diphosphate: 31P Nuclear Magnetic Resonance Study. *Biochemistry* 1984b (23) 4773-4778.

- Soukup, G. A. & Breaker, R. R.: Design of allosteric hammerhead ribozymes activated by ligand-induced structure stabilization. *Structure Fold. Des.* **1999a** (7) 783-791.
- Soukup, G. A. & Breaker, R. R.: Engineering precision RNA molecular switches. *Proc. Natl. Acad. Sci. U.S.A.* **1999b** (96) 3584-3589.
- Soukup, G. A. & Breaker, R. R.: Nucleic acid molecular switches. *Trends Biotechnol.* **1999c** (17) 469-476.
- Soukup, G. A., Emilsson, G. A. & Breaker, R. R.: Altering molecular recognition of RNA aptamers by allosteric selection. *J. Mol. Biol.* **2000** (298) 623-632.
- Stage-Zimmermann, T. K. & Uhlenbeck, O. C.: Hammerhead ribozyme kinetics. *RNA* **1998** (4) 875-889.
- Tang, J. & Breaker, R. R.: Rational design of allosteric ribozymes. *Chem. Biol.* **1997** (4) 453-459.
- Tang, J. & Breaker, R. R.: Mechanism for allosteric inhibition of an ATP-sensitive ribozyme. *Nucleic Acids Res.* **1998** (26) 4214-4221.
- Tarasow, T. M., Tarasow, S. L. & Eaton, B. E.: RNA-catalysed carbon-carbon bond formation. *Nature* **1997** (389) 54-57.
- Tuerk, C., Eddy, S., Parma, D. & Gold, L.: Autogenous translational operator recognized by bacteriophage T4 DNA polymerase. *J. Mol. Biol.* **1990** (213) 749-761.
- Tuschl, T., Gohlke, C., Jovin, T. M., Westhof, E. & Eckstein, F.: A three-dimensional model for the hammerhead ribozyme based on fluorescence measurements. *Science* **1994** (266) 785-789.
- Tyagi, S. & Kramer, F. R.: Molecular beacons: probes that fluoresce upon hybridization. *Nat. Biotechnol.* **1996** (14) 303-308.
- Tyagi, S., Bratu, D. P. & Kramer, F. R.: Multicolor molecular beacons for allele discrimination. *Nat. Biotechnol.* **1998** (16) 49-53.
- Unrau, P. J. & Bartel, D. P.: RNA-catalyzed nucleotide synthesis. *Nature* **1998** (395) 260-263.

- von Ahsen, U. & Noller, H. F.: Identification of bases in 16S rRNA essential for tRNA binding at the 30S ribosomal P site. *Science* **1995** (2674) 234-237.
- Wallis, M. G., von Ahsen, U., Schroeder, R. & Famulok, M.: A novel RNA motif for neomycin recognition. *Chem. Biol.* **1995** (2) 543-552.
- Walter, N. G. & Burke, J. M.: Real-time monitoring of hairpin ribozyme kinetics through base-specific quenching of fluorescein-labeled substrates. *RNA* **1997** (3) 392-404.
- Walter, N. G., Hampel, K. J., Brown, K. M. & Burke, J. M.: Tertiary structure formation in the hairpin ribozyme monitored by fluorescence resonance energy transfer. *EMBO J.* **1998** (17) 2378-2391.
- Wang, G. P., Lundgaard, C., Jensen, K. F. & Grubmeyer, C.: Kinetic mechanism of OMP synthase: a slow physical step following group transfer limits catalytic rate. *Biochemistry* **1999** (38) 275-283.
- Wecker, M., Smith, D. & Gold, L.: In vitro selection of a novel catalytic RNA: characterization of a sulfur alkylation reaction and interaction with a small peptide. *RNA* **1996** (2) 982-994.
- Wedel, A. B.: Fishing the best pool for novel ribozymes. *Trends Biotechnol.* **1996** (14) 459-465.
- Wiegand, T. W., Janssen, R. C. & Eaton, B. E.: Selection of RNA amide synthases. *Chem. Biol.* **1997** (4) 675-683.
- Wilson, C., Nix, J. & Szostak, J. W.: Functional requirements for specific ligand recognition by a biotin-binding RNA pseudoknot. *Biochemistry* **1998** (37) 14410-14419.
- Wilson, C. & Szostak, J. W.: In vitro evolution of a self-alkylating ribozyme. *Nature* **1995** (374) 777-782.
- Zhang, B. & Cech, T. R.: Peptide bond formation by in vitro selected ribozymes. *Nature* **1997** (390) 96-100.