

H LITERATURVERZEICHNIS

- AARONOVITCH, S. und TERRY, R.J.: 1972.
The trypanolytic factor in normal human serum.
Trans. R. Soc. Trop. Med. Hyg. 66, 344-.
- ABEBE, M.; BULTO, T.; ENDESCHA, T.; NIGATU, W.: 1988.
Further studies on the *Trypanosoma brucei* group trypanosome, isolated from a patient infected in Anger-Didessa Valley, West Ethiopia, using the blood incubation infectivity test (BIIT).
Acta Trop. 45, 185-186.
- ALSFORD, S.; WICKSTEAD, B.; ERSFELD, K.; GULL, K.: 2001.
Diversity and dynamics of the minichromosomal karyotype in *Trypanosoma brucei*.
Mol. Biochem. Parasitol. 113, 79-88.
- ANDERSON, O.R.: 1987.
Comparative protozoology.
Ecology, physiology, life history.
Springer-Verlag New York Inc.
- ARBEIT; R.D.; ARTHUR, M.; DUNN, R.; KIM, C.; SELANDER, R.K.; GOLDSTEIN, R.: 1990.
Resolution of recent evolutionary divergence among *Escherichia coli* from related lineages: the application of pulsed field gel electrophoresis to molecular epidemiology.
J. Infect. Dis. 161, 230-235.
- ASHCROFT, M.T.: 1959.
The Tinde Experiment: A further study of the long-term cyclical transmission of *Trypanosoma rhodesiense*.
Ann. Trop. Med. Parasitol. 53, 137-146.
- BAGSTER, I.A. und PARR, C.W.: 1973.
Trypanosome identification by electrophoresis of soluble enzymes.
Nature 244, 364-366.
- BARTH, P.: 1989.
A new method for the isolation of the trypanocidal factor from normal human serum.
Acta Trop. 46, 71-73.
- BAUTSCH, W.: 1992.
Bacterial genome mapping by two-dimensional pulsed-field gel electrophoresis (2D-PFGE).
In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 185-201.
Edited by: M. Burmeister and L. Ulanovsky.
The Human Press Inc., Totowa, New Jersey.
- BIOMETRA: 1992.
Rotaphor® Typ V Vers. 5.1, Bedienungsanleitung.
Editor: Armin Volz; Biometra, Göttingen, Deutschland.

- BIRREN, B.W.; LAI, E.; HOOD, L.; SIMON, M.I.: 1989.
Pulsed field gel electrophoresis techniques for separating 1- to 50-kilobase DNA fragments.
Analytical Biochemistry 177, 282-286.
- BLUM, M.L.; DOWN, J.A.; GURNETT, A.M.; CARRINGTON, M.; TURNER, M.J.; WILEY, D.: 1993.
A structural motif in the variant surface glycoproteins of *Trypanosoma brucei*.
Nature 362, 603-609.
- BÖHM, H. und KARCH, H.: 1992.
DNA fingerprinting of *Escherichia coli* O157:H7 strains by pulsed-field gel electrophoresis.
J. Clin. Microbiol. 30, 2169-2172.
- BORST, P.; FASE-FOWLER, F.; FRASCH, A.C.C.; HOEIJEMAKERS, J.H.J.; WEIJERS, P.J.: 1980.
Characterization of DNA from *Trypanosoma brucei* and related trypanosomes by restriction endonuclease digestion.
Mol. Biochem. Parasitol. 1, 221-246.
- BORST, P.; FASE-FOWLER, F.; GIBSON, W.C.: 1981.
Quantitation of genetic differences between *Trypanosoma brucei gambiense*, *rhodesiense* and *brucei* by restriction enzyme analysis of kinetoplast DNA.
Mol. Biochem. Parasitol. 3, 117-131.
- BORST, P.; VAN DER PLOEG, M.; VAN HOEK, J.F.; TAS, J.; JAMES, J.: 1982.
On the DNA content and ploidy of trypanosomes.
Mol. Biochem. Parasitol. 6, 13-23.
- BORST, P.; BITTER, W.; BLUNDELL, P.A.; CHAVES, I.; CROSS, M.; GERRITS, H.; VAN LEEUWEN, F.; MC CULLOCH, R.; TAYLOR, M.; RUDENKO, G.: 1998.
Control of VSG gene expression sites in *Trypanosoma brucei*.
Mol. Biochem. Parasitol. 91, 67-76.
- BRUN, R. und JENNI, L.: 1983.
In vivo and in vitro production of *Trypanosoma b. gambiense*.
In: Proceedings of the Symposium on the Diagnosis of African Sleeping Sickness due to *T. b. gambiense*, Antwerpen 1983, 33-35.
- BRUN, R. und JENNI, L.: 1985.
Cultivation of African and South American trypanosomes of medical or veterinary importance.
Br. Med. Bull. 41, 122-129.
- BRUN, R. und JENNI, L.: 1987.
Human serum resistance of metacyclic forms of *Trypanosoma brucei brucei*, *Trypanosoma brucei rhodesiense* and *Trypanosoma brucei gambiense*.
Parasitol. Res. 73, 218-223.
- BRUN, R. und SCHÖNENBERGER, M.: 1981.
Stimulating effect of citrate and cis-aconitate on the transformation of *Trypanosoma brucei* bloodstream forms to procyclic forms in vitro.
Z. Parasitenkd. 66, 17-24.

- BRUN, R.; JENNI, L.; SCHÖNENBERGER, M.; SCHELL, K.F.: 1981.
In vitro cultivation of bloodstream forms of *Trypanosoma brucei*, *T. rhodesiense* and *T. gambiense*.
J. Protozool. 28, 470-479.
- BÜNGENER, W.: 1980.
Verhalten eines *Trypanosoma brucei brucei*-Stammes (STIB 348C) in Mäusen.
1. Verhalten gegen Humanserum.
Tropenmed. Parasitol. 31, 283-287.
- BURMEISTER, M.: 1992.
PFGE using double-inhomogeneous fields or orthogonal field-alternating gel electrophoresis (OFAGE).
In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 39-49.
Edited by: M. Burmeister and L. Ulanovsky.
The Human Press Inc., Totowa, New Jersey.
- CAMERON, D.N.; KHAMBATY, F.M.; WACHSMUTH, I.K.; TAUXE, R.V.; BARRETT, T.J.: 1994.
Molecular characterization of *Vibrio cholerae* O1 strains by pulsed-field gel electrophoresis.
J. Clin. Microbiol. 32, 1685-1690.
- CARLE, G.F.: 1992.
Field-inversion gel electrophoresis.
In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 3-18.
Edited by: M. Burmeister and L. Ulanovsky.
The Human Press Inc., Totowa, New Jersey.
- CARLE, G.F.; FRANK, M.; OLSON, M.V.: 1986.
Electrophoretic separations of large DNA molecules by periodic inversion of the electric field.
Science 232, 65-68.
- CATTAND, P. und JANNIN, J.: 1998.
The role of international organizations in the control of human African trypanosomiasis.
In: International Colloquium "Sleeping Sickness Rediscovered"
Dec. 1998, Institute of Tropical Medicine Antwerp, Belgium.
- CATTAND, P.; JANNIN, J.; LUCAS, P.: 2001.
Sleeping sickness surveillance: an essential step towards elimination.
Trop. Med. Int. Health 6, 348-361.
- CHU, G.; VOLLRATH, D.; DAVIS, R.W.: 1986.
Separation of large DNA molecules by contour-clamped homogeneous electrical fields.
Science 234, 1582-1585.
- CIBULSKIS, R.E.: 1992.
Genetic variation in *Trypanosoma brucei* and the epidemiology of sleeping sickness in the Lambwe Valley, Kenya.
Parasitology 104, 99-109.

- CLARK, S.M.; LAI, E.; BIRREN, B.W.; HOOD, L.: 1988.
A novel instrument for separating large DNA molecules with pulsed homogeneous electric fields.
Science 241, 1203-1205.
- CROSS, G.A.M.: 1975.
Identification, purification and properties of clone-specific glycoprotein antigens constituting the surface coat of *Trypanosoma brucei*.
Parasitology 71, 393-417.
- CROSS, G.A.M.; WIRTZ, L.E.; NAVARRO, M.: 1998.
Regulation of VSG expression site transcription and switching in *Trypanosoma brucei*.
Mol. Biochem. Parasitol. 91, 77-91.
- DAVIES, K.P.; CARRUTHERS, V.B.; CROSS, G.A.M.: 1997.
Manipulation of the VSG co-transposed region increases expression-site switching in *Trypanosoma brucei*.
Mol. Biochem. Parasitol. 86, 163-177.
- DE GENNES, P.G.: 1971.
Reptation of a polymer chain in the presence of fixed obstacles.
J. Chem. Phys. 55, 572-579.
- DE GREEF, C. und HAMERS, R.: 1994.
The serum resistance-associated (SRA) gene of *Trypanosoma brucei rhodesiense* encodes a variant surface glycoprotein-like protein.
Mol. Biochem. Parasitol. 68, 277-284.
- DE GREEF, C.; IMBERECHTS, H.; MATTHYSSENS, G.; VAN MEIRVENNE, N.; HAMERS, R.: 1989.
A gene expressed only in serum-resistant variants of *Trypanosoma brucei rhodesiense*.
Mol. Biochem. Parasitol. 36, 169-176.
- DE GREEF, C.; CHIMFWEMBE, E.; KIHANG'A WABACHA, J.; BAJYANA SONGA, E.; HAMERS, R.: 1992.
Only the serum-resistant bloodstream forms of *Trypanosoma brucei rhodesiense* express the serum resistance associated (SRA) protein.
Ann. Soc. Belg. Med. Trop. 72, 13-21.
- DENECKE, K.: 1941.
Menschenpathogene Trypanosomen des Hundes auf Fernando Poo. Ein Beitrag zur Epidemiologie der Schlafkrankheit.
Arch. Hyg. (Berl.) 126, 38-42.
- DEUTSCH, J.M.: 1992.
The dynamics of DNA gel electrophoresis.
In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 367-384.
Edited by: M. Burmeister and L. Ulanovsky.
The Human Press Inc., Totowa, New Jersey.

- DOEPMANN, F.R.; LAMUNO, M.; KAKAIRE, D.; PATZELT, R.J.: 1994.
Peri-urban dairy production systems and Trypanosomosis in Mukono County, Uganda.
In: Proceedings of the 4th Workshop on Veterinary Epidemiology, Kampala, Uganda, 22.8. – 9.9.1994. 31. Seminar for Tropical Veterinary Medicine, Freie Universität Berlin, 1-18.
- EL-SAYED, N.M. und DONELSON, J.E.: 1997.
A survey of the *Trypanosoma brucei rhodesiense* genome using shotgun sequencing.
Mol. Biochem. Parasitol. 84, 167-178.
- EL-SAYED, N.M.; HEGDE, P.; QUACKENBUSH, J.; MELVILLE, S.E.; DONELSON, J.E.: 2000.
The African trypanosome genome.
Int. J. Parasitol. 30, 329-345.
- ENYARU, J.C.K.; ALLINGHAM, R.; BROMIDGE, T.; KANMOGNE, G.D.; CARASCO, J.F.: 1993a.
The isolation and genetic heterogeneity of *Trypanosoma brucei gambiense* from north-west Uganda.
Acta Trop. 54, 31-39.
- ENYARU, J.C.K.; STEVENS, J.R.; ODIIT, M.; OKUNA, N.M.; CARASCO, J.F.: 1993b.
Isoenzyme comparison of *Trypanozoon* isolates from two sleeping sickness areas of south-eastern Uganda.
Acta Trop. 55, 97-115.
- ERSFELD, K.; MELVILLE, S.E.; GULL, K.: 1999.
Nuclear and genome organization of *Trypanosoma brucei*.
Parasitol. Today 15, 58-63.
- ESHITA, Y.; MAJIWA, P.A.O.; URAKAWA, T.; INOUE, N.; HIRUMI, K.; YANAGI, T.; YONEDA, Y.; HARA, T.; HIGUCHI, T.; FUKUMA, T.; HIRUMI, H.: 1999.
The application of molecular biological tools to epidemiology of African trypanosomosis.
Tokai J. Exp. Clin. Med. 23, 401-411.
- EVANS, D.A. und ELLIS, D.S.: 1983.
Recent observations on the behaviour of certain trypanosomes within their insect hosts.
Adv. Parasitol. 22, 1-42.
- FAIRBAIRN, H.: 1933.
Experimental infection of man with a strain of *Trypanosoma rhodesiense* apparently susceptible to normal human serum *in vitro*.
Ann. Trop. Med. Parasitol. 27, 251-267.
- FAIRBAIRN, H. und BURTT, E.: 1946.
The infectivity to man of a strain of *Trypanosoma rhodesiense* transmitted by *Glossina morsitans* through sheep and antelope: evidence that man requires a minimum infective dose of metacyclic trypanosomes.
Ann. Trop. Med. Parasitol. 40, 270-313.

- FEDDERSEN, R.: 1988.
In vitro-Kultivierung von *Trypanosoma (Trypanozoon) brucei* und ihr Verhalten im Humanserum-Resistenztest.
 Inaugural-Dissertation zur Erlangung des Grades eines Doktors der Veterinärmedizin an der Tierärztlichen Hochschule Hannover.
- FORD, J.; NASH, T.A.M.; WELCH, J.R.: 1970.
 Control by clearing of vegetation.
 In: The African Trypanosomiasis, 543-556.
 Edited by: H.W. Mulligan, George Allen and Unwin, London.
- GARDINER, K.: 1992.
 Transverse alternating-field electrophoresis.
 In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 51-61.
 Edited by: M. Burmeister and L. Ulanovsky.
 The Human Press Inc., Totowa, New Jersey.
- GEIGY, R.; MWAMBU, P.M.; KAUFFMANN, M.: 1971.
 Sleeping sickness survey in Musoma District, Tanzania.
 IV. Examination of wild mammals as a potential reservoir for *T. rhodesiense*.
 Acta Trop. 28, 211-220.
- GEIGY, R.; KAUFFMANN, M.; JENNI, L.: 1973.
 Wild mammals as reservoir for the Rhodesian sleeping sickness in the Serengeti. 1970/71.
 Trans. R. Soc. Trop. Med. Hyg. 67, 284-286.
- GEIGY, R.; JENNI, L.; KAUFFMANN, M.; ONYANGO, R.J.; WEISS, N.: 1975.
 Identification of *T. brucei*-subgroup strains isolated from game.
 Acta Trop. 32, 190-205.
- GIBSON, W.C.: 2001.
 Molecular characterization of field isolates of human pathogenic trypanosomes.
 Trop. Med. Int. Health 6, 401-406.
- GIBSON, W.C. und BORST, P.: 1986.
 Size-fractionation of the small chromosomes of *Trypanozoon* and *Nannomonas* trypanosomes by pulsed field gradient gel electrophoresis.
 Mol. Biochem. Parasitol. 18, 127-140.
- GIBSON, W.C. und GASHUMBA, J.K.: 1983.
 Isoenzyme characterization of some *Trypanozoon* stocks from a recent trypanosomiasis epidemic in Uganda.
 Trans. R. Soc. Trop. Med. Hyg. 77, 114-118.
- GIBSON, W.C. und WELLDE, B.T.: 1985.
 Characterization of *Trypanozoon* stocks from the South Nyanza sleeping sickness focus in Western Kenya.
 Trans. R. Soc. Trop. Med. Hyg. 79, 671-676.
- GIBSON, W.C.; MEHLITZ, D.; LANHAM, S.M.; GODFREY, D.G.: 1978.
 The identification of *Trypanosoma brucei gambiense* in Liberian pigs and dogs by isoenzymes and by resistance to human plasma.
 Tropenmed. Parasit. 29, 335-345.

- GIBSON, W.C.; MARSHALL, T.F.; GODFREY, D.G.: 1980.
 Numerical analysis of enzyme polymorphism.
 A new approach to the epidemiology and taxonomy of Trypanosomes of the subgenus *Trypanozoon*.
Adv. Parasitol. 18, 175-246.
- GIBSON, W.C.; BORST, P.; FASE-FOWLER, F.: 1985a.
 Further analysis of intraspecific variation in *Trypanosoma brucei* using restriction site polymorphisms in the maxi-circle of kinetoplast DNA.
Mol. Biochem. Parasitol. 15, 21-36.
- GIBSON, W.C.; OSINGA, K.A.; MICHELS, P.A.M.; BORST, P.: 1985b.
 Trypanosomes of subgenus *Trypanozoon* are diploid for housekeeping genes.
Mol. Biochem. Parasitol. 16, 231-242.
- GIBSON, W.C.; DUKES, P.; GASHUMBA, J.K.: 1988.
 Species-specific DNA probes for the identification of African trypanosomes in tsetse flies.
Parasitology 97, 63-73.
- GILLETT, M.P. und OWEN, J.S.: 1991.
Trypanosoma brucei brucei: differences in the trypanocidal activity of human plasma and its relationship to the level of high density lipoproteins.
Trans. R. Soc. Trop. Med. Hyg. 85, 612-616.
- GODFREY, D.G.: 1979.
 The zymodemes of trypanosomes.
 In: Problems in the identification of parasites and their vectors.
 Edited by: Taylor, A.E.R. und Muller, R.; Blackwell and Oxford.
Symp. Brit. Soc. Parasit. 17, 31-53.
- GODFREY, D.G. und KILLICK-KENDRICK, R.: 1967.
 Cyclically transmitted infections of *Trypanosoma brucei*, *T. rhodesiense* and *T. gambiense* in chimpanzees.
Trans. R. Soc. Trop. Med. Hyg. 61, 781-791.
- GODFREY, D.G. und KILGOUR, V.: 1976.
 Enzyme electrophoresis in characterizing the causative organism of Gambian trypanosomiasis.
Trans. R. Soc. Trop. Med. Hyg. 70, 219-224.
- GODFREY, D.G.; SCOTT, C.M.; GIBSON, W.C.; MEHLITZ, D.; ZILLMANN, U.: 1987.
 Enzyme polymorphism and the identity of *Trypanosoma brucei gambiense*.
Parasitology 94, 337-347.
- GODFREY, D.G.; BAKER, R.D.; RICKMANN, L.R.; MEHLITZ, D.: 1990.
 The distribution, relationships and identification of enzymic variants within the subgenus *Trypanozoon*.
Adv. Parasitol. 29, 1-74.
- GOERING, R.V. und DUENSING, T.D.: 1990.
 Rapid field inversion gel electrophoresis in combination with a rRNA gene probe in the epidemiological evaluation of *Staphylococci*.
J. Clin. Microbiol. 28, 426-429.

GOTTESDIENER, K.; GARCIA-ANOVEROS, J.; LEE, M.G.S.; VAN DER PLOEG, L.H.T.: 1990.

Chromosome organisation of the protozoan *Trypanosoma brucei*.
Mol. Cell Biol. 10, 6079-6083.

GRAY, A.R.: 1972.

Variable agglutinogenic antigens of *Trypanosoma gambiense* and their distribution among isolates of the trypanosome collected in different places in Nigeria.
Trans. R. Soc. Trop. Med. Hyg. 66, 263-284.

HAGER, K.M. und HAJDUK, S.L.: 1997.

Mechanism of resistance of African trypanosomes to cytotoxic human HDL.
Nature 385, 823-826.

HAGER, K.M.; PIERCE, M.A.; MOORE, D.R.; TYTLER, E.M.; ESKO, J.D.: 1994.

Endocytosis of a cytotoxic human high density lipoprotein results in disruption of acidic intracellular vesicles and subsequent killing of African trypanosomes.
J. Cell. Biol. 126, 155-167.

HAJDUK, S.L.; HAGER, K.; ESKO, J.D.: 1992.

High-density lipoprotein-mediated lysis of Trypanosomes.
Parasitol. Today 8, 95-98.

HAWKING, F.: 1973.

The differentiation of *Trypanosoma rhodesiense* from *T. brucei* by means of human serum.
Trans. R. Soc. Trop. Med. Hyg. 67, 517-527.

HAWKING, F.: 1976a.

The resistance to human plasma of *Trypanosoma brucei*, *T. rhodesiense* and *T. gambiense*.
I. Analysis of the composition of trypanosome strains.
Trans. R. Soc. Trop. Med. Hyg. 70, 504-512.

HAWKING, F.: 1976b.

The resistance to human plasma of *Trypanosoma brucei*, *T. rhodesiense* and *T. gambiense*.
II. Survey of strains from East Africa and Nigeria.
Trans. R. Soc. Trop. Med. Hyg. 70, 513-520.

HAWKING, F.: 1977.

The resistance to human plasma of *Trypanosoma brucei*, *T. rhodesiense* and *T. gambiense*.
III. Clones of two plasma-resistant strains.
Trans. R. Soc. Trop. Med. Hyg. 71, 427-430.

HAWKING, F.: 1979.

The action of human serum upon *Trypanosoma brucei*.
Protozoological Abstracts 3, 199-206.

HAWKING, F.; RAMSDEN, D.B.; WHYTOCK, S.: 1973.

The trypanocidal action of human serum and of baboon plasma.
Trans. R. Soc. Trop. Med. Hyg. 67, 501-527.

- HEISCH, R.B.; MC MAHON, G.P.; MANSON-BAHR, P.E.C.: 1958.
 The isolation of *Trypanosoma rhodesiense* from a bushbock.
 B. M. J. 2, 1203-1204.
- HIDE, G. und TILLEY, A.: 2001.
 Use of mobile genetic elements as tools for molecular epidemiology.
 Int. J. Parasitol. 31, 599-602.
- HIDE, G.; BUCHANAN, N.; WELBURN, S.; MAUDLIN, I.; BARRY, J.D.; TAIT, A.: 1991.
Trypanosoma brucei rhodesiense: Characterisation of stocks from Zambia, Kenya and Uganda using repetitive DNA-probes.
 Exp. Parasitol. 72, 430-439.
- HIDE, G.; WELBURN, S.C.; TAIT, A.; MAUDLIN; I.: 1994.
 Epidemiological relationships of *Trypanosoma brucei* stocks from South East Uganda: evidence for different population structures in human infective and non-human infective isolates.
 Parasitology 109, 95-111.
- HIDE, G.; TAIT, A.; MAUDLIN; I.; WELBURN, S.C.: 1996.
 The origins, dynamics and generation of *Trypanosoma brucei rhodesiense* epidemics in East Africa.
 Parasitol. Today 12, 50-55.
- HIDE, G.; ANGUS, S.D.; HOLMES, P.H.; MAUDLIN; I.; WELBURN, S.C.: 1998.
Trypanosoma brucei: Comparison of circulating strains in an endemic and an epidemic area of a sleeping sickness focus.
 Exp. Parasitol. 89, 21-29.
- HIDE, G.; TILLEY, A.; WELBURN, S.C.; MAUDLIN; I.; TAIT, A.: 2000.
Trypanosoma brucei: Identification of trypanosomes with genotypic similarity to human infective isolates in tsetse isolated from a region free of human sleeping sickness.
 Exp. Parasitol. 96, 67-74.
- HOARE, C.A.: 1972.
 The trypanosomes of mammals: a zoological monograph.
 Blackwell Scientific Publications, Oxford.
- HOLMES, P.H.: 1997.
 New approaches to the integrated control of trypanosomosis.
 Vet. Parasitol. 71, 121-135.
- HONORE, A.M. und PEPIN, J.: 2001.
 Epidemiology and control of human African trypanosomiasis.
 In: UNDP/World Bank/WHO Special Programme for Research and Training in Tropical Diseases: Report of the Scientific Working Group meeting on African Trypanosomiasis 4-8 June, 2001.
- HOPE, M.; MC LEOD, A.; LEECH, V.; MELVILLE, S.; SASSE, J.; TAIT, A.; TURNER, C.M.R.: 1999.
 Analysis of ploidy (in megabase chromosomes) in *Trypanosoma brucei* after genetic exchange.
 Mol. Biochem. Parasitol. 104, 1-9.

- ILRAD: 1991.
 International Laboratory for Research on Animal Diseases.
 Annual Report, 29-80.
- JACCARD, P.: 1908.
 Nouvelles recherches sur la distribution florale.
 Bull. Soc. Vaudoise Sci. Nat. 44, 223-270.
- JACKSON, C.H.N.: 1955.
 The natural reservoir of *Trypanosoma rhodesiense*.
 Trans. R. Soc. Trop. Med. Hyg. 49, 582-587.
- JENNI, L. und BRUN, R.: 1982.
 A new *in vitro* test for human serum resistance of *Trypanosoma (T.) brucei*.
 Acta Trop. 39, 281-284.
- JENNI, L.; MARTI, S.; SCHWEIZER, J.; BETSCHART, B.; LE PAGE, R.W.F.; WELLS, J.M.; TAIT, A.; PAINDAVOINE, P.; PAYS, E.; STEINERT, M.: 1986.
 Hybrid formation between African trypanosomes during cyclical transmission.
 Nature 322, 173-175.
- JENNINGS, F.W. und URQUHART, G.M.: 1985.
 Induction of human serum-sensitive *Trypanosoma brucei* stabilates into human serum-resistant "*T. rhodesiense*".
 Trans. R. Soc. Trop. Med. Hyg. 79, 80-85.
- KAKAIRE, D.; KATABAZI, B.; NOWAK, F.; LAQUA, H.; HARTMANN, G.; TIETJEN, U.; LANCIEN, J.; MBULAMBERI, D.B.; MEHLITZ, H.: 1993.
 Monitoring the success of control measures against sleeping sickness in Mukono District, south east Uganda.
 In: 22nd Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC) in Kampala, Uganda 1993.
 Publication No. 117, 272-273.
- KAMINSKY, R. und ZWEYGARTH, E.: 1989.
 Effect of *in vitro* cultivation on the stability of resistance of *Trypanosoma brucei brucei* to diminazene, isometamidium, quinapyramine and mel B.
 J. Parasitol. 75, 42-45.
- KAMINSKY, R.; BEAUDOIN, E.; CUNNINGHAM, I.: 1988.
 Cultivation of the life cycle stages of *Trypanosoma brucei* spp.
 Acta Trop. 45, 33-43.
- KAMINSKY, R.; MAMMAN, M.; CHUMA, F.; ZWEYGARTH, E.: 1993.
 Time-dose-response of *T. brucei brucei* to diminazene aceturate (Berenil) and *in vitro* simulation of drug-concentration-time profiles in cattle plasma.
 Acta Trop. 54, 19-30.
- KANMOGNE, G.D.; STEVENS, J.R.; ASONGANYI, T.; GIBSON, W.C.: 1996.
 Genetic heterogeneity in the *Trypanosoma brucei gambiense* genome analysed by random amplification of polymorphic DNA.
 Parasitol. Res. 82, 535-541.
- KANMOGNE, G.D.; BAILEY, M.; GIBSON, W.C.: 1997.
 Wide variation in DNA content among isolates of *Trypanosoma brucei* spp.
 Acta Trop. 63, 75-87.

- KILLICK-KENDRICK, R. und GODFREY, D.G.: 1963.
Bovine trypanosomiasis in Nigeria.
II. The incidence among some migrating cattle, with observations on the examination of wet blood preparations as a method of survey.
Ann. Trop. Med. Parasitol. 57, 117-126.
- KINABO, L.D.B.: 1993.
Pharmacology of existing drugs for animal trypanosomiasis.
Acta Trop. 54, 169-183.
- KITTLAUSZ, S.: 1982.
Untersuchungen zur vergleichenden Charakterisierung von Trypanosomen-Stocks und -Klonen des Subgenus *Trypanozoon* mit der Isoenzymelektrophorese und der Humanserumempfindlichkeit. Inaugural-Dissertation zur Erlangung des Grades eines Doktors der Veterinärmedizin an der Tierärztlichen Hochschule Hannover.
- KOERNER, T.; DE RAADT, P.; MAUDLIN, I.: 1995.
The 1901 Uganda sleeping sickness epidemic revisited: a case of mistaken identity?
Parasitol. Today 11, 303-306.
- KRUPPA, T.F.; IGLAUER, F.; IHNEN, E.; MILLER, K.; KUNSTYR, I.: 1990.
Mastomys natalensis or *Mastomys coucha*. Correct species designation in animal experiments.
Trop. Med. Parasitol. 41, 219-220.
- KÜPPER, W.: 1988.
Tsetse control by means of insecticide impregnated biconial traps: results of five consecutive campaigns in Côte d'Ivoire.
In: Livestock production in tsetse affected areas of Africa: Proceedings of a meeting held in Nairobi, 1987. ILCA-ILRAD, Nairobi, 63-69.
- KUZOE, F.A.S.: 1991.
Perspectives in research on and control of African trypanosomiasis.
Ann. Trop. Med. Parasitol. 85, 33-41.
- KUZOE, F.A.S.: 1993.
Current situation of African trypanosomiasis.
Acta Trop. 54, 153-162.
- LALANDE, M.; NOOLANDI, J.; TURMEL, C.; ROUSSEAU, J.; SLATER, G.W.: 1987.
Pulsed-field electrophoresis: Application of a computer model to the separation of large DNA molecules.
Proc. Natl. Acad. Sci. USA 84, 8011-8015.
- LANCIEN, J.: 1991.
Lutte contre la maladie du sommeil dans le sud-est Ouganda par piégeage des glossines.
Ann. Soc. Belg. Méd. Trop. 71, 35-47.
- LANGSDORF, A.: 1999.
Analyse der genetischen Diversität von wildwachsenden Futterpflanzen aus der Sahelzone in Westafrika anhand von RAPD-Markern.
Inaugural-Dissertation zur Erlangung des Doktorgrades (Dr. rer. nat.) am Fachbereich Biologie der Justus-Liebig-Universität Gießen.

- LANHAM, S.M.:1968.
 Separation of trypanosomes from the blood of infected rats and mice by anion-exchangers.
Nature 218, 1273-1274.
- LANHAM, S.M. und GODFREY, D.G.:1970.
 Isolation of salivarian trypanosomes from man and other mammals using DEAE-cellulose.
Exp. Parasitol. 28, 521-534.
- LAQUA, H.; KAKAIRE, D.; KANTENGWA, J.: 1992.
 Success monitoring of control measures against sleeping sickness in Mukono district, south-east Uganda.
Proc. of the 2nd Workshop on Veterinary Epidemiology, Entebbe, Uganda, 15-30.
- LAVERAN, A.: 1902.
 De l'action du sérum humain sur le Trypanosome du Nagana (*Tr. brucei*).
C. R. Acad. Sci. 134, 735-739.
- LEFEVRE, J.C.; FAUCON, G.; SICARD, A.M.; GASC, A.M.: 1993.
 DNA fingerprinting of *Streptococcus pneumoniae* strains by pulsed-field gel electrophoresis.
J. Clin. Microbiol. 31, 2724-2728.
- LE RAY, D.; AFCHAIN, D.; JADIN, J.; CAPRON, A.; FAMEREE, L.: 1971.
 Interrelations immune-taxonomiques de *T. brucei*, *T. rhodesiense* et *T. gambiense*.
Ann. Parasitol. Hum. Comp. 46, 523-531.
- LEVENE, S.D.: 1992.
 Theories of pulsed-field gel electrophoresis.
 In: *Methods in Molecular Biology*, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 347-365.
 Edited by: M. Burmeister and L. Ulanovsky.
 The Human Press Inc., Totowa, New Jersey.
- LIPS, S.; REVELARD, P.; PAYS, E.: 1993.
 Identification of a new expression site-associated gene in the complete 30.5 Kb sequence from the AnTat 1.3A variant surface protein gene-expression site of *Trypanosoma brucei*.
Mol. Biochem. Parasitol. 62, 135-137.
- LORENZ, P.; OWEN, J.S.; HASSALL, D.: 1995.
 Human serum resistant *Trypanosoma brucei rhodesiense* accumulates similar amounts of fluorescently-labelled trypanolytic HDL3 particles as human serum sensitive *Trypanosoma b. brucei*.
Mol. Biochem. Parasitol. 74, 113-118.
- MAC DERMOTT, J. und COLEMANN, P.: 2001.
 Comparing apples and oranges – model-based assessment of different tsetse-transmitted trypanosomosis control strategies.
Int. J. Parasitol. 31, 603-609.
- MAC LEOD, A.; TURNER, C.M.R.; TAIT, A.: 1999.
 A high level of mixed *Trypanosoma brucei* infections in tsetse flies detected by three hypervariable minisatellites.
Mol. Biochem. Parasitol. 102, 237-248.

MAJIWA, P.A.O.; MASAKE, R.A.; NANTULYA, V.M.; HAMERS, R.; MATTHYSSENS, G.: 1985.

Trypanosoma (Nannomonas) congolense: identification of two karyotypic groups.
EMBO J. 4, 3307-3313.

MANGENI, J.W.N.: 1994.

Master Thesis im Rahmen des zweiten Master-Kurses in Tropen-Veterinärmedizin,
Freie Universität Berlin.

MASIGA, D.K.; SMYTH, A.J.; HAYES, P.; BROMIDGE, T.J.; GIBSON, W.C.: 1992.

Sensitive detection of trypanosomes in tsetse flies by DNA amplification.
Int. J. Parasitol. 22, 909-918.

MAUDLIN, I.: 1991.

Transmission of African trypanosomes: interactions among tsetse immune system,
symbionts and parasites.
Adv. Dis. Vector Res. 7, 117-147.

MBULAMBERI, D.B.: 1989.

A review of Human African Trypanosomiasis (HAT) in Uganda.
East Afr. Med. J. 66, 743-747.

MBULAMBERI, D.B.: 1990.

Recent epidemic outbreaks of human trypanosomiasis in Uganda.
Insect Sci. Applic. 11, 289-292.

MBULAMBERI, D.B.: 1998.

The impact of an integrated approach on the control of Rhodesiense Human African
Trypanosomiasis (Sleeping Sickness) in South Eastern Uganda.
In: International Colloquium "Sleeping Sickness Rediscovered" Dec. 1998, Institute
of Tropical Medicine Antwerp, Belgium.

MEHLITZ, D.: 1978.

Untersuchungen zur Empfänglichkeit von *Mastomys natalensis* für *Trypanosoma*
(*Trypanozoon*) *brucei gambiense*.
Ann. Trop. Med. Parasitol. 29, 101-107.

MEHLITZ, D.: 1982.

Trypanosomes in African wild mammals.
In: Perspectives in Trypanosomiasis Research, Ed. Baker, J.R., Research Study Press,
Chichester, pp. 25-35.

MEHLITZ, D.: 1985.

Das Tierreservoir der Gambiense Schlafkrankheit.
Habilitationsschrift für das Fach Tropenveterinärmedizin, Fachbereich
Veterinärmedizin der Freien Universität Berlin.

MEHLITZ, D.: 1992.

Workplan: Planned activities 1992 of the Collaborative Research Unit (CRU) of the
Free University of Berlin, Germany and the Animal Health Research Centre (AHRC),
Entebbe, Uganda.

MEHLITZ, D. und TIETJEN, U.: 1988.

Trypanosome infection rates in tsetse midguts using a short-term *in vitro* culture
technique.
Acta Trop. 45, 183-184.

- MEHLITZ, D.; ZILLMANN, U.; SCOTT, C.M.; GODFREY, D.G.: 1982.
Epidemiological studies on the animal reservoir of Gambiense Sleeping Sickness.
Part III. Characterization of Trypanozoon stocks by isoenzymes and sensitivity to
human serum.
Tropenmed. Parasit. 33, 113-118.
- MELMS, A.S.: 1996.
Einsatz der RAPD-Polymerase-Kettenreaktion zur Suche nach geeigneten DNA-
Sequenzen für die Differenzierung zwischen *Trypanosoma brucei gambiense*,
Trypanosoma brucei brucei und *Trypanosoma brucei rhodesiense*.
Diplomarbeit, Fakultät für Biologie, Universität Bielefeld.
- MELVILLE, S.E.: 1997.
Genome research in *Trypanosoma brucei*: chromosome size polymorphism and its
relevance to genome mapping and analysis.
Trans. R. Soc. Trop. Med. Hyg. 91, 116-120.
- MELVILLE, S.E.; LEECH, V.; GERRARD, C.S.; TAIT, A.; BLACKWELL, J.M.: 1998.
The molecular karyotype of the megabase chromosomes of *Trypanosoma brucei* and
the assignment of chromosome markers.
Mol. Biochem. Parasitol. 94, 155-173.
- MELVILLE, S.E.; LEECH, V.; NAVARRO, M.; CROSS, G.A.M.: 2000.
The molecular karyotype of the megabase chromosomes of *Trypanosoma brucei* stock
427.
Mol. Biochem. Parasitol. 111, 261-273.
- MIHOK, S.; OTIENO, L.H.; DARJI, N.: 1990.
Population genetics of *Trypanosoma brucei* and the epidemiology of sleeping sickness
in the Lambwe Valley, Kenya.
Parasitology 100, 219-233.
- MILLER, E.N. und TURNER, M.J.: 1981.
Analysis of antigenic types appearing in first relapse populations of clones of
Trypanosoma brucei.
Parasitology 82, 63-80.
- MILNER, J.D. und HAJDUK, S.L.: 1999.
Expression and localization of serum resistance associated protein in *Trypanosoma
brucei rhodesiense*.
Mol. Biochem. Parasitol. 104, 271-283.
- MOLOO, S.K. und KUTUZA, S.B.: 1974.
Sleeping sickness survey in Musoma district, Tanzania: further study on the
vector role of *Glossina*.
Trans. R. Soc. Trop. Med. Hyg. 68, 403-409.
- MOLYNEUX, D.H.: 1980.
Animal reservoirs and residual “foci” of *Trypanosoma brucei gambiense* sleeping
sickness in West Africa.
Insect Sci. Application 1, 59-63.
- MORRISON, D.A.: 1996.
Phylogenetic tree-building.
Int. J. Parasitol. 26, 589-617.

MOSER, D.R.; COOK, G.A.; OCHS, D.E.; BAILEY, C.P.; MC KANE, M.R.; DONELSON, J.E.: 1989.

Detection of *Trypanosoma congolense* and *Trypanosoma brucei* subspecies by DNA amplification using the polymerase chain reaction.
Parasitology 99, 57-66.

MURRAY, M.; BARRY, J.D.; MORRISON, W.F.; WILLIAMS, R.O.; HIRUMI, H.; ROVIS, L.: 1983.

A review of the prospects for vaccination in African trypanosomiasis.
FAO Animal Production and Health Paper, Rome 37, 23-34.

MURRAY, B.E.; SINGH, K.V.; HEATH, J.D.; SHARMA, B.R.; WEINSTOCK, G.M.: 1990.
Comparison of genomic DNAs of different enterococcal isolates using restriction endonucleases with infrequent recognition sites.
J. Clin. Microbiol. 28, 2059-2063.

MWAMBU, P.M. und MAYENDE, J.S.P.: 1971.

Sleeping sickness survey in Musoma District, Tanzania.
III. Survey of cattle for the evidence of *T. rhodesiense* infections.
Acta Trop. 28, 206-210.

MYLER, P.J.: 1993.

Molecular variation in trypanosomes.
Acta Trop. 53, 205-225.

NEI, M.; TAJIMA, F.; TATENO, Y.: 1983.

Accuracy of estimated phylogenetic trees from molecular data.
II. Gene frequency data.
J. Mol. Evol. 19, 153-170.

NEWTON, C.R. und GRAHAM, A.: 1994.

PCR.
BIOS Scientific Publishers Limited, Oxford.

NICHOLL, D.S.T.: 1994.

An introduction to genetic-engineering.
Cambridge University Press 1994.

NOOLANDI, J. und TURMEL, C.: 1992a.

Preparation, manipulation and pulse strategy for one-dimensional pulsed-field gel electrophoresis (ODPFGE).
In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 73-103.
Edited by: M. Burmeister and L. Ulanovsky.
The Human Press Inc., Totowa, New Jersey.

NOOLANDI, J. und TURMEL, C.: 1992b.

Elastic bag model of one-dimensional pulsed-field gel electrophoresis (ODPFGE).
In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 451-467.
Edited by: M. Burmeister and L. Ulanovsky.
The Human Press Inc., Totowa, New Jersey.

NOWAK, F.; KAKAIRE, D.; TIETJEN, U.; HOFFMANN, L.; KATABAZI, B.; MEHLITZ, D.: 1992.

G. f. fuscipes as a vector of human and animal trypanosomiasis in South-Eastern Uganda. Determination of seasonal fly density, host preference and infection rates.
Zbl. Bakt. Hyg. 325, 60-61.

OLILA, D.: 1997.

Technical Report.

In: Field studies on the drug sensitivity phenotypes of animal trypanosomes in peri-urban dairy production systems of Uganda. Special Project (BMZ), Final Report (1995-1997), 6-9.

ONYANGO, R.J.K.; VAN HOEVE, K.; DE RAADT; P.: 1966.

The epidemiology of *Trypanosoma rhodesiense* sleeping sickness in Alego location, Central Nyanza, Kenya.

I. Evidence that cattle may act as reservoir hosts of trypanosomes infective to man.
Trans. R. Soc. Trop. Med. Hyg. 60, 175-182.

ORMEROD, W.E.: 1961.

The epidemic spread of Rhodesian sleeping sickness 1908-1960.

Trans. R. Soc. Trop. Med. Hyg. 55, 525-538.

ORTIZ, J.C.; SECHELSKI, J.B.; SEED, J.R.: 1994.

Characterization of human-resistant and human-sensitive clones from a single *Trypanosoma brucei gambiense* parental clone.

J. Parasitol. 80, 550-557.

ORTIZ-ORDONEZ, J.C. und SEED, J.R.: 1995.

The removal of trypolytic activity from human serum by *Trypanosoma brucei gambiense* and its subsequent recovery in trypanosome lysates.

J. Parasitol. 81, 555-558.

ORTIZ-ORDONEZ, J.C.; SECHELSKI, J.B.; SEED, J.R.: 1994.

Mechanism of lysis of *Trypanosoma brucei gambiense* by human serum.

J. Parasitol. 80, 924-930.

PAINDAVOINE, P.; PAYS, E.; LAURENT, M.; GELZMEYER, Y.; LE RAY, D.; MEHLITZ, D.; STEINERT, M.: 1986.

The use of DNA hybridisation and numerical taxonomy in determining relationships between *Trypanosoma brucei* stocks and subspecies.

Parasitology 92, 31-50.

PAINDAVOINE, P.; ZAMPETTI-BOSSELER, F.; COQUELET, H.; PAYS, E.; STEINERT, M.: 1989.

Different allele frequencies in *Trypanosoma brucei brucei* and *Trypanosoma brucei gambiense* populations.

Mol. Biochem. Parasitol. 32, 61-72.

PAQUET, C.; CASTILLA, J.; MBULAMBERI, D.; BEAULIEU, M.F.; GASTELLU ETCHEGORRY, M.G.; MOREN, A.: 1995.

Trypanosomiasis from *Trypanosoma brucei gambiense* in the centre of north-west Uganda. Evaluation of 5 years of control (1987-1991).

Bull. Soc. Pathol. Exot. 88, 38-41.

- PAYS, E. und NOLAN, D.P.: 1998.
Expression and function of surface proteins in *Trypanosoma brucei*.
Mol. Biochem. Parasitol. 91, 3-36.
- PELLMANN, C.: 1999.
Untersuchungen zur Anwendbarkeit von zwei *in-vitro* Testsystemen zur Charakterisierung der Diminazenukatrat-Empfindlichkeit von *Trypanosoma brucei*-Feldisolaten aus Süd-Ost Uganda.
Inaugural-Dissertation zur Erlangung des Grades eines Doktors der Veterinärmedizin an der Freien Universität Berlin.
- PEPIN, J. und MILORD, F.: 1994.
The treatment of human African trypanosomiasis.
Adv. Parasitol. 33, 1-47.
- PEREGRINE, A.S.: 1994.
Chemotherapy and delivery systems: haemoparasites.
Vet. Parasitol. 54, 223-248.
- PÖTZSCH, C.J.: 1999.
Krankheits- und Produktionsfaktoren in periurbanen Milchrinderherden Ugandas.
Inaugural-Dissertation zur Erlangung des Grades eines Doktors der Veterinärmedizin an der Freien Universität Berlin.
- RADWANSKA, M.; CLAES, F.; MAGEZ, S.; MAGNUS, E.; LEJON, V.; PAYS, E.; BÜSCHER, P.: 2001.
Novel primer sequences for a PCR diagnosis of human African trypanosomiasis.
In: 26th Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTR) in Ouagadougou, Burkina Faso 2001.
Publication No. 121.
- RAPER, J.; NUSSENZWEIG, V.; TOMLINSON, S.: 1996.
The main lytic factor of *Trypanosoma brucei brucei* in normal human serum is not high density lipoprotein.
J. Exp. Med. 183, 1023-1029.
- RICHNER, D. und JENNI, L.: 1986.
Characterization of cyclically transmitted *Trypanosoma (T.) brucei* isolates from man.
Acta Trop. 43, 21-29.
- RICHNER-JAISLI, D.: 1987.
Parasitologische, biochemische und molekularbiologische Charakterisierung von westafrikanischen Trypanosomen der Untergattung *Trypanozoon*.
Inaugural-Dissertation zur Erlangung der Würde eines Doktors der Philosophie an der Philosophisch-Naturwissenschaftlichen Fakultät der Universität Basel.
- RICKMAN, L.R.: 1977.
Variation in the test response of clone-derived *Trypanosoma (Trypanozoon) brucei* and *T. (T.) b. rhodesiense* relapse antigenic variants, examined by a modified blood incubation infectivity test and its possible significance in rhodesian sleeping sickness transmission.
Med. J. Zambia 11, 31-37.

RICKMAN, L.R. und KOLALA, F.: 1979.

The sequential BII testing of successive variable antigen types produced in clone-induced *Trypanosoma (Trypanozoon) brucei* complex infection serially syringe passaged in white rats.

In: 16th Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC) in Yaounde, Cameroon 1979.

Publication No 111, 108-122.

RICKMAN, L.R. und ROBSON, J.: 1970a.

The blood incubation infectivity test: a simple test which may serve to distinguish *Trypanosoma brucei* from *T. rhodesiense*.

Bull. WHO 42, 650-651.

RICKMAN, L.R. und ROBSON, J.: 1970b.

The testing of proven *Trypanosoma brucei* and *T. rhodesiense* strains by the blood incubation infectivity test.

Bull. WHO 42, 911-916.

RICKMAN, L.R. und ROBSON, J.: 1972.

Some supplementary observations on the blood incubation infectivity test.

Bull. WHO 46, 403-404.

RICKMAN, L.R. und ROBSON, J.: 1974.

Some observations on the identification of *Trypanosoma (Trypanozoon) brucei* species strains isolated from non-human hosts.

Trans. R. Soc. Trop. Med. Hyg. 68, 166-167.

RICKMANN, L.R.; ERNEST, A.; DUKES, P.; MAUDLIN, I.: 1984.

The acquisition of human serum resistance during cyclical passage of a *Trypanosoma brucei brucei* clone through *Glossina morsitans morsitans* maintained on human serum.

Trans. R. Soc. Trop. Med. Hyg. 78, 284.

RIFKIN, M.R.: 1978.

Trypanosoma brucei: Some properties of the cytotoxic reaction induced by normal human serum.

Exp. Parasitol. 46, 189-206.

RIFKIN, M.R.; DE GREEF, C.; JIWA, A.; LANDSBERGER, F.R.; SHAPIRO, S.Z.: 1994.

Human serum-sensitive *Trypanosoma brucei rhodesiense*: a comparison with serologically identical human serum-resistant clones.

Mol. Biochem. Parasitol. 66, 211-220.

ROBSON, J.; RICKMANN, L.R.; ALLSOPP, R.; SCOTT, D.: 1972.

The composition of the *Trypanosoma brucei* subgroup in nonhuman reservoirs in the Lambwe Valley, Kenya, with particular reference to the distribution of *T. rhodesiense*.
Bull. WHO 46, 765-770.

ROWLANDS, G.J.; COULIBALY, L.; HECKER, P.A.; ITEREN, G.D.M.; LEAK, S.G.A.; AUTHIE, E.: 1996.

Effect of tsetse control on trypanosome prevalence in livestock: problems of experimental design and statistical interpretation – a case study in northern Côte d'Ivoire.

Vet. Parasitol. 63, 199-214.

- RUDENKO, G.; CHAVES, I.; DIRKS-MULDER, A.; BORST, P.: 1998.
Selection for activation of a new variant surface glycoprotein gene expression site in *Trypanosoma brucei* can result in deletion of the old one.
Mol. Biochem. Parasitol. 95, 97-109.
- SAMBROOK, J.; FRITSCH, E.F.; MANIATIS, T.: 1989.
Molecular Cloning. A Laboratory Manual.
Cold Spring Harbor Laboratory Press, USA.
- SCHARES, G. und MEHLITZ, D.: 1996.
Sleeping sickness in Zaire: a nested polymerase chain reaction improves the identification of *Trypanosoma (Trypanozoon) brucei gambiense* by specific kinetoplast DNA probes.
Trop. Med. Int. Hlth. 1, 59-70.
- SCHOFIELD, C.J. und MAUDLIN, I.: 2001.
Trypanosomiasis control.
Int. J. Parasitol. 31, 615-620.
- SCHWARTZ, D.C. und CANTOR, C.R.: 1984.
Separation of yeast chromosome-sized DNAs by pulsed field gradient gel electrophoresis.
Cell 37, 67-75.
- SCOTT, C.M.; FREZIL, J.-L.; TOUDIC, A.; GODFREY, D.G.: 1983.
The sheep as a potential reservoir of human trypanosomiasis in the Republic of Congo.
Trans. R. Soc. Trop. Med. Hyg. 77, 397-401.
- SEED, J.R.; SECHELSKI, J.B.; ORTIZ, J.C.; CHAPMAN, J.F.: 1993.
Relationship between human serum trypanocidal activity and host resistance to the African trypanosomes.
J. Parasitol. 79, 226-232.
- SHAW, C.R.: 1969.
Isozymes: Classification, frequency and significance.
Int. Rev. Cytol. 25, 297-332.
- SLOOF, P.; MENKE, H.H.; CASPERS, M.P.; BORST, P.: 1983.
Size fractionation of *Trypanosoma brucei* DNA: localization of the 177-bp repeat satellite DNA and a variant surface glycoprotein gene in a mini-chromosomal DNA fraction.
Nucleic Acid Res. 11, 3889-3901.
- SMITH, A.B.; ESKO, J.D., HAJDUK, S.L.: 1995.
Killing of trypanosomes by the human haptoglobin-related Protein.
Science 268, 284-286.
- SMITH, D.H.; PEPIN, J.; STICH, A.H.R.: 1998.
Human African trypanosomiasis: an emerging public health crisis.
Brit. Med. Bull. 54, 341-355.
- SNEATH, P.H.A. und SOKAL, R.R.: 1973.
Numerical taxonomy.
Freeman, San Francisco.

- SOURDIS, J. und KRIMBAS, C.: 1987.
Accuracy of phylogenetic trees estimated from DNA sequence data.
Mol. Biol. Evol. 4, 159-166.
- STERNBERG, J., TAIT, A.; HALEY, S.; WELLS, J.M.; LE PAGE, R.W.; SCHWEIZER, J.; JENNI, L.: 1988.
Gene exchange in African trypanosomes: characterisation of a new hybrid genotype.
Mol. Biochem. Parasitol. 27, 191-200.
- STEVENS, J.R. und GODFREY, D.G.: 1992.
Numerical taxonomy of *Trypanozoon* based on polymorphisms in a reduced range of enzymes.
Parasitology 104, 75-86.
- STEVENS, J.R. und WELBURN, S.C.: 1993.
Genetic processes within an endemic of sleeping sickness in Uganda.
Parasitol. Res. 79, 421-427.
- STEVENS, J.R.; LANHAM, S.M.; ALLINGHAM, R.; GASHUMBA, J.K.: 1992.
A simplified method for identifying subspecies and strain groups in *Trypanozoon* by isoenzymes.
Ann. Trop. Med. Parasitol. 86, 9-28.
- STEVENS, J.R.; MATHIEU-DAUDE, F.; MCNAMARA, J.J.; MIZEN, V.H.; NZILA, A.: 1994.
Mixed populations of *Trypanosoma brucei* in wild *Glossina palpalis palpalis*.
Trop. Med. Parasitol. 45, 313-318.
- STUART, K.; ALLEN, T.E.; KABLE, M.L.; LAWSON, S.: 1997.
Kinetoplastid RNA editing: complexes and catalysts.
Curr. Opin. Chem. Biol. 1, 340-346.
- TAIT, A.: 1980.
Evidence for diploidy and mating in trypanosomes.
Nature 287, 536-538.
- TAIT, A.; BABIKER, E.A.; LE RAY, D.: 1984.
Enzyme variation in *Trypanosoma brucei* spp.
I. Evidence for the sub-speciation of *Trypanosoma brucei gambiense*.
Parasitology 89, 311-326.
- TAIT, A.; TURNER, C.M.; LE PAGE, R.W.; WELLS, J.M.: 1989.
Genetic evidence that metacyclic forms of *Trypanosoma brucei* are diploid.
Mol. Biochem. Parasitol. 37, 247-255.
- TAIT, A.; BUCHANAN, N.; HIDE, G.; TURNER, M.: 1992.
Genetic recombination and karyotype inheritance in *Trypanosoma brucei* species.
In: Genome Analysis of Protozoan Parasites; Proceedings of a Workshop held at ILRAD, Nairobi, Kenia; 11-13 November 1992, 93-107.
- TARGETT, G.A.T. und WILSON, V.C.L.C.: 1973.
The blood incubation infectivity test as a means of distinguishing between *Trypanosoma brucei brucei* and *T. brucei rhodesiense*.
Int. J. Parasitol. 3, 5-11.

- TAUTE, M. und HUBER, F.: 1919.
 Die Unterscheidung des *Trypanosoma rhodesiense* von *Trypanosoma brucei*.
 Beobachtungen und Experimente aus dem Kriege in Ostafrika.
Arch. F. Schiffs- u. Trop.-Hyg. 23, 211-226.
- TOALDO, C.E.; STEINDEL, M.; SOUSA, M.A.; TAVARES, C.C.: 2001.
 Molecular karyotype and chromosomal localization of genes encoding β -tubulin, cysteine proteinase, hsp 70 and actin in *Trypanosoma rangeli*.
Mem. Inst. Oswaldo Cruz, Rio de Janeiro 96, 113-121.
- TOMLINSON, S. und RAPER, J.: 1998.
 Natural human immunity to Trypanosomes.
Parasitol. Today 14, 354-359.
- TOMLINSON, S.; JANSEN, A.M.; KOUDINOV, A.; GHISO, J.A.; CHOI-MIURA, N.H.; RIFKIN, M.R.; OHTAKI, S.; NUSSENZWEIG, V.: 1995.
 High-density-lipoprotein-independent killing of *Trypanosoma brucei* by human serum.
Mol. Biochem. Parasitol. 70, 131-138.
- TOMLINSON, S.; MURANJAN, M.; NUSSENZWEIG, V.; RAPER, J.: 1997.
 Haptoglobin-related protein and apolipoprotein AI are components of the two trypanolytic factors in human serum.
Mol. Biochem. Parasitol. 86, 117-120.
- TURNER, C.M.R.: 1990.
 The use of experimental artefacts in African trypanosome research.
Parasitol. Today 6, 14-17.
- TURNER, C.M.R. und BARRY, J.D.: 1989.
 High frequency of antigenetic variation in *Trypanosoma brucei rhodesiense* infections.
Parasitology 99, 67-75.
- Uganda Country Report: 1991.
 NDYABAINDUKA, D.G.K.; Programme Coordinator.
 In: 21st Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC) in Yamoussoukro, Côte D'Ivoire 1991.
 Publication Nr. 116, 100-102.
- Uganda Country Report: 1997.
 Summary for the period 1995-97.
 In: 24th Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC) in Maputo, Mozambique 1997.
 Publication Nr. 119, 108-111.
- VAN DER PLOEG, L.H.T.; VALERIO, D.; DE LANGE, T.; BERNARDS, A.; Borst, p.; GROSVELD, F.G.: 1982.
 An analysis of cosmid clones of nuclear DNA from *Trypanosoma brucei* shows that the genes for variant surface glycoproteins are clustered in the genome.
Nucleic Acid Res. 10, 5905-5923.
- VAN DER PLOEG, L.H.T.; LIU, A.Y.C.; BORST, P.: 1984a.
 Structure of the growing telomeres of trypanosomes.
Cell 36, 459-468.

- VAN DER PLOEG, L.H.T.; SCHWARTZ, D.C.; CANTOR, C.R.; BORST, P.: 1984b.
Antigenic variation in *Trypanosoma brucei* analyzed by electrophoretic separation of chromosome-sized DNA molecules.
Cell 37, 77-84.
- VAN DER PLOEG, L.H.T.; SMITH, C.L.; POLVERE, R.I.; GOTTESDIENER, K.M.: 1989.
Improved separation of chromosome-sized DNA from *Trypanosoma brucei*, stock 427-60.
Nucleic Acid Res. 17, 3217-3227.
- VAN DER PLOEG, L.H.T.; GOTTESDIENER, K.M.; KORMAN, S.H.; WEIDEN, M.; LE BLANCQ, S.: 1992.
Protozoan genomes. Karyotype analysis, chromosome structure and chromosome specific libraries.
In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 203-223.
Edited by: M. Burmeister and L. Ulanovsky.
The Human Press Inc., Totowa, New Jersey.
- VAN MEIRVENNE, N.; MAGNUS, E.; JANSSENS, P.G.: 1976.
The effect of normal human serum on trypanosomes of distinct antigenic type (ETAT 1 to 12) isolated from a strain of *Trypanosoma brucei rhodesiense*.
Ann. Soc. Belge Méd. Trop. 56, 55-63.
- VAN NIEUWENHOVE, S.: 1998.
Current sleeping sickness situation and control strategies.
In: International Colloquium "Sleeping Sickness Rediscovered" Dec. 1998, Institute of Tropical Medicine Antwerp, Belgium.
- VEREINTE NATIONEN: 2000.
UN Wire, 11.01.2000, www.unfoundation.org/unwire/.
- VIOVY, J.L. und DEFONTAINES, A.D.: 1992.
Reptation theory of pulsed electrophoresis and trapping electrophoresis.
In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 403-450.
Edited by: M. Burmeister and L. Ulanovsky.
The Human Press Inc., Totowa, New Jersey.
- VOLLRATH, D.: 1992.
Resolving multimegaparsec DNA molecules using contour-clamped homogeneous electric fields (CHEF).
In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 19-30.
Edited by: M. Burmeister and L. Ulanovsky.
The Human Press Inc., Totowa, New Jersey.
- WAITUMBI, J.N. und MURPHY, N.B.: 1993.
Inter- and intra-species differentiation of trypanosomes by genomic fingerprinting with arbitrary primers.
Mol. Biochem. Parasitol. 58, 181-185.

- WAITUMBI, J.N. und YOUNG, J.R.: 1994.
Electrophoretic karyotyping is a sensitive epidemiological tool for studying *Trypanosoma evansi* infections.
Vet. Parasitol. 52, 47-56.
- WALKER, P.J.: 1972.
Capillary concentration technique applicable to infections of *T.congolense* in cattle.
Trans. R. Soc. Trop. Med. Hyg. 66, 348.
- WATSON, H.J.C.: 1972.
The epidemiology of human sleeping sickness in the Lambwa Valley, South Nyanza, Kenya.
Bull. WHO 47, 719-726.
- WEIDEN, M.; OSHEIM, Y.N.; BEYER, A.L.; VAN DER PLOEG, L.H.T.: 1991.
Chromosome structure-DNA nucleotide-sequence elements of a subset of the minichromosomes of the protozoan *Trypanosoma brucei*.
Mol. Cell Biol. 11, 3823-3834.
- WELLS, J.M.; PROSPERO, T.D.; JENNI, L.; LE PAGE, R.W.F.: 1987.
DNA contents and molecular karyotypes of hybrid *Trypanosoma brucei*.
Mol. Biochem. Parasitol. 249, 103-116.
- WHO: 1978.
Proposals for the nomenclature of salivarian trypanosomes and for the maintenance of reference collections.
Bull. WHO 56, 467-480.
- WHO: 1986.
Epidemiology and control of African trypanosomiasis.
WHO Tech. Rep. Ser. No. 739.
- WHO: 1998.
Control and surveillance of African trypanosomiasis.
WHO Tech. Rep. Ser. No. 881.
- WHO: 2000.
African Sleeping Sickness – The Disease.
WHO home search, WHO/OMS 28.3.2000, www.WHO.org.
- WILLEMSE; L.: 1991.
A trial of odour baited targets to control the tsetse fly: *Glossina morsitans centralis* (*Diptera: Glossinidae*) in west Zambia.
Bull. Entomol. Res. 81, 351-357.
- WILLET, K.C.: 1965.
Some observations on the recent epidemiology of sleeping sickness in Nyanza Region, Kenya, and its relation to the general epidemiology of Gambian and Rhodesian sleeping sickness in Africa.
Trans. R. Soc. Trop. Med. Hyg. 59, 374-386.
- WILLET, K.C. und FAIRBAIRN, H.: 1955.
The Tinde experiment: A study of *Trypanosoma rhodesiense* during eighteen years of cyclical transmission.
Ann. Trop. Med. Parasitol. 49, 278-292.

- WILLIAMS, R.O.; YOUNG, J.R.; MAJIWA, P.: 1982.
 Genomic environment of *T. brucei* VSG genes: presence of a mini-chromosome.
Nature 299, 417-421.
- WOO, P.T.K.: 1970.
 The haematokrit centrifuge technique for the diagnosis of African trypanosomiasis.
Acta Trop. 27, 384-386.
- XONG, H.V.; VANHAMME, L.; CHAMEKH, M.; CHIMFWEMBE, C.E.; VAN DEN ABEELE, J.; PAYS, A.; VAN MEIRVENNE, N.; HAMERS, R.; DE BAETSELIER, P.; PAYS, E.: 1998.
 A VSG expression site-associated gene confers resistance to human serum in *Trypanosoma rhodesiense*.
Cell 95, 839-846.
- YAMAGUCHI, Y.: 1960.
 The nature of the trypanocidal substance in normal human serum.
Nihon University Journal of Medicine 2, 59-72.
- YORKE, W.; ADAMS, A.R.D.; MURGATROYD, F.: 1930.
 Studies in chemotherapy.
 II. The action *in vitro* of normal human serum on the pathogenic trypanosomes, and its significance.
Ann. Trop. Med. Parasitol. 24, 115-163.
- ZIEGLER, A. und VOLZ, A.: 1992.
 Rotating field gel electrophoresis (ROFE).
 In: Methods in Molecular Biology, Vol. 12: Pulsed-Field Gel Electrophoresis, S. 63-72.
 Edited by: M. Burmeister and L. Ulanovsky.
 The Human Press Inc., Totowa, New Jersey.
- ZWEYGARTH, E. und RÖTTCHER, D. 1987.
 Trypanocidal activity of a 5-substituted 2-nitroimidazole compound (Ro 15-0216) in mice.
Trop. Med. Parasitol. 38, 171-174.
- ZWEYGARTH, E.; KAMINSKY, R.; CHERUIYOT, J.K.: 1989.
 A simple and rapid method to initiate *Trypanosoma brucei brucei* and *T. brucei evansi* bloodstream form cultures.
Acta Trop. 46, 205-206.

Die Zeitschriften wurden abgekürzt nach:

List of journals indexed in index medicus 2001, National Library of Medicine, U.S. Department of Health and Human Services, Bethesda, Maryland, 2001

bzw. ältere Zeitschriften nach

Serial Sources for the BIOSISDATA BASE, Bio Sciences Information Service (BIOSIS), Philadelphia, U.S.A., ISSN: 0162-2048, 1986