

6. Literaturverzeichnis

- Abi-Said, D., Anaissie, E., Uzun, O., Raad, I., Pinzcowski, H., and Vartivarian, S. (1997) The epidemiology of hematogenous candidiasis caused by different *Candida* species. *Clin Infect Dis* 24: 1122-1128.
- Adames, N., Blundell, K., Ashby, M. N., and Boone, C. (1995) Role of yeast insulin-degrading enzyme homologs in propheromone processing and bud site selection. *Science* 270: 464-467.
- Adjaye, J., Herwig, R., Herrmann, D., Wruck, W., Benkahla, A., Brink, T. C., Nowak, M., Carnwath, J. W., Hultschig, C., Niemann, H., and Lehrach, H. (2004) Cross-species hybridisation of human and bovine orthologous genes on high density cDNA microarrays. *BMC Genomics* 5: 83.
- Albrecht, A., Felk, A., Pichova, I., Naglik, J. R., Schaller, M., de Groot, P., Maccallum, D., Odds, F. C., Schafer, W., Klis, F., Monod, M., and Hube, B. (2006) Glycosylphosphatidylinositol-anchored proteases of *Candida albicans* target proteins necessary for both cellular processes and host-pathogen interactions. *J Biol Chem* 281: 688-694.
- Alonso-Monge, R., Navarro-Garcia, F., Roman, E., Negredo, A. I., Eisman, B., Nombela, C., and Pla, J. (2003) The Hog1 mitogen-activated protein kinase is essential in the oxidative stress response and chlamydospore formation in *Candida albicans*. *Eukaryot Cell* 2: 351-361.
- Altschul, S. F., Gish, W., Miller, W., Myers, E. W., and Lipman, D. J. (1990) Basic local alignment search tool. *J Mol Biol* 215: 403-410.
- Andes, D., Lepak, A., Pitula, A., Marchillo, K., and Clark, J. (2005) A simple approach for estimating gene expression in *Candida albicans* directly from a systemic infection site. *J Infect Dis* 192: 893-900.
- Andrutis, K. A., Riggle, P. J., Kumamoto, C. A., and Tzipori, S. (2000) Intestinal lesions associated with disseminated candidiasis in an experimental animal model. *J Clin Microbiol* 38: 2317-2323.
- Arnaud, M. B., Costanzo, M. C., Skrzypek, M. S., Binkley, G., Lane, C., Miyasato, S. R., and Sherlock, G. (2005) The *Candida* Genome Database (CGD), a community resource for *Candida albicans* gene and protein information. *Nucleic Acids Res* 33: D358-363.
- Ashbee, H. R., Leck, A. K., Puntis, J. W., Parsons, W. J., and Evans, E. G. (2002) Skin colonization by *Malassezia* in neonates and infants. *Infect Control Hosp Epidemiol* 23: 212-216.
- Ausubel, F. M., Brent, R., Kingston, R. E., Moore, D. D., Seidman, J. G., Smith, J. A., and Struhl, K. (1987) Southern blotting by downward capillary transfer. In: *Current Protocols in Molecular Biology*. New York: John Wiley & Sons, Inc., pp.
- Babst, M. (2005) A protein's final ESCRT. *Traffic* 6: 2-9.
- Baddley, J. W., Smith, A. M., Moser, S. A., and Pappas, P. G. (2001) Trends in frequency and susceptibilities of *Candida glabrata* bloodstream isolates at a university hospital. *Diagn Microbiol Infect Dis* 39: 199-201.

- Bai, X. D., Liu, X. H., and Tong, Q. Y. (2004) Intestinal colonization with *Candida albicans* and mucosal immunity. *World J Gastroenterol* 10: 2124-2126.
- Bailey, D. A., Feldmann, P. J., Bovey, M., Gow, N. A., and Brown, A. J. (1996) The *Candida albicans* *HYR1* gene, which is activated in response to hyphal development, belongs to a gene family encoding yeast cell wall proteins. *J Bacteriol* 178: 5353-5360.
- Baine, W. B., Koenig, M. G., and Goodman, J. S. (1974) Clearance of *Candida albicans* from the bloodstream of rabbits. *Infect Immun* 10: 1420-1425.
- Balish, E., and Phillips, A. W. (1966) Growth, morphogenesis, and virulence of *Candida albicans* after oral inoculation in the germ-free and conventional chick. *J Bacteriol* 91: 1736-1743.
- Barelle, C. J., Manson, C. L., MacCallum, D. M., Odds, F. C., Gow, N. A., and Brown, A. J. (2004) GFP as a quantitative reporter of gene regulation in *Candida albicans*. *Yeast* 21: 333-340.
- Barelle, C. J., Priest, C. L., Maccallum, D. M., Gow, N. A., Odds, F. C., and Brown, A. J. (2006) Niche-specific regulation of central metabolic pathways in a fungal pathogen. *Cell Microbiol* 8: 961-971.
- Bartie, K. L., Williams, D. W., Wilson, M. J., Potts, A. J., and Lewis, M. A. (2004) Differential invasion of *Candida albicans* isolates in an *in vitro* model of oral candidosis. *Oral Microbiol Immunol* 19: 293-296.
- Barwell, K. J., Boysen, J. H., Xu, W., and Mitchell, A. P. (2005) Relationship of *DFG16* to the Rim101p pH response pathway in *Saccharomyces cerevisiae* and *Candida albicans*. *Eukaryot Cell* 4: 890-899.
- Becker, U., Ganter, S., Just, C., and Sauermost, R. (1994) *Herder-Lexikon der Biologie*. Spektrum Akademischer Verlag, Heidelberg.
- Bendtsen, J. D., Nielsen, H., von Heijne, G., and Brunak, S. (2004) Improved prediction of signal peptides: SignalP 3.0. *J Mol Biol* 340: 783-795.
- Bennett, R. J., and Johnson, A. D. (2003) Completion of a parasexual cycle in *Candida albicans* by induced chromosome loss in tetraploid strains. *Embo J* 22: 2505-2515.
- Bensen, E. S., Filler, S. G., and Berman, J. (2002) A forkhead transcription factor is important for true hyphal as well as yeast morphogenesis in *Candida albicans*. *Eukaryot Cell* 1: 787-798.
- Bensen, E. S., Martin, S. J., Li, M., Berman, J., and Davis, D. A. (2004) Transcriptional profiling in *Candida albicans* reveals new adaptive responses to extracellular pH and functions for Rim101p. *Mol Microbiol* 54: 1335-1351.
- Benson, D. A., Karsch-Mizrachi, I., Lipman, D. J., Ostell, J., and Wheeler, D. L. (2006) GenBank. *Nucleic Acids Res* 34: D16-20.
- Berg, F. T. (1846) *Om Torsk Hos Barn*. L. J. Hjerta, Stockholm.
- Berger, L., Speare, R., Daszak, P., Green, D. E., Cunningham, A. A., Goggin, C. L., Slocombe, R., Ragan, M. A., Hyatt, A. D., McDonald, K. R., Hines, H. B., Lips, K. R., Marantelli, G., and Parkes, H. (1998) Chytridiomycosis causes amphibian mortality

- associated with population declines in the rain forests of Australia and Central America. *Proc Natl Acad Sci U S A* 95: 9031-9036.
- Bernhardt, J., Herman, D., Sheridan, M., and Calderone, R. (2001) Adherence and invasion studies of *Candida albicans* strains, using *in vitro* models of esophageal candidiasis. *J Infect Dis* 184: 1170-1175.
- Biswas, K., and Morschhauser, J. (2005) The Mep2p ammonium permease controls nitrogen starvation-induced filamentous growth in *Candida albicans*. *Mol Microbiol* 56: 649-669.
- Blanco, M. T., Morales, J. J., Lucio, L., Perez-Giraldo, C., Hurtado, C., and Gomez-Garcia, A. C. (2006) Modification of adherence to plastic and to human buccal cells of *Candida albicans* and *Candida dubliniensis* by a subinhibitory concentration of itraconazole. *Oral Microbiol Immunol* 21: 69-72.
- Blasi, E., Pitzurra, L., Bartoli, A., Puliti, M., and Bistoni, F. (1994) Tumor necrosis factor as an autocrine and paracrine signal controlling the macrophage secretory response to *Candida albicans*. *Infect Immun* 62: 1199-1206.
- Blinzler, L., Fischer, K., Just, H. M., and Heuser, D. (1997) [Importance of mycoses in intra-abdominal infections]. *Langenbecks Arch Chir* 382: S5-8.
- Boos, C., Kujath, P., and Bruch, H. P. (2005) Intra-abdominal mycoses. *Mycoses* 48 Suppl 1: 22-26.
- Bouza, E., San Juan, R., Munoz, P., Voss, A., and Kluytmans, J. (2001) A European perspective on nosocomial urinary tract infections II. Report on incidence, clinical characteristics and outcome (ESGNI-004 study). European Study Group on Nosocomial Infection. *Clin Microbiol Infect* 7: 532-542.
- Brand, A., MacCallum, D. M., Brown, A. J., Gow, N. A., and Odds, F. C. (2004) Ectopic expression of *URA3* can influence the virulence phenotypes and proteome of *Candida albicans* but can be overcome by targeted reintegration of *URA3* at the *RPS10* locus. *Eukaryot Cell* 3: 900-909.
- Braun, B. R., and Johnson, A. D. (1997) Control of filament formation in *Candida albicans* by the transcriptional repressor *TUP1*. *Science* 277: 105-109.
- Brazma, A., Hingamp, P., Quackenbush, J., Sherlock, G., Spellman, P., Stoeckert, C., Aach, J., Ansorge, W., Ball, C. A., Causton, H. C., Gaasterland, T., Glenisson, P., Holstege, F. C., Kim, I. F., Markowitz, V., Matese, J. C., Parkinson, H., Robinson, A., Sarkans, U., Schulze-Kremer, S., Stewart, J., Taylor, R., Vilo, J., and Vingron, M. (2001) Minimum information about a microarray experiment (MIAME)-toward standards for microarray data. *Nat Genet* 29: 365-371.
- Brown, V., Sexton, J. A., and Johnston, M. (2006) A glucose sensor in *Candida albicans*. *Eukaryot Cell* 5: 1726-1737.
- Brush, L., and Money, N. P. (1999) Invasive hyphal growth in *Wangiella dermatitidis* is induced by stab inoculation and shows dependence upon melanin biosynthesis. *Fungal Genet Biol* 28: 190-200.
- Bullen, J. J., Rogers, H. J., Spalding, P. B., and Ward, C. G. (2006) Natural resistance, iron and infection: a challenge for clinical medicine. *J Med Microbiol* 55: 251-258.

- Butler, A. J., Rees, M. A., Wight, D. G., Casey, N. D., Alexander, G., White, D. J., and Friend, P. J. (2002) Successful extracorporeal porcine liver perfusion for 72 hr. *Transplantation* 73: 1212-1218.
- Calderone, R. A. (2002a) Introduction and Historical Perspectives. In: *Candida and Candidiasis*. R. A. Calderone (ed). Washington: ASM Press, pp. 3-13.
- Calderone, R. A. (2002b) Taxonomy and Biology of *Candida*. In: *Candida and Candidiasis*. R. A. Calderone (ed). Washington: ASM Press, pp. 15-27.
- Calderone, R. A., and Fonzi, W. A. (2001) Virulence factors of *Candida albicans*. *Trends Microbiol* 9: 327-335.
- Carruthers, V. B., and Blackman, M. J. (2005) A new release on life: emerging concepts in proteolysis and parasite invasion. *Mol Microbiol* 55: 1617-1630.
- Casadevall, A. (2005) Fungal virulence, vertebrate endothermy, and dinosaur extinction: is there a connection? *Fungal Genet Biol* 42: 98-106.
- Castaldo, P., Stratta, R. J., Wood, R. P., Markin, R. S., Patil, K. D., Shaefer, M. S., Langnas, A. N., Reed, E. C., Li, S. J., Pillen, T. J., and et al. (1991) Clinical spectrum of fungal infections after orthotopic liver transplantation. *Arch Surg* 126: 149-156.
- Chau, A. S., Mendrick, C. A., Sabatelli, F. J., Loebenberg, D., and McNicholas, P. M. (2004) Application of real-time quantitative PCR to molecular analysis of *Candida albicans* strains exhibiting reduced susceptibility to azoles. *Antimicrob Agents Chemother* 48: 2124-2131.
- Choi, J. H., Ko, H. M., Kim, J. W., Lee, H. K., Han, S. S., Chun, S. B., and Im, S. Y. (2001) Platelet-activating factor-induced early activation of NF-kappa B plays a crucial role for organ clearance of *Candida albicans*. *J Immunol* 166: 5139-5144.
- Chomczynski, P., and Sacchi, N. (1987) Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal Biochem* 162: 156-159.
- Christie, K. R., Weng, S., Balakrishnan, R., Costanzo, M. C., Dolinski, K., Dwight, S. S., Engel, S. R., Feierbach, B., Fisk, D. G., Hirschman, J. E., Hong, E. L., Issel-Tarver, L., Nash, R., Sethuraman, A., Starr, B., Theesfeld, C. L., Andrada, R., Binkley, G., Dong, Q., Lane, C., Schroeder, M., Botstein, D., and Cherry, J. M. (2004) *Saccharomyces* Genome Database (SGD) provides tools to identify and analyze sequences from *Saccharomyces cerevisiae* and related sequences from other organisms. *Nucleic Acids Res* 32: D311-314.
- Claveau, I., Mostefaoui, Y., and Rouabhia, M. (2004) Basement membrane protein and matrix metalloproteinase deregulation in engineered human oral mucosa following infection with *Candida albicans*. *Matrix Biol* 23: 477-486.
- Clemons, K. V., Calich, V. L., Burger, E., Filler, S. G., Graziutti, M., Murphy, J., Roilides, E., Campa, A., Dias, M. R., Edwards, J. E., Jr., Fu, Y., Fernandes-Bordignon, G., Ibrahim, A., Katsifa, H., Lamaignere, C. G., Meloni-Bruneri, L. H., Rex, J., Savary, C. A., and Xidieh, C. (2000) Pathogenesis I: interactions of host cells and fungi. *Med Mycol* 38 Suppl 1: 99-111.
- Cognetti, D., Davis, D., and Sturtevant, J. (2002) The *Candida albicans* 14-3-3 gene, *BMH1*, is essential for growth. *Yeast* 19: 55-67.

- Cole, G. T., Halawa, A. A., and Anaissie, E. J. (1996) The role of the gastrointestinal tract in hematogenous candidiasis: from the laboratory to the bedside. *Clin Infect Dis* 22 Suppl 2: S73-88.
- Cole, G. T., Seshan, K. R., Lynn, K. T., and Franco, M. (1993) Gastrointestinal candidiasis: histopathology of *Candida*-host interactions in a murine model. *Mycol Res* 97: 385-408.
- Cole, G. T., Seshan, K. R., Phaneuf, M., and Lynn, K. T. (1991) Chlamyospore-like cells of *Candida albicans* in the gastrointestinal tract of infected, immunocompromised mice. *Can J Microbiol* 37: 637-646.
- Collins, D. M., Kawakami, R. P., Buddle, B. M., Wards, B. J., and de Lisle, G. W. (2003) Different susceptibility of two animal species infected with isogenic mutants of *Mycobacterium bovis* identifies *phoT* as having roles in tuberculosis virulence and phosphate transport. *Microbiology* 149: 3203-3212.
- Corona, P., Vitale, G., Loriga, M., Paglietti, G., La Colla, P., Collu, G., Sanna, G., and Loddo, R. (2006) 4-Substituted anilino imidazo[1,2-a] and triazolo[4,3-a]quinoxalines. Synthesis and evaluation of in vitro biological activity. *Eur J Med Chem* 41: 1102-1107.
- Correa, S. G., Rodriguez-Galan, M. C., Salido-Renteria, B., Cano, R., Cejas, H., and Sotomayor, C. E. (2004) High dissemination and hepatotoxicity in rats infected with *Candida albicans* after stress exposure: potential sensitization to liver damage. *Int Immunol* 16: 1761-1768.
- Cremer, J., Vatou, V., and Braveny, I. (1999) 2,4-(hydroxyphenyl)-ethanol, an antioxidative agent produced by *Candida* spp., impairs neutrophilic yeast killing in vitro. *FEMS Microbiol Lett* 170: 319-325.
- Crowe, J. D., Sievwright, I. K., Auld, G. C., Moore, N. R., Gow, N. A., and Booth, N. A. (2003) *Candida albicans* binds human plasminogen: identification of eight plasminogen-binding proteins. *Mol Microbiol* 47: 1637-1651.
- Csato, M., Bozoky, B., Hunyadi, J., and Dobozy, A. (1986) *Candida albicans* phagocytosis by separated human epidermal cells. *Arch Dermatol Res* 279: 136-139.
- Cullen, P. J., and Sprague, G. F., Jr. (2000) Glucose depletion causes haploid invasive growth in yeast. *Proc Natl Acad Sci U S A* 97: 13619-13624.
- Cullen, P. J., and Sprague, G. F., Jr. (2002) The roles of bud-site-selection proteins during haploid invasive growth in yeast. *Mol Biol Cell* 13: 2990-3004.
- d'Enfert, C., Goyard, S., Rodriguez-Arnaveilhe, S., Frangeul, L., Jones, L., Tekaiia, F., Bader, O., Albrecht, A., Castillo, L., Dominguez, A., Ernst, J. F., Fradin, C., Gaillardin, C., Garcia-Sanchez, S., de Groot, P., Hube, B., Klis, F. M., Krishnamurthy, S., Kunze, D., Lopez, M. C., Mavor, A., Martin, N., Moszer, I., Onesime, D., Perez Martin, J., Sentandreu, R., Valentin, E., and Brown, A. J. (2005) CandidaDB: a genome database for *Candida albicans* pathogenomics. *Nucleic Acids Res* 33: D353-357.
- Dalle, F., Franco, N., Lopez, J., Vagner, O., Caillot, D., Chavanet, P., Cuisenier, B., Aho, S., Lizard, S., and Bonnin, A. (2000) Comparative genotyping of *Candida albicans* bloodstream and nonbloodstream isolates at a polymorphic microsatellite locus. *J Clin Microbiol* 38: 4554-4559.

- Daran-Lapujade, P., Daran, J. M., Kotter, P., Petit, T., Piper, M. D., and Pronk, J. T. (2003) Comparative genotyping of the *Saccharomyces cerevisiae* laboratory strains S288C and CEN.PK113-7D using oligonucleotide microarrays. *FEMS Yeast Res* 4: 259-269.
- Daszak, P., Berger, L., Cunningham, A. A., Hyatt, A. D., Green, D. E., and Speare, R. (1999) Emerging infectious diseases and amphibian population declines. *Emerg Infect Dis* 5: 735-748.
- Davis, D. (2003) Adaptation to environmental pH in *Candida albicans* and its relation to pathogenesis. *Curr Genet* 44: 1-7.
- Davis, D., Edwards, J. E., Jr., Mitchell, A. P., and Ibrahim, A. S. (2000) *Candida albicans* RIM101 pH response pathway is required for host-pathogen interactions. *Infect Immun* 68: 5953-5959.
- Davis, D. A., Bruno, V. M., Loza, L., Filler, S. G., and Mitchell, A. P. (2002) *Candida albicans* Mds3p, a conserved regulator of pH responses and virulence identified through insertional mutagenesis. *Genetics* 162: 1573-1581.
- De Bernardis, F., Muhlschlegel, F. A., Cassone, A., and Fonzi, W. A. (1998) The pH of the host niche controls gene expression in and virulence of *Candida albicans*. *Infect Immun* 66: 3317-3325.
- de Repentigny, L., Lewandowski, D., and Jolicoeur, P. (2004) Immunopathogenesis of oropharyngeal candidiasis in human immunodeficiency virus infection. *Clin Microbiol Rev* 17: 729-759, table of contents.
- Dodgson, A. R., Dodgson, K. J., Pujol, C., Pfaller, M. A., and Soll, D. R. (2004) Clade-specific flucytosine resistance is due to a single nucleotide change in the *FUR1* gene of *Candida albicans*. *Antimicrob Agents Chemother* 48: 2223-2227.
- Eferl, R., and Wagner, E. F. (2003) AP-1: a double-edged sword in tumorigenesis. *Nat Rev Cancer* 3: 859-868.
- Eggimann, P., Garbino, J., and Pittet, D. (2003) Epidemiology of *Candida* species infections in critically ill non-immunosuppressed patients. *Lancet Infect Dis* 3: 685-702.
- Eisen, M. B., Spellman, P. T., Brown, P. O., and Botstein, D. (1998) Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci U S A* 95: 14863-14868.
- Elander, R. P., and Lowe, D. A. (1992) Fungal Biotechnology: An Overview. In: Handbook of Applied Mycology. D. K. Arora, R. P. Elander and K. G. Mykerji (eds). New York: Marcel Dekker, pp.
- Enjalbert, B., Smith, D. A., Cornell, M. J., Alam, I., Nicholls, S., Brown, A. J., and Quinn, J. (2006) Role of the Hog1 stress-activated protein kinase in the global transcriptional response to stress in the fungal pathogen *Candida albicans*. *Mol Biol Cell* 17: 1018-1032.
- Enjalbert, B., and Whiteway, M. (2005) Release from quorum-sensing molecules triggers hyphal formation during *Candida albicans* resumption of growth. *Eukaryot Cell* 4: 1203-1210.
- Eras, P., Goldstein, M. J., and Sherlock, P. (1972) *Candida* infection of the gastrointestinal tract. *Medicine (Baltimore)* 51: 367-379.

- Falkow, S. (1988) Molecular Koch's postulates applied to microbial pathogenicity. *Rev Infect Dis* 10 Suppl 2: S274-276.
- Fallon, K., Bausch, K., Noonan, J., Huguenel, E., and Tamburini, P. (1997) Role of aspartic proteases in disseminated *Candida albicans* infection in mice. *Infect Immun* 65: 551-556.
- Farrell, S. M., Hawkins, D. F., and Ryder, T. A. (1983) Scanning electron microscope study of *Candida albicans* invasion of cultured human cervical epithelial cells. *Sabouraudia* 21: 251-254.
- Feldman, A. L., Costouros, N. G., Wang, E., Qian, M., Marincola, F. M., Alexander, H. R., and Libutti, S. K. (2002) Advantages of mRNA amplification for microarray analysis. *Biotechniques* 33: 906-912
- Felk, A., Kretschmar, M., Albrecht, A., Schaller, M., Beinhauer, S., Nichterlein, T., Sanglard, D., Korting, H. C., Schafer, W., and Hube, B. (2002) *Candida albicans* hyphal formation and the expression of the Efg1-regulated proteinases Sap4 to Sap6 are required for the invasion of parenchymal organs. *Infect Immun* 70: 3689-3700.
- Feng, Q., Summers, E., Guo, B., and Fink, G. (1999) Ras signaling is required for serum-induced hyphal differentiation in *Candida albicans*. *J Bacteriol* 181: 6339-6346.
- Feng, Y., Huang, N., Wu, Q., and Wang, B. (2005) HMG2: a novel antimicrobial effector molecule of human mononuclear leukocytes? *J Leukoc Biol* 78: 1136-1141.
- Fidel, P. L., Jr., and Sobel, J. D. (1996) Immunopathogenesis of recurrent vulvovaginal candidiasis. *Clin Microbiol Rev* 9: 335-348.
- Filler, S. G., and Kullberg, B. J. (2002) Deep-seated Candidal Infections. In: *Candida and Candidiasis*. R. A. Calderone (ed). Washington: ASM Press, pp. 341-348.
- Filler, S. G., Swerdloff, J. N., Hobbs, C., and Lockett, P. M. (1995) Penetration and damage of endothelial cells by *Candida albicans*. *Infect Immun* 63: 976-983.
- Fonzi, W. A., and Irwin, M. Y. (1993) Isogenic strain construction and gene mapping in *Candida albicans*. *Genetics* 134: 717-728.
- Fradin, C., De Groot, P., MacCallum, D., Schaller, M., Klis, F., Odds, F. C., and Hube, B. (2005) Granulocytes govern the transcriptional response, morphology and proliferation of *Candida albicans* in human blood. *Mol Microbiol* 56: 397-415.
- Fradin, C., Kretschmar, M., Nichterlein, T., Gaillardin, C., d'Enfert, C., and Hube, B. (2003) Stage-specific gene expression of *Candida albicans* in human blood. *Mol Microbiol* 47: 1523-1543.
- Fu, Y., Ibrahim, A. S., Fonzi, W., Zhou, X., Ramos, C. F., and Ghannoum, M. A. (1997) Cloning and characterization of a gene (*LIP1*) which encodes a lipase from the pathogenic yeast *Candida albicans*. *Microbiology* 143 (Pt 2): 331-340.
- Fujita, A., Oka, C., Arikawa, Y., Katagai, T., Tonouchi, A., Kuhara, S., and Misumi, Y. (1994) A yeast gene necessary for bud-site selection encodes a protein similar to insulin-degrading enzymes. *Nature* 372: 567-570.

- Fukiya, S., Mizoguchi, H., Tobe, T., and Mori, H. (2004) Extensive genomic diversity in pathogenic *Escherichia coli* and *Shigella* Strains revealed by comparative genomic hybridization microarray. *J Bacteriol* 186: 3911-3921.
- Garcia-Sanchez, S., Mavor, A. L., Russell, C. L., Argimon, S., Dennison, P., Enjalbert, B., and Brown, A. J. (2005) Global roles of Ssn6 in Tup1- and Nrg1-dependent gene regulation in the fungal pathogen, *Candida albicans*. *Mol Biol Cell* 16: 2913-2925.
- Gasparoto, T. H., Gaziri, L. C., Burger, E., de Almeida, R. S., and Felipe, I. (2004) Apoptosis of phagocytic cells induced by *Candida albicans* and production of IL-10. *FEMS Immunol Med Microbiol* 42: 219-224.
- Ghannoum, M. A. (2000) Potential role of phospholipases in virulence and fungal pathogenesis. *Clin Microbiol Rev* 13: 122-143, table of contents.
- Giannini, E. G., Testa, R., and Savarino, V. (2005) Liver enzyme alteration: a guide for clinicians. *Cmaj* 172: 367-379.
- Gillum, A. M., Tsay, E. Y., and Kirsch, D. R. (1984) Isolation of the *Candida albicans* gene for orotidine-5'-phosphate decarboxylase by complementation of *S. cerevisiae* *ura3* and *E. coli* *pyrF* mutations. *Mol Gen Genet* 198: 179-182.
- Goldway, M., Teff, D., Schmidt, R., Oppenheim, A. B., and Koltin, Y. (1995) Multidrug resistance in *Candida albicans*: disruption of the *BENr* gene. *Antimicrob Agents Chemother* 39: 422-426.
- Gow, N. A. (2002) *Candida albicans* switches mates. *Mol Cell* 10: 217-218.
- Gow, N. A., Knox, Y., Munro, C. A., and Thompson, W. D. (2003) Infection of chick chorioallantoic membrane (CAM) as a model for invasive hyphal growth and pathogenesis of *Candida albicans*. *Med Mycol* 41: 331-338.
- Graser, Y., Volovsek, M., Arrington, J., Schonian, G., Presber, W., Mitchell, T. G., and Vilgalys, R. (1996) Molecular markers reveal that population structure of the human pathogen *Candida albicans* exhibits both clonality and recombination. *Proc Natl Acad Sci U S A* 93: 12473-12477.
- Groneberg, D. A., Grosse-Siestrup, C., and Fischer, A. (2002) In vitro models to study hepatotoxicity. *Toxicol Pathol* 30: 394-399.
- Grosse-Siestrup, C., Fehrenberg, C., von Baeyer, H., and Groneberg, D. A. (2002a) Multiple-organ harvesting for models of isolated hemoperfused organs of slaughtered pigs. *Altex* 19: 9-13.
- Grosse-Siestrup, C., Pfeffer, J., Unger, V., Nagel, S., Witt, C., Fischer, A., and Groneberg, D. A. (2002b) Isolated hemoperfused slaughterhouse livers as a valid model to study hepatotoxicity. *Toxicol Pathol* 30: 749-754.
- Grosse-Siestrup, C., Unger, V., Pfeffer, J., Dinh, Q. T., Nagel, S., Springer, J., Witt, C., Wussow, A., and Groneberg, D. A. (2004) Hepatotoxic effects of polidocanol in a model of autologously perfused porcine livers. *Arch Toxicol* 78: 697-705.
- Guldener, U., Munsterkotter, M., Kastenmuller, G., Strack, N., van Helden, J., Lemer, C., Richelles, J., Wodak, S. J., Garcia-Martinez, J., Perez-Ortin, J. E., Michael, H., Kaps, A., Talla, E., Dujon, B., Andre, B., Souciet, J. L., De Montigny, J., Bon, E., Gaillardin,

- C., and Mewes, H. W. (2005) CYGD: the Comprehensive Yeast Genome Database. *Nucleic Acids Res* 33: D364-368.
- Hanahan, D. (1983) Studies on transformation of *Escherichia coli* with plasmids. *J Mol Biol* 166: 557-580.
- Hawksworth, D. L. (2001) The magnitude of fungal diversity: the 1.5 million species estimate revisited. *Mycol Res* 105: 1422-1432.
- Hayashi, M., Fukuzawa, T., Sorimachi, H., and Maeda, T. (2005) Constitutive activation of the pH-responsive Rim101 pathway in yeast mutants defective in late steps of the MVB/ESCRT pathway. *Mol Cell Biol* 25: 9478-9490.
- Haynes, K. (2001) Virulence in *Candida* species. *Trends Microbiol* 9: 591-596.
- Herranz, S., Rodriguez, J. M., Bussink, H. J., Sanchez-Ferrero, J. C., Arst, H. N., Jr., Penalva, M. A., and Vincent, O. (2005) Arrestin-related proteins mediate pH signaling in fungi. *Proc Natl Acad Sci U S A* 102: 12141-12146.
- Heymann, P., Gerads, M., Schaller, M., Dromer, F., Winkelmann, G., and Ernst, J. F. (2002) The siderophore iron transporter of *Candida albicans* (Sit1p/Arn1p) mediates uptake of ferrichrome-type siderophores and is required for epithelial invasion. *Infect Immun* 70: 5246-5255.
- Hinton, J. C., Hautefort, I., Eriksson, S., Thompson, A., and Rhen, M. (2004) Benefits and pitfalls of using microarrays to monitor bacterial gene expression during infection. *Curr Opin Microbiol* 7: 277-282.
- Hoffman, C. S., and Winston, F. (1987) A ten-minute DNA preparation from yeast efficiently releases autonomous plasmids for transformation of *Escherichia coli*. *Gene* 57: 267-272.
- Holton, N. J., Goodwin, T. J., Butler, M. I., and Poulter, R. T. (2001) An active retrotransposon in *Candida albicans*. *Nucleic Acids Res* 29: 4014-4024.
- Hoover, C. I., Jantapour, M. J., Newport, G., Agabian, N., and Fisher, S. J. (1998) Cloning and regulated expression of the *Candida albicans* phospholipase B (*PLB1*) gene. *FEMS Microbiol Lett* 167: 163-169.
- Hoyer, L. L. (2001) The *ALS* gene family of *Candida albicans*. *Trends Microbiol* 9: 176-180.
- Hoyer, L. L., Payne, T. L., Bell, M., Myers, A. M., and Scherer, S. (1998a) *Candida albicans* *ALS3* and insights into the nature of the *ALS* gene family. *Curr Genet* 33: 451-459.
- Hoyer, L. L., Payne, T. L., and Hecht, J. E. (1998b) Identification of *Candida albicans* *ALS2* and *ALS4* and localization of als proteins to the fungal cell surface. *J Bacteriol* 180: 5334-5343.
- Hu, L., Wang, J., Baggerly, K., Wang, H., Fuller, G. N., Hamilton, S. R., Coombes, K. R., and Zhang, W. (2002) Obtaining reliable information from minute amounts of RNA using cDNA microarrays. *BMC Genomics* 3: 16.
- Hube, B., and Naglik, J. (2001) *Candida albicans* proteinases: resolving the mystery of a gene family. *Microbiology* 147: 1997-2005.

- Hube, B., Stehr, F., Bossenz, M., Mazur, A., Kretschmar, M., and Schafer, W. (2000) Secreted lipases of *Candida albicans*: cloning, characterisation and expression analysis of a new gene family with at least ten members. *Arch Microbiol* 174: 362-374.
- Huh, W. K., Kim, S. T., Kim, H., Jeong, G., and Kang, S. O. (2001) Deficiency of D-erythroascorbic acid attenuates hyphal growth and virulence of *Candida albicans*. *Infect Immun* 69: 3939-3946.
- Hwang, C. S., Oh, J. H., Huh, W. K., Yim, H. S., and Kang, S. O. (2003) Ssn6, an important factor of morphological conversion and virulence in *Candida albicans*. *Mol Microbiol* 47: 1029-1043.
- Iannini, P. B., Arai, G. D., and LaForce, F. M. (1977) Vascular clearance of blastospore and pseudomycelial phase *Candida albicans*. *Sabouraudia* 15: 201-205.
- Ibata-Ombetta, S., Idziorek, T., Trinel, P. A., Poulain, D., and Jouault, T. (2003) Role of phospholipomannan in *Candida albicans* escape from macrophages and induction of cell apoptosis through regulation of bad phosphorylation. *Ann N Y Acad Sci* 1010: 573-576.
- Ibrahim, A. S., Magee, B. B., Sheppard, D. C., Yang, M., Kauffman, S., Becker, J., Edwards, J. E., Jr., and Magee, P. T. (2005) Effects of ploidy and mating type on virulence of *Candida albicans*. *Infect Immun* 73: 7366-7374.
- Ibrahim, A. S., Mirbod, F., Filler, S. G., Banno, Y., Cole, G. T., Kitajima, Y., Edwards, J. E., Jr., Nozawa, Y., and Ghannoum, M. A. (1995) Evidence implicating phospholipase as a virulence factor of *Candida albicans*. *Infect Immun* 63: 1993-1998.
- Jacquinet, P. M., Plancke, Y., Sendid, B., Strecker, G., and Poulain, D. (1998) Nature of *Candida albicans*-derived carbohydrate antigen recognized by a monoclonal antibody in patient sera and distribution over *Candida* species. *FEMS Microbiol Lett* 169: 131-138.
- Johnson, P. F. (2005) Molecular stop signs: regulation of cell-cycle arrest by C/EBP transcription factors. *J Cell Sci* 118: 2545-2555.
- Jones, T., Federspiel, N. A., Chibana, H., Dungan, J., Kalman, S., Magee, B. B., Newport, G., Thorstenson, Y. R., Agabian, N., Magee, P. T., Davis, R. W., and Scherer, S. (2004) The diploid genome sequence of *Candida albicans*. *Proc Natl Acad Sci U S A* 101: 7329-7334.
- Jong, A. Y., Stins, M. F., Huang, S. H., Chen, S. H., and Kim, K. S. (2001) Traversal of *Candida albicans* across human blood-brain barrier in vitro. *Infect Immun* 69: 4536-4544.
- Kadosh, D., and Johnson, A. D. (2005) Induction of the *Candida albicans* filamentous growth program by relief of transcriptional repression: a genome-wide analysis. *Mol Biol Cell* 16: 2903-2912.
- Karahan, Z. C., Guriz, H., Agirbasli, H., Balaban, N., Gocmen, J. S., Aysev, D., and Akar, N. (2004) Genotype distribution of *Candida albicans* isolates by 25S intron analysis with regard to invasiveness. *Mycoses* 47: 465-469.

- Katz, S., Grosfeld, J. L., Folkening, W. J., Rosenthal, R. S., and Merkel, G. J. (1992) Initial organ localisation of blood-borne *Candida albicans* in a rat model of disseminated candidosis. *J Med Microbiol* 37: 291-295.
- Katz, S., Merkel, G. J., Folkening, W. J., Rosenthal, R. S., and Grosfeld, J. L. (1991) Impaired clearance and organ localization of *Candida albicans* in obstructive jaundice. *J Pediatr Surg* 26: 904-906; discussion 907.
- Katz, S., Merkel, G. J., Folkening, W. J., Rosenthal, R. S., and Grosfeld, J. L. (1993) Blood clearance and organ localization of *Candida albicans* and *E. coli* following dual infection in rats. *J Pediatr Surg* 28: 329-332; discussion 332-323.
- Kauffman, C. A. (2006) Fungal infections. *Proc Am Thorac Soc* 3: 35-40.
- Kebaara, B. W., Nielsen, L. E., Nickerson, K. W., and Atkin, A. L. (2006) Determination of mRNA half-lives in *Candida albicans* using thiolutin as a transcription inhibitor. *Genome* 49: 894-899.
- Klotz, S. A., and Maca, R. D. (1988) Endothelial cell contraction increases *Candida* adherence to exposed extracellular matrix. *Infect Immun* 56: 2495-2498.
- Kojic, E. M., and Darouiche, R. O. (2004) *Candida* infections of medical devices. *Clin Microbiol Rev* 17: 255-267.
- Krause, W., Matheis, H., and Wulf, K. (1969) Fungaemia and funguria after oral administration of *Candida albicans*. *Lancet* 1: 598-599.
- Kretschmar, M., Bertsch, T., Goller, M., Schaller, M., Hof, H., and Nichterlein, T. (1999a) Parameters for determination of *Candida albicans* virulence in murine peritonitis. *Mycoses* 42 Suppl 2: 19-24.
- Kretschmar, M., Hube, B., Bertsch, T., Sanglard, D., Merker, R., Schroder, M., Hof, H., and Nichterlein, T. (1999b) Germ tubes and proteinase activity contribute to virulence of *Candida albicans* in murine peritonitis. *Infect Immun* 67: 6637-6642.
- Krizkova, L., Durackova, Z., Sandula, J., Sasinkova, V., and Krajcovic, J. (2001) Antioxidative and antimutagenic activity of yeast cell wall mannans in vitro. *Mutat Res* 497: 213-222.
- Kullberg, B. J., and Oude Lashof, A. M. (2002) Epidemiology of opportunistic invasive mycoses. *Eur J Med Res* 7: 183-191.
- Kumamoto, C. A. (2005) A contact-activated kinase signals *Candida albicans* invasive growth and biofilm development. *Proc Natl Acad Sci U S A* 102: 5576-5581.
- Kupiec-Weglinski, J. W., and Busuttil, R. W. (2005) Ischemia and reperfusion injury in liver transplantation. *Transplant Proc* 37: 1653-1656.
- Kvaal, C., Lachke, S. A., Srikantha, T., Daniels, K., McCoy, J., and Soll, D. R. (1999) Misexpression of the opaque-phase-specific gene *PEP1* (*SAP1*) in the white phase of *Candida albicans* confers increased virulence in a mouse model of cutaneous infection. *Infect Immun* 67: 6652-6662.
- Kwong-Chun, K. J., and Bennett, J. E. (1992) *Medical Mycology*. Lea & Febiger, Philadelphia.

- Lamb, T. M., Xu, W., Diamond, A., and Mitchell, A. P. (2001) Alkaline response genes of *Saccharomyces cerevisiae* and their relationship to the *RIM101* pathway. *J Biol Chem* 276: 1850-1856.
- Lan, C. Y., Newport, G., Murillo, L. A., Jones, T., Scherer, S., Davis, R. W., and Agabian, N. (2002) Metabolic specialization associated with phenotypic switching in *Candida albicans*. *Proc Natl Acad Sci U S A* 99: 14907-14912.
- Lan, C. Y., Rodarte, G., Murillo, L. A., Jones, T., Davis, R. W., Dungan, J., Newport, G., and Agabian, N. (2004) Regulatory networks affected by iron availability in *Candida albicans*. *Mol Microbiol* 53: 1451-1469.
- Lathem, W. W., Crosby, S. D., Miller, V. L., and Goldman, W. E. (2005) Progression of primary pneumonic plague: a mouse model of infection, pathology, and bacterial transcriptional activity. *Proc Natl Acad Sci U S A* 102: 17786-17791.
- Lee, D. G., Urbach, J. M., Wu, G., Liberati, N. T., Feinbaum, R. L., Miyata, S., Diggins, L. T., He, J., Saucier, M., Deziel, E., Friedman, L., Li, L., Grills, G., Montgomery, K., Kucherlapati, R., Rahme, L. G., and Ausubel, F. M. (2006) Genomic analysis reveals that *Pseudomonas aeruginosa* virulence is combinatorial. *Genome Biol* 7: R90.
- Leidich, S. D., Ibrahim, A. S., Fu, Y., Koul, A., Jessup, C., Vitullo, J., Fonzi, W., Mirbod, F., Nakashima, S., Nozawa, Y., and Ghannoum, M. A. (1998) Cloning and disruption of *caPLB1*, a phospholipase B gene involved in the pathogenicity of *Candida albicans*. *J Biol Chem* 273: 26078-26086.
- Lewin, A., and Sharbati-Tehrani, S. (2005) [Slow growth rate of mycobacteria. Possible reasons and significance for their pathogenicity]. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 48: 1390-1399.
- Li, M., Martin, S. J., Bruno, V. M., Mitchell, A. P., and Davis, D. A. (2004) *Candida albicans* Rim13p, a protease required for Rim101p processing at acidic and alkaline pHs. *Eukaryot Cell* 3: 741-751.
- Livak, K. J., and Schmittgen, T. D. (2001) Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method. *Methods* 25: 402-408.
- Lloyd, A. T., and Sharp, P. M. (1992) Evolution of codon usage patterns: the extent and nature of divergence between *Candida albicans* and *Saccharomyces cerevisiae*. *Nucleic Acids Res* 20: 5289-5295.
- Lo, H. J., Kohler, J. R., DiDomenico, B., Loebenberg, D., Cacciapuoti, A., and Fink, G. R. (1997) Nonfilamentous *C. albicans* mutants are avirulent. *Cell* 90: 939-949.
- Lockhart, S. R., Wu, W., Radke, J. B., Zhao, R., and Soll, D. R. (2005) Increased virulence and competitive advantage of *a/alpha* over *a/a* or *alpha/alpha* offspring conserves the mating system of *Candida albicans*. *Genetics* 169: 1883-1890.
- Lord, M., Inose, F., Hiroko, T., Hata, T., Fujita, A., and Chant, J. (2002) Subcellular localization of Ax11, the cell type-specific regulator of polarity. *Curr Biol* 12: 1347-1352.
- Lorenz, M. C., Bender, J. A., and Fink, G. R. (2004) Transcriptional response of *Candida albicans* upon internalization by macrophages. *Eukaryot Cell* 3: 1076-1087.

- Lorenz, M. C., and Fink, G. R. (2001) The glyoxylate cycle is required for fungal virulence. *Nature* 412: 83-86.
- Lorenz, M. C., and Fink, G. R. (2002) Life and death in a macrophage: role of the glyoxylate cycle in virulence. *Eukaryot Cell* 1: 657-662.
- Lucas, R. L., and Lee, C. A. (2000) Unravelling the mysteries of virulence gene regulation in *Salmonella typhimurium*. *Mol Microbiol* 36: 1024-1033.
- Lupetti, A., Danesi, R., Campa, M., Del Tacca, M., and Kelly, S. (2002) Molecular basis of resistance to azole antifungals. *Trends Mol Med* 8: 76-81.
- Luu, L. N., Cowen, L. E., Sirjusingh, C., Kohn, L. M., and Anderson, J. B. (2001) Multilocus genotyping indicates that the ability to invade the bloodstream is widespread among *Candida albicans* isolates. *J Clin Microbiol* 39: 1657-1660.
- MacDonald, E., Millward, L., Ravishankar, J. P., and Money, N. P. (2002) Biomechanical interaction between hyphae of two *Pythium* species (Oomycota) and host tissues. *Fungal Genet Biol* 37: 245-249.
- Magee, P. T., and Chibana, H. (2002) The Genomes of *Candida albicans* and Other *Candida* Species. In: *Candida and Candidiasis*. R. A. Calderone (ed). Washington: ASM Press, pp.
- Marhaba, R., and Zoller, M. (2004) CD44 in cancer progression: adhesion, migration and growth regulation. *J Mol Histol* 35: 211-231.
- Marinescu, V. D., Kohane, I. S., and Riva, A. (2005) MAPPER: a search engine for the computational identification of putative transcription factor binding sites in multiple genomes. *BMC Bioinformatics* 6: 79.
- Martinez, P., and Ljungdahl, P. O. (2004) An ER packaging chaperone determines the amino acid uptake capacity and virulence of *Candida albicans*. *Mol Microbiol* 51: 371-384.
- Marvin, M. E., Mason, R. P., and Cashmore, A. M. (2004) The *CaCTR1* gene is required for high-affinity iron uptake and is transcriptionally controlled by a copper-sensing transactivator encoded by *CaMAC1*. *Microbiology* 150: 2197-2208.
- Matthews, R., and Burnie, J. (1992) The role of hsp90 in fungal infection. *Immunol Today* 13: 345-348.
- Matthews, R. C., Burnie, J. P., Howat, D., Rowland, T., and Walton, F. (1991) Autoantibody to heat-shock protein 90 can mediate protection against systemic candidosis. *Immunology* 74: 20-24.
- Mavor, A. L., Thewes, S., and Hube, B. (2005) Systemic fungal infections caused by *Candida* species: epidemiology, infection process and virulence attributes. *Curr Drug Targets* 6: 863-874.
- Mendes-Giannini, M. J., Hanna, S. A., da Silva, J. L., Andreotti, P. F., Vincenzi, L. R., Benard, G., Lenzi, H. L., and Soares, C. P. (2004) Invasion of epithelial mammalian cells by *Paracoccidioides brasiliensis* leads to cytoskeletal rearrangement and apoptosis of the host cell. *Microbes Infect* 6: 882-891.
- Mille, C., Janbon, G., Delplace, F., Ibata-Ombetta, S., Gaillardin, C., Strecker, G., Jouault, T., Trinel, P. A., and Poulain, D. (2004) Inactivation of *CaMIT1* inhibits *Candida albicans*

- phospholipomannan beta-mannosylation, reduces virulence, and alters cell wall protein beta-mannosylation. *J Biol Chem* 279: 47952-47960.
- Monod, M., and Borg-von Zepelin, M. (2002) Secreted aspartic proteases as virulence factors of *Candida* species. *Biol Chem* 383: 1087-1093.
- Moran, G., Stokes, C., Thewes, S., Hube, B., Coleman, D. C., and Sullivan, D. (2004) Comparative genomics using *Candida albicans* DNA microarrays reveals absence and divergence of virulence-associated genes in *Candida dubliniensis*. *Microbiology* 150: 3363-3382.
- Morgan, J. (2005) Global trends in candidemia: review of reports from 1995-2005. *Curr Infect Dis Rep* 7: 429-439.
- Mosch, H. U., and Fink, G. R. (1997) Dissection of filamentous growth by transposon mutagenesis in *Saccharomyces cerevisiae*. *Genetics* 145: 671-684.
- Muhlschlegel, F. A., and Fonzi, W. A. (1997) *PHR2* of *Candida albicans* encodes a functional homolog of the pH-regulated gene *PHR1* with an inverted pattern of pH-dependent expression. *Mol Cell Biol* 17: 5960-5967.
- Muller, F. M., Morschhauser, J., Kohler, G., Oelschlaeger, T. A., Ziebuhr, W., and Hacker, J. (1999) [Adherence and invasion-two pathogenicity factors in bacterial and fungal pathogens]. *Mycoses* 42 Suppl 1: 39-42.
- Murad, A. M., Lee, P. R., Broadbent, I. D., Barelle, C. J., and Brown, A. J. (2000) Clp10, an efficient and convenient integrating vector for *Candida albicans*. *Yeast* 16: 325-327.
- Murillo, L. A., Newport, G., Lan, C. Y., Habelitz, S., Dungan, J., and Agabian, N. M. (2005) Genome-wide transcription profiling of the early phase of biofilm formation by *Candida albicans*. *Eukaryot Cell* 4: 1562-1573.
- Nagel, S., Hegemann, O., Groneberg, D. A., and Grosse-Siestrup, C. (2005) An improved model of isolated hemoperfused porcine livers using pneumatically driven pulsating blood pumps. *Toxicol Pathol* 33: 434-440.
- Naglik, J., Albrecht, A., Bader, O., and Hube, B. (2004) *Candida albicans* proteinases and host/pathogen interactions. *Cell Microbiol* 6: 915-926.
- Naglik, J. R., Challacombe, S. J., and Hube, B. (2003a) *Candida albicans* secreted aspartyl proteinases in virulence and pathogenesis. *Microbiol Mol Biol Rev* 67: 400-428, table of contents.
- Naglik, J. R., Rodgers, C. A., Shirlaw, P. J., Dobbie, J. L., Fernandes-Naglik, L. L., Greenspan, D., Agabian, N., and Challacombe, S. J. (2003b) Differential expression of *Candida albicans* secreted aspartyl proteinase and phospholipase B genes in humans correlates with active oral and vaginal infections. *J Infect Dis* 188: 469-479.
- Nantel, A., Dignard, D., Bachewich, C., Harcus, D., Marcil, A., Bouin, A. P., Sensen, C. W., Hogue, H., van het Hoog, M., Gordon, P., Rigby, T., Benoit, F., Tessier, D. C., Thomas, D. Y., and Whiteway, M. (2002) Transcription profiling of *Candida albicans* cells undergoing the yeast-to-hyphal transition. *Mol Biol Cell* 13: 3452-3465.
- Navarro-Garcia, F., Sanchez, M., Nombela, C., and Pla, J. (2001) Virulence genes in the pathogenic yeast *Candida albicans*. *FEMS Microbiol Rev* 25: 245-268.

- Niewerth, M., and Korting, H. C. (2001) Phospholipases of *Candida albicans*. *Mycoses* 44: 361-367.
- Nobile, C. J., Nett, J. E., Andes, D. R., and Mitchell, A. P. (2006) Function of *Candida albicans* adhesin Hwp1 in biofilm formation. *Eukaryot Cell* 5: 1604-1610.
- Novoradovskaya, N., Whitfield, M. L., Basehore, L. S., Novoradovsky, A., Pesich, R., Usary, J., Karaca, M., Wong, W. K., Aprelikova, O., Fero, M., Perou, C. M., Botstein, D., and Braman, J. (2004) Universal Reference RNA as a standard for microarray experiments. *BMC Genomics* 5: 20.
- Nucci, M., and Anaissie, E. (2001) Revisiting the source of candidemia: skin or gut? *Clin Infect Dis* 33: 1959-1967.
- Nucci, M., and Marr, K. A. (2005) Emerging fungal diseases. *Clin Infect Dis* 41: 521-526.
- Odds, F. C. (1988) *Candida and Candidosis*. Baillière Tindall, London.
- Odds, F. C. (1994) Pathogenesis of *Candida* infections. *J Am Acad Dermatol* 31: S2-5.
- Odds, F. C. (2003) Reflections on the question: what does molecular mycology have to do with the clinician treating the patient? *Med Mycol* 41: 1-6.
- Odds, F. C., and Abbott, A. B. (1980) A simple system for the presumptive identification of *Candida albicans* and differentiation of strains within the species. *Sabouraudia* 18: 301-317.
- Odds, F. C., Abbott, A. B., Stiller, R. L., Scholer, H. J., Polak, A., and Stevens, D. A. (1983) Analysis of *Candida albicans* phenotypes from different geographical and anatomical sources. *J Clin Microbiol* 18: 849-857.
- Odds, F. C., Van Nuffel, L., and Gow, N. A. (2000) Survival in experimental *Candida albicans* infections depends on inoculum growth conditions as well as animal host. *Microbiology* 146 (Pt 8): 1881-1889.
- Ortega, M., Rovira, M., Almela, M., Marco, F., de la Bellacasa, J. P., Martinez, J. A., Carreras, E., and Mensa, J. (2005) Bacterial and fungal bloodstream isolates from 796 hematopoietic stem cell transplant recipients between 1991 and 2000. *Ann Hematol* 84: 40-46.
- Ozanne, B. W., Spence, H. J., McGarry, L. C., and Hennigan, R. F. (2006) Invasion is a genetic program regulated by transcription factors. *Curr Opin Genet Dev* 16: 65-70.
- Pabon, C., Modrusan, Z., Ruvolo, M. V., Coleman, I. M., Daniel, S., Yue, H., and Arnold, L. J., Jr. (2001) Optimized T7 amplification system for microarray analysis. *Biotechniques* 31: 874-879.
- Pappas, P. G., Rex, J. H., Lee, J., Hamill, R. J., Larsen, R. A., Powderly, W., Kauffman, C. A., Hyslop, N., Mangino, J. E., Chapman, S., Horowitz, H. W., Edwards, J. E., and Dismukes, W. E. (2003) A prospective observational study of candidemia: epidemiology, therapy, and influences on mortality in hospitalized adult and pediatric patients. *Clin Infect Dis* 37: 634-643.
- Patel, R., and Paya, C. V. (1997) Infections in solid-organ transplant recipients. *Clin Microbiol Rev* 10: 86-124.

- Paya, C. V. (2001) Prevention of fungal and hepatitis virus infections in liver transplantation. *Clin Infect Dis* 33 Suppl 1: S47-52.
- Peirs, P., Lefevre, P., Boarbi, S., Wang, X. M., Denis, O., Braibant, M., Pethe, K., Locht, C., Huygen, K., and Content, J. (2005) *Mycobacterium tuberculosis* with disruption in genes encoding the phosphate binding proteins PstS1 and PstS2 is deficient in phosphate uptake and demonstrates reduced in vivo virulence. *Infect Immun* 73: 1898-1902.
- Pelz, R. K., Hendrix, C. W., Swoboda, S. M., Diener-West, M., Merz, W. G., Hammond, J., and Lipsett, P. A. (2001) Double-blind placebo-controlled trial of fluconazole to prevent candidal infections in critically ill surgical patients. *Ann Surg* 233: 542-548.
- Phan, Q. T., Fratti, R. A., Prasadarao, N. V., Edwards, J. E., Jr., and Filler, S. G. (2005) N-cadherin mediates endocytosis of *Candida albicans* by endothelial cells. *J Biol Chem* 280: 10455-10461.
- Phan, Q. T., Myers, C. L., Fu, Y., Sheppard, D. C., Yeaman, M. R., Welch, W. H., Ibrahim, A. S., Edwards, J. E., Jr., and Filler, S. G. (2007) Als3 is a *Candida albicans* invasin that binds to cadherins and induces endocytosis by host cells. *PLoS Biol* 5(3): e64
- Phillips, A. W., and Balish, E. (1966) Growth and invasiveness of *Candida albicans* in the germ-free and conventional mouse after oral challenge. *Appl Microbiol* 14: 737-741.
- Prasad, R., De Wergifosse, P., Goffeau, A., and Balzi, E. (1995) Molecular cloning and characterization of a novel gene of *Candida albicans*, *CDR1*, conferring multiple resistance to drugs and antifungals. *Curr Genet* 27: 320-329.
- Prasad, R., and Kapoor, K. (2005) Multidrug resistance in yeast *Candida*. *Int Rev Cytol* 242: 215-248.
- Prasad, T., Chandra, A., Mukhopadhyay, C. K., and Prasad, R. (2006) Unexpected link between iron and drug resistance of *Candida* spp.: iron depletion enhances membrane fluidity and drug diffusion, leading to drug-susceptible cells. *Antimicrob Agents Chemother* 50: 3597-3606.
- Ramanan, N., and Wang, Y. (2000) A high-affinity iron permease essential for *Candida albicans* virulence. *Science* 288: 1062-1064.
- Ramon, A. M., and Fonzi, W. A. (2003) Diverged binding specificity of Rim101p, the *Candida albicans* ortholog of PacC. *Eukaryot Cell* 2: 718-728.
- Rao, R., Drummond-Barbosa, D., and Slayman, C. W. (1993) Transcriptional regulation by glucose of the yeast *PMA1* gene encoding the plasma membrane H(+)-ATPase. *Yeast* 9: 1075-1084.
- Ravishankar, J. P., Davis, C. M., Davis, D. J., MacDonald, E., Makselan, S. D., Millward, L., and Money, N. P. (2001) Mechanics of solid tissue invasion by the mammalian pathogen *Pythium insidiosum*. *Fungal Genet Biol* 34: 167-175.
- Renna, M. S., Correa, S. G., Porporatto, C., Figueredo, C. M., Aoki, M. P., Paraje, M. G., and Sotomayor, C. E. (2006) Hepatocellular apoptosis during *Candida albicans* colonization: involvement of TNF-alpha and infiltrating Fas-L positive lymphocytes. *Int Immunol* 18: 1719-1728.

- Robert, R., Nail, S., Marot-Leblond, A., Cottin, J., Miegerville, M., Quenouillere, S., Mahaza, C., and Senet, J. M. (2000) Adherence of platelets to *Candida* species *in vivo*. *Infect Immun* 68: 570-576.
- Rosenberg, E., and Ben-Haim, Y. (2002) Microbial diseases of corals and global warming. *Environ Microbiol* 4: 318-326.
- Rotrosen, D., Edwards, J. E., Jr., Gibson, T. R., Moore, J. C., Cohen, A. H., and Green, I. (1985) Adherence of *Candida* to cultured vascular endothelial cells: mechanisms of attachment and endothelial cell penetration. *J Infect Dis* 152: 1264-1274.
- Rotstein, D., Parodo, J., Taneja, R., and Marshall, J. C. (2000) Phagocytosis of *Candida albicans* induces apoptosis of human neutrophils. *Shock* 14: 278-283.
- Rubin-Bejerano, I., Fraser, I., Grisafi, P., and Fink, G. R. (2003) Phagocytosis by neutrophils induces an amino acid deprivation response in *Saccharomyces cerevisiae* and *Candida albicans*. *Proc Natl Acad Sci U S A* 100: 11007-11012.
- Rubin, L. L., and Staddon, J. M. (1999) The cell biology of the blood-brain barrier. *Annu Rev Neurosci* 22: 11-28.
- Ruhnke, M. (2002) Skin and Mucous Membrane Infections. In: *Candida and Candidiasis*. R. A. Calderone (ed). Washington: ASM Press, pp. 307-325.
- Rustad, T. R., Stevens, D. A., Pfaller, M. A., and White, T. C. (2002) Homozygosity at the *Candida albicans* MTL locus associated with azole resistance. *Microbiology* 148: 1061-1072.
- Sambrook, J., Fritsch, E. F., and Maniatis, T. (1989) *Molecular cloning: a laboratory manual*. Cold Spring Harbor Laboratory Press, New York.
- Sanchez-Martinez, C., and Perez-Martin, J. (2001) Dimorphism in fungal pathogens: *Candida albicans* and *Ustilago maydis*--similar inputs, different outputs. *Curr Opin Microbiol* 4: 214-221.
- Sanchez, A. A., Johnston, D. A., Myers, C., Edwards, J. E., Jr., Mitchell, A. P., and Filler, S. G. (2004) Relationship between *Candida albicans* virulence during experimental hematogenously disseminated infection and endothelial cell damage *in vitro*. *Infect Immun* 72: 598-601.
- Sanger, F. (1981) Determination of nucleotide sequences in DNA. *Science* 214: 1205-1210.
- Sanglard, D., Hube, B., Monod, M., Odds, F. C., and Gow, N. A. (1997a) A triple deletion of the secreted aspartyl proteinase genes SAP4, SAP5, and SAP6 of *Candida albicans* causes attenuated virulence. *Infect Immun* 65: 3539-3546.
- Sanglard, D., Ischer, F., Monod, M., and Bille, J. (1997b) Cloning of *Candida albicans* genes conferring resistance to azole antifungal agents: characterization of CDR2, a new multidrug ABC transporter gene. *Microbiology* 143 (Pt 2): 405-416.
- Santos, S. G., Serufo, J. C., Silva, R. A., Marra, B. A., Reis, C. M., Hamdan, J. S., Nicoli, J. R., Carvalho, M. A., and Farias, L. M. (2003) Microbiologic profile of intra-abdominal infections at Belo Horizonte, Brazil. *Am J Infect Control* 31: 135-143.

- Saporito-Irwin, S. M., Birse, C. E., Sypherd, P. S., and Fonzi, W. A. (1995) *PHR1*, a pH-regulated gene of *Candida albicans*, is required for morphogenesis. *Mol Cell Biol* 15: 601-613.
- Sawyer, R. T. (1988) The effect of monosaccharides on in situ hepatic trapping of *Candida albicans*. *Mycopathologia* 104: 81-85.
- Sawyer, R. T., Horst, M. N., Garner, R. E., Hudson, J., Jenkins, P. R., and Richardson, A. L. (1990) Altered hepatic clearance and killing of *Candida albicans* in the isolated perfused mouse liver model. *Infect Immun* 58: 2869-2874.
- Sawyer, R. T., Moon, R. J., and Beneke, E. S. (1976) Hepatic clearance of *Candida albicans* in rats. *Infect Immun* 14: 1348-1355.
- Schaller, M., Bein, M., Korting, H. C., Baur, S., Hamm, G., Monod, M., Beinhauer, S., and Hube, B. (2003) The secreted aspartyl proteinases Sap1 and Sap2 cause tissue damage in an *in vitro* model of vaginal candidiasis based on reconstituted human vaginal epithelium. *Infect Immun* 71: 3227-3234.
- Schaller, M., Borelli, C., Korting, H. C., and Hube, B. (2005) Hydrolytic enzymes as virulence factors of *Candida albicans*. *Mycoses* 48: 365-377.
- Schaller, M., Korting, H. C., Schafer, W., Bastert, J., Chen, W., and Hube, B. (1999) Secreted aspartic proteinase (Sap) activity contributes to tissue damage in a model of human oral candidosis. *Mol Microbiol* 34: 169-180.
- Schaller, M., Schafer, W., Korting, H. C., and Hube, B. (1998) Differential expression of secreted aspartyl proteinases in a model of human oral candidosis and in patient samples from the oral cavity. *Mol Microbiol* 29: 605-615.
- Schmid, J., Herd, S., Hunter, P. R., Cannon, R. D., Yasin, M. S., Samad, S., Carr, M., Parr, D., McKinney, W., Schousboe, M., Harris, B., Ikram, R., Harris, M., Restrepo, A., Hoyos, G., and Singh, K. P. (1999) Evidence for a general-purpose genotype in *Candida albicans*, highly prevalent in multiple geographical regions, patient types and types of infection. *Microbiology* 145 (Pt 9): 2405-2413.
- Schmid, J., Hunter, P. R., White, G. C., Nand, A. K., and Cannon, R. D. (1995) Physiological traits associated with success of *Candida albicans* strains as commensal colonizers and pathogens. *J Clin Microbiol* 33: 2920-2926.
- Schmid, J., Odds, F. C., Wiselka, M. J., Nicholson, K. G., and Soll, D. R. (1992) Genetic similarity and maintenance of *Candida albicans* strains from a group of AIDS patients, demonstrated by DNA fingerprinting. *J Clin Microbiol* 30: 935-941.
- Schmid, J., Rotman, M., Reed, B., Pierson, C. L., and Soll, D. R. (1993) Genetic similarity of *Candida albicans* strains from vaginitis patients and their partners. *J Clin Microbiol* 31: 39-46.
- Schmid, J., Voss, E., and Soll, D. R. (1990) Computer-assisted methods for assessing strain relatedness in *Candida albicans* by fingerprinting with the moderately repetitive sequence Ca3. *J Clin Microbiol* 28: 1236-1243.
- Schmidt, A., and Geschke, U. (1996) Comparative virulence of *Candida albicans* strains in CFW1 mice and Sprague-Dawley rats. *Mycoses* 39: 157-160.

- Schneider, J., Bunes, A., Huber, W., Volz, J., Kioschis, P., Hafner, M., Poustka, A., and Sultmann, H. (2004) Systematic analysis of T7 RNA polymerase based *in vitro* linear RNA amplification for use in microarray experiments. *BMC Genomics* 5: 29.
- Schofield, D. A., Westwater, C., Warner, T., and Balish, E. (2005) Differential *Candida albicans* lipase gene expression during alimentary tract colonization and infection. *FEMS Microbiol Lett* 244: 359-365.
- Schoolnik, G. K. (2002) Functional and comparative genomics of pathogenic bacteria. *Curr Opin Microbiol* 5: 20-26.
- Schwank, S., Ebbert, R., Rautenstrauss, K., Schweizer, E., and Schuller, H. J. (1995) Yeast transcriptional activator *INO2* interacts as an Ino2p/Ino4p basic helix-loop-helix heteromeric complex with the inositol/choline-responsive element necessary for expression of phospholipid biosynthetic genes in *Saccharomyces cerevisiae*. *Nucleic Acids Res* 23: 230-237.
- Schwocho, L. R., and Moon, R. J. (1981) Clearance and killing of *Candida albicans* in the perfused mouse liver. *Mycopathologia* 76: 175-183.
- Sebbane, F., Lemaitre, N., Sturdevant, D. E., Rebeil, R., Virtaneva, K., Porcella, S. F., and Hinnebusch, B. J. (2006) Adaptive response of *Yersinia pestis* to extracellular effectors of innate immunity during bubonic plague. *Proc Natl Acad Sci U S A* 103: 11766-11771.
- Setiadi, E. R., Doedt, T., Cottier, F., Noffz, C., and Ernst, J. F. (2006) Transcriptional response of *Candida albicans* to hypoxia: linkage of oxygen sensing and Efg1p-regulatory networks. *J Mol Biol* 361: 399-411.
- Sheppard, D. C., Yeaman, M. R., Welch, W. H., Phan, Q. T., Fu, Y., Ibrahim, A. S., Filler, S. G., Zhang, M., Waring, A. J., and Edwards, J. E., Jr. (2004) Functional and structural diversity in the Als protein family of *Candida albicans*. *J Biol Chem* 279: 30480-30489.
- Sherlock, S. (1995) Alcoholic liver disease. *Lancet* 345: 227-229.
- Sherwood, J., Gow, N. A., Gooday, G. W., Gregory, D. W., and Marshall, D. (1992) Contact sensing in *Candida albicans*: a possible aid to epithelial penetration. *J Med Vet Mycol* 30: 461-469.
- Shukla, S., Saini, P., Smriti, Jha, S., Ambudkar, S. V., and Prasad, R. (2003) Functional characterization of *Candida albicans* ABC transporter Cdr1p. *Eukaryot Cell* 2: 1361-1375.
- Sigle, H. C., Thewes, S., Niewerth, M., Korting, H. C., Schafer-Korting, M., and Hube, B. (2005) Oxygen accessibility and iron levels are critical factors for the antifungal action of ciclopirox against *Candida albicans*. *J Antimicrob Chemother* 55: 663-673.
- Silbernagl, S., und Despopoulos, A. (1991) *Taschenatlas der Physiologie*. 4. überarb. Auflage. Thieme; Stuttgart, New York.
- Smolenski, G., Sullivan, P. A., Cutfield, S. M., and Cutfield, J. F. (1997) Analysis of secreted aspartic proteinases from *Candida albicans*: purification and characterization of individual Sap1, Sap2 and Sap3 isoenzymes. *Microbiology* 143 (Pt 2): 349-356.

- Soll, D. R., and Pujol, C. (2003) *Candida albicans* clades. *FEMS Immunol Med Microbiol* 39: 1-7.
- Spellberg, B., Ibrahim, A. S., Edwards, J. E., Jr., and Filler, S. G. (2005) Mice with disseminated candidiasis die of progressive sepsis. *J Infect Dis* 192: 336-343.
- Spence, H. J., McGarry, L., Chew, C. S., Carragher, N. O., Scott-Carragher, L. A., Yuan, Z., Croft, D. R., Olson, M. F., Frame, M., and Ozanne, B. W. (2006) AP-1 differentially expressed proteins Krp1 and fibronectin cooperatively enhance Rho-ROCK-independent mesenchymal invasion by altering the function, localization, and activity of nondifferentially expressed proteins. *Mol Cell Biol* 26: 1480-1495.
- Staab, J. F., Bradway, S. D., Fidel, P. L., and Sundstrom, P. (1999) Adhesive and mammalian transglutaminase substrate properties of *Candida albicans* Hwp1. *Science* 283: 1535-1538.
- Staab, J. F., Ferrer, C. A., and Sundstrom, P. (1996) Developmental expression of a tandemly repeated, proline- and glutamine-rich amino acid motif on hyphal surfaces on *Candida albicans*. *J Biol Chem* 271: 6298-6305.
- Staib, P., Kretschmar, M., Nichterlein, T., Hof, H., and Morschhauser, J. (2000) Differential activation of a *Candida albicans* virulence gene family during infection. *Proc Natl Acad Sci U S A* 97: 6102-6107.
- Staib, P., Kretschmar, M., Nichterlein, T., Kohler, G., Michel, S., Hof, H., Hacker, J., and Morschhauser, J. (1999) Host-induced, stage-specific virulence gene activation in *Candida albicans* during infection. *Mol Microbiol* 32: 533-546.
- Stehr, F., Felk, A., Gacser, A., Kretschmar, M., Mahnss, B., Neuber, K., Hube, B., and Schafer, W. (2004) Expression analysis of the *Candida albicans* lipase gene family during experimental infections and in patient samples. *FEMS Yeast Res* 4: 401-408.
- Stone, H. H., Kolb, L. D., Hoover, M. B., and Cuzzell, Z. (1975) "Candida" sepsis: portals for invasion, tissue filtration, and principles of treatment. *Bull Soc Int Chir* 34: 193-195.
- Sudbery, P., Gow, N., and Berman, J. (2004) The distinct morphogenic states of *Candida albicans*. *Trends Microbiol* 12: 317-324.
- Sudbery, P. E. (2001) The germ tubes of *Candida albicans* hyphae and pseudohyphae show different patterns of septin ring localization. *Mol Microbiol* 41: 19-31.
- Sundstrom, P. (1999) Adhesins in *Candida albicans*. *Curr Opin Microbiol* 2: 353-357.
- Sundstrom, P. (2002) Adhesion in *Candida* spp. *Cell Microbiol* 4: 461-469.
- Takahashi, K., Kita, E., Konishi, M., Yoshimoto, E., Mikasa, K., Narita, N., and Kimura, H. (2003) Translocation model of *Candida albicans* in DBA-2/J mice with protein calorie malnutrition mimics hematogenous candidiasis in humans. *Microb Pathog* 35: 179-187.
- Tavanti, A., Campa, D., Bertozzi, A., Pardini, G., Naglik, J. R., Barale, R., and Senesi, S. (2006) *Candida albicans* isolates with different genomic backgrounds display a differential response to macrophage infection. *Microbes Infect* 8: 791-800.

- Tavanti, A., Davidson, A. D., Fordyce, M. J., Gow, N. A., Maiden, M. C., and Odds, F. C. (2005) Population structure and properties of *Candida albicans*, as determined by multilocus sequence typing. *J Clin Microbiol* 43: 5601-5613.
- Tekaia, F., and Latge, J. P. (2005) *Aspergillus fumigatus*: saprophyte or pathogen? *Curr Opin Microbiol* 8: 385-392.
- ter Linde, J. J., Liang, H., Davis, R. W., Steensma, H. Y., van Dijken, J. P., and Pronk, J. T. (1999) Genome-wide transcriptional analysis of aerobic and anaerobic chemostat cultures of *Saccharomyces cerevisiae*. *J Bacteriol* 181: 7409-7413.
- Thewes, S., Reed, H.-K., Grosse-Siestrup, C., Groneberg, D. A., Meissler, M., Schaller, M., and Hube, B. (2007) Haemoperfused liver as an *ex vivo* model for organ invasion of *Candida albicans*. *J Med Microbiol* 56: 266-270.
- Thomas, M. R., and O'Shea, E. K. (2005) An intracellular phosphate buffer filters transient fluctuations in extracellular phosphate levels. *Proc Natl Acad Sci U S A* 102: 9565-9570.
- Tonukari, N. J., Scott-Craig, J. S., and Walton, J. D. (2000) The *Cochliobolus carbonum* *SNF1* gene is required for cell wall-degrading enzyme expression and virulence on maize. *Plant Cell* 12: 237-248.
- Tsai, S. H., Peng, Y. J., and Wang, N. C. (2006) Pyomyositis with hepatic and perinephric abscesses caused by *Candida albicans* in a diabetic nephropathy patient. *Am J Med Sci* 331: 292-294.
- Tsong, A. E., Tuch, B. B., Li, H., and Johnson, A. D. (2006) Evolution of alternative transcriptional circuits with identical logic. *Nature* 443: 415-420.
- Tuite, A., Mullick, A., and Gros, P. (2004) Genetic analysis of innate immunity in resistance to *Candida albicans*. *Genes Immun* 5: 576-587.
- Ullmann, B. D., Myers, H., Chiranand, W., Lazzell, A. L., Zhao, Q., Vega, L. A., Lopez-Ribot, J. L., Gardner, P. R., and Gustin, M. C. (2004) Inducible defense mechanism against nitric oxide in *Candida albicans*. *Eukaryot Cell* 3: 715-723.
- van Bakel, H., Strengman, E., Wijmenga, C., and Holstege, F. C. (2005) Gene expression profiling and phenotype analyses of *S. cerevisiae* in response to changing copper reveals six genes with new roles in copper and iron metabolism. *Physiol Genomics* 22: 356-367.
- van der Geest, L. P., Elliot, S. L., Breeuwer, J. A., and Beerling, E. A. (2000) Diseases of mites. *Exp Appl Acarol* 24: 497-560.
- Van Gelder, R. N., von Zastrow, M. E., Yool, A., Dement, W. C., Barchas, J. D., and Eberwine, J. H. (1990) Amplified RNA synthesized from limited quantities of heterogeneous cDNA. *Proc Natl Acad Sci U S A* 87: 1663-1667.
- Villar, C. C., Kashleva, H., Mitchell, A. P., and Dongari-Bagtzoglou, A. (2005) Invasive phenotype of *Candida albicans* affects the host proinflammatory response to infection. *Infect Immun* 73: 4588-4595.
- von Denffer, D., Ziegler, H., Ehrendorfer, F., and Bresinsky, A. (1983) *Strasburger Lehrbuch der Botanik*. Gustav Fischer, Jena.

- Walther, A., and Wendland, J. (2003) An improved transformation protocol for the human fungal pathogen *Candida albicans*. *Curr Genet* 42: 339-343.
- Wang, E., Miller, L. D., Ohnmacht, G. A., Liu, E. T., and Marincola, F. M. (2000) High-fidelity mRNA amplification for gene profiling. *Nat Biotechnol* 18: 457-459.
- Warnock, D. W., Speller, D. C., Day, J. K., and Farrell, A. J. (1979) Resistogram method for differentiation of strains of *Candida albicans*. *J Appl Bacteriol* 46: 571-578.
- Weber, H. (1993) *Allgemeine Mykologie*. Gustav Fischer, Jena.
- Weiss, M. M., Kuipers, E. J., Postma, C., Snijders, A. M., Stolte, M., Vieth, M., Pinkel, D., Meuwissen, S. G., Albertson, D., and Meijer, G. A. (2003) Genome wide array comparative genomic hybridisation analysis of premalignant lesions of the stomach. *Mol Pathol* 56: 293-298.
- Weissman, Z., and Kornitzer, D. (2004) A family of *Candida* cell surface haem-binding proteins involved in haemin and haemoglobin-iron utilization. *Mol Microbiol* 53: 1209-1220.
- Wellington, M., and Rustchenko, E. (2005) 5-Fluoro-orotic acid induces chromosome alterations in *Candida albicans*. *Yeast* 22: 57-70.
- Westermarck, J., and Kahari, V. M. (1999) Regulation of matrix metalloproteinase expression in tumor invasion. *Faseb J* 13: 781-792.
- Wey, S. B., Mori, M., Pfaller, M. A., Woolson, R. F., and Wenzel, R. P. (1989) Risk factors for hospital-acquired candidemia. A matched case-control study. *Arch Intern Med* 149: 2349-2353.
- Wilson, L. S., Reyes, C. M., Stolpman, M., Speckman, J., Allen, K., and Beney, J. (2002) The direct cost and incidence of systemic fungal infections. *Value Health* 5: 26-34.
- Wilson, R. B., Davis, D., and Mitchell, A. P. (1999) Rapid hypothesis testing with *Candida albicans* through gene disruption with short homology regions. *J Bacteriol* 181: 1868-1874.
- Winston, D. J., Emmanouilides, C., and Busuttill, R. W. (1995) Infections in liver transplant recipients. *Clin Infect Dis* 21: 1077-1089; quiz 1090-1071.
- Wirsching, S., Michel, S., and Morschhauser, J. (2000) Targeted gene disruption in *Candida albicans* wild-type strains: the role of the MDR1 gene in fluconazole resistance of clinical *Candida albicans* isolates. *Mol Microbiol* 36: 856-865.
- Wisplinghoff, H., Bischoff, T., Tallent, S. M., Seifert, H., Wenzel, R. P., and Edmond, M. B. (2004) Nosocomial bloodstream infections in US hospitals: analysis of 24,179 cases from a prospective nationwide surveillance study. *Clin Infect Dis* 39: 309-317.
- Wright, R. J., Carne, A., Hieber, A. D., Lamont, I. L., Emerson, G. W., and Sullivan, P. A. (1992) A second gene for a secreted aspartate proteinase in *Candida albicans*. *J Bacteriol* 174: 7848-7853.
- Zhang, R., and Zhang, C. T. (2006) The impact of comparative genomics on infectious disease research. *Microbes Infect* 8: 1613-1622.

- Zhao, H., Hastie, T., Whitfield, M. L., Borresen-Dale, A. L., and Jeffrey, S. S. (2002) Optimization and evaluation of T7 based RNA linear amplification protocols for cDNA microarray analysis. *BMC Genomics* 3: 31.
- Zhao, X., Oh, S. H., Cheng, G., Green, C. B., Nuessen, J. A., Yeater, K., Leng, R. P., Brown, A. J., and Hoyer, L. L. (2004) *ALS3* and *ALS8* represent a single locus that encodes a *Candida albicans* adhesin; functional comparisons between Als3p and Als1p. *Microbiology* 150: 2415-2428.
- Zheng, X., Wang, Y., and Wang, Y. (2004) Hgc1, a novel hypha-specific G1 cyclin-related protein regulates *Candida albicans* hyphal morphogenesis. *Embo J* 23: 1845-1856.
- Zink, S., Nass, T., Rosen, P., and Ernst, J. F. (1996) Migration of the fungal pathogen *Candida albicans* across endothelial monolayers. *Infect Immun* 64: 5085-5091.
- Zvyagilskaya, R., Andreishcheva, E., Soares, M. I., Khozin, I., Berhe, A., and Persson, B. L. (2001) Isolation and characterization of a novel leaf-inhabiting osmo-, salt-, and alkali-tolerant *Yarrowia lipolytica* yeast strain. *J Basic Microbiol* 41: 289-303.

