

## **7. Literaturverzeichnis**

**Adamson**, T.; Boyd, R.; Platt, H.; Strang, L. Composition of the alveolar liquid in the foetal lamb. *Journal of Physiology* 204 (1) (1969) 159-168

**Adolphson**, C.; Gleich, G. Eosinophils. In: Holgate, S.; Church, M. editors. *Allergy*. London: Mosby-Wolfe (1995) 6.1-6.12

**Agarwal**, A.; Mih, J.; George, S. Expression of matrix proteins in an in vitro model of airway remodelling in asthma. *Allergy and Asthma proceedings* 24 (1) (2003) 35-42

**Ahuja**, R.; Hastie, A.; Carpenter, K.; Peters, S. Leukotrienes concentration in the exhaled breath condensate of asthmatics. American Thoracic Society International Conference Seattle (2003)

**Allegra**, L.; Buccioni, E.; Eberini, I.; Gianazza, E.; Pignataro, L.; Terzano, C.; Sirtori, C.; Blasi, F. Keratine in exhaled breath condensate of tracheostomised patients. American Thoracic Society 100. International Conference Orlando (2004)

**Alving**, K.; Weitzberg, E.; Lundberg, J. Increased amount of nitric oxide in exhaled air of asthmatics. *European Respiratory Journal* 6 (1993) 1368-1370

**Anaev**, E.; Avdeev, S.; Chuchalin, A. pH in exhaled breath condensate of patients with inflammatory airway diseases. European Respiratory Society International Conference Wien (2003a)

**Anaev**, E.; Avdeev, S.; Chuchalin, A. Assessment of the pH of breath condensate in pneumonia. European Respiratory Society International Conference Wien (2003b)

**Anaev**, E.; Chuchalin, A. Die Azidose des Atemkondensates als Marker bei Pneumonien. 45. Kongress der Deutschen Gesellschaft für Pneumologie Frankfurt am Main (2004)

**Anderson**, D.; McKinney, E.; Frangulyan, R.; Drost, E.; MacNee, W. Biomarker reproducibility study in exhaled breath and in induced sputum in non-smokers, smokers and COPD patients. European Respiratory Society International Conference Wien (2003)

**Antczak**, A.; Nowak, D.; Shariati, B.; Krol, M.; Piasecka, G.; Kurmanowska, Z. Increased hydrogen peroxide and thiobarbituric acid-reactive products in exhaled breath condensate of asthmatic patients. *European Respiratory Journal* 10 (6) (1997) 1235-1241

**Antczak**, A.; Gorski, P. Markers of oxidative stress in exhaled breath condensate in patients with COPD-No correlation with clinical status. American Thoracic Society International Conference Seattle (2003)

**Antwerp**, D.; Martin, S.; Kafri, T.; Green, D.; Verma, I. Suppression of TNF $\alpha$  induced by NF $\kappa$ B Science 274 (1996) 784-787

**Aris**, R.; Christian, D.; Sheppard, D.; Balmes, J. Acid fog-induced bronchoconstriction. The role of hydroxymethanesulfonic acid. *American Review of Respiratory Diseases* 141 (1990) 546-551

**Art**, T.; Kirschvink, N.; Smith, N.; Lekeux, P. Indices of oxidative stress in blood and pulmonary epithelium lining fluid in horses suffering from recurrent airway obstruction. *Equine Veterinary Journal* 31 (5) (1999) 397-401

**Ascenzi**, P.; Bocedi, A.; Grandoni, L. The anti-parasitic effects of nitric oxide. Taylor & Francis 55 (10-11) (2003) 573-578

**Asakura**, T.; Ishii, Y.; Chibana, K.; Abe, K.; Numao, T., Fukada, T. Acute Inhalation of cigarette smoke increases nitric oxide metabolites in exhaled breath condensate. American Thoracic Society International Conference Seattle (2003)

**Asakura**, T.; Ishii, K.; Chibana, K.; Fukuda, T. Inflammatory and oxidative stress markers are increased in exhaled breath condensate of smokers. American Thoracic Society 100. International Conference Orlando (2004)

**Baldus**, S.; Eiserich, J.; Mani, A.; Castro, L.; Figueroa, M.; Chumley, P.; Ma, W.; Tousson, A.; White, C.; Bullard, D.; Brennan, M.; Lusis, A.; Moore, K.; Freeman, B. Endothelial transcytosis of myeloperoxidase confers specificity to vascular ECM proteins as target of tyrosine nitration. Journal of Clinical Investigations 108 (12) (2001) 1759-1770

**Balint**, B.; Donnelly, L.; Hanazawa, T.; Kharitonov, S. Nitric oxide metabolites in exhaled breath condensate and exhaled monoxides in cystic fibrosis patients. American Thoracic Society International Conference Toronto (2000a)

**Balint**, B.; Donnelly, L.; Hanazawa, T.; Kharitonov, S.; Barnes, P. Nitrogen oxides of exhaled breath condensate in cystic fibrosis patients. European Respiratory Society International Conference Florence (2000b)

**Balint**, B.; Kharitonov, S.; Kazuhiro, I.; Shah, P.; Geddes, D.; Hodson, M.; Barnes, P. Increased IL-8 in exhaled breath condensate in cystic fibrosis during acute exacerbation. European Respiratory Society International Conference Berlin (2001a)

**Balint**, B.; Donnelly, L.; Hanazawa, T.; Kharitonov, S.; Barnes, P. Increased nitric oxide metabolites in exhaled breath condensate after exposure to tobacco smoke. Thorax 56 (2001b) 456-461

**Balint**, B.; Kharitonov, S.; Kemp, M.; Geddes, D.; Hodson, M.; Barnes, P. Ionic composition of exhaled breath condensate in cystic fibrosis. European Respiratory Society International Conference Berlin (2001c)

**Baraldi**, E.; Ghigo, L.; Piovan, V.; Ciabattoni, G.; Barnes, P.; Montuschi, P. Increased exhaled 8-isoprostan in childhood asthma. Chest 124 (1) (2003) 25-31

**Barát**, E.; Huszar, E.; Vass, G.; Valyon, M.; Czebe, K.; Csiszer, E.; Horváth, I. Exhaled biomarkers in patients with cystic fibrosis and lung transplant recipients. European Respiratory Society International Conference Wien (2003)

**Barnes**, P. Exhaled breath condensate: a new approach to monitoring lung inflammation. In: New perspectives in monitoring lung inflammation-Analysis of exhaled breath condensate, Montuschi, P. CRC Press LLC Florida/USA (2005) 4

**Baud**, L.; Bellocq, A.; Phillippe, C.; Fouqueray, B. Low extracellular pH has a role in the induction of NO synthase type 2 in macrophages. Bulletin de l'Académie Nationale de Médecine 181 (1997) 247-260

**Becher**, G.; Schütte, W.; Beck, E.; Stresemann, E.; Neubauer, G.; Hummel, S.; Lichey, J. Eosinophilic proteins ECP and EXP in breathing condensate during bronchial challenge test in allergic asthmatics. ALA/American Thoracic Society International Conference San Francisco (1997a)

**Becher**, G.; Beck, E.; Rothe, M.; Neubauer, G.; Stresemann, E. Sammlung von nichtgasförmigen Bestandteilen der Ausatemluft durch Ausfrieren. Medizintechnik 117 (1997b) 89-95

**Becher**, G.; Rothe, M.; Lehmann, C. Smith, H.; Eichler, R. Standardization of collection of exhaled breath condensate (EBC) for disease markers in use of different condensers. European Respiratory Journal International Conference Wien (2003a)

**Becher**, G.; Lehmann, C.; Rothe, M. Standardisierung der Sammlung von Atemkondensat. Deutsche Gesellschaft für Pneumologie München (2003b)

**Becher**, G.; Schlichthaar, R. Experiences in using exhaled breath condensate (EBC) in controlled clinical studies American Thoracic Society International Conference Seattle (2003)

**Beckman**, J.; Beckman, T.; Chen, J.; Marshall, P.; Freeman, B. Apparent hydroxyl radical production by peroxynitrite: implications for endothelial injury from nitric oxide and superoxide. Proceedings of the National Academy of Sciences. 87 (1990) 1620-1624

**Beckman**, J.; Koppenol, W. Nitric oxide, superoxide, and peroxynitrite: the good, the bad, and ugly. American Journal of Physiology Cellular Physiology 271 (1996) 1424-1437

**Beckman**, J.  $\cdot$ ONOO Rebounding from nitric oxide. Circulation Research 89 (2001) 295  
Bell, D.Y.; Haseman, J.A.; Spock, A.; McLennan, G.; Hook, G.E. Plasma proteins of the bronchoalveolar surface of the lungs of smokers and nonsmokers. American Review of Respiratory Disease 124 (1981) 72-79

**Behrmann**, K. Prophylaktischer, metaphylaktischer und therapeutischer Einsatz des Para-Immunitäts-inducers Baypamun® bei Atemwegserkrankungen von Kälbern unter Praxisbedingungen, Dissertation, Tierärztliche Hochschule Hannover (1995)

**Bell**, D.Y.; Haseman, J.A.; Spock, A.; McLennan, G.; Hook, G.E. Plasma proteins of the bronchoalveolar surface of the lungs of smokers and nonsmokers. American Review of Respiratory Disease 124 (1981) 72-79

**Belvisi**, M., Mitchell, J. Nitric oxide as a biological mediator. In: Disease Markers in Exhaled breath, Marcin, N.; Kharitonov, S.; Yacoub, M.; Barnes, P. Marcel Dekker, Inc. New York (2003) 3-27

**Berg**, M.; Kim, K.; Lubman, L.; Crandall, E. Hydrophilic solute transport across rat alveolar epithelium. Journal of Applied Physiology 66 (1989) 2320-2327

**Bernareggi**, M.; Mitchell, J.; Barnes, P.; Belvisi, M. Dual action of nitric oxide on airway plasma leakage. American Journal of Respiratory and Critical Care Medicine 155 (1997) 869-874

**Berthiaume**, Y.; Broaddus, V.; Gropper, M.; Tanita, T.; Matthay, M. Alveolar liquid and protein clearance from normal dog lungs. Journal of Applied Physiology 65 (2) (1988) 585-593

**Bhalla**, D.; Daniels, D.; Luu, N. Attenuation of ozone-induced airway permeability in rats by pretreatment with cyclophosphamide, FPL 55712, and indomethacin. American Journal of Respiratory Cellular and Molecular Biology 7 (1) (1992) 73-80

**Bieri**, H.; Bircher, J. L-methionine ordinarily does not interfere with the aminopyridine breath test: studies in the rats and dogs. Biochemical Pharmacology 30 (1981) 1421-1424

**Biernacki**, W.; Kharitonov, S.; Barnes, P. Increased leukotriene B4 and 8-isoprostanone in exhaled breath condensate of patients with exacerbation of COPD. *Thorax* 58 (4) (2003a) 294-298

**Biernacki**, W.; Biernacki, H.; Kharitonov, S.; Barnes, P. Cysteinyl leukotrienes and leukotriene B<sub>4</sub> in exhaled breath condensate in patients with chronic asthma treated with montelukast. European Respiratory Society International Conference Wien (2003b)

**Blankenburg**, T.; Schadlich, S.; Schutte, W. Exhaled breath condensate as a sensitive diagnostic aid in asthma bronchiale. European Respiratory Society International Conference Florenz (2000)

**Bodem**, C.; Lampton, L.; Miller, D.; Tarka, E.; Everett, E. Endobronchial pH. Relevance of aminoglycoside activity in gram-negative bacillary pneumonia. *American Review of Respiratory Dissertations* 127 (1) (1983) 39-41

**Borill**, Z.; Starkey, C.; Vestbo, J.; Singh, D. Reproducibility of exhaled breath pH in chronic obstructive pulmonary disease. *European Respiratory Journal* 25 (2005) 269-274

**Bosken**, C.; Wiggs, B.; Pare, P.; Hogg, J. Small airway dimensions in smokers with obstruction to airflow. *American Review of Respiratory Disease* 142 (1990) 563-570

**Brand**, P. Quelle der biochemischen Information im Exhalat. Sonderausgabe Info Firma Jaeger 1 (2001) 12

**Brennan**, M.; Wu, W.; Fu, X.; Shen, Z.; Song, W.; Frost, H.; Vadseth, C.; Narine, L.; Lenkiewicz, E.; Borchers, T.; Lusis, A.; Lee, J.; Lee, N.; Abu-Soud, H.; Ischiropoulos, H.; Hazen, S. A tale of two controversies. *Journal of Biological Chemistry* 277 (20) (2002) 17415-17427

**Brock**, T.; McNish, R.; Peters-Golden, M. Translocation and leukotriene synthetic capacity of nuclear 5-lipoxygenase in rat basophilic leukemia cells and alveolar macrophages. *Journal of Biological Chemistry* 270 (37) (1995) 21652-21658

**Brock**, T.; McNish, R.; Peters-Golden, M. Capacity for repeatable leukotriene generation after transient stimulation of mast cells and macrophages. *Biochemical Journal* 329 (1998) 519-525

**Brogger**, J.; Methlie, P.; Underhaug, J.; Froystein, N.; Martinez, A.; Bakke, P. Identification of novel biomarkers in exhaled breath condensate using metabonomics. American Thoracic Society International Conference Orlando (2004)

**Brown**, R.; Kelly, F. Evidence for increased oxidant damage in patients with cystic fibrosis. *Pediatric Research* 36 (1994) 487-493

**Bucchioni**, E.; Kharitonov, S.; Csoma, S.; Barnes, P. Exhaled breath histamine is reduced following metacholine challenge in patients with mild asthma. European Respiratory Society International Meeting Berlin (2001)

**Bucchioni**, E.; Kharitonov, S.A.; Allegra, L.; Barnes, P.J. High levels of interleukin-6 in the exhaled breath condensate of patients with COPD. *Respiratory Medicine* 97 (12) (2003a) 1299-1302

**Bucchioni**, E.; Blasi, F.; Fasano, V.; Valenti, V.; Kharitonov, S.; Barnes, P.; Allegra, L. Increased of TNF- $\alpha$  in breath condensate and in serum of COPD subjects. European Respiratory Journal International Conference Wien (2003b)

**Bucchioni**, E.; Costantini, D.; Blasi, F.; Cappelletti, T.; Brivio, A.; Colombo, C.; Allegra, L. Correlation between decrease of leukotriene B-4 and reactive protein C in cystic fibrosis patients. European Respiratory Society International Conference Glasgow (**2004a**)

**Bucchioni**, E.; Csoma, Z.; Allegra, L.; Chung, K.; Barnes, P.; Kharitonov, S. Adenosine 5' – monophosphate increases levels of leukotrienes in breath condensate in asthma. Respiratory Medicine 98 (7) (**2004b**) 651-655

**Bunyan**, D.; Smith, A.; Hom, S.; Davidson, W.; Yu, Y.; Urban, P.; Laccara, L.; Platts-Mills, J.; Hunt, J. Correlation of exhaled breath condensate pH with invasive pH measurement in the cow airway. European Respiratory Society Annual Congress Kopenhagen (**2005**)

**Carpagnano**, G.; Kharitonov, S.; Resta, O.; Foschino-Barbaro, M.; Gramiccioni, E.; Barnes, P. Increased 8-isoprostan e and interleukin-6 in breath condensate of obstructive sleep apnea patients. Chest 122 (4) (**2002a**) 1162-1167

**Carpagnano**, G.; Resta, O.; Foschino-Barbaro, M.; Gramiccioni, E. Carpagnano, F. Interleukin-6 is increased in breath condensate of patients with non-small cell lung cancer. International Journal of Biological Markers 17 (2) (**2002b**) 141-145

**Carpagnano**, G.E. Kharitonov, S.A.; Foschino-Barbaro, M.P.; Resta, O.; Gramiccioni, E.; Barnes, P.J. Increased inflammatory markers in the exhaled breath condensate of cigarette smokers. European Respiratory Journal 21 (**2003a**) 589-593

**Carpagnano**, G.; Barnes, P.; Francis, J.; Wilson, N.; Bush, A.; Kharitonov, S. Breath condensate pH in children with CF and asthma: a new non-invasive marker of airway inflammation? European Respiratory Journal International Conference Wien (**2003b**)

**Carpagnano**, G.; Uasuf, C.; Bonsignore, G.; Bonsignore, M.; Bellia, V.; Vignola, A. pH measurement in oral and nasal exhaled breath condensate in allergic rhinitis subjects. European Respiratory Society International Conference Wien (**2003c**)

**Carpagnano**, G.; Barnes, P.; Geddes, D.; Hodson, M.; Kharitonov, S. Increased leukotriene B<sub>4</sub> and interleukin 6 in breath condensate in cystic fibrosis. American Journal of Respiratory and Critical Care Medicine 167 (8) (**2003d**) 1109-1112

**Carpagnano**, G.; Barbaro, M.; Resta, O.; Gramiccioni, E.; Valerio, N.; Bracciale, P. Valerio, G. Exhaled markers in the monitoring of airways inflammation in mild persistent asthma. European Respiratory Society International Conference Glasgow (**2004a**)

**Carpagnano**, G.; Foschino-Barbaro, M.; Resta, O.; Gramiccioni, E.; Carpagnano, F. Endothelin-1 is increased in the breath condensate of patients with non-small-cell lung cancer. Oncology 66 (3) (**2004b**) 180-184

**Carpenter**, C.; Price, P.; Christman, W.; Nashville, T. Exhaled breath condensate isoprostanes are elevated in patients with ALI/ARDS ALA/American Thoracic Society International Conference San Francisco (**1997**)

**Carpenter**, C.; Price, P.; Christman, B. Exhaled breath condensate isoprostanes are elevated in patients with acute lung injury or ARDS. Chest 114 (6) (**1998**) 1653-1659

**Carraro**, S.; Corradi, M.; Pasquale, F.; Alinovi, R.; Bonetto, G.; Zanconato, S.; Baraldi, E. EBC Cys-LT are increased in children with exercise induced bronchoconstriction (EIB). European Respiratory Society International Conference Glasgow (**2004**)

**Carraro**, S.; Folesani, G.; Corradi, M.; Zanconata, S.; Gaston, B.; Baraldi, E. Acid-base equilibrium in exhaled breath condensate of allergic asthmatic children. *Allergy* 60 (4) (2005) 476

**Chen**, S.; Zieve, L.; Mahadevan, V. Mercaptans and dimethyl sulfide in the breath of patients with cirrhosis of the liver. Effect of feeding methionine. *Journal of Laboratory and Clinical Medicine* 75 (4) (1970) 628-635

**Chen**, X.; Naumann, T.; Kurre, U.; Jenkins, N.; Copeland, N.; Funk, C. cDNA cloning, expression, mutagenesis, intracellular localization and gene chromosomal assignment of mouse 5-Lipoxygenase. *Journal of Biological Chemistry* 270 (30) (1995) 17993-17999

**Chladek**, J.; Chladkova, J.; Hospodka, M.; Krcmova, I.; Hanzalkova, Y. Short-term variation and influence of a nose clip on nitrite (NI) and nitrate (NA) levels in the exhaled breath condensate (EBC). *European Respiratory Society International Conference Wien* (2003)

**Cho**, H.; Xie, Q.; Calaycay, J.; Mumford, R.; Swiderek, K.; Lee, T.; Nathan, C. Calmodulin is a subunit of nitric oxide synthase from macrophages. *Journal of Experimental Medicine*. 176 (1992) 599-604

**Clini**, E.; Bianchi, L.; Pagani, M.; Ambrosino, N. Endogenous nitric oxide in patients with stable COPD: correlates with severity of disease. *Thorax* 53 (1998) 881-883

**Coakley**, R.; Grubb, B.; Paradiso, A.; Gatzky, J.; Johnson, L.; Kreda, S.; O'Neal, W.; Boucher, R. Abnormal surface liquid pH regulation by cultured cystic fibrosis bronchial epithelium. *Proceedings of the National Academy of Science of the United States of America* 100 (26) (2003) 16083-16088

**Cohen**, D.; Palmer, E.; Welch, W.; Sheppard, D. The response of guinea pig airway epithelial cells and alveolar macrophages to environmental stress. *American Journal of Respiratory Cellular and Molecular Biology*.2 (1991) 133-143

**Coles**, B.; Bloodsworth, A.; Clark, S.; Lewis, M.; Cross, A.; Freeman, B.; O'Donnell, V. Nitrolinoleate inhibits superoxide generation, degranulation, and integrin expression by human neutrophils. *Circulation Research* 91 (2002) 375

**Conhaim**, R.; Eaton, A.; Staub, N.; Heath, T. Equivalent pore estimate for the alveolar-airway barrier in isolated dog lung. *Journal of Applied Physiology* 64 (1988) 1134-1142

**Cook**, S.; Vollenweider, P.; Ménard, B.; Egli, M.; Nicod, P.; Scherrer, U. Increased eNO and pulmonary iNOS expression in eNOS null mice. *European Respiratory Journal* 21 (2003) 770-773

**Cope**, K.; Yung, R.; Risby, T. Lung cancer breath biomarkers. Breath gas analysis for medical diagnostics. *Conference Domibirn* (2004)

**Cornetta**, A.; Simpson, K.; Strauss-Ayali, D.; McDonough, P.; Gleed, R. Use of a [13C] urea breath test for detection of gastric infection with *Helicobacter spp* in dogs. *American Journal of Veterinary Research* 59 (11) (1998) 1364-1369

**Corradi**, M.; Majori, M.; Caminati, A.; Sagli, S.; Cuomo, A.; Pesci, A. There is no salivary contamination in exhaled breath condensate. *European Respiratory Journal* 14 (30) (1999) P1433

**Corradi**, M.; Montuschi, P.; Donnelly, L.; Pesci, A.; Kharitonov, S.; Barnes, P. Increased Nitrosothiols in exhaled breath condensate in inflammatory airway diseases. American Journal of Respiratory and Critical Care Medicine 163 (4) (2001) 854-858

**Corradi**, M.; Pignatti, P.; Manini, P.; Andreoli, R.; Goldoni, M.; Poppa, M.; Moscato, G.; Balbi, B.; Mutti, A. Comparison between exhaled and sputum oxidative stress biomarkers in chronic airway inflammation. European Respiratory Society International Conference Glasgow (2004)

**Cracowski**, J.; Stanke-Labesque, F.; Bessard, G. Physiological Variations of isoprostanes: A step forward? Arteriosclerosis, Thrombosis and Vascular Biology 22 (2002) 1239ff.

**Cristescu**, S.; Moeskop, B.; Ngai, A.; Harren, F. Sensitive monitoring of the UV-induced lipid peroxidation in human breath. Breath gas analysis for medical diagnostics. Conference (2004) Dornbirn

**Cross**, C.; van der Vliet, A.; O'Neill, C.; Louie, S.; Halliwell, B. Oxidants, antioxidants, and respiratory tract lining fluids. Environ Health Perspect. 102 (10) (1994) 185-191

**Csoma**, Z.; Kharitonov, S.; Shahid, S.; Donnelly, L.; Balint, B.; Wilson, N.; Barnes, P. Nitric oxide metabolites in exhaled breath condensate of children with primary ciliary dyskinesia. European Respiratory Society International Conference Berlin (2001a)

**Csoma**, Z.; Kharitonov, S.; Shahid, S.; Balint, B.; Wilson, N.; Barnes, P. Eicosanoids in exhaled breath condensate of children with primary ciliary dyskinesia. European Respiratory Society International Conference Berlin (2001b)

**Csoma**, Z.; Kharitonov, S.; Balint, B.; Bush, A.; Wilson, N.; Barnes, P. Increased leukotrienes in exhaled breath condensate in childhood asthma. American Journal of Respiratory and Critical Care Medicine 166 (2002) 1345-1349

**Csoma**, Z.; Barnes, P.; Bush, A.; Wilson, N.; Kharitonov, S. Adenosine 5'-triphosphate (ATP) is increased in exhaled breath condensate of children with asthma. European Respiratory Society International Conference Glasgow (2004)

**Cunningham**, S.; McColm, J.; Ho, L.; Greening, A.; Marshall, T. Measurement of inflammatory markers in the breath condensate of children with cystic fibrosis. European Respiratory Journal 15 (2000) 955-957

**Cuzzocrea**, S.; Riley, D.; Caputi, A.; Salvemini, D. Antioxidant therapy: a new pharmacological approach in shock, inflammation, and in ischemia/reperfusion injury. Pharmacological Reviews 53 (1) (2001) 135-159

**Daugherty**, M.; Ludden, T.; Burk, R. Metabolism of ethane and pentane to carbon dioxide by the rat. American Society for Pharmacology and Experimental Therapeutics 16 (5) (1988) 666-671

**Davi**, G.; Ciabattoni, G.; Consoli, A.; Mezzetti, A.; Falco, A.; Santarone, S.; Pennese, E.; Vitacolonna, E.; Bucciarelli, T.; Constantini, F.; Capani, F.; Patrono, C. In vivo formation of 8-iso-prostaglandin f<sub>2alpha</sub> and platelet activation in diabetes mellitus: effect of improved metabolic control and vitamin E supplementation. Circulation 99 (2) (1999) 224-229

**Deaton**, C.; Marlin, D.; Roberts, C.; Smith, N.; Harris, P.; Kelly, F.; Schroter, R. Antioxidant supplementation and pulmonary function at rest and exercise. Equine Veterinary Journal 34 (2002) 58-65

**Deaton**, C.; Marlin, D.; Smith, N.; Smith, K.; Newton, R.; Gower, S.; Cade, S.; Roberts, C.; Harris, P.; Schroter, R.; Kelly, F. Breath condensate hydrogen peroxide correlates with both airway cytology and epithelial lining fluid ascorbic acid concentration in the horse. Free Radical Research, 38 (2) (2004a) 201-208

**Deaton**, C.; Marlin, D.; Smith, N.; Harris, P.; Roberts, C.; Schroter, R.; Kelly, F. Pulmonary epithelial lining fluid and plasma ascorbic acid concentration in horses affected by recurrent airway obstruction. American Journal of Veterinary Research 65 (1) (2004b) 80-87

**Deaton**, C.; Marlin, D.; Smith, N.; Roberts, C.; Harris, P.; Schroter, R.; Kelly, F. Antioxidant and inflammatory responses of healthy horses and horses affected by recurrent airway obstruction to inhaled ozone. Equine Veterinary Journal 37 (3) (2005) 243-249

**DeCoursey**, T. Voltage-gated proton channels and other proton transfer. Physiological Reviews 83 (2) (2003) 475-579

**Delacroix**, D.; Marchandise, F.; Francis, C.; Sibille, Y. Alpha-2-macroglobulin, monomeric and polymeric immunoglobulin A, and immunoglobulin M in bronchoalveolar lavage. American Review of Respiratory Disease 132 (1985) 829-935

**DeMaster**, E.; Nagasawa, H. Isoprene, an endogenous constituent of human alveolar air with a diurnal pattern of excretion. Life Science 22 (1) (1978) 91-97

**De Raeve**, H.; Thunnissen, F.; Kaneko, F.; Guo, F.; Lewis, M.; Kavuru, M; Secic, M.; Thomassen, M.; Erzurum, S. Decreased Cu, Zn-SOD activity in asthmatic airway epithelium: correction by inhaled corticosteroid in vivo. American Journal of Respiratory Cellular and Molecular Biology 272 (1997) 148-154

**Diegel**, H.; Dauletbaev, N.; Loitsch, S.; Oremek, G.; Berkefeld, M.; Bargon, J.; Wagner, T. Beurteilung einer möglichen Verunreinigung von Atemkondensat durch Speichel anhand der  $\alpha$ -Amylase Aktivität und der Harnstoffkonzentration. Pneumologie, 53 (1999) 559

**Diegel**, H.; Dauletbaev, N.; Oremek, G.; Wagner, T. Bargon, J. Korrelation zwischen den Harnstoffkonzentrationen in Atemkondensat und Blut. Pneumologie 54 (2000) 95

**Dillon**, W.; Hampl, V.; Shultz, P.; Rubins, J.; Archer, S. Origins of breath nitric oxide in humans. Chest 110 (1996) 930-938

**Dotsch**, J.; Demirakca, S.; Terback, H.; Huls, G.; Rascher, W.; Kuhl, P. Airway nitric oxide in asthmatic children and patients with cystic fibrosis. European Respiratory Journal 9 (1999) 2537-2540

**Doyle**, M.; Herman, J.; Dykstra, R. Autocatalytic oxidation of hemoglobin induced by nitric oxide: activation and chemical inhibition. Journal of Free Radical Biology Medicine 1 (2) (1985) 145-153

**Doyle**, I.; Bersten, A.; Nichoillas, T. Surfactant-proteins -A and -B are elevated in plasma of patients with acute respiratory failure. American Journal of Respiratory and Critical Care Medicine 156 (1997) 1217-1229

**Duncan**, C.; Li, H.; Dykhuisen, R.; Frazer, R.; Johnston, P.; MacKnight, G.; Smith, L.; Lamza, K.; McKenzie, H.; Batt, L.; Kelly, D.; Golden, M.; Benjamin, N.; Leifert, C. Protection against oral and gastrointestinal diseases: importance of dietary nitrate intake, oral nitrate reduction and enterosalivary nitrate circulation. Comparative Biochemistry and Physiology 118 (4) (1997) 939-948

**Dwyer**, T. Urea: an estimate of airway surface liquid (ASL) dilution in exhaled breath. American Thoracic Society International Conference Seattle (**2003**)

**Dzhangozina**, D.; Kulkybaev, G.; Salimbaeva, B. Parameters of oxidative metabolism, neuro-humoral and hormonal regulation in the condensed exhaled air in early stages of anthracosilicosis. Medicina truda promyslennaja ekologija: ezemesjacnyi naucno-prakticeski 8 (**1999**) 1727-5903

**Edwards**, Y.; Sutherland, L.; Murray, A. NO protects alveolar type II cells from stretch-induced apoptosis. A novel role for macrophages in the lung. American Journal of Physiology Lung Cellular and Molecular Physiology 279 (**2000**) 1236-1242

**Effros**, R.; Mason, G. Measurements of pulmonary epithelial permeability in vivo. American Review of Respiratory Disease 127: (**1983**) 59-65

**Effros**, R.; Hougland, K.; Bosbous, M.; Castillo, D.; Foss, B.; Dunning, M.; Gare, M.; Lin, W.; Sun, F. Dilution of Respiratory Solutes in Exhaled Condensates. American Journal of Respiratory and Critical Care Medicine 165 (5) (**2002**) 663-669

**Effros**, R.; Biller, J.; Foss, B.; Hoagland, K.; Dunning, M.; Castillo, D. A simple method for estimating respiratory solute dilution in exhaled breath condensate. American Journal of Respiratory and Critical Care Medicine 168 (**2003a**) 1500-1505

**Effros**, R.; Olson, L.; Lin, W.; Audi, S.; Hogan, G.; Shaker, R.; Hoagland, K.; Foss, B. Resistance of the pulmonary epithelium to movement of buffer ions. American Journal of Physiology Lung Cellular and Molecular Physiology 285 (**2003b**) 476-483

**Effros**, R.; Exhaled breath condensate pH: To the editor. European Respiratory Journal 23 (**2004**) 961-962

**Effros**, R.; Dunning, M.; Biller, J.; Shaker, R. The promise and perils of exhaled breath condensate. American Journal of Physiology Lung Cellular and Molecular Physiology 287 (**2004**) 1073-1080

**Effros**, R.; Biller, J.; Dunning, M.; Shaker, R. Exhaled breath condensate: Formation and physicochemical properties. In: New perspectives in monitoring lung inflammation-Analysis of exhaled breath condensate, Montuschi, P. CRC Press LLC Florida/USA (**2005**) 31-52

**Effros**, R.; Casaburi, R.; Su, J.; Dunning, M.; Torday, J.; Biller, J.; Shaker, R. The effects of volatile salivary acids and bases on exhaled breath condensate pH. Journal of Respiratory and Critical Care Medicine. 173 (**2006**) 386-392

**Egle**, J. Retention of inhaled acetone and ammonia in the dog. American Industrial and Hygiene Association Journal 34 (12) (**1973**) 533-539

**Eiserich**, J.; Cross, C.; Jones, A.; Halliwell, B.; van der Vliet, A. Formation of nitrating and chlorinating species by reaction of nitrite with hypochlorous acid. Journal of Biological Chemistry 271 (32) (**1996**) 19199-19208

**Fairchild**, C.; Stampfer J. Particle concentration in exhaled breath. American Industrial and Hygiene Association Journal 48 (**1987**) 948-949

**Fey**, K.; Schack, S. Konzentration von Leukotrien B<sub>4</sub> und Bradykinin im Atemkondensat von Pferden. 96. Arbeitstagung der Sektion Pathophysiologie der Atmung der Deutschen Gesellschaft für Pneumologie Berlin (**2001**)

**Fischer**, H.; Widdicombe, J.; Illek, B. Acid secretion and proton conductance in human airway epithelium. American Journal of Physiology Cell Physiology 282 (2002) 736-743

**Floris**, R.; Piersma, S.; Yang, G.; Jones, P.; Wever, R. Interaction of myeloperoxidase with peroxynitrite. A comparison with lactoperoxidase, horseradish peroxidase and catalase. European Journal of Biochemistry 215 (1993) 767-775

**Folkesson**, H.; Westrom, B.; Karlsson, B. Permeability of the respiratory tract to different-sized macromolecules after intratracheal instillation in young and adult rats. Acta Physiologica Scandinavica 139 (1990) 347-354

**Folkesson**, H.; Westrom, B.; Pierzynowski, G.; Karlsson, B. Lung to blood passage of different-sized molecules during lung inflammation in the rat. Journal of Applied Physiology 71 (1991) 1106-1111

**Folkesson**, H.; Matthay, M.; Westrom, B.; Kim, K.; Karlsson, B.; Hastings, R. Alveolar epithelial clearance of protein. Journal of Applied Physiology 80 (5) (1996) 1431-1445

**Formanek**, W.; Inci, D.; Lauener, R.; Wildhaber, J.; Frey, U.; Hall, G. Elevated nitrite in breath condensates of children with respiratory disease. European Respiratory Journal 19 (2002) 487-491

**Frangulyan**, R.; Anderson, D.; McLaughlin, M.; Drost, E.; Donaldson, K.; Hill, A.; MacNee, W. Inflammatory markers in exhaled breath condensate in bronchiectasis. European Respiratory Society International Conference Glasgow (2004a)

**Frangulyan**, R.; Anderson, D.; Drost, E.; MacNee, W. Markers of oxidative stress and inflammation in COPD patients. American Thoracic Society International Conference Orlando (2004b)

**Franklin**, P.; Taplin, R.; Stick, S. A community study of exhaled nitric oxide in healthy children. American Journal of Respiratory and Critical Care Medicine 159 (1999) 69-73

**Franklin**, P.; Hall, G.; Moeller, A.; Horak, F.; Brennan, S.; Stick, S. Exhaled nitric oxide is not reduced in infants with cystic fibrosis. European Respiratory Journal. 27 (2006) 350-353

**Frerichs**, F. Über den plötzlichen Tod und über das Coma bei Diabetes (diabetische Intoxication) Zeitschrift für Klinische Medizin 6 (1883) 1-53

**Funk**, C. Prostaglandins and leukotrienes: advances in Eicosanoid biology. Science 294 (2001) 1871-1875

**Gabbita**, S.; Butterfield, D.; Hensley, K.; Shaw, W.; Carney, J. Aging and caloric restriction affect mitochondrial respiration and lipid membrane status: an electron paramagnetic resonance investigation. Free Radical Biology Medicine. 23 (2) (1997) 191-201

**Gajdosci**, R.; Brindicci, C.; Barnes, P.; Kharitonov, S. Hydrogen peroxide ( $H_2O_2$ ) in exhaled breath condensate can be affected by mouthwash and pH. European Respiratory Society International Conference Wien (2003a)

**Gajdosci**, R.; Brindicci, C.; Barnes, P.; Kharitonov, S. The reproducibility and accuracy of on-line hydrogen peroxide bioassay and the decreasing effect of storage on  $H_2O_2$  concentration. European Respiratory Society International Conference Wien (2003b)

**Garey**, K.; Neuhauser, M.; Radice, A.; Robbins, R. Danziger, L.; Rubinstein, I. Protein, nitrate/ nitrite and cytokine concentrations in exhaled breath condensate of young smokers. American Thoracic Society International Conference Toronto (2000)

**Garey**, K.; Schiever, C.; Mutulu, G.; Kumar, B.; Dizikes, G.; Danziger, L.; Rubinstein, I. Exhaled breath condensate analysis for mycobacterium tuberculosis rRNA correlates with sputum smear negative specimens. American Thoracic Society International Conference Seattle (2003)

**Gaston**, B.; Hunt, J. From the authors: American Journal of Respiratory and Critical Care Medicine 167 (2003) 91-92

**Geldmacher**, H.; Schoolmann, H.; Schoolmann, E.; Erpernbeck, V.; Krug, N.; Hohlfeld, J. Vergleich des exhalierten NO mit Nitrat und Nitrit im Atemkondensat bei Patienten mit allergischem Asthma nach Provokation im Pollenexpositionsraum. Pneumologie 58 (2004) 47

**Gessner**, C.; Seyfarth, H.; Hoheisel, G.; Winkler, J.; Hillebrand, T.; Schauer, J. Identification of k-ras gene mutation in breathing condensate of patients with non small cell lung cancer (NSCLC) as a non-invasive method for screening. Respiratory and Critical Care Medicine 157 (3) (1998) A693

**Gessner**, C.; Kuhn, H.; Pankau, H.; Seyfarth, H.; Winkler, J.; Schauer, J.; Wirtz, H. Characterization of breath condensate volume (BCV) and markers in healthy volunteers. American Thoracic Society International Conference Toronto (2000a)

**Gessner**, C.; Seyfarth, H.-J.; Kuhn, H.; Pankau, H.; Winkler, J.; Wirtz, H. Charakterisation of breath condensate volume (BCV) and markers in healthy volunteers. American Journal of Respiratory and Critical Care Medicine 161 (3) (2000b) A855

**Gessner**, C.; Kuhn, H.; Seyfarth, H.-J.; Pankau, H.; Winkler, J.; Schauer, J.; Wirtz, H. Factors influencing breath condensate volume. Pneumologie 55 (2001) 414-419

**Gessner**, C.; Hammerschmidt, S.; Kuhn, H.; Lange, T.; Engelmann, L.; Schauer, J.; Wirtz, H. Exhaled breath condensate nitrite and its relation to tidal volume in acute lung injury Chest 124 (2003a) 1046-1052

**Gessner**, C.; Hammerschmidt, S.; Kuhn, H.; Seyfarth, H.-J.; Sack, U.; Engelmann, L.; Schauer, J.; Wirtz, H. Exhaled breath condensate acidification in acute lung injury. Respiratory Medicine 97 (2003b) 1188-1194

**Gessner**, C.; Dihazi, H.; Brettschneider, S.; Hammerschmidt, Kuhn, H.; Schauer, J.; Eschrich, K.; Wirtz, H. Analyse des Proteoms des Atemkondensates mittels matrix assisted laser desorption/ionisation-time of flight (MALDI-TOF). DGP Kongreß München (2003) in Pneumologie Sonderausgabe 57 (2003c) 81

**Gessner**, C.; Dihazi, H.; Frenzel, J.; Brettschneider, S.; Hammerschmidt, S.; Kuhn, H.; Schauer, J.; Wirtz, H. Analysis of exhaled breath condensate proteom and BAL proteom by matrix assisted laser desorption/ionisation-time of flight (MALDI-TOF) from patients with acute lung injury. European Respiratory Society International Conference Wien (2003d)

**Gessner**, C.; Scheibe, R.; Wötzl, M.; Hammerschmidt, S.; Kuhn, H.; Sack, U.; Wirtz, H. Clusteranalyse proinflammatorischer Interleukine aus dem Atemkondensat mittels partikelbasierten Immunoassays. Pneumologie 58 (2004a) 7

**Gessner**, C.; Kuhn, H.; Toepfer, K.; Hammerschmidt, S.; Schauer, J.; Wirtz, H. Detection of p53 gene mutations in exhaled breath condensate of non-small cell lung cancer patients. *Lung Cancer* 43 (2004b) 215-222

**Gessner**, C.; Hammerschmidt, S.; Kuhn, S.; Wirtz, H. Gehauchte Diagnosen? Zum Potential von Atemkondensatuntersuchungen. *Pneumologie* 58 (2004c) 230-237

**Gessner**, C.; Wirtz, H. Authors Reply: Exhaled breath condensate acidification in acute lung injury. *Respiratory Medicine* 98 (2004) 683

**Glover**, S.; Bayburt, T.; Jonas, M.; Chi, E.; Gelb, M. Translocation of the 85-kDa phospholipase A2 from cytosol to the nuclear envelope in rat basophilic leucemia cells stimulated with calcium ionophore or IgE/antigen. *Journal of Biological Chemistry* 270 (25) (1995) 15359-15367

**Goncharova**, V.; Borisenko, L.; Dotsenko, E.; Pokhaznikova, M. Kallirein-kinin indices and biological composition of exhaled breath condensate in acute bronchitis patients with varying disease course. *Kliniceskaja medicina* 74 (7) (1996) 46-48

**Goodman**, B.; Wangensteen, D. Alveolar epithelium permeability to small solutes: developmental changes. *Journal of Applied Physiology* 52 (1982) 3-8

**Goodwin**, D.; Landino, L.; Marnett, L. Effects of nitric oxide and nitric oxide-derived species on prostaglandin endoperoxide synthase and prostaglandin biosynthesis. *The FASEB Journal* 13 (1999) 1121-1136

**Graham**, D.; Klein, P.; Evans, D.; Evans, D.; Alpert, L.; Opekun, A.; Boutton, T. Campylobacter pylori detected noninvasively by the 13C-urea breath test. *Lancet* 1 (8543) (1987) 1174-1177

**Grasemann**, H.; Ioannidis, I.; de Groot, H.; Ratjen, F. metabolites of nitric oxide in the lower respiratory tract of children. *European Journal of Pediatric Surgery* 156 (7) (1997) 575-578

**Grasemann**, H.; Ioannidis, I.; Tomkiewicz, R.; de Groot, H.; Rubin, B.; Ratjen, F. Nitric oxide metabolites in cystic fibrosis lung disease. *Archives of Diseases in Childhood* 78 (1998) 49-53

**Gratziou**, C.; Rovina, N.; Makris, M.; Nikoloutsou, I.; Papatheodorou, G.; Roussos, C. Exhaled breath markers of oxidative stress and airway inflammation in seasonal allergic rhinitis. *European Respiratory Journal International Conference Wien* (2003)

**Greco**, A.; Minghetti, L.; Sette, G.; Fieschi, C.; Levi, G. Cerebrospinal fluid isoprostan shows oxidative stress in patients with multiple sclerosis. *Neurology* 53 (1999) 1876

**Griese**, M.; Noss, J.; von Bredow, C. Protein pattern of exhaled breath condensate and saliva. *Proteomics* 2 (6) (2002) 690-696

**Griffith**, O. Glutaminase and the control of airway pH. *American Journal of Respiratory and Critical Care Medicine* 165 (1) (2002) 1-2

**Gufler**, V. Breath gas analysis in patients with malabsorption syndromes. Breath gas analysis for medical diagnostics. *Conference* (2004) Dornbirn

**Guo**, Y.; Duvall, M.; Crow, J.; Matalon, S. Nitrit oxide inhibits Na<sup>+</sup> absorption across cultured alveolar type II monolayers. *American Journal of Physiology* 274 (1998) 369-377

**Gustafsson**, L.; Leone, A.; Persson, M.; Wiklund, N.; Moncada, S. Endogenous nitric oxide is present in the exhaled air of rabbits, guinea pigs and humans. *Biochemical Biophysical Research Communications* 181 (2) (1991) 852-857

**Gutierrez**, H.; Nieves, B.; Chumley, P.; Rivera, A.; Freeman, B. Nitric oxide regulation-dependent lung injury: oxidant-protective actions of endogenously and exogenously administered nitric oxide. *Free Radical Biology and Medicine* 21 (1) (1996) 43-52

**Gutknecht**, J.; Proton conductance caused by long-chain fatty acids in phospholipid bilayer membranes. *Journal of Membrane Biology* 106 (1) (1988) 83-93

**Habib**, M.; Clements, N.; Garewal, H. Cigarette smoking and ethane exhalation in humans. *American Journal of Respiratory and Critical Care Medicine* 151 (5) (1998) 1368-1372

**Hacken**, N.; van der Vaart, H.; van der Mark, T.; Koëter, G.; Postma, D. Exhaled nitric oxide is higher both at day and night in subjects with nocturnal asthma. *American Journal of Respiratory and Critical Care Medicine* 158 (3) (1998) 902-907

**Haddad**, I.; Crow, J.; Hu, P.; Ye, Y.; Beckman, J.; Matalon, S. Current generation of nitric oxide and superoxide damages surfactant protein A. *American Journal of Physiology* 267 (1994) 242-249

**Haight**, R.; Gordon, R.; Brooks, S. A comparison of exhaled nitric oxide levels and exhaled breath condensate ammonia and pH in old and young subjects. *American Thoracic Society International Conference Orlando* (2004)

**Haldane**, J.; Priestley, J. The regulation of lung ventilation. *Journal of Physiology* 32 (1905) 225-266

**Halliwell**, B.; Chirico, S. Lipid peroxidation: its mechanism, measurement, and significance. *American Journal of Clinical Nutrition* 57 (1993) 715-724

**Hanazawa**, T.; Kharitonov, S.; Barnes, P. Levels of nitrotyrosine in breath condensates are elevated in asthmatic patients and decreased after steroid treatment. *European Respiratory Society International Conference Florence* (2000a)

**Hanazawa**, T.; Kharitonov, S.; Oldfield, W.; Kay, A.; Barnes, P. Nitrotyrosine and cysteinyl Leukotrienes (LTC4/D4/E4: cys condensates are increased after withdrawal of steroid treatment in patients with asthma. *American Thoracic Society International Conference Toronto* (2000b)

**Hansson**, L.; Folkesson, H.; Andersson, R.; Jeppsson, B.; Holst, E.; Westrom, B.; Ahren, B. Increased passage of bovine serum albumin over the respiratory tract after intratracheal instillation during septic shock in rats. *European Surgical Research* 24 (1) (1992) 45-53

**Hastings**, R.; Folkesson, H.; Matthay, M. Mechanisms of alveolar protein clearance in the intact lung. *American Journal of Respiratory Cellular and Molecular Biology*. 286 (2004) 679-689

**Hayashi**, Y.; Fukayama, M.; Koike, M.; Nakayama, T. Amylase in human lungs and the female genital tract. *Histochemical and immunohistochemical localisation*. *Histochemistry* 85 (6) (1986) 491-496

**Helmersson**, J.; Basu, S. F2-isoprostane excretion rate and diurnal variation in human urine. *Prostaglandins Leukotriens and Essential Fatty Acids*. 61 (3) (1999) 203-205

**Hermans**, C.; Bernard, A. Lung epithelium-specific proteins. American Journal of Respiratory and Critical Medicine 159 (2) (1999) 646-678

**Hibbs**, J.; Taintor, R.; Vavrin, Z.; Rachlin, E. Nitric oxide: a cytotoxic activated macrophage effector molecule. Biochemical and Biophysiological Research Communications 157 (1) (1988) 87-94

**Hibbs**, J.; Westenfelder, C.; Taintor, R.; Vavrin, Z.; Kablitz, C.; Baranowski, R.; Ward, J.; Menlove, R.; McMurry, M. Kushner, J. Evidence for cytokine-inducible nitric oxide synthesis from L-arginine in patients receiving interleukin-2 therapy. Journal of Clinical Investigation 89 (3) (1992) 867-877

**Hietanen**, E.; Bartsch, H.; Bereziat, J.; Camus, A.; McClinton, S.; Eremin, O.; Davidson, L.; Boyle, P. Diet and oxidative stress in breast, colon and prostate cancer: a case control study 48 (8) (1994) 575-586

**Hildebrand**, H.; Hilgendorff, A.; Fegbeutel, C.; Hüls, G.; Lindemann, H. pH-Bestimmung im Atemkondensat bei gesunden Probanden sowie bei Patienten mit zystischer Fibrose. Atemwegs- und Lungenkrankheiten 30 (3) (2004) 95-102

**Hilgendorff**, A.; Fegbeutel, C.; Hildebrand, H.; Hüls, G.; Lindemann, H. pH in expired airway condensate as an indicator of inflammatory processes and clinical course in cystic fibrosis? Atemwegs- und Lungenkrankheiten 29 (4) (2003) 188

**Hirt**, R.; Gütl, A.; Delvaux, F.; Gustin, P.; Marlin, D.; Kirschvink, N. Hydrogen peroxide and pH analysis in exhaled breath condensate of healthy dogs. Journal of Veterinary Internal Medicine 17 (2003) 746-747

**Hirt**, R.; Guetl, A.; Delvaux, E.; Gustin, P.; Kirschvink, N. 8-isoprostaglandin F2a in BAL is a direct marker of free radical induced lipid peroxidation in feline asthma. Journal of Veterinary Internal Medicine 18 (3) (2004a) 426-427

**Hirt**, R.; Guetl, A.; Delvaux, F.; Gustin, P.; Kirschvink, N. 8-isoprostaglandin F2a in BALF indicates free radical induced lipid peroxidation in canine lower respiratory disease, Journal of Veterinary Internal Medicine 18 (5) (2004b) 785

**Ho**, L.; Innes, J.; Greening, A. Nitrit levels in breath condensate of patients with cystic fibrosis is elevated in contrast to exhaled nitric oxide. Thorax 53 (1998) 1030-1034

**Hofer**, M.; Rechstein, T.; Becher, G.; Rothe, M.; Speich, R.; Russi, E.; Boehler, A. Leukotriene B<sub>4</sub> in exhaled breath condensate: impact of different breathing conditions during sampling. European Respiratory Journal International Conference Berlin (2001)

**Hofer**, M.; Rechsteiner, T.; Speich, R.; Boehler, A. TNF-alpha in breath condensate after lung transplantation. American Thoracic Society International Conference Orlando (2004a)

**Hofer**, M.; Rechstein, T.; Russi, E.; Boehler, A. Longitudinal study of inflammatory markers in breath condensate of patients after lung transplantation. American Thoracic Society 100. International Conference Orlando (2004b)

**Hogg**, J.; Ojoo, J.; Mulrennan, S.; Kastelik, J.; Morice, A.; Redington, A.; Exhaled breath condensate pH and exhaled nitric oxide in chronic obstructive pulmonary disease. European Respiratory Journal International Conference Wien (2003)

**Holland**, R.; Herd, T.; Refsal, K. Breath hydrogen concentration and small intestinal malabsorption in calves. American Journal of Veterinary Research 9 (1986) 2020-2024

**Holma**, B.; Lindgren, M.; Andersen, J. pH effects on ciliomotility and morphology of respiratory mucosa. *Environmental Health* 32 (1977) 216-226

**Holma**, B.; Hegg, O. pH- and protein-dependent buffer capacity and viscosity of respiratory mucus. Their relationships and influence on health. *The Science of the Total Environment* 84 (1989) 71-82

**Holter**, J.; Weiland, J.; Pacht, E.; Gadek, J.; Davis, W. Protein permeability in the adult respiratory distress syndrome. Loss of size selectivity of the alveolar epithelium. *Journal of Clinical Investigations* 78 (1986) 1513-1522

**Holzman**, M.; Hansbrough, J.; Rosen, G.; Turk, J. Uptake, release and novel species-dependent oxygenation of arachidonic acid in human and animal airway epithelial cells. *Biochimica et Biophysica Acta* 963 (3) (1988) 401-413

**Horak**, F.; Möller, A.; Graham, H.; Peter, F.; Brennan, S.; Kaya, W.; Pattersen, H.; Balding, E.; Stick, S. Nitric oxide metabolites (NO<sub>x</sub>) in exhaled breath condensate as a non-invasive marker of airway inflammation in infants with cystic fibrosis. Comparisons with bronchoalveolar lavage findings. *European Respiratory Journal International Conference Glasgow* (2004)

**Horváth**, I.; Lim, S.; Donnelly, L.; Kharitonov, S.; Chung, K.; Barnes, P. Nitrite and hydrogen peroxide levels are elevated in exhaled breath condensates in asthma. *European Respiratory Society International Conference* (1997)

**Horváth**, I.; Donnelly, L.; Kiss, A.; Kharitonov, S.; Lim, S.; Chung, F.; Barnes, P. Combined use of exhaled hydrogen peroxide and nitric oxide in monitoring asthma. *American Journal of Respiratory and Critical Care Medicine* 158 (4) (1998a) 1042-1046

**Horváth**, I.; Loukides, S.; Wodehouse, T.; Kharitonov, S.; Cole, P.; Barnes, P. Increased levels of exhaled carbon monoxide in bronchiectasis: a new marker of oxidant stress. *Thorax* (53) (1998b) 867-870

**Horváth**, I.; Donnelly, L.; Shoemark, A.; Wilson, R.; Kharitonov, S.; Barnes, P. Elevated level of nitrite, but not nitrate in exhaled breath condensate in bronchiectasis. *American Thoracic Society International Conference Atlanta* (2002)

**Horváth**, I.; Loukides, S.; Wodehouse, T.; Csiszer, E.; Cole, P.; Kharitonov, S.; Barnes, P. Comparison of exhaled and nasal nitric oxide and exhaled carbon monoxide levels in bronchiectatic patients with and without primary ciliary dyskinesia. *Thorax* 58 (2003) 68-72

**Horváth**, I.; Hunt, J.; Barnes, P. Exhaled breath condensate: methodical recommendations and unresolved questions. *European Respiratory Journal* 26 (2005) 523-548

**Hou**, X.; Roberts, L.; Gobeil, F.; Taber, D.; Kanai, K.; Abran, D.; Brault, S.; Checchin, D.; Sennlaub, F.; Lachapelle, P.; Varma, D.; Chemtob, S. Isomer-specific contractile effects of a series of synthetic f2-isoprostanes on retinal and cerebral microvasculature. *Free Radical Biology and Medicine* 36 (2) (2004) 163-172

**Howarth**, P. Leukotrienes in rhinitis. *American Journal of Respiratory and Critical Care Medicine* 161 (2000) 133

**Huizenga**, J.; Gips, C.; Tangerman, A. The contribution of various organs to ammonia formation: a review of factors determining the arterial ammonia concentration. *Annual of Clinical Biochemistry* 33 (1996) 23-30

**Hunt**, J.; Byrns, R.; Ignarro, L. Condensed exspirate nitrite as home marker for acute asthma. *Lancet* 346 (1995) 1235-1236

**Hunt**, J.; Fang, K.; Malik, R.; Snyder, A.; Malhotra, N.; Platts-Mills, T.; Gaston, B. Endogenous airway acidification-Implications for asthma physiology. *American Journal of Respiratory and Critical Care Medicine* 161 (2000) 694-699

**Hunt**, J.; Gaston, B. Endogenous airway acidification. Implications for asthma pathology. *American Journal of Respiratory and Critical Care Medicine* 163 (2001) 293-294

**Hunt**, J. Exhaled breath condensate: An envolving tool for invasive evaluation of lung disease. *Journal of Allergy and Clinical Immunology* 110 (1) (2002) 28-34

**Hunt**, J.; Vaughan, J. utility of rapid (two-minute) exhaled breath condensate collection for ammonia and pH measurements. *American Thoracic Society International Conference Atlanta* (2002)

**Hunt**, J.; Erwin, E.; Palmer, L.; Vaughan, J.; Malhotra, N.; Platts-Mills, Gaston, B. Expression and activity of pH-regulatory Glutaminase in the human airway epithelium. *American Journal of Respiratory and Critical Care Medicine* 165 (2002) 101-107

**Hunt**, J. From the authors. *European Respiratory Journal* 23 (2004) 962

**Huszar**, E.; Vass, G.; Vizi, E.; Csoma, Z.; Barát, E.; Molnár Világos, G.; Herjavecz, I.; Horváth, I. Adenosine in exhaled breath condensate in healthy volunteers and in patients with asthma. *European Respiratory Journal* 20 (2002) 1393-1398

**Inglis**, S.; Wilson, S.; Olver, R. Secretion of acid and base equivalents by intact distal airways. *American Journal of Physiology: Lung Cellular and Molecular Physiology* 284 (2003) 855-862

**Ishizuka**, S.; Yamaya, M.; Suzuki, T.; Nakayama, K.; Kamanaka, M.; Ida, S.; Sekizawa, K.; Sasaki, H. Acid exposure stimulates the adherence of *Streptococcus pneumoniae* to cultured human airway epithelial cells. *American Journal of Respiratory Cellular and Molecular Biology* 24 (2001) 459-468

**Ito**, K.; Hanazawa, T.; Brindicci, C.; Barnes, P.; Kharitonov, P. Real-time measurement of peroxynitrit in exhaled breath condensate. *European Respiratory Society International Conference Wien* (2003)

**Jakab**, A.; Huszár, E.; Barát, E.; Vass, G.; Horváth, I. Interleukin 1beta in exhaled breath condensate of lung transplant recipients. *European Respiratory Society International Conference Wien* (2003)

**Jang**, A.; Choi, I.; Lee, S.; Seo, J.; Yang, S.; Park, K.; Lee, K.; Lee, J.; Park, C.; Park, H. Nitric oxide metabolites in induced sputum: a novel marker of airway inflammation in asthmatic subjects. *Clinical Expectations of Allergy* 29 (8) (1999) 1136-1142

**Janssen**, L. The pulmonary biology of isoprostanes. *Chemistry and Physiology of Lipids* 128 (1-2) (2004) 101-116

**Janovsky**, U.; Scholl, S.; Skadal, D.; Poupart, G.; Schmid, A.; Amman, A. Breath gas analysis in pediatric patients suffering from propionic acidaemia Breath gas analysis for medical diagnostics. *Conference* (2004) Dornbirn

**Jayaraman**, S.; Joo, N.; Reitz, B.; Wine, J.; Verkman, A. Submucosal gland secretions in airways from cystic fibrosis patients have normal  $[Na^+]$  and pH but elevated viscosity. *Proceedings of the National Academy of Science of the United States of America* 98 (14) (2001a) 8119-8123

**Jayaraman**, S.; Song, Y.; Verkman, A. Airway surface liquid pH in well-differentiated airway epithelial cell cultures and mouse trachea. *American Journal of Physiology and Cellular Physiology* 281 (5) (2001b) 1504-1511

**Jia**, L.; Bonaventura, C.; Bonaventura, J.; Stamler, J. S-nitrosohaemoglobin: a dynamic activity of blood involved in vascular control. *Nature* 380 (6571) (1996) 205

**Joseph**, D.; Tirmizi, O.; Zhang, X.; Crandall, E.; Lubman, R. Alveolar epithelial ion and fluid transport-Polarity of alveolar epithelial cell acid-base permeability. *American Journal of Physiology: Lung Cellular and Molecular Physiology* 282 (2002) 675-683

**Jourdan**, K.; Mitchell, J.; Evans, T. Release of isoprostanes by human artery in organ culture: a cyclooxygenase and nitric oxide dependent pathway. *Biochem Biophys Res Commun* 233 (3) (1997) 668-672

**Jourdan**, K.; Evans, T.; Goldstraw, P.; Mitchell, J. Isoprostanes and PGE<sub>2</sub> production in human isolated pulmonary artery smooth muscle cells: concomitant and different release. *The FASEB Journal* 13 (1999) 1025-1030

**Kalayci**, O.; Besler, T.; Kilinc, K.; Sekerel, B.; Saracilar, Y. Serum level of antioxidant vitamins (alpha tocopherol, beta carotene, and ascorbic acid) in children with bronchial asthma. *Turk Journal of Pediatry* 42 (1) (2000) 17-21

**Kanner**, J.; Harel, S.; Granit, R. Nitric oxide, an inhibitor of lipid oxidation by lipoxygenase, cyclooxygenase and hemoglobin. *Lipids* 27 (1) (1992) 46-49

**Karadag**, B.; James, A.; Gultekin, E.; Wilson, N.; Bush, A. Nasal and lower airway level of nitric oxide in children with primary ciliary dyskinesia. *European Respiratory Journal* 13 (1999) 1402-1405

**Kasielski**, M.; Nowak, D. Increased content of TBA-reactive substances in exhaled breath condensate (EBC) and serum of COPD patients. *European Respiratory Society International Conference* (1998)

**Kelly**, F.; Mudway, I.; Blomberg, A.; Frew, A.; Sandstrom, T. Altered lung antioxidant status in patients with mild asthma. *Lancet* 354 (9177) (1999) 482-483

**Kharitonov**, S.; Wells, A.; O'Connor, B.; Cole, P.; Hansell, D.; Logan-Sinclair, R.; Barnes, P. Elevated levels of exhaled nitric oxide in bronchiectasis. *American Journal of Respiratory and Critical Care Medicine* 151 (1995) 1889-1893

**Kim**, Y.; Chen, B.; Beauregard, J.; Kouretas, P.; Thomas, G.; Farhat, M.; Myers, A.; Lees, D. 17 $\beta$ -estradiol prevents dysfunction of canine coronary endothelium and myocardium and reperfusion arrhythmias after brief ischemia/reperfusion. *Circulation* 94 (1996) 2901-2908

**Kim**, K.; Malik, A. Protein transport across the lung epithelial barrier. *American Journal of Physiology: Lung Cellular and Molecular Physiology* 284 (2) (2003) 247-259

**Kirschvink**, N.; Art, T.; Smith, N.; Lekeux, P. Effect of exercise and COPD crisis on isoprostane concentration in plasma and bronchoalveolar lavage fluid horses. *Equine Veterinary Journal* 30 (1999) 88-91

**Kirschvink**, N.; Fievez, L.; Bougnet, V.; Art, T.; Degand, G.; Smith, N.; Marlin, D.; Roberts, C.; Harris, P.; Lekeux, P. Effect of nutritional antioxidant supplementation on systemic and pulmonary antioxidant status, airway inflammation and lung function in heaves-affected horses. Equine Veterinary Journal 34 (7) (2002a) 705-712

**Kirschvink**, N.; Smith, N.; Fievez, L.; Bougnet, V.; Art, T.; Degand, G.; Marlin, D.; Roberts, C. Genicot, B.; Lindsey, P.; Lekeux, P. Effect of chronic airway inflammation and exercise on pulmonary and systemic antioxidant status of healthy and heaves-affected horses. Equine Veterinary Journal 34 (6) (2002b) 563-571

**Kirschvink**, N.; Fievez, L.; Bureau, F.; Degand, G.; Maghuin-Rogister, G.; Smith, N.; Art, T.; Lekeux, P. Adaptation to multiday ozone exposure is associated with a sustained increase of bronchoalveolar uric acid. Free Radical Research 36 (1) (2002c) 23-32

**Kirschvink**, N.; Bureau, F.; Fievez, L.; Leemans, J.; Delvaux, F.; Clercx, C.; Marlin, D.; Gustin, P. Indices of oxidative stress in a feline model of asthma: 8-Iso-PGF<sub>2α</sub> in bronchoalveolar lavage and H<sub>2</sub>O<sub>2</sub> in exhaled breath condensate. European Respiratory Society International Conference Glasgow (2004)

**Kirschvink**, N.; Marlin, D.; Delvaux, F.; Leemans, J.; Clercx, C.; Sparkes, A.; Gustin, P. Collection of exhaled breath condensate and analysis of hydrogen peroxide as a potential marker of lower airway inflammation in cats. The Veterinary Journal 169 (2005) 385-396

**Klebanoff**, J. Reactive nitrogen intermediates and antimicrobial activity: role of nitrite. Free Radical Biology and Medicine 14 (1993) 351-360

**Klein**, T.; Reutter, F.; Schweer, H.; Seyberth, H.; Nusing, R. Generation of the isoprostane 8-epi-prostaglandin F(2α) in vitro and in vivo via the cyclooxygenases. Journal of Pharmacology and Experimental Therapeutics 282 (3) (1997) 1658-1665

**Knobloch**, H. Biologische Variabilität von ausgewählten Entzündungsmarkern(H<sub>2</sub>O<sub>2</sub>, Nitrit, LTB<sub>4</sub>, 8-iso-Prostan, pH Wert und Laktat) in Atemkondensat und Blut beim Kalb unter Applikation neuer Messverfahren. Fachhochschule Jena, University of Applied Sciences, Fachbereich Medizintechnik, Jena (2006)

**Koppenol**, W.; Moreno, J.; Pryor, W.; Ischiropoulos, H. Beckman, J. Peroxynitrite, a cloaked oxidant formed by nitric oxide and superoxide. Chemical Research in Toxicology 5 (1992) 834-842

**Kostikas**, K.; Papatheodorou, G.; Ganas, K.; Psathakis, K.; Panagou, P. Loukides, S. pH in exhaled breath condensate of patients with inflammatory airway diseases. American Journal of Respiratory and Critical Care Medicine 165 (2002) 1364-1370

**Kostikas**, K.; Papatheodorou, G.; Psathakis, K.; Panagou, P. Loukides, S. Oxidative stress in exhaled breath condensate of patients with COPD. Chest 124 (2003a) 1373-1380

**Kostikas**, K.; Papatheodorou, G.; Psathakis, K.; Panagou, P.; Loukides, S. Prostaglandin E<sub>2</sub> in the exhaled breath condensate of patients with asthma. European Respiratory Journal 22 (2003b) 743-747

**Kyle**, H.; Ward, J.; Widdicombe, J. Control of pH on airway surface liquid of the ferret trachea in vitro. Journal of Applied Physiology 68 (1990) 135-140

**Lacza**, Z.; Puskar, M.; Figueroa, J.; Zhang, J.; Rajapaske, N.; Busija, D. mitochondrial nitric oxide synthase is constitutively active and is functionally upregulated in hypoxia. Free Radical and Biological Medicine 31 (2001) 1609-1615

**Lärstad**, M.; Ljungkvist, G.; Olin, A.; Torén, K. Determination of malondialdehyde in breath condensate. European Respiratory Society International Conference Berlin (**2001**)

**Larson**, T.; Covert, D.; Frank, R.; A method for continuous measurement of ammonia in respiratory airways. Journal of Applied Physics 46 (3) (**1979**) 603-607

**Laterza**, O.; Curthoys, N. Effect of acidosis on the properties of the glutaminase mRNA pH-response element binding protein. Journal of the American Society of Nephrology 11 (9) (**2000**) 1583-1588

**Latzin**, P. Die Entzündungsparameter NO, H<sub>2</sub>O<sub>2</sub> und Nitrit in der Ausatemluft: Erstellung von Referenzwerten bei gesunden Kindern. Dissertation der Ludwig-Maximilian-Universität zu München (**2003**) 89

**Latzin**, P.; Beck, J.; Bartenstein, A.; Griese, M. Comparison of exhaled breath condensate from nasal and oral collection. European Journal of Medical Research 8 (11) (**2003**) 505-510

**Lawler**, J.; Song, W. Specificity of antioxidant enzyme inhibition in skeletal muscle to reactive nitrogen species donors. Biochemical and Biophysical Research Communications 294 (**2002**) 1093

**Lebovitz**, H. Diabetic ketoacidosis. Lancet 345 (**1995**) 767-772

**Lehmann**, C.; Rothe, M.; Becher, G. In exhaled breath condensate pH-value correlates with ammonium concentration. European Respiratory Journal International Conference Wien (**2003a**)

**Lehmann**, C.; Rothe, M.; Becher, G. Sampling of exhaled breath condensate-Comparison of 3 condensers. American Thoracic Society International Conference Seattle (**2003b**)

**Lehmann**, C.; Becher, G.; Borkenhagen, J.; Rothe, M. Parameters of oxidation in exhaled breath condensate. European Respiratory Society International Conference Glasgow (**2004**)

**Lehmann**, C.; Rothe, M. Der pH-Wert im Atemkondensat-Einflussgrößen und mögliche Bedeutung. Pneumologie 57 (**2003**) 107-117

**Lehtonen**, H.; Oksa, P.; Lehtimaki, L.; Sepponen, A.; Kankaanranta, H.; Saarelainen, S.; Jarvenpaa, R.; Uitti, J.; Moilanen, E. Increased alveolar NO output and high condensate LTB4 and 8-isoprostanate levels in patients with asbestosis. European Respiratory Society International Conference Wien (**2003**)

**Lembcke**, B.; Braden, B.; Caspary, W. Exocrine pancreatic insufficiency: accuracy and clinical value of the uniformly labelled <sup>13</sup>C-Holein breath test. Gut 39 (**1996**) 668-674

**Lenler-Peterson**, P.; Grove, A.; Brock, A.; Jelnes, R. alpha-Amylase in resectable lung-cancer. European Respiratory Journal 7 (**1994**) 941-945

**Lewandrowski**, K.; Busch, T.; Lewandrowski, M.; Kreske, U.; Gerlach, H.; Falke, K. Evidence of nitric oxide in the exhaled gas of asian elephants (*elephas maximus*). Respiratory Physiology 106 (1) (**1996**) 91-98

**Li**, X.; Donaldson, K.; Brown, D.; MacNee, W. The role of tumor necrosis factor in increased air-space epithelial permeability in acute lung inflammation. American Journal of Respiratory Cellular and Molecular Biology 13 (**1995**) 185-195

**Li, X.; Donaldson, K.; MacNee, W.** Lipopolysaccharide-induced alveolar epithelial permeability: the role of nitric oxide. *American Journal of Respiratory and Critical Care Medicine* 157 (1998) 1027-1033

**Li, Y.; Yan, Z.; Brauner, A.; Tullus, K.** Activation of macrophage nuclear factor- $\kappa$ B and induction of inducible nitric oxide synthase by LPS. *Respiratory Research* 3 (2002) 23

**Liu, C.; Wang, C.; Chen, T.; Lin, H.; Yu, C.; Kuo, H.** Increased level of exhaled nitric oxide and up-regulation of inducible nitric oxide synthase in patients with primary lung cancer. *British Journal of Cancer* 78 (4) (1998) 534-541

**Loukides, S.; Horváth, I.; Wodehouse, T.; Cole, P.; Barnes, P.** Elevated levels of exhaled breath hydrogen peroxide in bronchiectasis. *American Journal of Respiratory and Critical Care Medicine* 153 (3) (1998) 991-994

**Loukides, S.; Ganas, K.; Papatheodorou, G.; Zervas, E.; Panagou, P.; Kalogeropoulos, N.** Total nitrate-nitrite levels in exhaled breath condensate of patients with asthma. . *American Thoracic Society International Conference Toronto* (2000)

**Lu, M.; Peters-Golden, M.; Hostetler, D.; Robinson, N.; Derksen, F.** Age-related enhancement of 5-lipoxygenase metabolic capacity in cattle alveolar macrophages. *American Journal of Physiology: Lung Cellular and Molecular Physiology* 271 (1996) 547-554

**Lundberg, J.; Farkas-Szallasi, T.; Weitzberg, E.; Rinder, J.; Lindholm, J.; Anggaard, A.; Hokfelt, T; Lundberg, J.; Alving, K.** High nitric oxide production in human paranasal sinuses. *Nature Medicine* 1 (1995) 144-145

**MacGregor, G.; Ellis, S.; Andrews, J.; Davis, M.; Innes, J.; Greening, A.; Cunningham, S.** Exhaled breath ammonium lower in asthmatic children. *American Thoracic Society International Conference Seattle* (2003a)

**MacGregor, G.; Cain, D.; Ellis, S.; Davis, M.; Cunningham, S.; Innes, J.; Greening, A.** Low ammonium in exhaled breath condensate in cystic fibrosis adults and children. *American Thoracic Society International Conference Seattle* (2003b)

**MacGregor, G.; Ellis, S.; Andrews, J.; Imrie, M.; Innes, A.; Greening, A.; Cunningham, S.** Breath condensate ammonium is lower in children with chronic asthma. *European Respiratory Journal* 26 (2005) 271-276

**Machado, R.; Stoller, J.; Laskowski, D.; Zheng, S.; Lupica, J.; Dweik, R.; Erzurum, S.** Low levels of nitric oxide and carbon monoxide in  $\alpha_1$ -antitrypsin deficiency. *Journal of Applied Physiology* 93 (2002) 2038-2043

**Machado, R.; Janocha, A.; Laskowski, D.; Comhair, S.; Markgraaff, H.; Dweik, R.; Erzurum, S.** Analysis of the exhaled breath condensate protein profile. *American Thoracic Society Congress Seattle* (2003)

**Makowka, A.; Nowak, D.; Majewska, E.; Rul, A.; Pietras, T.; Kazucka, S.** The influence of smoking to levels of nitrites in exhaled breath condensate of healthy subjects. *European Respiratory Society International Conference Florence* (2000)

**Malaviya, R.; Malaviya, R.; Jakschik, B.** Reversible translocation of 5-lipoxygenase in mast cells upon IgE/antigen stimulation. *Journal of Biological Chemistry* 268 (1993) 4939-4944

**Malerba**, M.; Clini, E.; Cremona, G.; Radaeli, A.; Bianchi, L.; Pini, L.; Ricciardolo, F.; Grassi, V.; Ambrosino, N. Exhaled nitric oxide in patients with Pizz phenotype-related alpha1-anti-trypsin deficiency. *Respiratory Medicine* 95 (6) (2001) 520-525

**Mandal**, A.; Skoch, J.; Bacskai, B.; Hyman, B.; Christmas, P.; Miller, D.; Yamin, T.; Xu, S.; Wisniewski, D.; Evans, J.; Soberman, R. The membrane organization of leukotriene synthesis. *Proceedings of the National Academy of Science of the United States of America* 101 (17) (2004) 6587-6592

**Manke**, H.-G.; Groeger, C.; Cloirus, J.; Walch, S.; Heinhold, M.; Drings, P. Saliväre Alpha-Amylase wird von Patienten mit unbehandelter Sarcoidose exhaliert. *Pneumologie Sonderheft Jahrgang 54, P169* (2000) S 83

**Manney**, S.; Nuttall, S.; Ayres. Markers of oxidative stress in exhaled breath condensate in response to salbutamol in asthma and COPD. American Thoracic Society 100. International Conference Orlando (2004)

**Markewitz**, B.; Michael, J.; Kohan, D. Cytokine-induced expression of a nitric oxide synthase in rat renal tubule cells. *Journal of Clinical Investigation* 91 (5) (1993) 2138-2143

**Marteus**, H.; Stensdotter, M.; Schedin, U.; Alving, K. Oropharyngeal contribution to biomarkers found in exhaled breath condensate. American Thoracic Society International Conference Orlando (2004a)

**Marteus**, H.; Nihlen, C.; Schedin, U.; Alving, K. A novel method for local sampling of condensate from the nasal airways. American Thoracic Society International Conference Orlando (2004b)

**Marteus**, H.; Nihlen, C.; Schedin, U.; Alving, K. Increased nitrite levels in exhaled breath condensate after nitrate indigestion. American Thoracic Society International Conference Orlando (2004c)

**McCafferty**, J.; Bradshaw, T.; Tate, S.; Greening, A.; Innes, J. Effects of breathing pattern and inspired air conditions on breath condensate volume, pH, nitrit and protein concentrations. *Respiratory Physiology* 59 (2004) 694-698

**McCrea**, K.; Ensor, J.; Nall, K.; Bleeker, E.; Hasday, J. Altered cytokine regulation in the lung of cigarette smokers. *American Journal of Respiratory and Critical Care Medicine* 150 (1994) 696-703

**McKinney**, E.; Shouri, R.; Hunt, R.; Ahokas, R.; Sibai, B. Plasma, urinary, and salivary 8-epi-prostaglandin f2alpha levels in normotensive and preeclamptic pregnancies. *American Journal Obstetric Gynecology* 183 (4) (2000) 874-877

**McLellan**, J.; Wyse, C.; Dickie, A.; Preston, T.; Yam, P. Comparison of the carbon 13-labeled octanoic breath test and ultrasonography for assessemnt of gastric emptying of a semisolid meal in dogs. *American Journal of Veterinary Research* 65 (11) (2004) 1557

**McShane**, D.; Davies, J.; Davies, M.; Bush, A.; Geddes, D.; Alton, E. Airway surface pH in subjects with cystic fibrosis. *European Respiratory Journal* 21 (2003) 37-42

**Meagher**, E.; Barry, O.; Burke, A.; Lucey, M.; Lawson, J.; Rokach, J.; FritzGerald, G. Alcohol-induced generation of lipid peroxidation products in humans. *Journal of Clinical Investigations* 104 (6) (1996) 805-813

**Mendis**, S.; Sobotka, P.; Euler, D. Pentane and isoprene in exhaled air from humans: gas-chromatographic analysis of single breath. Clinical Chemistry 40 (1994) 1485-1488

**Meydani**, S.; Wu, D.; Santos, M.; Hayek, M. Antioxidants and immune response in aged persons: overview of present evidence. American Journal of Clinical Nutrition 62 (1995) 1462-1476

**Mills**, P.; Roberts, C.; Smith, N. Effects of ozone and airway inflammation on glutathione status and iron homeostasis in the lung of horses. American Journal of Veterinary Research 57 (9) (1996) 1359-1363

**Montuschi**, P.; Ciabattoni, G.; Paredi, P.; Pantelidis, P.; du Bois, R.; Kharitonov, S.; Barnes, P. 8-isoprostanate as a marker of oxidative stress in interstitial lung diseases. American Journal of Respiratory and Critical Care Medicine. 158 (5) (1998) 1524-1527

**Montuschi**, P.; Corradi, M.; Ciabattoni, G.; Nightingale, J.; Kharitonov, S.; Barnes, P. Increased 8-isoprostanate, a marker of oxidative stress, in exhaled condensate of asthma patients. American Journal of Respiratory and Critical Care Medicine 160 (1) (1999) 216-220

**Montuschi**, P.; Kharitonov, S.; Ciabattoni, G.; Corradi, M.; van Rensen, L.; Geddes, D.; Hodson, M.; Barnes, P. Exhaled 8-isoprostanate as a new non-invasive biomarker of oxidative stress in cystic fibrosis. Thorax 55 (3) (2000a) 205-209

**Montuschi**, P.; Collins, J.; Ciabattoni, G.; Lazzeri, N.; Corradi, M.; Kharitonov, S.; Barnes, P. Exhaled 8-isoprostanate as an *in vivo* biomarker of lung oxidative stress in patients with COPD and healthy smokers. American Journal of Respiratory and Critical Care Medicine 162 (3) (2000b) 1175-1177

**Montuschi**, P.; Kharitonov, S.; Barnes, P. Exhaled carbon monoxide and nitric oxide in COPD. Chest 120 (2001) 496-501

**Montuschi**, P.; Kharitonov, S.; Ciabattoni, G.; Barnes, P. Exhaled leukotrienes and prostaglandins in COPD. Thorax 58 (2003a) 585-588

**Montuschi**, P.; Varone, F.; Valente, S.; Corbo, G.; Bevignani, G.; Ciappi, G.; Ciabattoni, G. Measurement of exhaled prostanoids: reproducibility and flow-dependence. American Thoracic Society International Conference Seattle (2003b)

**Montuschi**, P.; Ragazzoni, E.; Valente, S.; Corbo, G.; Mondino, C.; Ciappi, G.; Barnes, P.; Ciabattoni, G. Validation of leukotriene B4 measurement in exhaled breath condensate. Inflammatory Research 52 (2) (2003c) 69-73

**Montuschi**, P.; Ragazzoni, E.; Valente, S.; Corbo, G.; Mondino, C.; Ciappi, G.; Ciabattoni, G. Validation of 8-isoprostanate and prostaglandin E(2) measurements in exhaled breath condensate. Inflammatory Research 52 (12) (2003d) 502-507

**Montuschi**, P.; Barnes, P. Eicosanoids in breath condensate: new non invasive biomarkers of airway inflammation. European Respiratory Society International Conference Florenz (2000)

**Morrow**, J.; Hill, K.; Burk, R.; Nammour, T.; Badr, K.; Roberts, L. A series of prostaglandin F<sub>2</sub>-like compounds are produced *in vivo* in humans by a non-cyclooxygenase, free radical-catalyzed mechanism. Proceedings of the National Academy of Science 87 (1990) 9383-9387

**Morrow**, J.; Awad, J.; Boss, H.; Blair, I.; Roberts, L. Non-cyclooxygenase-derived prostanoids ( $F_2$ -isoprostanes) are formed in situ on phospholipids. *Proceedings of the National Academy of Sciences* 89 (1992) 10721-10725

**Morrow**, J.; Minton, T.; Mukundan, C.; Campbell, M.; Zackert, W.; Daniel, V.; Badr, K. Blair, I.; Robert, L. Free radical-induced generation of isoprostanes in vivo. Evidence for the formation of D-ring and E-ring isoprostanes. *Journal of Biological Chemistry* 269 (6) (1994) 4317-4326

**Morrow**, J.; Balz, F.; Longmire, A.; Gaziano, M.; Lynch, S.; Shyr, Y.; Strauss, W.; Oates, J.; Roberts, L. Increase in circulating products of lipid peroxidation ( $F_2$ -isoprostanes) in smokers – Smoking as a cause of oxidative damage. *The New England Journal of Medicine* 332 (18) (1995) 1198-1203

**Morrow**, J.; Roberts, L. The isoprostanes-Their role as an index of oxidant stress status in human pulmonary disease. *American Journal of Respiratory and Critical Care Medicine* 166 (2002) 25-30

**Müller**, J.; Mehls, H.; Kirschner, J.; Kolb, M.; Schmidt, M. Standardization of breath condensate collection European Respiratory Society International Conference Florenz (2000)

**Muir**, P.; Papassouliotis, K.; Gruffydd-Jones, T.; Cripps, P.; Harbour, D. Evaluation of carbohydrate malassimilation and intestinal transit time in cats by measurement of breath hydrogen excretion. *American Journal of Veterinary Research* 52 (7) (1991) 1104-1109

**Mulrennan**, S.; Ojoo, J.; Kastelik, J.; Morice, A.; Redington, A. Airway acidification and exhaled nitric oxide in cystic fibrosis. European Respiratory Society International Conference Wien (2003)

**Musil**, J.; Cáp, P.; Pehal, F. can we use the evaluation of leukotrienes in breath condensate for the diagnosis of chronic obstructive pulmonary disease (COPD)? European Respiratory Society International Conference Glasgow (2004)

**Murphy**, D.; Reid, S.; Love, S. Breath hydrogen measurement as a non-invasive method for investigation of equine intestinal function: preliminary results. *Research in Veterinary Science* 65 (1998) 47-51

**Mutti**, A.; Corradi, M.; Apostoli, P.; Andreoli, Goldoni, M.; Manini, P.; Vettori, M.; Rubinstein, I. Exhaled breath condensate as a tool to assess target tissue dose and effects of pneumotoxic metals. American Thoracic Society International Conference Seattle (2003)

**Mutulu**, G.; Garey, K.; Robbins, R.; Danziger, L.; Rubinstein, I. Collection and alalysis of exhaled breath condensate in humans. *American Journal of Respiratory and Critical Care Medicine* 164 (2001) 731-737

**Muzaffar**, S.; Shukla, N.; Lobo, C.; Angelini, G.; Jeremy, J. Iloprost inhibts superoxide formation and gp91(phox) expression induced by the thromboxane A(2) analogue U46619, 8-isoprostone F-2 alpha, prostaglandin F-2 alpha, cytokines and endotoxin in the pig pulmonary artery. *British Journal of Pharmacology* 14 (3) (2004) 488-496

**Nahori**, M.; Prevost, M.; Gounon, P. Guinea pig tracheal epithelial cells in primary culture: morphological and metabolic characterization. *Journal of Lipid Mediators* 3 (1) (1991) 101-112

**Nair**, S.; Cope, K.; Risby, T.; Diehl, A. obesity and female gender increase breath ethanol concentration: potential implications for the pathogenesis of nonalcoholic steatohepatitis. American Journal of Gastroenterology 96 (9) (2001) 2809

**Napolitano**, A.; Camera, E.; Picardo, M.; d'Ischia, M. Acid-promoted reactions of ethyl linoleate with nitrite ions: formation and structural characterization of isomeric nitroalkene, nitrohydroxy, and novel 3-nitro-1,5-hexadiene and 1,5-dinitro-1, 3-pentadiene products. Journal of Organic Chemistry 65 (16) (2000) 4853-4860

**Nathan**, C.; Hibbs, J. Role of nitric oxide synthesis in macrophage antimicrobial activity. Current Opinion in Allergy and Clinical Immunology 3 (1) (1991) 65-70

**Nayeri**, F.; Millinger, E.; Nilsson, I.; Zetterstrom, O.; Brudin, L.; Forsberg, P. Exhaled breath condensate and serum levels of hepatocyte growth factor in pneumonia. Respiratory Medicine 96 (2) (2002) 115-119

**Neiger**, R.; Seiler, G.; Schmassmann, A. Use of a urea breath test to evaluate short-term treatments for cats naturally infected with *Helicobacter heilmannii*. American Journal of Veterinary Research 60 (7) (1999) 880-883

**Neumann**, L.; Biochemische Lungenfunktionsdiagnostik mit dem EcoScreen. Sonderausgabe Info Firma Jaeger 1 (2001) 13-16

**Nevzorova**, V.; Maystrovskaya, Y.; Kochetkova, Y.; Sourovenko, T.; Maystrovsky, Lukyanov, P. The content of a1-acid glycoprotein (a1-AGP) in exhaled air condensate (EAC) and interleukin-1 (IL-1), interleukin-6 (IL-6) in the blood serum of the patients with bronchial asthma (BA). European Respiratory Society International Conference Florenz (2000)

**Ngamtrakulpanit**, L.; Vaughan, J.; Nguyen, A.; Urban, P.; Hom, S.; Smith, A.; Gaston, B.; Turner, R.; Hunt, J. Exhaled breath condensate acidification during rhinovirus cold. American Thoracic Society International Conference Seattle (2003)

**Ngamtrakulpanit**, L.; Urban, P.; Vaughan, J.; Smith, A.; Nguyen, T.; Hom, S.; Conaway, M.; Gaston, B.; Turner, R.; Hunt, J. A protective role of endogenous airway acidification during rhinovirus cold. American Thoracic Society International Conference Orlando (2004)

**Nguyen**, T.; Robbins, M.; Jones, D.; Vaughan, J.; Hunt, J.; Gaston, B. Patients who are acidopneic following lung transplantation have decreased breath condensate levels of ammonium. American Thoracic Society International Conference Seattle (2003)

**Niimi**, A.; Nguyen, L.; Usmani, O.; Mann, B.; Chung, K. Reduced pH and chloride levels in exhaled breath condensate of patients with chronic cough. Thorax 59 (2004) 608-612

**Norwood**, D.; Wainman, T.; Lioy, P.; Waldman, J. Breath ammonia depletion and its relevance to acidic aerosol exposure studies. Archives of Environmental Health 47 (4) (1992) 309-313

**Novak**, Z.; Nemeth, I.; Gyurkovits, K.; Varga, S.; Matkovics, B. Examination of the role of oxygen free radicals in bronchial asthma in childhood. Clinical Chimica Acta 201 (3) (1991) 247-251

**Nowak**, D.; Kasielski, M.; Antczak, A.; Pietras, T.; Bialasiewicz, P. Increased content of thiobarbituric acid-reactive substances and hydrogen peroxide in the exhaled breath condensate of patients with stable chronic obstructive pulmonary disease: no significant effect of cigarette smoking. Respiratory Medicine 93 (6) (1999) 389-396

**Ojoo**, J.; Kastelik, J.; Mulrennan, S.; Morice, A.; Redington, A. Exhaled breath condensate pH in exhaled nitric oxide in cystic fibrosis. European Respiratory Society International Conference Seattle (**2003**)

**Ojoo**, J.; Mulrennan, S.; Kastelik, J.; Morice, A.; Redington, A. Exhaled breath condensate pH and exhaled nitric oxide in allergic asthma and in cystic fibrosis. Thorax 60 (**2005**) 22-26

**Olin**, A.; Aldenbratt, A.; Ekman, A.; Ljungkvist, G.; Jungersten, L.; Alving, K.; Toren, K. Increased nitric oxide in exhaled air after intake of nitrate-rich meal. Respiratory Medicine 95 (2) (**2001**) 153-158

**Olopade**, C.; Zakkar, M.; Swedler, W.; Rubinstein, I. Exhaled pentane levels in acute asthma. Chest 111 (**1997**) 862-865

**Omland**, O.; Viskum, S.; Sigsgaard, T. IL-1 $\beta$  in exhaled breath condensate is associated to work related cough and sensitisation in subjects exposed to sodium bidisulfite treated (1% solution) norwegian lobsters. European Respiratory Society International Conference Glasgow (**2004**)

**Onsager**, L. Ion passages in lipid bilayers. Science 156 (**1967**) 541

**Otsuki**, M.; Yuu, H.; Maeda, M.; Saeki, S.; Yamasaki, T. Amylase in the lung. Cancer 39 (4) (**1977**) 1656-1663

**Paget-Brown**, A.; Ngatrakulpanit, L.; Smith, A.; Bunyan, D.; Hom, S.; Nguyen, A.; Hunt, J. Normative data for pH of exhaled breath condensate. Chest 129 (**2006**) 426-430

**Palaiologou**, A.; Loukides, S.; Papatheodorou, G.; Panagou, P.; Xronas, G.; Kalogeropoulos, N. pH in exspired breath condensate of patients with asthma. European Respiratory Society International Conference Florenz (**2000**)

**Panagou**, P.; Papathoedorou, G.; Loukides, S.; Tsipra, S.; Tsintris, K.; Kalogeropoulos, N. Breath condensate total nitrite-nitrate levels in patients with asthma. European Respiratory Society International Conference Madrid (**1999**)

**Papasouliotis**, K.; Muir, P.; Gruffydd-Jones, T.; Galloway, P.; Smerdon, T.; Cripps, P. Decreased orocaecal transit time, as measured by the exhalation of hydrogen, in hyperthyroid cats. Research in Veterinary Science 55 (1) (**1993**) 115-118

**Papasouliotis**, K.; Gruffydd-Jones, T.; Sparkes, A.; Cripps, P. A comparison of orocaecal transit times assessed by the breath hydrogen test and the sulphosalazine/sulphapyridine method in healthy beagle dogs. Research in Veterinary Science 58 (3) (**1995**) 263-267

**Papineni**, R.; Rosenthal, F. The Size Distribution of Droplets in the Exhaled Breath of Healthy human Subjects. Journal of Aerosol Medicine 10 (2) (**1997**) 105-116

**Paredi**, P.; Biernacki, W.; Invernizzi, G.; Kharitonov, S.; Barnes, P. Exhaled carbon monoxide levels elevated in diabetes and correlates with glucose concentration in blood. Chest 116 (**1999a**) 1007-1011

**Paredi**, P.; Ward, S.; Cramer, D.; du Bois, R.; Kharitonov, S.; Barnes, P. Exhaled ethane is increased in cryptogenic fibrosing alveolitis and fibrosing alveolitis associated with systemic sclerosis. American Journal of Respiratory and Critical Care Medicine 159 (**1999b**) 66

**Paredi**, P.; Kharitonov, S.; Barnes, P. Elevation of exhaled ethane concentration in asthma. American Journal of Respiratory and Critical Care Medicine 162 (4) (**2000**) 1450-1454

**Paredi, P.; Kharitonov, S.; Barnes, P.** Warm air inhalation increases exhaled nitric oxide and carbon monoxide levels in normal subjects. European Respiratory Society International Conference Wien (2003)

**Patochka, K.; Winkler, G.; Zwick, H.** Vergleichende Untersuchungen von Proteinen in Atemkondensat und BALF. Tagung der Deutschen Gesellschaft für Pneumologie Bad Reichenhall (1999)

**Pauling, L.; Robinson, A.; Teranishi, R.; Cary, P.** Quantitative Analysis of urine vapor and breath by gas-liquid partition chromatography. Proceedings of the National Academy of Science of the United States of America 68 (10) (1971) 2374-2376

**Peachey, S.; Dawson, J.; Harper, E.** Gastrointestinal transit times in young and old cats. Comparative Biochemistry and Physiology 126 (1) (2000) 85-90

**Pennings, H.; Dentener, M.; Dompeling, E.; Jobsis, Q.; Wouters, E.** Detection and variability of cytokine-levels in exhaled breath condensate (EBC) of patients with stable COPD. European Respiratory Society International Conference Wien (2003)

**Persson, M.; Wiklund, N.; Gustafsson, L.** Endogenous nitric oxide in single exhalations and the change during exercise. American Review of Respiratory Disease 148 (5) (1993) 1210-1214

**Peters-Golden, M.; Brock, T.** Intracellular compartmentalization of leukotriene biosynthesis. American Journal of Respiratory and Critical Care Medicine 161 (2) (2000) 36-40

**Phillip, L.; Julia, B.; Matthias, G.** Exhaled nitric oxide in healthy children: Variability and a lack of correlation with atopy. Pediatric Allergy and Immunology 13 (2002) 37-46

**Phillips, M.** Detection of carbon disulfide in breath and air: a possible new risk factor for artery disease. International Archives of Occupation Environmental Health 64 (2) (1992) 119-123

**Phillips, M.; Saba, M.; Greenberg, J.** Increased pentane and carbon disulfide in breath of patients with schizophrenia. Clinical Pathology 46 (1994) 861-864

**Phillips, M.; Gleeson, K.; Hughes, J.; Greenberg, J.; Cataneo, R.; Baker, L.; McVay, W.** Volatile organic compounds in breath as a marker of lung cancer: a cross-sectional study. Lancet 353 (9168) (1999) 1897-1898

**Pietra, M.; Diana, A.; Forni, M.; Jöchl, M.; Cinotti, S.** Evaluation of leukotriene B<sub>4</sub> in the canine exhaled breath: standardization of a technique of sample collection. Veterinary Research Communications 27 (1) (2003) 425-428

**Pontier, S.; Heuraux, D.; Riviere, D.; Escamilla, R.** Increased exhaled leukotrienes levels in adults with chronic cough. European Annual Congress Wien (2003)

**Pouliot, M.; McDonald, P.; Krump, E.; Mancini, J.; McColl, S.; Weech, P.; Borgeat, P.** Colocalization of cytosolic phospholipase A2, 5-lipoxygenase and 5-lipoxygenase-activating protein at the nuclear membrane of A23187-stimulated human neutrophils. European Journal of Biochemistry 238 (1996) 250-258

**Pratico, D.; Lawson, J.; FritzGerald, G.** Cyclooxygenase-dependent formation of the isoprostane, 8-epi prostaglandin F<sub>2α</sub>. Journal of Biological Chemistry 270 (17) (1995) 9800-9808

**Pratico**, D.; Virginia, M.; Trojanowski, J.; Rokach, J.; Fitzgerald, G. Increased F<sub>2</sub>-isoprostanes in Alzheimer's disease: evidence for enhanced lipid peroxidation *in vivo*. The FASEB Journal 12 (1998a) 1777-1783

**Pratico**, D.; Barry, O.; Lawson, J.; Adiyaman, M.; Hwang, S.; Khanapure, S.; Iuliano, L.; Rokach, J.; Fitzgerald, G. IPF<sub>2α</sub>-I: An Index of lipid peroxidation in humans. Proceedings of the National Academy of Science of the United States of America 95 (7) (1998b) 3449-3454

**Pratico**, D.; Lawson, J.; Rokach, J.; Fitzgerald, G. The isoprostanes in biology and medicine. Trends in Endocrinology and Metabolism 12(6) (2001) 243-247

**Pratico**, D.; Fitzgerald, G. Generation of 8-epiprostaglandin F<sub>2α</sub> by human monocytes-Discriminate production by reactive oxygen species and prostaglandin endoperoxide synthase-2. Journal of Biological Chemistry 271 (15) (1996) 8919-8924

**Psathakis**, K.; Papatheodorou, G.; Plataki, M.; Panagou, P.; Loukides, S.; Siafakas, N.; Bouros, D. 8 Isoprostone, a marker of oxidative stress, is increased in the exhaled breath condensate of patients with pulmonary sarcoidosis. Chest 125 (2004) 1005-1011

**Radi**, R.; Beckman, J.; Bush, K.; Freeman, B. Peroxinitrite-induced membrane lipid peroxidation: the cytotoxic potential of superoxide and nitric oxide. Archives of Biochemistry and Biophysics 288 (2) (1991) 481-487

**Rahman**, I. Reproducibility of oxidative stress biomarkers in breath condensate: are they reliable? European Respiratory Journal 23 (2004) 183-184

**Rafikova**, O.; Rafikov, R.; Nudler, E. Catalysis of S-nitrosothiols formation by serum albumin: The mechanism and implication in vascular control. Proceedings of the National Academy of Science of the United States of America 99 (9) (2002) 5913-5918

**Ratjen**, F.; Rehn, B.; Costabel, U.; Bruch, J. Age-dependency of surfactant phospholipids and surfactant protein A in bronchoalveolar lavage fluid of children without bronchopulmonary disease. European Respiratory Journal 9 (1996) 328-333

**Ratjen**, F.; Havers, W.; Braun, J. Intrapulmonary protein leakage in immunocompromised children and adults with pneumonia. Thorax 54 (1999) 432-436

**Reeves**, E.; Nagl, M.; Gogovac-Zimmermann, Segal, A. Reassessment of the microbiological activity of reactive oxygen species and hypochlorous acid with reference to the phagocytic vacuole of the neutrophil granulocyte. Journal of Medical Microbiology 52 (2003) 643-651

**Regnault**, L.; Reiset, L. Respirationsapparat von Regnault, L.; Reiset, L. in: Cyon, E. Atlas zur Methodik der physiologischen Experimente und Vivisectionen, Carl Ricker Giessen, St. Petersburg (1876)

**Reilly**, M.; Delaney, N.; Lawson, J.; Fitzgerald, G. Modulation of oxidant stress *in vivo* in chronic cigarette smokers. Circulation 94 (1996) 19-25

**Reineck**, P.; Artlich, A.; Hildebrand, H.; Hoeser, C.; Klauwer, D.; Hüls, G.; Lindemann, H. Leukotriene im Atemkondensat bei Asthma bronchiale und zystischer Fibrose. Atemwegs- und Lungenkrankheiten 29 (4) (2003) 182

**Reinhold**, P.; Becher, G.; Elschner, M.; Rothe, M. Relationship between an increase of LTB<sub>4</sub> in exhalation and the degree of airway responsiveness in clinically healthy and BRSV-infected animals. European Respiratory Journal 9 (23) (1996) 417

**Reinhold**, P.; Langenberg, A.; Becher, G.; Rothe, M. Das Atemkondensat-ein nichtinvasiv zu gewinnendes Medium zum Nachweis von Entzündungsmediatoren der Lunge. Berliner und Münchener Tierärztliche Wochenschrift. 112 (1999) 254-259

**Reinhold**, P.; Hotzel, H. Nachweis bakterieller DNA in Atemkondensatproben. Pneumologie 54 (2000) 72

**Reinhold**, P.; Becher, G.; Rothe, M. Evaluation of the measurement of leukotriene B<sub>4</sub> concentration in exhaled breath condensate as a noninvasive method for assessing mediators of inflammation in the lungs of calves. American Journal of Veterinary Research 61 (2000) 742-749

**Reinhold**, P. Surrogate markers of lung inflammation in exhaled breath and breath condensate. Proceedings of the World Equine Airway Society and the Veterinary & Comparative Respiratory Society Annual Conference Edingurgh (2001)

**Reinhold**, P.; Langenberg, A.; Seifert, J.; Rothe, M.; Becher, G. Ammonia and urea in the exhaled breath condensate (EBC) and in corresponding blood samples. European Respiratory Society International Conference Berlin (2001a)

**Reinhold**, P.; Langenberg, A.; Seifert, J.; Rothe, M.; Becher, G. Urea concentration in the breath condensate and in serum before and after acute lung inflammation (animal model). European Respiratory Society International Conference Berlin (2001b)

**Reinhold**, P.; Langenberg, A.; Grossmann, E., Rothe, M.; Becher, G. Physiological correlations between urea and total protein in breath condensate, bronchoalveolar lavage fluid and serum (animal model). European Respiratory Society International Conference Berlin (2001c)

**Reinhold**, P.; Langenberg, A.; Foedisch, G.; Rothe, M. The influence of variables of ventilation on the concentration of urea and ammonia in the exhaled breath condensate. European Respiratory Society International Conference Glasgow (2004a)

**Reinhold**, P.; Langenberg, A.; Foedisch, G.; Rothe, M. The physiological concentration of nitrite in exhaled breath condensate, broncho-alveolar lavage fluid and blood samples. European Respiratory Society International Conference Glasgow (2004b)

**Reinhold**, P.; Langenberg, A. Physiological pH, PCO<sub>2</sub>, and Na<sup>+</sup> values in exhaled breath condensate samples of pigs and calves. European Respiratory Society International Conference Glasgow (2004c)

**Reinhold**, P.; Langenberg, A.; Seifert, J.; Rothe, M.; Becher, G. The influence of the concentration of urea and ammonium in exhaled breath condensate and peripheral blood. Veterinary Comparative Respiratory Society International Conference Montreal (2004d)

**Reinhold**, P.; Jäger, J. Schröder, C. Evaluation of methodological and biological influences of the collection and composition of exhaled breath condensate. Biomarkers. 00 (0) (2006) 1-25

**Richter**, A.; Manney, S.; Roberts, J.; Ayres, J.; Thickett, D. Exhaled breath condensate and bronchoalveolar lavage: A comparison between two methods in the assessment of alveolar inflammation. American Thoracic Society International Conference Orlando (2004)

**Roberts**, L.; Morrow, J. Isoprostanes. Novel markers of endogenous lipid peroxidation and potential markers of oxidant injury. Annals of the New York Academy of Sciences 744 (1) (1994) 237-242

**Roberts**, L.; Morrow, J. Measurement of F(2)-isoprostanes as an index of oxidative stress in vivo. Free Radical Biology and Medicine 28 (4) (2000) 505-513

**Robroeks**, C.; Rosias, P.; Damoiseaux, J.; Heijmans, P.; Jobsis, Q.; Dompeling, E. Cytokines in exhaled breath condensate of children with asthma and cystic fibrosis. European Respiratory Society International Conference Glasgow (2004)

**Rosias**, P.; Vernooy, J.; Dentener, M.; Suykerbuyk, J.; Teunissen, J.; Hendriks, H.; Jobsis, Q.; Dompeling, E. Inner coating of condenser systems influences detection of albumin in exhaled breath condensate. European Respiratory Society International Congress Wien (2003)

**Rothe**, M. Dr. Atemkondensatmessungen-Entstehung, Gewinnung, Lagerung und Analytik. Sonderausgabe Info Firma Jaeger 1 (2001) 13-16

**Rothe**, M. Einfluss des Sammelsystems auf die Zusammensetzung der Atemkondensatprobe. Tagung der Sektion Pathophysiologie und Aerosolmedizin in der Deutschen Gesellschaft für Pneumologie Berlin (2002)

**Rothe**, M.; Tacke, A.; Roszik, R.; Lehmann, C. Free amino acids in exhaled breath condensate. European Respiratory Society International Congress Wien (2003a)

**Rothe**, M.; Becher, G.; Siemers, R. Der Einfluss einer extrapulmonalen Stenose auf die Bildung von Atemkondensat. Arbeitstagung der Sektion Pathophysiologie und Aerosolmedizin der Deutschen Gesellschaft für Pneumologie Berlin (2003b)

**Rothe**, M.; Tacke, A.; Lehmann, C.; Becher, G. Malondialdehyde in exhaled breath condensate of cystic fibrosis patients and healthy volunteers. American Thoracic Society International Conference Seattle (2003c)

**Rothe**, M.; Lehmann, C.; Becher, G.; Siemers, R.; Gillisen, A. Nitrite and ammonium in exhaled breath condensate and in induced sputum of COPD-patients. American Thoracic Society International Conference Orlando (2004)

**Rovina**, N.; Simoes, D.; Dima, E.; Gratziou, C. levels of 8-isoprostanate and LTB<sub>4</sub> in exhaled breath condensate (EBC) in seasonal allergic rhinitis. Effect of therapy and allergen exposure. European Respiratory Society International Conference Glasgow (2004)

**Rubbo**, H.; Radi, R.; Trujillo, M.; Telleri, R.; Kalyanaraman, B.; Barnes, S.; Kirk, M.; Freeman, B. Nitric oxide regulation of superoxide and peroxynitrite-dependent lipid peroxidation. Formation of novel nitrogen containing oxidized lipid derivates. Journal of Biological Chemistry 269 (42) (1994) 26066-26075

**Sarantos**, P.; Abouhaze, A.; Abcouwer, S.; Chakrabarti, R.; Copeland, E.; Souba, W. Cytokines decrease glutaminase expression in human fibroblasts. Surgery 116 (1994) 276-283

**Saura**, M.; Zaragoza, C.; McMillan, A.; Quick, A.; Hohenadl, C.; Lowenstein, J.; Lowenstein, C. An antiviral mechanism of nitric oxide: inhibition of a viral protease. Immunity 10 (1) (1999) 21-28

**Sadeh**, J.; Levy, B.; Saal, J.; Wechsler, M.; Deykin, A.; Israel, E. Detection of lipoxin A4 and cysteinyl leukotrienes in exhaled breath condensate from asthmatics and healthy individuals. American Thoracic Society International Conference Orlando (2004)

**Sauty**, A.; Manuel, J.; Philippeaux, M.; Leuenberg, P.; Cytostatic activity of alveolar macrophages from smokers and nonsmokers: role of interleukin 1 $\beta$ , interleukin 6 and tumor necrosis factor- $\alpha$ . American Journal of Respiratory Cellular and Molecular Biology 11 (1994) 631-637

**Schack**, S. Untersuchung zur Anwendbarkeit der Atemkondensatgewinnung beim Pferd und ihre potentiellen Einsatzmöglichkeiten in der Lungendiagnostik. Dissertation, Tierärztliche Hochschule Gießen (2002)

**Schedin**, U.; Roken, B.; Nyman, G.; Frostell, C.; Gustafsson, L. Endogenous nitric oxide in the airways of different animal species. Acta Anaesthesiol Scandinavia 41 (9) (1997) 1133-1141

**Scheideler**, L.; Manke, H.-G.; Schwulera, U.; Inacker, O.; Hämerle, H. Detection of Nonvolatile Macromolecules in Breath: a possible diagnostic tool? American Review of Respiratory Disease 148 (1993) 778-784

**Schlesinger**, D.; Rubin, S.; Papich, M.; Hamilton, D. Use of breath hydrogen measurement to evaluate orocaecal transit time in cats before and after treatment for hyperthyroidism. Canadian Journal of Veterinary Research 57 (2) (1993) 89-94

**Schmidt**, H.; Hofman, H.; Schindler, U.; Shutenko, Z.; Cunningham, D.; Feilisch, M. No •NO from NO synthase. Proceedings of the National Academy of Science of the United States of America 93 (1996) 14492-14497

**Schriever**, C.; Shafer, M.; Schauer, J.; Worley, C.; Rubinstein, I. Analysis of trace metal contamination in supplies used for exhaled breath condensate collection (EBC) using inductively coupled plasma-mass spectrometry (ICPMS). European Respiratory Society International Conference Glasgow (2004)

**Schubert**, J.; Muller, W.; Benzing, A.; Geiger, K. Application of a new method for analysis of exhaled gas in critically ill patients. Intensive Care Medicine 24 (5) (1998) 415-421

**Schwarzer**, C.; Machen, T.; Illek, B.; Fischer, H. NADPH oxidase-dependent acid production in airway epithelial cells. Journal of Biological Chemistry 279 (35) (2004) 36454-36461

**Shahid**, S.; Kharitonov, S.; Csoma, S.; Bush, A.; Wilson, N.; Barnes, P. Exhaled 8 isoprostanone as a marker of airway inflammation in asthmatic children. European Respiratory Society International Meeting Berlin (2001)

**Shoemark**, A.; Ozerovitch, L.; Wilson, R. Exhaled breath condensate pH in bronchiectasis. American Thoracic Society International Conference Orlando (2004)

**Sidorenko**, G.; Zborovskii, E.; Levina, D. Surface-active properties of the exhaled air condensate (a new method of studying lung function). Terapevticheskii Arkhiv 52 (1980) 65-68

**Silkoff**, P.; McClean, P.; Caramori, M.; Slutsky, A.; Zamel, N. A significant proportion of exhaled nitric oxide arises in large airways in normal subjects. Respiratory Physiology 113 (1) (1998) 33-38

**Simpson**, J.; Wood, L.; Gibson, P. Inflammatory mediators in exhaled breath condensate; induced sputum and saliva. European Respiratory Society International Conference Glasgow (2004)

**Sittipunti**, C.; Steinberg, K.; Ruzinski, J.; Myles, C.; Zhu, S.; Goodman, R.; Hudson, L.; Matalon, S.; Martin, T. Nitric oxide and nitrotyrosine in the lungs of patients with acute respiratory distress syndrome. American Journal of Respiratory and Critical Care Medicine 163 (2) (2001) 503-510

**Skrahin**, A.; Smirnov, A.; Tahanovich, A.; Petchinski, D.; Skrahina, A.; Alesitch, A.; Skrahina, T. Exhaled nitrite as a marker of lung injury induced by volume controlled (VC) mechanical ventilation (MV) during general anaesthesia. European Respiratory Society Glasgow (2004)

**Smith**, L.; Houston, M.; Anderson, J. Increased levels of glutathione in bronchoalveolar lavage fluid from patients with asthma. American Review of Respiratory Dissertations 147 (1993) 1461-1464

**Smith**, D.; Spanel, P.; Davies, S. Trace gases in breath of healthy volunteers when fasting and after a protein-calorie meal: a preliminary study. Journal of Applied Physiology 87 (1999) 1584-1588

**Smith**, D.; Spanel, P. Application of ion chemistry and the SIFT technique to the quantitative analysis of trace gases in air and on breath. International Reviews of Physiological Chemistry 15 (1996) 231-271

**Sohal**, R.; Dubey, A. Mitochondrial oxidative damage, hydrogen peroxide release, and aging. Free Radical Biology and Medicine 16 (5) (1994) 621-626

**Soichiro**, K.; Kobayashi, H.; Motoyoshi, K. Exhaled ethane, an in vivo biomarker of lipidperoxidation in interstitial lung diseases. Chest 128 (2005) 2387-2392

**Sparkes**, A.; Papasouliotis, K.; Viner, J.; Cripps, P.; Gruffydd-Jones, T. Assessment of orocaecal transit time in cats by the breath hydrogen method: the effects of sedation and a comparison of definitions. Research of Veterinary Science 60 (3) (1996) 243-246

**Sparkes**, A.; Mardell, E.; Deaton, C.; Kirschvink, N.; Marlin, D. Exhaled breath condensate (EBC) collection in cats-description of a non-invasive technique to investigate airway disease. Journal of Feline Medicine and Surgery 6 (5) (2004) 335-358

**Spoehr**, A.; Guilford, W.; Haslett, S.; Vibe-Petersen, G. Use of breath hydrogen testing to detect experimentally induced disaccharide malabsorption in healthy dogs. American Journal of Veterinary Research 60 (7) (1999) 836-840

**Stamler**, J.; Jaraki, O.; Osborne, J.; Simon, D.; Keaney, J.; Vita, J.; Singel, D.; Valeri, C.; Loscalzo, J. Nitric oxide circulates in mammalian plasma primarily as a S-nitroso adduct of serum albumin. Proceedings of the National Academy of Sciences 89 (1992) 7674-7677

**Stenson**, W.; Chang, K.; Williamson, J. Tissue differences in vascular permeability induced by leukotriene B<sub>4</sub> and prostaglandin E<sub>2</sub> in the rat. Prostaglandins 32 (1) (1986) 5-17

**Stone**, B.; Besse, T.; Duane, W.; Evans, C.; DeMaster, E. Effect of regulating cholesterol biosynthesis on breath isoprene excretion in men. Lipids 28 (8) (1993) 705-708

**Studer**, S.; Orens, J.; Rosas, I.; Krishnan, J.; Cope, K.; Yang, S.; Conte, J.; Becker, P.; Risby, T. Patterns and significance of exhaled-breath biomarkers in lung transplant recipients with acute allograft rejection. Journal of Heart and Lung Transplantation 20 (2001) 1158-1166

**Sutton**, D.; Bahr, A.; Preston, T.; Christley, R.; Love, S.; Roussel, A. Validation of the C-13-octanoic acid breath test for measurement of equine gastric emptying rate of solids using radioscintigraphy. Equine Veterinary Journal 35 (1) (2003) 27-33

**Symonds**, E.; Butler, R.; Omari, T. Assessment of gastric emptying in the mouse using the [13C]-octanoic acid breath test. Clinical and Experimental Pharmacology 27 (9) (2000) 671-675

**Takanashi**, S.; Hasegawa, Y.; Okudera, K.; Kumagai, M.; Hayashi, A.; Okumura, K. Eotaxin level in exhaled breath condensate is increased in asthma. American Thoracic Society International Conference Seattle (2003)

**Tal-Singer**, R.; Simpson, K.; Vaughan, J.; Lincare, P.; Anselm, R.; Hunt, J.; Vessey, S. Reproducibility of exhaled breath condensate pH in healthy subjects (smokers and non-smokers). American Thoracic Society International Conference Orlando (2004)

**Tannenbaum**, S.; Weisman, M.; Fett, D.; The effect of nitrate intake on nitrite formation in human saliva. Food and Cosmetic Toxicology 14 (1976) 549-552

**Tate**, S.; MacGregor, G.; Davis, M.; Innes, J.; Greening, A. Airways in cystic fibrosis are acidified: detection by exhaled breath condensate. Thorax 57 (2002) 926-929

**Tate**, S.; Baker, A.; Davis, M.; Collie, D. A comparison of bronchoalveolar lavage and exhaled breath condensate findings in an ovine inflammatory lung model. American Thoracic Society International Conference Seattle (2003)

**Tatzber**, F.; Wonisch, W.; Schmidl, E.; Esterbauer, H. Quantitative determination of oLAB titers in various animal species. Biofactors 6 (2) (1997) 125-130

**Torres**, A.; Utell, M.J.; Morow, P.E. et al Airway inflammation in smokers and non-smokers with varying responsiveness to ozone. American Journal of Respiratory and Critical Care Medicine 156 (1997) 728-736

**Vacciano**, C.; Osborne, G.; Tempel, G. 8-iso-PGF<sub>2alpha</sub> production by alveolar macrophages exposed to hyperoxia. Shock 9 (1998) 266-273

**van der Meer**, R., van Rensen, E.; Rabe, K.; Sterk, P.; Hiemstra, P. Levels of 8-isoprostanone in exhaled breath condensate are not reproducible in asthmatic and in normal subjects. American Thoracic Society International Conference Atlanta (2002)

**van der Vliet**, A.; Smith, D.; O'Neill, C.; Kaur, H.; Darley-Usmar, V.; Cross, C.; Halliwell, B. Interactions of peroxynitrite with human plasma and its constituents: oxidative damage and antioxidant depletion. Biochemical Journal 303 (1994) 295-301

**van der Vliet**, A.; Eiserich, J.; Halliwell, B.; Cross, C. Formation of reactive nitrogen species during peroxidase-catalyzed oxidation of nitrite. Journal of Biological Chemistry 272 (12) (1997) 7617-7625

**van Hoydonck**, P.; Wuyts, W.; Vanaudenaerde, B.; Schouten, E.; Dupont, L.; Temme, E. Quantitative analysis of 8-isoprostanone and hydrogen peroxide in exhaled breath condensate. European Respiratory Journal 23 (2004) 189-192

**Vass**, G.; Huszar, E.; Barat, E.; Valyon, M.; Kiss, D.; Penzes, I.; Augusztinovicz, M.; Horvath, I. Comparison of Nasal and Oral Inhalation during Exhaled Breath Condensate Collection. American Journal of Respiratory and Critical Care Medicine 167 (2003a) 850-855

**Vass**, G.; Huszár, E.; Barát, E.; Kiss, D.; Pénez, I.; Kollai, M.; Horváth, I. Comparison of mediator levels in exhaled breath condensate obtained through tracheostomy or orally. European Respiratory Society International Conference Wien (2003b)

**Vass**, G.; Huszar, E.; Barat, E.; Augusztinovicz, Polony, I.; Horváth, I. Allergic rhinitis is associated with elevated adenosine level in exhaled breath condensate in non-asthmatic patients. European Respiratory Society International Conference Wien (2003c)

**Vaughan**, J.; Gaston, B.; MacDonalds, T.; Erwin, E.; Malhotra, N.; Zaman, K.; Platts-Mills, T.; Hunt, J. Acetic acid contributes to breath condensate acidity in asthma. European Respiratory Society International Meeting Berlin (2001)

**Vaughan**, J.; Ngamtrakulpanit, L.; Pajewski, T.; Turner, R.; Nguyen, T.; Smith, A.; Urban, P.; Hom, S.; Gaston, B.; Hunt, J. Exhaled breath condensate pH is a robust and reproducible assay of airway acidity. European Respiratory Journal 22 (2003a) 889-894

**Vaughan**, J.; Ngamtrakulpanit, L.; Smith, A.; Nguyen, A.; Urban, P.; Gaston, B.; Turner, R.; Hunt, J. Exhaled breath condensate pH is stable over time with minimal interday and intraday variability in healthy subjects. American Thoracic Society International Conference Seattle (2003b)

**Volpe**, A.; Biasi, D.; Caramaschi, P.; Montovani, W.; Bambara, L.; Canestri, S.; Ferrari, M.; Poli, G.; Degan, M.; Carletto, A.; Pieropan, S.; Minuz, P. Levels of F<sub>2</sub>-isoprostanes in systemic sclerosis: correlation with clinical features. Rheumatology 45 (3) (2006) 314-320

**Wade**, C.; van Rij, A. In vivo lipid peroxidation in man as measured by respiratory excretion of ethane, pentane, and other low-molecular-weight hydrocarbons. Annal of Clinical Biochemistry 150 (1) (1985) 1-7

**Wade**, M.; Fitzpatrick, F. Nitric oxide modulates the activity of the hemoproteins prostaglandin I2 synthase and thromboxane A2 synthase. Archives of Biochemistry and Biophysics 347 (2) (1997) 174-180

**Wang**, Z.; Ciabattoni, G.; Creminon, C.; Lawson, J.; Fitzgerald, G.; Patrono, C.; Maclouf, J. Immunological characterization of urinary 8-epi-prostaglandin F2 alpha excretion in man. Pharmacology and Experimental Therapeutics 275 (1) (1995) 94-100

**Wang**, Y.; Leibholz, J.; Bryden, W.; Fraser, D. Lipid peroxidation status as an index to evaluate the influence of dietary fats on vitamin E requirements of young pigs. British Journal of Nutrition 75 (1) (1996) 81-95

**Wardlaw**, A.; Hay, A.; Cromwell, O.; Collins, J.; Kay, A. Leukotrienes, LTC<sub>4</sub> and LTB<sub>4</sub>, in bronchoalveolar lavage in bronchial asthma and in other respiratory diseases. Journal of Allergy and Clinical Immunology 84 (1) (1989) 19-26

**Wardle**, E.; Nuclear factor κB for the nephrologist. Nephrology Dialysis Transplantation 16 (2001) 1764-1768

**Washabau**, R.; Stromberg, D.; Buffington, C.; Harrold, D. Use of pulmonary hydrogen gas excretion to detect carbohydrate malabsorption in dogs. Journal of American Veterinary Medical Association 189 (6) (1986) 674-679

**Watkins**, M.; Patton, G.; Soler, H.; Albadawi, H.; Humphries, D.; Evans, J.; Kodowaki, H. Synthesis of 8-epi-prostaglandin F<sub>2α</sub> by human endothelial cells: role of prostaglandin H<sub>2</sub> synthase. Biochemical Journal 344 (1999) 747-754

**Weitzberg**, E.; Lundberg, J. Nonenzymatic nitric oxide production in humans. Nitric oxide 2 (1) (1998) 1-7

**Wells**, K.; Vaughan, J.; Pajewski, T.; Hom, S.; Ngamtrakulpanit, L.; Smith, A.; Nguyen, A.; Turner, R. Exhaled breath condensate pH assays are not influenced by oral ammonia. *Thorax* 60 (2005) 27-31

**Wink**, D.; Kasprzak, K.; Maragos, C.; Elespuru, R.; Misra, M.; Dunams, T.; Cebula, T.; Koch, W.; Andrews, A.; Allen, J. DNA deaminating ability and genotoxicity of nitric oxide and its progenitors. *Science* 254 (5034) (1991) 1001-1003

**Winsel**, K.; Geggel, P.; Thies, P.; Adler, F. Abscheidung von Exhalat mit Atemkondensatoren. *Deutsche Gesellschaft für Pneumologie* (1999) Bad Reichenhall

**Wood**, F.; Ho, L.; Innes, A.; Greening, A. Exhaled breath condensate nitrite levels are elevated during infective exacerbations in cystic fibrosis and fall in response to treatment. *European Respiratory Society International Conference Madrid* (1999)

**Wood**, L.; FritzGerald, D.; Gibson, P.; Cooper, D.; Garg, M. Lipid peroxidation as determined by plasma isoprostanes is related to disease severity in mild asthma. *Lipids* 35 (9) (2000) 967-974

**Wood**, L.; Gibson, P.; Garg, M. Biomarkers of lipid peroxidation, airway inflammation and asthma. *European Respiratory Journal* 21 (2003) 177-186

**Woods**, J.; Evans, Ethier, D.; Scott, S.; Vieckers, P.; Hearn, L.; Charleston, S.; Heibein, J.; Singer, I. 5-Lipoxygenase and 5-lipoxygenase activating protein are localized in the nuclear envelope of activated human leukocytes. *Journal of Experimental Medicine* 178 (1993) 1935-1946

**Woods**, J.; Coffey, M.; Brock, M.; Singer, I.; Peters-Golden, M. 5-Lipoxygenase is located in the euchromatin of the nucleus in resting human alveolar macrophages and translocates to the nuclear envelope upon cell activation. *Journal of Clinical Investigations* 95 (5) (1995) 2035-2046

**Wyse**, C.; Yam, P.; Slater, C.; Cooper, J.; Preston, T. A comparison of the rate of recovery of  $^{13}\text{CO}_2$  in the exhaled breath with  $^2\text{H}$  in body water following ingestion [ $^2\text{H}/^{13}\text{C}$ ] octanoic acid in a dog. *Research in Veterinary Science* 74 (2) (2003) 123-127

**Wyse**, C.; Hammond, J.; Arteaga, A.; Cumming, D.; Cooper, J.; McEwan, J. Yam, P. Collection and analysis of exhaled breath condensate hydrogen peroxide in conscious healthy dogs. *The Veterinary Record* 155 (23) (2004a) 744-746

**Wyse**, C.; Love, S.; Christley, R.; Yam, P.; Cooper, J.; Cumming, D.; Preston, T. Validation of a method for collection and assay of pentane in the exhaled breath of the horse. *Research in Veterinary Science* 76 (2004b) 109-112

**Wyse**, C.; Skeldon, K.; Hotchkiss, J.; Gibson, G.; Yam, P.; Christley, R.; Preston, T.; Cumming, D.; Padgett, M.; Cooper, J.; Love, S. Effects of changes to the stable environment on the exhalation of ethane, carbon monoxide and hydrogen peroxide by horses with respiratory inflammation. *The Veterinary Record* 157 (2005) 408

**Xia**, Y.; Zweier, J. Direct measurement of nitric oxide generation from nitric oxide synthase. *Proceedings of the National Academy of Sciences of the United States of America* 94 (1997) 12705-12710

**Yamaya**, M.; Sekizawa, K.; Ishizuka, S.; Monma, M.; Mizuta, K.; Sasaki, H. Increased carbon monoxide in exhaled air of subjects with upper respiratory tract infections. *American Journal of Respiratory and Critical Care Medicine* 158 (1) (1998) 311-314

**Yurdakul**, A.; Canbakan, S.; Baser, Y. Exhaled nitric oxide levels in bronchial asthma and allergic rhinitis. European Respiratory Society International Conference Florenz (**2000**)

**Zacharasiewicz**, A.; Wilson, N.; Lex, C.; Donnelly, L.; Kharitonov, S.; Bush, A. Prospective nitrite, nitrate and cyst-leukotriene (cyst-LT's) measurements in EBC (exhaled breath condensate) in asthmatic children and relation to outcome during inhaled steroid (IS) reduction. European Respiratory Society International Conference Wien (**2003**)

**Zacharasiewicz**, A.; Wilson, N.; Lex, C.; Li, A.; Kemp, M.; Donovan, J.; Hooper, J.; Kharitonov, S.; Bush, A. Repeatability of sodium and chloride in exhaled breath condensates. Pediatric Pulmonology 37 (3) (**2004**)

**Zakrzewski**, J.; Barnes, N.; Costello, J.; Piper, P. Lipid mediators in cystic fibrosis and chronic obstructive pulmonary disease. American Review of Respiratory Disease 136 (3) (**1987**) 779-782

**Zayasu**, K.; Sekizawa, K.; Okinaga, S.; Yamaya, M.; Ohrui, T.; Sasaki, H. Increased carbon monoxide in exhaled air of asthmatic patients. American Journal of Respiratory and Critical Care Medicine 156 (4) (**1997**) 1140-1143

**Zelenskaya**, V.; Seisembebov, T.; Zhautikova, S.; Bazarova, A.; Kozlova, I.; Bjul, E. Content of total lipids in the exhaled breath condensate in type 1 diabetic mellitus patients with different level HbA1c. European Respiratory Society International Conference Glasgow (**2004**)

**Zetterquist**, W.; Pedroletti, C.; Lundberg, J.; Alving, K. Salivary contribution to exhaled nitric oxide. European Respiratory Journal 13 (**1999**) 327-333

**Zetterquist**, W.; Marteus, H.; Nordlund, B.; Stensdotter, M.; Hedlin, G.; Alving, K. Increased levels of nitrite in exhaled breath condensate but lack of correlation with other markers of inflammation in children with asthma. American Thoracic Society International Conference Orlando (**2004**)

**Zhu**, L.; Gunn, C.; Beckman, J. Bactericidal activity of peroxy nitrite. Archives of Biochemistry and Biophysics 298 (2) (**1992**) 452-457