

9 LITERATUR

Adams R D, Schatzki R, Scovillo W B (1941): Arnold-Chiari malformation. Diagnosis, demonstration by intraspinal Lipiodol and successful surgical treatment. New Engl J Med 225:125

Adams R D, Victor M, Ropper A H (1999): Prinzipien der Neurologie. McGraw-Hill International (UK) Ltd.:1031-1032 sowie 1304-1308

Akker S van den (1962): Arnold-Chiari malformation in animals. Acta neuropath (Berl.) Suppl 1:39-44

Archer C R, Horenstein S, Sundaram M (1977): The Arnold-Chiari Malformation presenting in adult life. A report of thirteen cases. J Chron Dis 30:369-382

Arnold J (1894): Myelocyste, Transposition von Gewebskeimen und Sympodie. Beiträge zur pathologischen Anatomie und zur allgemeinen Pathologie 16:1-28

Assheuer J, Sager M (1997): MRI and CT atlas of the dog. Berlin; Wien; Oxford: Blackwell Science.

Bach-y-Rita P (1993): Nonsynaptic diffusion neurotransmission (NDN) in the brain. Neurochem Int 23:297-318

Badie B, Mendoza D, Batzdorf U (1995): Posterior fossa volume and response to suboccipital decompression in patients with Chiari I malformation. Neurosurgery 37:214-218

Ball M J, Dayan A D (1972): Pathogenesis of syringomyelia. Lancet 2:799–801

Bardens J W (1965): Congenital Malformations of the Foramen Magnum in Dogs. Southwest Vet 10:295

Barkovich A J, Sherman J L, Citrin C M, Wippold F J H (1987): MR of postoperative syringomyelia. Am J Neurorad 8:319-327

Barnett H J M, Foster J B, Hudgson P (1973): Syringomyelia. Philadelphia: WB Saunders

Barry A, Patten B M, Stewart B H (1957): Possible factors in the development of the Arnold-Chiari malformation. J Neurosurg 14:285-301

Batzdorf U (1991): Classification of syringomyelia. In: Batzdorf U (ed): Syringomyelia. Current Concepts in Diagnosis and Treatment. Baltimore: Williams & Wilkins, pp 1-2

Bauer H J (2000): Liquorforschung – von Galen bis heute. In: DGLN Mitgliederrundbrief Nr. 2 der Deutschen Gesellschaft für Liquordiagnostik und Klinische Neurochemie e.V. (DGLN). Jahrestagung der DGLN 2000. 9 – 10. November in Göttingen

Becker D P, Wilson J A, Watson G W (1972): The spinal cord central canal: response to experimental hydrocephalus and canal occlusion. J Neurosurg 36:416-424

Bering E A (1962): Circulation of the cerebrospinal fluid: Demonstration of the choroid plexus as the generator of the force for flow of fluid and ventricular enlargement. J Neurosurg 19:405-412

Böhme G, Franz B (1967): Die Binnenräume des Gehirns von Ratte und Maus. Acta anat. 68. 199-206

Böhme G (1967): Unterschiede am Gehirnventrikelsystem von Hund und Katze nach Untersuchungen an Ausgusspräparaten. Berl. Münch. Tierärztl. Wschr. 80. 195-196

Böhme G (2004): In Nickel R, Schummer A, Seiferle E. Lehrbuch der Anatomie der Haustiere. Band 4. Nervensystem, Sinnesorgane, endokrine Drüsen. 4. Auflage. 28-109

Bone D L, Wilson R B (1989): Primary syringomyelia in a kitten. *Lymphology* 22 (3):144-146

Bradbury M W B, Lathem W (1965): A flow of cerebrospinal fluid along the central canal of the spinal cord of the rabbit and communications between this canal and the sacral subarachnoid space. *J Physiol (London)* 181:785-800

Bredemann W (1965): Über die nosologische Stellung der angiodynamischen nekrotisierenden Myelopathie (Foix-Alajouanine'sche Krankheit). *Archiv für Psychiatrie und Zeitschriften für die gesamte Neurologie* 207:234-246

Brocklehurst G (1969): A quantitative study of a spina bifida foetus. *J Pathol* 99:205-211

Broek A H M van den, Else R W, Abercromby R, France M (1991): Spinal dysraphism in the Weimaraner. *JSAP* 32:258-260

Budras K D, Fricke W, S Richter (2004): *Atlas der Anatomie des Hundes*. 7. Auflage. Berlin. Schlütersche

Bynevelt M, Rusbridge C, Britton J (2000): Dorsal dens angulation and a Chiari type malformation in a Cavalier King Charles Spaniel. *Veterinary Radiology & Ultrasound* 41 (6): 521-524

Caldemeyer K S, Boaz J C, Wappner R S (1995): Chiari I malformation: Association with hypophosphatemic rickets and MR imaging appearance. *Radiology* 195:733-738

Cameron A H, Osman Hill W C (1955): The Arnold-Chiari and other neuro-anatomical malformation in a sacred baboon (*Papio hamadryas*). *J Path Bact* 70:552-554

Cameron A H (1957): The Arnold-Chiari and other neuro-anatomical Malformations associated with spina bifida. *J Path Bact* 73:195-211

Caplan L R, Norohna A B, Amico L L (1990): Syringomyelia and arachnoiditis. Journal of Neurology, Neurosurgery and Psychiatry 53:106-113

Carmel P W, Markesberry W R (1972): Early descriptions of the Arnold-Chiari malformation: The contribution of John Cleland. J Neurosurg 37:543-547

Case records of the Massachusetts General Hospital (1987). N Engl J Med 316:150-157

Cauzinille L, Kornegay J N (1992): Acquired syringomyelia in a dog. JAVMA 201(8): 1225-1228

Caviness V S (1976): The Chiari malformations of the posterior fossa and their relation to hydrocephalus. Dev Med Child Neurol 18 (1):103-116

Chiari H (1891): Über Veränderungen des Kleinhirns infolge von Hydrocephalie des Grosshirns. Dtsch med Wschr 17 (42):1172-1175

Chiari H (1896): Über Veränderungen des Kleinhirns, des Pons und der Medulla oblongata in folge von congenitaler Hydrocephalie des Grosshirns. Denkschriften der Kaiserlichen Akademie der Wissenschaften Wien, Math.-Nat. Classe 63 :71-114

Child G, Higgins R J, Cuddon P A (1986): Acquired scoliosis associated with hydromyelia and syringomyelia in two dogs. JAVMA 189 (8):909-912

Cho D Y, Leipold H W (1977): Syringomyelia in a thoroughbred foal. Equine Vet J 9 (4):195-197

Chrisman C C (1982): Paraplegia, Paraparesis and Ataxia of the Rear Limbs. In: Problems in Small Animal Neurology, Lea & Febiger, Philadelphia:372-373

Chuma A, Kitahara H, Minami S, Goto S, Takaso M, Moriya H (1997): Structural Scoliosis Model in Dogs With Experimentally Induced Syringomyelia. Spine 22 (6):589-595

Churcher R K, Child G (2000): Chiari I/syringomyelia complex in a King Charles Spaniel. Aust Vet J 78 (2):92-95

Clark L, Carlisle C H (1975): Spina bifida with syringomyelia and meningocoele in a short-tailed cat. Aust Vet J 51 (8):392-394

Cleland J (1883): Contribution to the study of spina bifida, encephalocele, and anencephalus. J Anat Physiol 17:257-292

Coben L A (1967): Abscence of a foramen of Magendie in the dog, cat, rabbit and goat. Arch Neurol 16:524-528

Cushing H (1914): Studies on the cerebrospinal fluid and its pathway. I. Introduction. J Med Res 26:1-19

Czeizel A E, Dudas I (1992): Prevention of the first occurance of neural-tube defects by periconceptional vitamin supplementation. The New England Journal of Medicine 327, 26:1832-1834

De Lahunta A (1977): Veterinary Neuroanatomy and Clinical Neurology. W B Saunders Company. Philadelphia.

Dennis, R (1993): Magnetic resonance imaging and ist application to veterinary medicine. Veterinary International 5: 3-10

Draper D D, Kluge J P, Miller W J (1977): Clinical and pathological aspects of spinal dysraphism in dogs. Proceedings of the 20th World Veterinary Congress, Thessaloniki 1:134-137

Drenckhahn D; W Zenker (Hrsg.) (1994): Benninghoff Anatomie Band 2. 15. Auflage. Urban & Schwarzenberg. München

- du Boulay G (1966): Pulsatile movements in the CSF pathways. Br J Radiol 39:255-262
- du Boulay G, O'Connell J, Currie J (1972): Further investigations on pulsatile movements in the cerebrospinal fluid pathway. Acta Radiol (Diagn) 13:496-523
- du Boulay G, Shah S, Currie J C (1974): The mechanism of hydromyelia in Chiari type I malformations. Br J Radiol 47:579-587
- Edelman R R, Wedeen V J, Davis K R (1986): Multiphasic MR imaging: a new method for direct imaging of pulsatile CSF flow. Radiology 161:779-783
- Eisenberg H M, McLennan J E, Welch K (1974): Ventricular perfusion in cats with kaolin-induced hydrocephalus. J Neurosurg 41:20-28
- Emery J L, MacKenzie N (1973): Medullocervical dislocation deformity (Chiari II deformity) related to neurospinal dystrophy. Brain 96:155-162
- Enzmann D R, O'Donohue J, Rubin J B (1987): CSF pulsations within nonneoplastic spinal cord cysts. AJR 149:149-157
- Enzmann D R, Rubin J B, DeLaPaz R (1986): Cerebrospinal fluid pulsation: benefits and pitfalls in MR imaging. Radiology 161:773-778
- Fankhauser R (1959): Hydrocephalus-Studien. Schweiz Arch Tierheilk 101 (8):407-416
- Feigin I (1956): Arnold-Chiari Malformation with Associated Analogous Malformation of the Midbrain. Neurology 6:22-32
- Fishman, R (1980): Cerebrospinal Fluid in Disease of the Nervous System, W.B. Saunders:1-325

Frauchiger E, Fankhauser R (1952): Arnold-Chiari-Hirnmissbildung mit Spina bifida und Hydrozephalus beim Kalb. Schweiz Arch Tierheilk 94:145-149

French B.N. (1990): Midline fusion defects and defects of formation. Developmental and acquired anomalies:1127-1235. In: Neurological Surgery. Ed: Youmans J R, 3. Auflage. London. W B Saunders

Frewein J, K H Wille, H Wilkens (2003): In Nickel R, Schummer A, Seiferle E. Lehrbuch der Anatomie der Haustiere. Band 1. Bewegungsapparat. 8. Auflage. Berlin und Hamburg. Verlag Paul Parey

Furneaux R W, Doige C E, Kaye M M (1973): Syringomyelia and spina bifida occulta in a Samoyed dog. Can Vet J 14:317-321

Gardner W J (1973): The dysraphic States. From Syringomyelia to Anencephaly. Amsterdam: Excerpta Medica:113-143

Gardner W J, Abdullah A F, McCormack L J (1957): The varying expressions of embryonal atresia of the fourth ventricle in adults. Arnold-Chiari malformation, Dandy-Walker syndrome, "arachnoid" cyst of the cerebellum, and syringomyelia. J Neurosurg 14:591–607

Gardner W J, Angel I (1958): The cause of syringomyelia and its surgical treatment. Cleve Clin Q 25:4–8

Gardner W J, Goodall R J (1950): The surgical treatment of Arnold-Chiari malformation in adults. An explanation of its mechanism and importance of encephalography in diagnosis. J Neurosurg 7:199–206

Gardner W J (1965): Hydrodynamic mechanism of syringomyelia: its relationship to myelocle. J Neurol Neurosurg Psychiatry 28:247-259

Garner M (2001): Gross Pathology of Zoo Animals. In: Davis C L: The Gross Morbid Anatomy of Diseases of Animals, Armed Forces Institute of Pathology, Washington, DC, 9-13 April 2001

Geib L W, Bistner S I (1967): Spinal Cord Dysraphism in a dog. JAVMA 150:618-620

Goldstein F, Kepes J J (1966): The role of traction in the development of the Arnold-Chiari malformation. An experimental study. J Neuropathol Exp Neurol 25:564-666

Goldstein F J, Burnett K R, Wolff G L (1985): Contrast enhancement of spontaneous animal CNS tumors with gadolinium DTPA: A correlation of MRI with X-ray CT. Physiol Chem Phys Med NMR 17:113-122

Gracia-Real I, Kass P H, Sturges B K, Wisner E R (2004): Morphometric analysis of the cranial cavity and caudal cranial fossa in the dog: A computerized tomographic study. Vet Radiol Ultrasound 45 (1):38-45

Grevel V (1994): Liquorzytologie und bildgebende Verfahren zur Diagnostik neurologischer Erkrankungen bei Hund und Katze. Habilitationsschrift, Berlin, Freie Universität.

Greitz D, Wirestam R, Franck A, Nordell B, Thomson C, Stahlberg F (1992): Pulsatile Brain Movements and Associated Hydrodynamics Studied by Magnetic Resonance Phase Imaging, the Monro-Kellie Doctrine Revisited. Radiology 34:370-380

Guillaume J, Janny P (1951): Manometrie intracranienne continue. Inter et de la methode et premiers resultats. Revue de Neurologie 84:131–142.

Hall P, Turner M, Archinger S (1980): Experimental syringomyelia. The relationship between intraventricular and intrasyrinx pressures. J Neurosurg 52:812-817

Harding B N (1992): Malformations of the Nervous System. In: Greenfield's Neuropathology, 5. Auflage, Ed. Adams J H, Dachen J H, Edwards Arnold Publishing, London

Heifetz, M D, Weiss M (1981): Detection of Skull Expansion with Increased Intracranial Pressure. *Journal of Neurosurgery* 55:811-812

Henninger W (2001): Ventricular measurements to quantify canine hydrocephalus in the assessment of brain ventricular enlargement. *Veterinary Radiology & Ultrasound* 42 (4):360

Herzog A (1971): Embryonale Entwicklungsstörungen des Zentralnervensystems beim Rind. Giessen, Justus-Liebig-Universität. Veterinärmedizinische Fakultät, Habilitations-schrift v. 12.7.1971

Hoerlein B F, Petty M F (1961): Contrast Encephalography and Ventriculography in the dog – Preliminary studies. *Am. J. Vet. Res.* 1041-1056

Hopkinson W I (1980): Syringomyelia in pigs. *Australian Veterinary Journal* 56 (10):506-508

Horodyska M, Kreiner J (1962): The brain ventricles in the dog. *Acta Biol. exp. Warsz.* 22:243-250

Howard E, Evans P D (1993): Miller's anatomy of the dog. 3. Auflage. W B Saunders. Philadelphia

Itoh T, Nishimura R, Matsunaga S, Kadosawa T, Mochizuki M, Sasaki N (1996): Syringomyelia and hydrocephalus in a dog. *JAVMA* 209 (5):934-936

James C C, Lassman L P, Tomlinson B E (1969): Congenital anomalies of the lower spine and spinal cord in Manx cats. *J Pathol* 97 (2):269-276

Jaslow C R (1990): Mechanical Properties of Cranial Sutures. *Journal of Biomechanics* 23 (4):313-321

Karagöz F, Izgi N, Kapicioglu, Sencer S (2002): Morphometric Measurements of the Cranium in Patients with Chiari Type I Malformation and Comparison with the Normal Population. *Acta Neurochir (Wien)* 144:165-171

Kasuga Y, Nagai H, Hasegawa Y (1989): Transmission characteristics of pulse waves in the intracranial cavity of dogs during normal intracranial condition, intracranial hypertension, hypercapnia and hydrocephalus. In: *Intracranial Pressure VII*, (eds J. T. Hoff and A. L. Betz), Springer-Verlag, Berlin:196–200

Kelkenberg U (1999): Vergleichende morphologische und pathophysiologische Untersuchungen der Liquordynamik bei Huhn und Ratte. Dissertation, Fachbereich Veterinärmedizin der FU Berlin.

Keller K, Nieboda T (1937): Untersuchungen an Doppelmonstren des Rindes im Sinne der Zwillingsforschung. *Z. Züchtg.: B Tierzüchtg. Züchtgsbiol.* 37 (3):245-293

Kelly J H (1975): Occipital dysplasia and hydrocephalus in a toy poodle. *Veterinary Medicine Small Animal Clinician* 70:940-941

Kii S, Uzuka Y, Taura Y, Nakaichi M, Takeuchi A, Inokuma H, Onishi T (1997): Magnetic resonance imaging of the lateral ventricles in Beagle-type dogs. *Veterinary Radiology & Ultrasound* 38 (6):430-433

Kirberger R M, Wrigley R H (1993): Myelography in the dog: Review of patients with contrast medium in the central canal. *Vet Radiol Ultrasound* 34:253-258

Kirberger R M, Jackson L S (1997): Hydromyelia in the dog. *Vet Radiol Ultrasound* 38(1):30-38

Klaus E (1969): Die basiläre Impression. S. Hinzel Verlag Leipzig:159-163

Klekamp J (2002): Kommentar zum Artikel von Karagöz et al. Acta Neurochir (Wien) 144:171

Klopmann T von, Böttcher I C, Gerdwilker A, Tipold A (2004): Arnold-Chiari-Typ-I-ähnliche Malformation bei einem Cavalier King Charles Spaniel. Kleintierpraxis 49 (12): 787-792

Kornegay J N (1986): Cerebellar vermian hypoplasia in dogs. Vet Pathol 23:374-379

Krogness K G (1978): Posterior Fossa Measurements. The Normal Size of the Posterior Fossa. Pediat Radiol 6:193-197

Künzel W (1982): Korrosionsanatomische Darstellung des Hohlraumsystems des Hundehirnes. Anatomia, Histologia, Embryologia 11:323-333

Larsell O (1970): The Comparative Anatomy and Histology of the Cerebellum from Monotremes through Apes. (J. Jansen, Ed.) Univ. Minnesota Press, Minneapolis, Paris

LeClerc S, Lopez A, Illanes O (1997): Central nervous system and vertebral malformation resembling the Arnold-Chiari syndrome in a Simmental calf. Can Vet J 38 (5):300-301

LeCouteur R A, Child G: Syringomyelia and hydromyelia. In: Textbook of Veterinary Internal Medicine, 4th edn, Vol 1. Ed S. J. Ettinger. W. B. Saunders, Philadelphia:692-693

Lee B C P, Zimmerman R D, Manning J J, Deck M D F (1985): MR imaging of syringomyelia and hydromyelia. Am J Neurorad 6:221-228

Lee E, Wang J, Mezrich R (1989): Variation of lateral ventricular volume during the cardiac cycle observed during MR imaging. Am J Neurorad 10:1145-1149

Leeds S E, Kong A K, Wise B L (1989): Alternative Pathways for Drainage of Cerebrospinal Fluid in the Canine Brain. Lymphology 22 (3):144-146

Levick R K (1966): The movement of the brain stem and vessels around the brain stem in children with hydrocephalus and the Arnold-Chiari deformity. Dev Med Child Neurol (Suppl.) 11:49-60

Levitzki R E, Lipsitz D, Chauvet A E (1999): Magnetic resonance imaging of the cervical spine in 27 dogs. Vet Radiology and Ultrasound 40:332-341

Lichtenstein B W (1942): Distant neuroanatomic complications of spina bifida (spinal dysraphism). Arch Neurol 47 (2):195-214

Logue V, Edwards M R (1981): Syringomyelia and its surgical treatment – an analysis of 75 patients. J neurol Neurosurg Psychiatry 44:273-284

Lu D, Lamb C R, Pfeiffer D U, Targett M P (2003): Neurological signs and results of magnetic resonance imaging in 40 Cavalier King Charles Spaniel with Chiari type 1-like malformations. Vet Record 153:260-263

Lundberg, N (1960): Continuous recording and control of ventricular fluid pressure in neurosurgical practice. Acta Psychiatrica et Neurologica Scandina-vica, 36 (Suppl. 149), 1-193.

Madarame H, Azuma K, Nozuki H, Konno S (1991): Cerebellar hypoplasia associated with Arnold-Chiari malformation in a Japanese shorthorn calf. J Comp Pathol 104 (1):1-5

Marin-Padilla M, Marin-Padilla T M (1981): Morphogenesis of experimentally induced Arnold-Chiari malformation. J Neurol Sci 50 (1):29-55

Martin A H (1971): A congenital defect in the spinal cord of the Manx cat. Vet Pathol 8 (3):232-238

Masuhr K, Neumann M (1996): Neurologie. Hippocrates Verlag, Stuttgart:170-173

McGrath J T (1965): Spinal Dysraphism in the dog. Path Vet Suppl 2:1-26

McGrath J T (1976): Animal models of human disease. Spinal dysraphism. Comparative Pathology Bulletin 8:2-4

McLaurin R L, Bailey O T, Schurr P H (1954): Myelomalacia and multiple caviations of spinal cord secondary to adhesive arachnoiditis; experimental study. Arch Pathol 57:138-146

Milhorat T H, Johnson W D, Miller J I (1992): Surgical treatment of syringomyelia based on magnetic resonance imaging criteria. Neurosurgery 31:231-245

Milhorat T H, Nobandegani F, Miller J I (1993): Noncommunicating syringomyelia following occlusion of central canal in rats. Experimental model and histological findings. J Neurosurg 78:274-279

Milhorat T H, Capocelli A L Jr, Anzil A P (1995): Pathological basis of spinal cord cavitation in syringomyelia: analysis of 105 autopsy cases. J Neurosurg 82:802-812

Milhorat T H, Chou M W, Trinidad E M, Kula R W, Mandell M, Wolpert C, Speer M C (1999): Chiari I malformation redefined: clinical and radiographic findings for 364 symptomatic patients. Neurosurgery 44:1005-1017

Nakayama Y (1974): The openings of the central canal in the filum terminale internum of some mammals. J Neurocytol 5:531-544

Nitz W R, Bradley W G Jr, Watanabe A S (1992): Flow dynamics of cerebrospinal fluid: assessment with phase-control velocity MR imaging performed with retrospective cardiac gating. Radiology 183:395-405

Njemanze P C, Beck O J (1989): MR-gated intracranial CSF dynamics: evaluation of CSF flow. AJNR 10:77-80

Nishikawa M, Sakamoto H, Hakuba A, Nakanishi N, Inoue Y (1997): Pathogenesis of Chiari malformation: a morphometric study of the posterior cranial fossa. *J Neurosurg* 86:40-47

Noetzel H (1971): Die Arnold-Chiarische Missbildung. *Med Welt* 22 (5):163-166

Nyland H, Krogness K G (1978): Size of posterior fossa in Chiari I malformation in adults. *Acta Neurochir (Wien)* 40:233-242

O'Connell J E A (1943): Vascular Factor in Intracranial Pressure and Maintenance of Cerebrospinal Fluid Circulation. *Brain* 66:204-228

Ogryzlo M A (1942): The Arnold-Chiari malformation. *Arch Neurol Psychiat* 48:30-46

Oldfield E H, Muraszko K, Shawker T H (1994): Pathophysiology of syringomyelia associated with Chiari I malformation of the cerebellar tonsils. Implications for diagnosis and treatment. *J Neurosurg* 80:3-15

Onar V, Mutus R, Kahvecioglu K O (1997): Morphometric analysis of the foramen magnum in German shepherd dogs (Alsatians). *Anat Anz* 179(6):563-8

Osaka K, Tanimura T, Hirayama A, Matsumoto S (1978): Myelomeningocele before birth. *J Neurosurg* 49:711-724

Panciera D L, Duncan I D, Messung A, Rush J E, Turski P A (1987): Magnetic resonance imaging in two dogs with central nervous system disease. *J Small Anim Pract* 28 (7):587-596

Papendick R, Schumacher J, Wollenman P (1995): Arnold-Chiari-like malformation in a litter of lion cubs (*Panthera leo*). *Vet Pathol* 32 (5):578

Park R D, Nelson T R, Hoopes P J (1987): Magnetic resonance imaging of the normal equine digit and metacarpophalangeal joint. *Vet Radiol* 28 (4):105-116

Park T S, Cail W S, Broaddus W C (1989): Lumboperitoneal shunt combined with myelotomy for treatment of syringomyelia. *J Neurosurg* 70:721-727

Parker A J, Park R D (1974a): An Unusual Case of Occipital Dysplasia in the Dog. *VMSAC* 69: 438-440

Parker A J, Park R D (1974b): Occipital Dysplasia in the Dog. *JAAHA* 10: 520-525

Peach B (1965): Arnold-Chiari malformation. Anatomic features of 20 cases. *Arch Neurol* 12:613-621

Penfield W, Coburn D F (1938): Arnold-Chiari malformation and its operative treatment. *Arch Neurol Psychiat* 40:328-336

Phillips (ca. 1998): Basic Principles of MR Imaging.

Platt S (2000): Syringohydromyelia in Dogs: Implications for the Cavalier King Charles Spaniel. In: Website of the Rhiannon Cavalier King Charles Spaniel and Creature Comforts Inn

Poeck K, Hacke W (1998): Entwicklungsstörungen und Fehlbildungen des Nervensystems. In: *Neurologie*. Springer:707-717

Rennels M L, Gregory T F, Blaumanis O R (1985): Evidence for a 'perivascular' fluid circulation in the mammalian central nervous system, provided by the rapid distribution of tracer protein throughout the brain from the subarachnoid space. *Brain Res* 326:47-63

Ridgeway J P (1987): Demonstration of Pulsatile Cerebrospinal Fluid Flow Using Magnetic Resonance Phase Imaging. *The British Journal of Radiology* 60(713):423-427

Rusbridge C (1997): Persistent scratching in Cavalier King Charles Spaniel. Vet Rec 140:239-240

Rusbridge C, MacSweeny J E, Davies J V, Chandler K, Fitzmaurice S N, Dennis R, Cappello R, Wheeler S J (2000): Syringohydromyelia in Cavalier King Charles Spaniel. J Am Anim Hosp Assoc 36:34-41

Rusbridge C, Knowler SP (2003): Hereditary aspects of occipital bone hypoplasia and syringomyelia (Chiari I malformation) in Cavalier King Charles Spaniel. Vet Record 153. 107-112

Rusbridge C, Knowler SP (2004): Inheritance of occipital bone hypoplasia (Chiari I malformation) in Cavalier King Charles Spaniel. J Vet Intern Med 18:673-678

Russell D, Donald C (1935): The mechanism of internal hydrocephalus in spina bifida. Brain 58:203-215

Salam M Z, Adams R D (1980): The Arnold-Chiari malformation. In: Handbook of Clinical Neurology. Congenital Malformations of the Spine and Spinal Cord. Ed.: P J Vinken, G W Bruyn, Volume 40. North Holland Publishing Company

Sato O, Asai T, Amano Y, Hara M, Tsugane R, Yagi M (1972): Extraventricular origin of the cerebrospinal fluid : formation rate quantitatively measured in the spinal subarachnoid space of dogs. Journal of neurosurgery 36. 276-282

Schade W (1974): Die kaudale Verlagerung des Kleinhirns beim Kalb (Arnold-Chiari-Anomalie), Bildbericht. Dtsch tierärztl Wschr 81 (4):91

Schady W, Metcalfe R A, P Butler (1987): The incidence of craniocervical bony anomalies in the adult Chiari malformation. J Neurol Sci 82:193-203

Schmahl W, Kaiser E (1984): Hydrocephalus, Syringomyelia, and Spinal Cord Angiodysgenesis in a Lhasa-apso Dog. *Vet Pathol* 21:252-254

Schut L, Bruce D A (1978): The Arnold-Chiari Malformation. *Orthopedic Clinics of North America* 9 (4):913-921

Schwalbe E, Gredig M (1907): Über Entwicklungsstörungen des Kleinhirns, Hirnstamms und Halsmarks bei Spina bifida (Arnold'sche und Chiari'sche Missbildung). *Ziegler's Beitr path Anat* 40:132-194

Shamir M H, Horowitz I H, Yakobson B, Ofri R (1998): Arnold-Chiari malformation in a captive African lion cub. *J Wildl Dis* 34 (3):661-666

Shores A (1993): Magnetic resonance imaging. In: Diagnostic Imaging. *Veterinary Clinics of North America: Small Animal Practice* 23 (2):437-443

Simoens P, Poels P, Lauwers H (1994): Morphometric analysis of the foramen magnum in Pekinese dogs. *Am J Vet Res* 55 (1):34-39

Spearman C (1904): General Intelligence – objectively determined and measured. *American Journal of Psychology* 15:201-293

Stender H P (1992): Leitlinien der Bundesärztekammer zur Qualitätssicherung in der Computertomographie. Deutscher Ärzte-Verlag:4

Stoodley M A, Jones N R, Yang L, Brown C J (2000): Mechanisms underlying the formation and enlargement of noncommunicating syringomyelia: experimental studies. *Neurosurg Focus* 8 (3):Article 2

Sullivan H G, Miller J D, Becker D P (1977): The physiological basis of intracranial pressure change with progressive epidural brain compression. An experimental evaluation in cats. *Journal of Neurosurgery* 47:532–550

Taga A, Taura Y, Nakaichi M, Wada N, Hasegawa T (2000): Magnetic resonance imaging of syringomyelia in five dogs. JSAP 41:362-365

Tashiro K, Fukazawa T, Moriwaka F, Hamada T, Isu T, Iwasaki Y, Abe H (1987): Syringomyelic syndrome: clinical features in 31 cases confirmed by CT myelography or magnetic resonance imaging. J Neurol 235(1):26-30

Thompson, D N P, Harkness W, Jones B M, Hayward R D (1997): Aetiology of herniation of the hindbrain in craniosynostosis. Pediatr Neurosurg 26:288-295

Van den Broek A H M, Else R W, Abercromby R, France M (1991): Spinal dysraphism in the Weimaraner. JSAP 32:258-260

Van Herpen H, Voorhout G (1993): Occipitale dysplasie bij een Dwergkeeshond. Tijdschr Diergeneesk 118:327-328

Variend S, Emery J L (1973): The weight of the cerebellum in children with myelomeningocele. Dev Med Child Neurol 15 (Suppl. 29):77-83

Vega A; Quintana F, Berciano J (1990): Basicondrocranium anomalies in adult Chiari type 1 malformation: A morphometric study. J Neurol Sci 99:137-145

Vite C H, Insko E K, Schotland H M, Panckeri K, Hendricks J C (1997): Quantification of cerebral ventricular volume in English Bulldogs. Veterinary Radiology & Ultrasound 38 (6):437-443

Vullo T, Korenman E, Manzo R P, Gomez D G, Deck M D F, Cahill P T (1997): Diagnosis of cerebral ventriculomegaly in normal adult Beagles using quantitative MRI. Veterinary Radiology & Ultrasound 38 (4):277-281

Watson A G, de Lahunta A, Evans H E (1989): Dorsal notch of foramen magnum due to incomplete ossification of supraoccipital bone in dogs. Journal of Small Animal Practice 30:666-673

Wayte S C (1992): Magnetic Resonance Imaging of Pulsatile Cerebrospinal Fluid Flow by Spatial Modulation of Magnetisation. The British Journal of Radiology 65(774):495-501

Weed LH (1914): Studies on cerebro-spinal fluid III. The pathways of escape from the subarachnoid spaces with particular reference to the arachnoid villi. J Med Res 31:51-91

Wehner L (1983): Über die kaudale Verlagerung des Kleinhirns beim Kalb (Arnold-Chiari-Anomalie). Justus-Liebig-Universität, Giessen, Dissertation

Weller R O, Kida S, Zhang E T (1992): Pathways of Fluid Drainage from the Brain-Morphological Aspects and Immunological Significance in Rat and Man. Brain Pathology 2 (4):277-284

Williams B, Bentley J (1980): Experimental communicating syringomyelia in dogs after cisternal kaolin injection. Part 1. Morphology. J Neurol Sci 48:93-107

Williams B (1980): Experimental communicating syringomyelia in dogs after cisternal kaolin injection. Part 2. Pressure studies. J Neurol Sci 48:109-122

Williams B (1980): On the pathogenesis of syringomyelia: a review. J R Soc Med 73:798–806

Williams B (1969): The distending force in the production of communicating syringomyelia. Lancet 2:189–193

Wolpert S M, Anderson M, Scott R M, Kwan E S K, Runge V M (1987): Chiari II malformation: MR imaging evaluation. Am J Neurorad 8:783-792

Wright J A (1979): A study of the radiographic anatomy of the foramen magnum in dogs. Journal of Small Animal Practice 20:501-508

Yuh W T C, Segall H D, Senac M O, Schultz D (1987): MR imaging of Chiari II malformation associated with dysgenesis of cerebellum and brain stem. J Comput Assist Tomogr 11:188-191

Zetkin M (1985): Wörterbuch der Medizin, Zahnheilkunde und Grenzgebiete. Hrsg. Heinz David. 7. völlig neubearb. U. erw. Aufl. Stuttgart, Thieme Verlag