

7. Literaturverzeichnis

1. Aboseif, S. R.; Matzel, K. E.; Lue, T. F.: Sexual dysfunction after rectal surgery. *Perspect colon Rect Surg* 3, 157-163 (1990)
2. Adjei, A. A.: A review of the pharmacology and clinical activity of new chemotherapy agents for the treatment of colorectal cancer. *Br J Clin Pharmacol* 48, 265-277 (1999)
3. Ambiru, S.; Miyazaki, M.; Ito, H. et al.: Adjuvant regional chemotherapy after hepatic resection for colorectal metastases. *Br J Surg* 86, 1025-1031 (1999)
4. Arbeitsgemeinschaft für Krebsbekämpfung der Träger der gesetzlichen Kranken- und Rentenversicherung im Lande Nordrhein-Westfalen: Stationäre Krebsnachsorge der gesetzlichen Kranken- und Rentenversicherung des Landes Nordrhein-Westfalen - Eine Information über Leistungsmöglichkeiten und Nachsorgekurkliniken. Bochum 1983, S. 8, September 1992
5. Arnold, M. W.; Young, D. C.; Hitchcock, C. L.; Schneebaum, S.; Martin, E. W.: Radioimmunoguided surgery in primary colorectal carcinoma: an intraoperative prognostic tool and adjuvant to traditional staging. *Am J Surg* 170, 315-318 (1995)
6. Au, H. J.; Mulder, K. E.; Fields, A. L.: Systematic review of management of colorectal cancer in elderly patients. *Clin Colorectal Cancer* 3, 165-171 (2003)
7. Auerbach, A. M.; Steves, M. A.; Ettinghausen, S. E. et al.: Pelvic omentoplasty after low anterior resection with total mesorectal excision. *Contemp Surg* 52, 379-390 (1998)
8. Balslev, I.; Pederson, M.; Teglbjaerg, P. S. et al.: Post-operative radiotherapy in Dukes` B. and C carcinoma of the rectum and rectosigmoid. *Cancer* 58, 22-28

(1986)

9. Becker, H. D.; Hohenberger, W.; Junginger, Th.; Schlag, P. M. (Hrsg.): Chirurgische Onkologie. Thieme, Stuttgart New York (2002)

10. Berman, J. M.; Cheung, R. J.; Weinberg, D. S.: Surveillance after colorectal cancer resection. Lancet 355, 395-399 (2000)

11. Birkner, B. R. [Evidence-based prevention of colorectal carcinoma]. Dtsch Med Wochenschr 128, 1598-2603 (2003)

12. Bleiberg, H.; Kemeny, N.; Rougier, Ph.; Wilke, H. J. (eds): Colorectal cancer: A clinical guide to therapy. Martin Dunitz, London (2001)

13. Bokey, E. L.; Ojerskog, B.; Chapus, P. H. et al.: Local recurrence after curative excision of the rectum for cancer without adjuvant therapy: role of total anatomical dissection. Br J Surg 86, 1164-1170 (1999)

14. Bonzourene, H.; Bosman, F. T.; Seelentag, W.; Matter, M.; Coucke, P.: Importance of tumor regression assessment in predicting the outcome in patients with locally advanced rectal carcinoma who are treated with pre-operative radiotherapy. Cancer 94, 1121-1139 (2002)

15. Boring, C. C.; Squires, T. S.; Tong, T. et al.: Cancer Statistics 1994. Ca Cancer J Clin 44, 7-26 (1994)

16. Bozzetti, F.; Andreola, S.; Rossetti, C.; Zucali, r.; Moroni, E.; Barotti, D. et al.: Preoperative radiotherapy for resectable cancer of the middle-distal rectum: ist effect on the primary lesions is determined by endorectal ultrasound using flexible echo colonoscope. Int J Colorect Dis 11, 283-286 (1996)

17. Bringer, K.; Reinhard, G.: Empfehlungen für die psychosoziale Beratung in der stationären und ambulanten Krebsnachsorge - Sozialarbeit mit krebserkrankten Patienten und Angehörigen. In Gesellschaft zur Bekämpfung der Krebskrankheiten NW e. V. Düsseldorf. GBK-Mitteilungsdienst 45, 26-27 (1985)
18. Bruch, H.-P.; Roblick, U. J.; Schwandner, O.: Rektumkarzinom-Optimierung durch tiefe Resektion oder Exstirpation. Zentralbl Chir 124, 422-427 (1999)
19. Bundesversicherungsanstalt für Angestellte, Anschlussheilbehandlungen, Informationsschrift für Krankenhäuser, Ausgabe 1996
20. Bundesarbeitsgemeinschaft für Rehabilitation Arbeitshilfe für die Rehabilitation Krebskranker; Schriftreihe der Bundesarbeitsgemeinschaft für Rehabilitation, Heft 7, 1993
21. Byers, T.; Levin, B.; Rothenberger, D.; Dodd, G. D.; Smith, R. A.: American Cancer Society guidelines for screening and surveillance for early detection of colorectal polyps and cancer: update 1997. American Cancer Society Detection and Treatment Advisory Group on Colorectal Cancer. CA Cancer J Clin, 154-160 (1997)
22. Call, R. L.; Pitsch, R. M.; Thorsen, A. G.; et al.: Cumulative incidence of metachronous colorectal cancer: Dis Colon Rectum 36, 388-393 (1993)
23. Camma, C.; Giunta, M.; Florica, F. et al.: Preoperative radiotherapy for resectable rectal cancer: A meta-analysis. Jama 284, 1008-1015 (2000)
24. Cassidy, J.; Twelves, C.; van Cutsem, E. et al.: First-line oral capecitabine therapy in metastatic colorectal cancer: A favorable safety profile compared with intravenous fluoracil/leucovorin. Ann Oncol 13, 566-575 (2002)
25. Chao, a.M.; Thun, M. J.; Jacobs, E. J. et al.: Cigarette smoking and colorectal cancer mortality in the cancer prevention study II. J Natl Cancer Inst 92, 1888-

1896 (2000)

26. Chen, H. S.; Sheen-Chen, S. M.: Synchronous and "early" metachronous colorectal adenocarcinoma: analysis of prognosis and current trends. *Dis Colon Rectum* 42, 1093-1099 (2000)

27. Chol, H. J.; Chol, Y.Y.; Hong, S. H.: Incidence and prognostic implications of isolated tumor cells in lymph nodes from patients with Dukes B colorectal carcinoma. *Dis Colon Rectum* 45, 750-755; discussion 755-756 (2002)

28. Church, J. M.; Gibbs, P.; Chao, M. W.; Tjandra, J. J.: Optimizing the outcome for patients with rectal cancer. *Dis Colon Rectum* 46, 389-402 (2003)

29. Citarda, F.; tomaselli, G.; Capocaccia, R. et al.: Efficacy in standard clinical practice of colonoscopic polypectomy in reducing colorectal cancer incidence. *Gut* 48, 812-815 (2001)

30. Compton, C. C.; Fielding, L. P.; Burgart, L. J.; Conley, B.; Cooper, H. S.; Hamilton, S. R.; Hammond, M. E. H. et al.: Prognostic factors on colorectal cancer. College of American Pathologists Consensus. Statement. *Arch Pathol Lab Med* 124, 979-994 (1999)

31. Cunningham, D.; Pyrhonen, S.; James, R. D. et al.: Randomised trial for irinotecan plus supportive care versus supportive care alone after fluorouracil failure for patients with metastatic colorectal cancer. *Lancet* 352, 1413-1418 (1998)

32. Dahl, O.; Horn, A.; Morild, I. et al.: Low-dose preoperative radiation postpones recurrences in operable rectal cancer. *Cancer* 66, 2286-2294 (1990)

33. De Grammont, A.; Figer, A.; Seymour, M. et al.: Leucovorin and fluorouracil with or without oxaliplatin as first-time treatment in advanced colorectal cancer. *J Clin Oncol* 18, 2938-2947 (2000)

34. De Vos tot Nederveen Cappel, W. H.; Jarvinen, H. J.; Bjork, J. et al.: Worldwide survey among polyposis registries of surgical management of severe duodenal adenomatosis in familial adenomatous polyposis. Br J Surg 90, 705-710 (2003)
35. Delbrück, H. (Hrsg.): Tumornachsorge, 3. Aufl. Thieme, Stuttgart, New York (1994)
36. Delbrück, H.; Schardt, M.: Einschränkungen der Arbeits- und Erwerbsfähigkeit von geheilten Rektumkarzinompatienten. In: Delbrück, H. (Hrsg.): Der Krebskranke in der Arbeitswelt. Zuckerschwerdt, München, 81-87 (1995)
37. Dellbrück, Hermann
Rehabilitation bei onkologischen Krankheitsbildern, in Dellbrück, Haupt, Rehabilitationsmedizin, Urban und Schwarzenberg Verlag (1996)
38. Deutsche Krebsgesellschaft; Diagnostische Standards - Lungen-, Magen-, Pankreas- und kolorektales Karzinom (Hermaneck, P., Hrsg.) Zuckschwerdt, München Bern Wien New York (1995)
39. Deutsche Krebsgesellschaft; Kurzgefasste interdisziplinäre Leitlinien 2002. Diagnose und Therapie maligner Erkrankungen (Schmitt-Thomas, B., Hrsg.). Zuckschwerdt, München Bern Wien New York (2002)
40. Douillard, J. Y.; Cunningham, D.; Roth, A. D. et al.: Irinotecan combined with fluorouracil compared with fluorouracil alone as first-line treatment for metastatic colorectal cancer: a multicentre randomised trial. Lancet 355, 1041-1047 (2000)
41. Dube, S.; Heyen, F.; Jenicek, M.: Adjuvant chemotherapy in colorectal carcinoma: results of a meta-analysis. Dis Colon Rectum 40, 35-41 (1997)
42. Dworak, O.; Keilholz, L.; Hoffmann, A.: Pathological features of rectal cancer

after preoperative radiochemotherapy. *Int J Colorect Dis* 12, 19-23 (1997)

43. Eaden, J. A.; Abrams, K. R.; Mayberry, J. F.: The risk of colorectal cancer in ulcerative colitis: a meta-analysis. *Gut* 48, 526-535 (2001)

44. Eckardt, V. F.; Bernhard, G.: Nachsorge beim kolorektalen Karzinom. Eine Analyse von Effektivität und Kosten. *Deutsches Ärzteblatt* 94, A456-462 (1997)

45. Edwards, D. P.; Leppington-Clarke, A.; Sexton, R. et al.: Stoma-related complications are more frequent after transverse colostomy than loop ileostomy: a prospective randomized clinical trial. *Br J Surg* 88, 360-363 (2001)

46. Ekbohm, A.; Helmick, C.; Zack, M.; Adami, H. O.: Increased risk of large-bowel cancer in Crohn's disease with colonic involvement. *Lancet* 336, 357-359 (1990)

47. Ekbohm, A.; Helmick, C.; Zack, M.; Adami, H. O.: Ulcerative colitis and colorectal cancer. A population-based study. *N Engl J Med* 323, 1228-1233 (1990)

48. Emrich, M.; Beckmann, D.; Dobroschke, J.; Schlag, P.; Wirsching, M.: Indikation zur Psychotherapie bei Anus praeter-Träger. In: Englert, G. (Hrsg.). *Die Rehabilitation des Stomapatienten - eine multidisziplinäre Aufgabe*. Deutsche ILCO, Freising (1988)

49. Farnell, G. F.; Buckner, J. C.; Cascino, T. L. et al.: Brain metastases from colorectal carcinoma. The long term survivors. *Cancer* 78, 711-716 (1996)

50. Feuer, D. J. Broadley, K. E.; Shepard, J. H. et al.: Surgery for the resolution of symptoms in malignant bowel obstruction in advanced gynaecological and gastrointestinal cancer. *Cochrane Database Syst Rev* CD002764 (2000)

51. Fielding, L. P.; Philips, R. K.; Hittinger, R.F.: Factors influencing mortality after curative resection for large bowel cancer in elderly patients. *Lancet* 1, 595-597

(1989)

52. Figueras, J.; Valls, C.; Rafeca, A. et al.: Resection rate and effect of postoperative chemotherapy on survival after surgery for colorectal liver metastases. *Br J Surg* 88, 980-985 (2001)

53. Fisher, B.; Wolmark, N.; Rockette, H. et al.: Postoperative adjuvant chemotherapy or radiotherapy for rectal cancer: results from NSABP protocol R-01. *J Natl Cancer Inst* 80, 21-29 (1988)

54. Francini, G.; Petrioli, R.; Lorenzini, L. et al.; Folinic acid and 5-fluorouracil as adjuvant chemotherapy in colon cancer. *Gastroenterology* 106, 899-906 (1994)

55. Gartner, U.; Braun, G.D.; Held, K. et al.: [Physical complaints, stress and quality of life of oncologic patients. Effects and patient assessment in patient rehabilitation]. *Med Klein (Munich)* 91, 501-508 (1996)

56. Gastinger, I.; Marusch, F.: Evidence-based surgery in colon carcinoma. *Zentralbl Chir* 126, 283-288 (2001)

57. Gastrointestinal Tumor Study Group: Radiation therapy and fluorouracil with or without semustine for the treatment of patients with surgical adjuvant adenocarcinoma of the rectum. *J Clin Oncol* 10, 549-557 (1992)

58. Gerard, A.; Buyse, M.; Norlinge, B. et al.: Pre-operative radiotherapy as adjuvant treatment in rectal cancer. Final results of a randomized study of the European Organization on Research and Treatment of Cancer Gastrointestinal Tract Cancer Cooperative Group. *Ann Surg* 208, 606-614 (1988)

59. Giacchetti, S.; Itzhaki, M.; Gruia, G. et al.: Long-term survival of patients with unresectable colorectal cancer liver metastases following infusional chemotherapy with 5-fluorouracil, leucovorin, oxaliplatin and surgery. *Ann Oncol* 10, 663-669 (1999)

60. Giovannucci, E.: Diet, body weight, and colorectal cancer: a summary of the epidemiologic evidence. *J Womens Health (Larchmt)* 12, 173-182 (2003)
61. Glacchetti, s.; Itzhaki, M.; Gruia, G. et al.: Long-term survival of patients with unresectable colorectal cancer liver metastases following unfusional chemotherapy with 5-fluorouracil, leucovorin, oxaliplatin and surgery. *Ann Oncol* 10, 663-669 (1999)
62. Goldstein, N. S.; Sanford, W.; Coffey, M. et al.: Lymph node recovery from colorectal resection specimen removed for adenocarcinoma. Trends over time and a recommendation for a minimum number of lymph nodes to be recovered. *Am J Clin Pathol* 106, 209-216 (1996)
63. Goldstein, N. S.; Soman, A.; Sacksner, J.: Disparate surgical margin lengths of colorectal resection specimens between in vivo and in vitro measurements. The effects of surgical resection and formalin fixation on organ shrinkage. *Am J Clin Pathol* 111, 349-351 (1999)
64. Göhl, J.: EbM-basierte Chirurgie beim kolorektalen Karzinom, Vortrag und persönliche Mitteilung ,Klinikum Bad Bocklet, Juni 2005
65. Graeven, U.; Schmiegel, W.: Kolonkarzinom. Konsens der therapeutischen Strategien. *Internist* 2000, 41, 876-885 (2000)
66. Green, R. J.; Metlay, J. P.; Propert, K. et al.: Surveillance for second primary colorectal cancer after adjuvant chemotherapy: an analysis of Intergroup 0089. *Ann Intern Med* 136, 261-269 (2002)
67. Hahn, M.; Kruppa, Ch.; Pistorius, S.; Schackert, H. K.: Prädiktive molekulare Diagnostik und präventive Chirurgie des hereditären kolorektalen Karzinoms. Ein neues Interessengebiet der chirurgischen Forschung. *Zbl Chir* 124, 278-285 (1999)

68. Harba, A. E.; Jordan, K.; Kegel, T.; et al.: Capecitabine/Mitomycin C as salvage therapy in oxaliplatin and CPT-11 refractory colorectal cancer. Proc Am Soc Clin Oncol 22, 259, abstr. 1335, 332 (2003)

69. Hense, H. W.: Leitlinien, Empfehlungen und Positionen. Dtsch Med Wschr 125, 851 (2000)

70. Herfarth, Ch.; Runkel, N.: Chirurgische Standarte beim primären Colonicarcinom. Chirurg 65, 514-523 (1994)

71. Hermanek, P. [Lymph nodes and malignant tumors]. Zentralbl Chir 125, 790-795 (2000)

72. Hermanek, P. jr.; Mansmann, U.; Staimmer, D.; Riedl, S.; Hermanek, P.: The German experience. The surgeon as a prognostic factor in colon and rectal cancer surgery. Surg Oncol Clinics N Am 9, 33-49 (2000)

73. Hermanek, P.; Hohenberger, W.: The importance of volume in colorectal cancer surgery. Eur J Surg Oncol 22, 213-215 (1996)

74. Hermanek, P.; Mannsmann, U.; Altendorf-Hofmann, A.; Hermanek, P. jr.; Riedl, S.; Staimmer, D.; Vergleichende Beurteilung der onkologischen Ergebnisqualität beim kolorektalen Karzinom. Klinikvergleiche anhand von Surrogatendpunkten? Chirurg 70, 407-414 (1999)

75. Hohenberger, B.; Hermanek, P.; Gall, F. P.: Decision making in curative rectum carcinoma surgery. Oncology 15, 209 (1992)

76. Hohenberger, W.; Mohr, V. D.; Göhl, J.: Anastomosentechniken am unteren Intestinaltrakt. Chirurg 64, 690-700 (1993)

77. Hollmann, W., Hettinger, T. Sportmedizin: Arbeits und Trainingsgrundlagen, 3. Auflage, Schattauer Verlag, Stuttgart 1990

78. Hollmann, W. Sportmedizin- Lexikon, Johann Ambrosius Barth- Verlag, 1995

79. Iwashyna, T. J.; Lamont, E. B.: Effectiveness of adjuvant fluorouracil in clinical practice: a population-based cohort study of elderly patients with stage III colon cancer. *J Clin Oncol* 20, 3992-3998 (2002)

80. Hüter- Becker, A., Schewe, H., Heipertz, W.: Physiotherapie, Lehrbuch in 14 Bänden, Georg Thieme Verlag

81. Japanese Society for Cancer of the Colon and Rectum (JSCCR): Japanese classification of colorectal carcinoma. 1st English ed. Kanehara & Co. Tokyo (1997)

82. Junginger, T.: Kolonkarzinom - Interdisziplinäre Leitlinien der Deutschen Krebsgesellschaft und ihrer Arbeitsgemeinschaften, der Deutschen Gesellschaft für Chirurgie und der Deutschen Gesellschaft für Verdauungs- und Stoffwechselkrankheiten. *Onkologie* 5, 348-358 (1999)

83. Kapiteijn, E.; Marijnen, C. A.; Nagtegaal, I. D. et al.: Preoperative radiotherapy combined with total mesorectal excision for resectable rectal cancer. *N Engl J Med* 345, 638-646 (2001)

84. Kikuchi, R.; Takano, M.; Takagi, K. et al.: Management of early Invasive colorectal cancer. Risk of recurrence and clinical guidelines. *Dis Colon Rectum* 38, 1286-1295 (1995)

85. Kirchgatterer, A.; Hubner, D.; Aschl, G. et al.: [Colonoscopy and sigmoidoscopy in patients aged eighty years or older]. *Z Gastroenterol* 40, 951-956 (2002)

86. Klein, H. O.: Chemo- und Immuntherapie des kolorektalen Karzinoms.

Internist 32, 348 (1991)

87. Ko, C. W.; Dominitz, J. A.; Nguyen, T. D.: Fecal occult blood testing in a general medical clinic: comparison between guaiac-based and immunochemical-based tests. *Am J Med* 115, 111-114 (2003)

88. Köhne, C. H.; Cunningham, D.; Di, C. F.; Glimelius, B.; Blijham, G.; Aranda, E.; Scheithauer, W. et al.: Clinical determinants of survival in patients with 5-fluorouracil-based treatment for metastatic colorectal cancer: results of a multivariate analysis of 3825 patients. *Ann Oncol* 13, 308-317 (2002)

89. Krook, J. E.; Moertel, C. G.; Gunderson L. L. et al.: Effective surgical adjuvant therapy for high-risk rectal carcinoma. *N Engl J Med* 324, 709-715 (1991)

90. Kruck, P. (für Deutsche Krebsgesellschaft): Leitlinie zur Rehabilitation beim kolorektalen Karzinom. *Forum DKG* 13, 395-397 (1998)

91. Kudo, S.; Hirota, S.; Nakajima, T.; Hosobe, S.; Kusaka, et. al.: Colorectal tumors and pit pattern. *J Clin Pathol* 47, 880-885 (1994)

92. Kudo, S.; Kashida, H.; Nakajima, T. et al.: Endoscopic diagnosis and treatment of early colorectal cancer. *World J Surg* 21, 694-701 (1997)

93. Kudo, S.; kashida, H.; Tamura, T. et al.: Colonoscopic diagnosis and management of nonpolypoid early colorectal cancer. *World J Surg* 24, 1081-1090 (2000)

94. Le Voyer, T. E.; Sigurdson, E. R.; Hanlon, A. L. et al.: Colon cancer survival is associated with increasing number of lymph nodes analyzed: a secondary survey of intergroup trial INT-0089. *J Clin Oncol* 21, 2912-2919 (2003)

95. Lee, I. M.: Physical activity and cancer prevention-data from epidemiologic studies. *Med Sci Sports Exerc* 35, 1823-1827 (2003)

96. Lee, J. H.; Ahn, J. H.; Bahng, H. et al.: Randomized trial of postoperative adjuvant therapy in stage II and III rectal cancer to define the optimal sequence of chemotherapy and radiotherapy: a preliminary report. *J Clin Oncol* 20, 1751-1758 (2002)
97. Leitlinienkonferenz "Kolorektales Karzinom" 2004, Deutsche Krebsgesellschaft
98. Lezoche, E.; Feliciotti, F.; Paganini, A. M.; Guerrieri, M.; De Sanctis, A.; Minervini, S.; Campagnacci, R.: Laparoscopic vs open hemicolectomy for colon cancer. *Surg Endosc* 16, 596-602 (2002)
99. Liebermann, D. A.; Weiss, D. G.: One-time screening for colorectal cancer with combined fecal occult-blood testing and examination of the distal colon. *N Engl J Med* 345, 555-560 (2001)
100. Liljegren, a.; Lindblom, A.; Rotstein, S. et al.: Prevalence and incidence of hyperplastic polyps and adenomas in familial colorectal cancer: correlation between the two types of colon polyps. *Gut* 52, 1140-1147 (2003)
101. Longo, W. E.; Virgo, K. S.; Johnson, F. E. et al.: Risk factors for morbidity and mortality after colectomy for colon cancer. *Dis Colon Rectum* 43, 83-91 (2000)
102. Lorenz, M.; Muller, H. H.; Schramm, H. et al.: Randomized trial of surgery versus surgery follows by adjuvant hepatic arterial infusion with 5-fluorouracil and folinic acid for liver metastases of colorectal cancer. German Cooperative on Liver Metastases (Arbeitsgruppe Lebermetastasen). *Ann Surg* 228, 756-762 (1998)
103. Lumley, J. W.; Fielding, G. A.; Rhodes, M.; Nathanson, L. K.; Siu, S.; Stitz, R. W.: Laparoscopic-assisted colorectal surgery. Lessons learned from 240 consecutive patients. *Dis Colon Rectum* 39, 155-159 (1996)

104. Mandard, A. M.; Dalibard, F.; Mandard, J.-C. et al.: Pathologic assessment of tumor regression after preoperative chemo-radiotherapy of esophageal carcinoma. *Cancer* 73, 2680-2686 (1994)
105. Martinez, M. E.; Heddens, D.; Earnest, D. L. et al.: Physical activity, body mass index, and prostaglandin E2 levels in rectal mucosa. *J Natl Cancer Inst* 91, 950-953 (1999)
106. Marusch, F.; Koch, A.; Schmidt, U.; Geissler, S.; Meyer, L.; Jost, J.; Ulrich, B.; Gastinger, I.; Köckerling, F.; Lippert, H.: Prospektive Multicenterstudie "Kolon/Rektum Karzinome (Primärtumor)" - Überblick über den Jahrgang 2000. *Zentralbl Chir* 127, 332-349 (2002)
107. Marusch, F.; Koch, A.; Schmidt, U.; Zippel, R.; Geissler, S.; Pross, M.; Roessner, A.; Köckerling, F.; Gastinger, I.; Lippert, H.: Prospektive Multicenterstudien "Kolon/Rektumkarzinome" als flächendeckende chirurgische Qualitätssicherung. *Chirurg* 73, 138-146 (2002)
108. Matzel, K. E.; Merkel, S.; Hohenberger, W.: Lokale Therapieprinzipien beim Rektumkarzinom. *Chirurg* 74, 897-904 (2003)
109. Maughan, N. J.; Quirke, P.: Modern management of colorectal cancer - A pathologist's view. *Scand J Surg* 9s, 11-19 (2003)
110. Merkel, S.; Mansmann, U.; Siassi, M.; Papadopoulos, T.; Hohenberger, W.; Hermanek, P.: The prognostic inhomogeneity in pT3 rectal carcinomas. *Int J Colorect Dis* 16, 298-304 (2001)
111. Merkel, S.; Wein, A.; Gunther, K. et al.: High-risk groups of patients with Stage II colon carcinoma. *Cancer* 92, 1435-1443 (2001)
112. Meropol N. J.; Berlin, J. R.; Hecht, G. A. et al.: Multicenter study of ABX-EGF monotherapy in patients with colorectal cancer. *Proc Ann Soc Clin Oncol* 22, 265

a, abstr. 1026 (2003)

113. Milson, J. W.; Bohm, B.; Hammerhofer, K. A. et al.: A prospective, randomized trial comparing laparoscopic versus conventional techniques in colorectal cancer surgery: a preliminary report. *J Ann Coll Surg* 187, 46-54 (1998)

114. Moertel, C. G.: Chemotherapy for Colorectal Cancer. *N Engl J Med* 330, 1136-1142 (1994)

115. Moertel, C. G.; Fleming, T. R.; Macdonald J. S. et al.: Intergroup study of fluorouracil plus levamisole as adjuvant therapy for stage II/Dukes' B2 colon cancer. *J Clin Oncol* 13, 2936-2943 (1995)

116. Moozar, K. L.; Madlensky, L.; Berk, T. et al.: Slow progression of periampullary neoplasia in familial adenomatous polyposis. *J Gastrointest Surg* 6, 831-837, discussion 837 (2002)

117. National Institutes of Health Consensus Development Conference: Adjuvant therapy for patients with colon and rectal cancer. *JAMA* 264, 1444-1450 (1990)

118. Nelson, H.; Petelli, N.; Carlin, A. et al.: Guidelines 2000 for colon and rectal cancer surgery. *J Natl Cancer Inst* 93, 583-596 (2001)

119. Neugut, A. I.; Jacobson, J. S.; Ahsan, H. et al.: Incidence and recurrence rates of colorectal adenomas: a prospective study. *Gastroenterology* 108, 402-408 (1995)

120. Newcomb, P. A., Storer, B. E.; Morimoto, L. M. et al.: Long-term efficacy of sigmoidoscopy in the reduction of colorectal cancer incidence. *J Natl Cancer Inst* 95, 622-625 (2003)

121. Newcomb, P. A.; Norfleet, R. G.; Storer, B. E. et al.: Screening sigmoidoscopy and colorectal cancer mortality. *J Natl Cancer Inst* 84, 1572-1575 (1992)

122. Nitti, D.; Wils, J.; Sahmoud, T. et al.: Final results of a phase III clinical trial on adjuvant intraportal infusion with heparin and 5-flourouracil (5-FU) in resectable colon cancer (EORTC GITCCG 1983-1987). European Organization for Research and Treatment of Cancer. Gastrointestinal Tract Cancer Cooperative Group. Eur J Cancer 33, 1209-1215 (1997)

123. Norat, T.; Lukanova, A.; Ferrari, P.; Riboli, E.: Meat consumption and colorectal cancer risk: dose-responses meta-analysis of epidemiological studies. Int J Cancer 98, 241-256 (2002)

124. O`Connell, M. J.; Mailliard, J. A.; Kahn, M. J. et al.: Controlled trial of flourouracil and low-dose leucovorin given for 6 months as postoperative adjuvant therapy for colon cancer. J Clin Oncol 15, 246-250 (1997)

125. Pahlman, L.; Glimelius, B.: Pre- or post-operatie radiotherapy in rectal and recto-sigmoid carcinoma. Ann surg 211, 187-195 (1990)

128. Ponz de Leon, M.: Colorectal cancer. Springer, Berlin Heidelberg New York (2002)

129. Poonen, M. A.; O`Connell, M. J.; Moertel, C. G. et al.: Biochemical modulation of fluorouracil: evidence of significant improvement of survival and quality of life in patients with advanced colorectal carcinomas. J Clin Oncol 7, 1407-1418 (1989)

130. Porschen, R.; Bermann, A.; Loffler, T. et al.: Flourouracil plus leucovorin as effective adjuvant chemotherapy in curatively resected stage III colon cancer: results of the trial adjCCA-01. J Clin Oncol 19, 1787-1794 (2001)

131. Poulin, E. C.; Schlachta, C. M.; Gregoire, R. et al.: Local recurrence and survival after laparoscopic mesorectal resection for rectal adenocarcinoma. Surg Endosc 16, 989-995 (2002)

132. Propescu, R. A.; Norman, A.; Ross, P. J. et al.: Adjuvant or palliative chemotherapy for colorectal cancer in patients 70 years or older. *J Clin Oncol* 17, 2412-2418 (1999)

133. Punt, C. J. Nagy, A.; Douillard, J. Y. et al.: Edrecolomab alone or in combination with fluorouracil and folinic acid in the adjuvant treatment of stage III colon cancer: a randomized study. *Lancet* 360, 671-677 (2002)

134. Queisser, W.; Klein, H. O.; Heim, F. E.; Herrmann, R.; Hoffeld, D. K.; Obrecht, J. P.; Preusser, P. et al.: Chemotherapie gastrointestinaler Tumoren. Ergebnisse einer Konsensus-Konferenz der Arbeitsgemeinschaft für internistische Onkologie (AIO). *Onkologie* 13, 63 (1990)

135. Raab, R. (Hrsg.): Management des kolorektalen Karzinoms. Springer, Berlin Heidelberg New York (2003)

136. Ratto, C.; Sofò, L.; Ippoliti, M.; Merico, M.; Doglietto, G. B.; Cruciti, F.: Prognostic factors in colorectal cancer. Literature review for clinical application. *Dis Colon Rect* 41, 1033-1049 (1998)

137. Reinhard, G.: Psychosoziale Aspekte bei der Krebserkrankung. In Aufgaben und Ziele der Schwester in der Onkologie (veröffentlichte Vorträge der Fortbildungsveranstaltung vom 25. Juni 1983) hrsg. Von der Gesellschaft zur Bekämpfung der Krebskrankheiten NW e. V. und der Arbeitsgemeinschaft für Krebsbekämpfung der Träger der gesetzlichen Kranken- und Rentenversicherung im Lande Nordrhein-Westfalen: Bochum, 55-56 (1983)

138. Riedl, s.; Wiebelt, H.; Bergmann, U.; Hermanek, P. jr.: Postoperative Komplikationen und Letalität in der chirurgischen Therapie des Kolonkarzinoms. *Chirurg* 66, 597-606 (1995)

139. Ries, L. A.; Wingo, P. A.; Miller, D. S.; Howe, H. L.; Wir, H. K.; Rosenberg, H. M. et al.: The annual report to the nation on the status of cancer, 1973-1997, with

a special section on colorectal cancer. *Cancer* 88, 2398-2424 (2000)

140. Rockette, H.; Deutsch, M.; Petrelli, N. et al.: Effect of postoperative radiation therapy (RTX) when used with adjuvant chemotherapy in Dukes` B and C rectal cancer: results from NSABP R-02 ASCO 13, 193 (1994)

141. Rocklin, M. S.; Slomski, C. A.; Watne, A. L.: Postoperative surveillance of patients with carcinoma of the colon and rectum. *Am Surg* 56, 22-27 (1990)

142. Rodel, C.; Grabenbauer, G. G.; Schick, C. et al.: Preoperative radiation with concurrent 5-fluorouracil for locally advanced T4-primary rectal cancer. *Strahlenther Onkol* 176, 161-167 (2000)

143. Roncucci, L.; Fante, R.; Losi, L. et al.: Survival for colon and rectal cancer in a population-based cancer registry. *Eur J Cancer* 32, 295-302 (1996)

144. Rothenberg, M. L.; Oza, A. M.; Bigelow, R. H. et al.: Superiority of Oxaliplatin and Fluorouracil-Leucovorin compared with therapy alone in patients with progressive colorectal cancer after Irinotecan and Fluorouracil-Leucovorin: Interim Results of a phase III trial. *J Clin Oncol* 21, 2059-2069 (2003)

145. Rougier, P.; Cutsem, E. V.; Bajetta, E. et al.: Randomized trial of irinotecan versus fluorouracil by continuous infusion after fluorouracil failure in patients with metastatic colorectal cancer. *Lancet* 352, 1407-1412 (1998)

146. Rougier, P.; Sahmoud, T.; Nitti, D. et al.: Adjuvant portal-vein infusion of fluorouracil and heparin in colorectal cancer: a randomized trial. European Organisation for Research and Treatment of Cancer Gastrointestinal Tract Cancer Cooperative Group, the Gruppo Interdisciplinare Valutazione Interventi in Oncologia, and the Japanese Foundation for Cancer Research. *Lancet* 351, 1677-1681 (1998)

147. Rustgi, A. K.(ed): Gastrointestinal cancer. Biology, diagnosis, and therapy. Lippincott-Raven; Philadelphia New York (1995)
148. Saltz, L. B.; Cox, J. V.; Blanke, C. et al.: Irinotecan plus fluorouracil and leucovorin for metastatic colorectal cancer. Irinotecan Study Group. N Engl. J Med 343, 905-914 (2000)
149. Sargent, D. J.; Goldberg, R. M.; Jacobson, S. D. et al.: A pooled analysis of adjuvant chemotherapy for resected colon cancer in elderly patients. N Engl J Med 345, 1091-1097 (2001)
150. Sauer, R.: Adjuvant versus neoadjuvant combined modality treatment for locally advanced rectal cancer: first results of the German rectal cancer study (CAO/ARO/AIO-94). Int J Radiat Oncol Biol Phys 57, 124-125 (2003)
151. Scheidelbach, H.; Schneide, C.; Huegel, O.; Bärlehner, E.; Konradt, K.; Wittekind, C.; Köckerling, F.: Laparoscopic sigmoid resection for cancer: curative resection and preliminary medium-term results. Dis Colon Rectum 45, 1641-1647 (2002)
152. Scherer, E.; Sack, H.: Strahlentherapie, 4. Aufl. Thieme, Stuttgart (1989)
153. Schiedeck, T. H.; Schwandner, O.; Baca, I. et al.: Laparoscopic surgery for the cure of colorectal cancer: results of a German five-center study. Dis Colon Rectum 43, 1-8 (2000)
154. Schmiegel, W.; Adler, G.; Fruhmorgen, P.; Folsch, U.; Graeven, U.; Layer, P. et al.: Kolorektales Karzinom: Prävention und Früherkennung in der asymptomatischen Bevölkerung - Vorsorge bei Risikogruppen - Endoskopische Diagnostik, Therapie und Nachsorge von Polypen und Karzinomen. Z Gastroenterol 38, 49-75 (2000)

155. Schmitt, K. L., Lehrbuch der physikalischen Medizin und Rehabilitation, Gustav Fischer Verlag 1995

156. Schneider, C.; Jung, A.; Reymond, M. A.; Tannapfel, A.; Balli, J.; Franklin, M. E.; Hohenberger, W.; Köckerling, F.: Efficacy of surgical measures in pre-venting port-site recurrences in apercine model. Surg Enosc 15, 121-125 (2001)

157. Schölmerich, J.; Schmiegel, W. (Hrsg.): Leitfaden kolorektales Karzinom - Prophylaxe, Diagnostik, Therapie UNI-MED, Bonn London Boston (2001)

158. Schrag, D.; Rifas-Shiman, S.; Saltz, L. et al.: Adjuvant chemotherapy use for Medicare beneficiaries with stage II colon cancer. J Clin Oncol 20, 3999-4005 (2002)

159. Schuller, J.; Cassidy, J.; Dumont, E.; Roos, B.; Durston, S.; Banken, L.; Utoh, M.; Mori, K.; Weidekamm, E.; Reigner, B.: Preferential activation of capecitabine in tumor following oral administration to colorectal cancer patients. Cancer Chemother Pharmacol 45, 291-297 (2000)

160. Schulz, U.: Akute und chronische Nebenwirkungen der Strahlentherapie - Erkennung und Behandlung, In: "Tumornachsorge", Hrsg.: Delbrück, H., 2. Auflage, Thieme Verlag Stuttgart - New York, 57-72 (1988)

161. Schwibbe, G.: [Changes in quality of life in oncological patients in the course of an inpatient after-care program]. Rehabilitation (Stuttg) 30, 55-62 (1991)

162. Sellschopp, A.: Psychosoziale Probleme bei der Rehabilitation kurativ behandelter Patienten, Münch, Med Wochenschrift 126, 9, 227-230 (1984)

163. Smith, R. E.; Lembersky, B. C.; Wiegand, H. S, Colangelo, L.; Mamounas, E. P.: UFT/leucovorin vs 5-FU/leucovorin in colon cancer. Oncology (Huntingt) 14, 24-27 (2000)

164. Soetikno, R. M.; Lin, O. S.; Heidenreich, P. A. et al.: Increased risk of colorectal neoplasia in patients with primary sclerosing cholangitis and ulcerative colitis: a meta-analysis. *Gastrointest Endosc* 56, 48-54 (2002)
165. Soreide, O.; Norstein, J.; Fielding, L. P. et al.: International standardization and documentation of the treatment of rectal cancer. In: Soreide, O.; Norstein, J. (Hrsg). *Rectal cancer surgery. Optimisation - standardization - documentation*. Berlin/Heidelberg/New York: Springer, 405-445 (1997)
166. Spigelman, A. D.; Williams, C. B.; Talbot, I. C. et al.: Upper gastrointestinal cancer in patients with familial adenomatous polyposis. *Lancet* 2, 783-785 (1989)
167. St. John, D. J.; McDermott, F. T.; Hopper, J. L. et al.: Cancer risk in relatives of patients with common colorectal cancer. *Ann Int Med* 118, 785-790 (1993)
168. Taal, B. G.; Van Tinteren, H.; Zoetmulder, F. A.: Adjuvant 5FU plus levamisole in colonic or rectal cancer: improved survival in stage II and III. *Br J Cancer* 85, 1437-1443 (2001)
169. Akahashi, T.; Kato, T.; Kodaira, S. et al.: Prognostic factors of colorectal cancer. Results of multivariate analysis of curative resection cases with or without adjuvant chemotherapy. *Am J Clin Oncol* 19, 408-415 (1996)
170. Tepper, J. E.; O'Connell, M.; Niedzwiecki, D. et al.: Adjuvant therapy in rectal cancer: analysis of stage, sex and local control - final report of intergroup 0114. *J Clin Oncol* 20, 1744-1750 (2002)
171. Treurniet-Donker, A. D.; Van Putten, L.J.; Wereldsma, J. C. et al.: Postoperative radiation therapy for rectal cancer. *Cancer* 67, 2042-2048 (1991)
172. Tock, B.; Lanza, E.; Greenwald, P.: Dietary fiber, vegetables and colon cancer. Critical review and meta-analysis of the epidemiologic evidence. *JNCI* 82, 650-661 (1990)

173. Tveit, K. M.; Guldvog, I.; Hagen, S. et al.: Randomized controlled trial of postoperative radiotherapy and short-term time-scheduled 5-fluorouracil against surgery alone in the treatment of Dukes B and C rectal cancer. Norwegian Adjuvant Rectal Cancer Project Group. Br J Surg 84, 1130-1135 (1997)

174. Twelves, C.: UFT plus calcium folinate/irinotecan in colorectal cancer. Oncology (Huntingt) 13, 51-54 (1999)

175. Verband Deutscher Rentenversicherungsträger (Herausgeber), Bericht der Kommission zur Weiterentwicklung der medizinischen Rehabilitation in der gesetzlichen Rentenversicherung. Verband Deutscher Rentenversicherungsträger, Frankfurt 1992

176. Van Cutsem, E.; Twelves, C.; Cassidy, J. et al.: Oral capecitabine compared with intravenous fluorouracil plus leucovorin in patients with metastatic colorectal cancer: results of a large phase III study. J Clin Oncol 19, 4097-4106 (2001)

177. Watson, P.; Lin, K. M.; Rodriguez-Bigas, M. A.; Smyrk, T.; Lemon, S.; Shashidharan, M. et al.: Colorectal carcinoma survival among hereditary nonpolyposis colorectal carcinoma family members. Cancer 83, 259-266 (1998)

178. Wei, E. K.; Giovannucci, E.; Wu, K. et al.: Comparison of risk factors for colon and rectal cancer. Int J Cancer 198, 433-442 (2004)

179. Wein, A.; Han, E. G.; Merkel, S.; Hohenberger, W.: Adjuvant chemotherapy for stage II (Duke's B) colon cancer: too early for routine use. Eur J Surg Oncol 26, 730-732 (2000)

180. Wein, A.; Riedel: Neoadjuvant treatment with weekly high-dose 5-Fluorouracil as 24-hour infusion, folinic acid and oxaliplatin in patients with primary resectable liver metastases of colorectal cancer. Oncology 64, 131-138 (2003)

181. Weiß, Joachim, Koch, Uwe,
Forschung in der Rehabilitationsmedizin, in: Dellbrück, Haupt,
Rehabilitationsmedizin, Urban und Schwarzenberg Verlag, 1996
182. Winawer, S. J.; Flehinger, B. J.; Schottenfeld, D.; Miller, D. G.: Screening for colorectal cancer with fecal occult blood testing and sigmoidoscopy. J Natl. Cancer Inst 85, 1311-1318 (1993)
183. Winawer, S. J.; Fletcher, R. H.; Miller, I. et al.: Colorectal cancer screening: clinical guidelines and rationale. Gastroenterology 112, 594-642 (1997)
184. Winawer, S. J.; O`Brian, M. J. et al.: Risk and surveillance of individuals with colorectal polyps. WHO Collaborating Centre for the Prevention of Colorectal Cancer. Bull World Health Organ 68, 189-795 (1990)
185. Winawer, S.; Fletcher, R.; Rex, D. et al.: Colorectal cancer screening and surveillance: clinical guidelines and rationale-Update based on new evidence. Gastroenterology 124, 544-560 (2003)
186. Winkler, R.: Erkennung und Behandlung von Operationsfolgen, In: "Tumornachsorge", Hrsg.: Delbrück, H., 2. Aufl. Thieme Verlag Stuttgart - New York, 2-35 (1988)
187. Winkler, R.: Potenzstörungen nach Rektumoperationen. Langenbecks Arch Chir 336, 155-161 (1974)
188. Winkler, R.: Stomatherapie. Atlas und Leitfaden für intestinale Stomata, 3. Aufl. Thieme, Stuttgart (1993)
189. Winkler, R.; Schlosser, G. A.: Urologische Komplikationen nach Rektumexstirpation. Langenbecks Arch Chir 338, 235-242 (1975)
190. Wittekind, C.; Tannapfel, A.: [Regression grading of colorectal carcinoma

after preoperative radiochemotherapy, An inventory]. *Pathologie* 24, 61-65 (2003)

191. Wolmark, N.; Rockette, H.; Mamounas, E. et al.: Clinical trial to assess the relative efficacy of fluorouracil and leucovorin, fluorouracil and levamisole, and fluorouracil, leucovorin and levamisole in patients with Dukes`B and C carcinoma of the colon: results from National Surgical Adjuvant Breast and Bowel Project C-04. *J Clin Oncol* 17, 3553-3559 (1999)

192. Wolmark, N.; Wiegand, H. S.; Hyams, D.M. et al.: Randomized trial of postoperative adjuvant chemotherapy with or without radiotherapy for carcinoma of the rectum: National Surgical Adjuvant Breast and Bowel Project Protocol R-02. *J Natl Cancer Inst* 92, 388-396 (2000)

193. Yoon, H.; Benamouzig, R.; Little, J. et al.: Systematic review of epidemiological studies on meat, dairy products and egg consumption and risk of colorectal adenomas. *Eur J Cancer Prev* 9, 151-164 (2000)