

6. Literatur

1. Abrahamsson, I., Zitzmann, N.U., Berglundh, T., Wennerberg, A., Lindhe, J.: Bone and soft tissue integration to titanium implants with different surface topography: an experimental study in the dog. *Int. J. Oral Maxillofac. Implants* 2001, 16: 323-332
2. Adell, R., Lekholm, U., Rockler, B., Brånemark, P.I.: A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. *Int. J. Oral Surg.* 1981, 10: 387-416
3. Adell, R., Eriksson, B., Lekholm, U., Brånemark, P.I., Jemt, T.: Long-term follow-up study of osseointegrated implants in the treatment of totally edentulous jaws. *Int. J. Oral Maxillofac. Implants* 1990, 5: 347-359
4. Albrektsson, T., Brånemark, P.-I., Hansson, H.-A., Lindström, J.: Osseointegrated titanium implants. *Acta Orthop. Scand.* 1981, 52: 155-170
5. Albrektsson, T.O., Johansson, C.B., Sennerby, L.: Biological aspects of implant dentistry: osseointegration. *Periodontology* 2000 1994, 4: 58-73
6. Albrektsson, T., Johansson, C.: Osteoinduction, osteoconduction, osseointegration. *Eur. Spine J.* 2001, 10: 96-101
7. Albrektsson, T., Wennerberg, A.: Oral implant surfaces: Part 1 – review focusing on topographic and chemical properties of different surfaces and in vivo responses to them. *Int. J. Prosthodont.* 2004a, 17: 536-543
8. Albrektsson, T., Wennerberg, A.: Oral implant surfaces: Part 2 – review focusing on clinical knowledge of different surfaces. *Int. J. Prosthodont.* 2004b, 17: 544-564
9. Alfonsi, S., Chiesa, R., Cigada, A., Fare, S., Rondelli, G., Vicentini, B.: Surface finishing of titanium dental implants. *Proc. 13th European Conference on Biomaterials*, 4-7 September 1997, Göteborg, Sweden, 116

10. Anselme, K., Bigerelle, M., Noel, B., Duquesne, M., Judas, D., Iost, A.:
Qualitative and quantitative study of human osteoblasts adhesion on TA6V samples with different surface roughness.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg, Sweden, 93
11. Aronsson, B., Frauchiger, L., Taborelli, M., Descouts, P.:
Plasma treatment of titanium implants.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg, Sweden, 119
12. Ban, S., Maruno, S., Iwata, H., Itoh, H.:
Calcium phosphate precipitation on the surface of HA-G-Ti composite under physiologic conditions.
J. Biomed. Mater. Res. 1994, 28: 65-71
13. Barbier, L., Schepers, E.:
Adaptive bone remodeling around oral implants under axial und nonaxial loading conditions in the dog mandible.
Int. J. Oral Maxillofac. Implants 1997, 12: 215-223
14. Bareille, R., Lafage-Proust, M.H., Faucheux, C., Laroche, N., Wenz, R., Dard, M., Amedee, J.:
Various evaluation techniques of newly formed bone in porous hydroxyapatite loaded with human bone marrow cells implanted in an extra-osseous site.
Biomaterials 2000, 21: 1345-1352
15. Berger, G.:
Resorbierbare Glaskeramik mit kontrolliertem Auflösungsvermögen.
BAM: Bundesanstalt für Materialforschung und -prüfung, Berlin 1992-1994
16. Best, S., Sim, B., Kayser, M., Downes, S.:
The dependence of osteoblastic response on variations in the chemical composition and physical properties of hydroxyapatite.
J. Mater. Sci. Mater. Med. 1997, 8: 97-103
17. Binon, P.P.:
Implants and components entering the new millennium.
Int. J. Oral Maxillofac. Implants 2000, 15: 76-94
18. Botticelli, D., Berglundh, T., Persson, L.G., Lindhe, J.:
Bone regeneration at implants with turned or rough surfaces in self-contained defects. An experimental study in the dog.
J. Clin. Periodontol. 2005, 32: 448-455
19. Brånemark, P.I., Breine, U., Adell, R., Hansson, B.O., Lindström, J., Olsson, A.:
Intraosseous anchorage of dental prosthesis. Experimental studies.
Scand. J. Reconst. Surg. 1969, 3: 81-100

20. Brett, P.M., Harle, J., Salih, V., Mihoc, R., Olsen, I., Jones, F.H., Tonetti, M.:
Roughness response genes in osteoblasts.
Bone 2004, 35: 124-133
21. Brunski, J.B.:
In vivo bone response to biomechanical loading at the bone/dental-implant interface.
Adv. Dent. Res. 1999, 13: 99-119
22. Burger, E.H., Klein-Nulend, J.:
Responses of bone cells to biomechanical forces in vitro.
Adv. Dent. Res. 1999, 13: 93-98
23. Buser, D., Schenk, R.K., Steinemann, S., Fiorellini, J., Fox, C., Stich, H.:
Influence of surface characteristics on bone integration of titanium implants. A histomorphometric study in miniature pigs.
J. Biomed. Mater. Res. 1991, 25: 889-902
24. Buser, D., Belser, U.C.:
Fortschritte und aktuelle Trends in der oralen Implantologie.
Schweiz. Monatschr. Zahnmed. 1998, 108: 327-342
25. Buser, D., Nydegger, T., Hirt, H., Cochran, D., Nolte, L.:
Removal torque values of titanium implants in the maxilla of miniature pigs.
Int. J. Oral Maxillofac. Implants 1998, 13: 611-619
26. Buser, D., Nydegger, T., Oxland, T., Schenk, R.K., Hirt, H.P., Cochran, D.L., Snétivy, D., Nolte, L.P.:
Interface shear strength of titanium implants with a sandblasted and acid-etched surface: a biomechanical study in the maxilla of miniature pigs.
J. Biomed. Mater. Res. 1999, 45: 75-83
27. Carlsson, L., Röstlund, T., Albrektsson, B., Albrektsson, T.:
Removal torques for polished and rough titanium implants.
Int. J. Oral Maxillofac. Implants 1988, 3: 21-24
28. Carlsson, L., Regner, L., Johansson, C., Gottlander, M., Herberts, P.:
Bone response to hydroxyapatite coated and commercially pure titanium implants in the human arthritic knee.
J. Orthop. Res. 1994, 12: 274-285
29. Carr, A.B., Beals, D.W., Larsen, P.E.:
Reverse-torque failure of screw-shaped implants in baboons after 6 months of healing.
Int. J. Oral Maxillofac. Implants 1997, 12: 598-603

30. Caulier, H., Hayakawa, T., Naert, I., van der Waerden, J.P.C.M., Wolke, J.G.C., Jansen J.A.:
An animal study on the bone behaviour of Ca-P coated implants: influence of implant location.
J. Mater. Sci. Mater. Med. 1997, 8: 531-536
31. Cheang, P., Khor, K.A.:
Addressing processing problems associated with plasma spraying of hydroxyapatite coatings.
Biomaterials 1996, 17: 537-544
32. Chehroudi, B., Ratkay, J., Brunette, D.M.:
The role of implant surface geometry on mineralization in vitro and in vivo: a transmission and electronmicroscopic study.
Cells Mater. 1992, 2: 89-104
33. Cochran, D.L., Schenk, R.K., Lussi, A., Higginbottom, F.L., Buser, D.:
Bone response to unloaded and loaded titanium implants with a sandblasted and acid-etched surface: a histometric study in the canine mandible.
J. Biomed. Mater. Res. 1998, 40: 1-11
34. Conner, K.A., Sabatini, R., Mealey, B.L., Takacs, V.J., Mills, M.P., Cochran, D.L.:
Guided bone regeneration around titanium plasma-sprayed, acid-etched, and hydroxyapatite-coated implants in the canine model.
J. Periodontol. 2003, 74: 658-668
35. Cook, S.D., Thomas, K.A., Dalton, J.E., Volkman, T.K., Whitecloud, T.S. 3rd., Kay, J.F.:
Hydroxylapatite coating of porous implants improves bone ingrowth and interface attachment strength.
J. Biomed. Mater. Res. 1992, 26: 989-1001
36. Cooley, D., van Dellen, A., Burgess, J., Windeler, S.:
The advantages of coated titanium implants prepared by radiofrequency sputtering from hydroxyapatite.
J. Prosthet. Dent. 1992, 67: 93-100
37. Cooper, L.F., Masuda, T., Yliheikkilä, P.K., Felton, D.A.:
Generalization regarding the process and phenomenon of osseointegration, part II: in vitro studies.
Int. J. Oral Maxillofac. Implants 1998, 13: 163-174
38. Cooper, L.F., Masuda, T., Whitson, S.W., Yliheikkilä, P., Felton, D.A.:
Formation of mineralizing osteoblast cultures on machined, titanium oxide grit-blasted, and plasma-sprayed titanium surfaces.
Int. J. Oral Maxillofac. Implants 1999, 14: 37-47

39. Cordioli, G., Majzoub, Z., Piattelli, A., Scarano, A.:
Removal torque and histomorphometric investigation of 4 different titanium surfaces: an experimental study in the rabbit tibia.
Int. J. Oral Maxillofac. Implants 2000, 15: 668-674
40. Cotell, C.M., Chrisey, D.B., Grabowski, K.S., Sprague, J.A., Gossett, C.R.:
Pulsed laser deposition of hydroxylapatite thin films on Ti-6Al-4V.
J. Appl. Biomater. 1992, 3: 87-93
41. Cotell, C.M.:
Pulsed laser deposition and processing of biocompatible thin films.
Appl. Surf. Sci. 1993; 69: 140-148
42. Degidi, M., Piattelli, A., Felice, P., Carinci, F.:
Immediate functional loading of edentulous maxilla: a 5-year retrospective study of 388 titanium implants.
J. Periodontol. 2005, 76: 1016-1024
43. de Groot, K.:
Hydroxyapatite as coating for implants.
Interceram 1987, 4: 38-41
44. de Groot, K., Geesink, R., Klein, C.P., Serekian, P.:
Plasma sprayed coatings of hydroxyapatite.
J. Biomed. Mater. Res. 1987, 21: 1375-1381
45. de Maeztu, M.A., Alava, J.I., Gay-Escoda, C.:
Ion implantation: surface treatment for improving the bone integration of titanium and Ti6Al4V dental implants.
Clin. Oral Implants Res. 2003, 14: 57-62
46. Denissen, H., Kalk, W., de Nieuport, H., Maltha, J., van de Hooff, A.:
Mandibular bone response to plasma-sprayed coatings of hydroxyapatite.
Int. J. Prosthodont. 1990, 3: 53-58
47. Drake, D., Pual, J., Keller, J.:
Primary bacterial colonization of implant surfaces.
Int. J. Oral Maxillofac. Implants 1999, 14: 226-232
48. Driessens, F.C.M., Ramselaar, M.M.A., Schaeken, H.G., Stols, A.L.H., van Mullem, P.J., de Wijn, J.R.:
Chemical reactions of calcium phosphate implants after implantation in vivo.
J. Mater. Sci. Mater. Med. 1992, 3: 413-417
49. Ducheyne, P., Qui, Q.:
Bioactive ceramics: The effect of surface reactivity on bone formation and bone cell function.
Biomaterials 1999, 20: 2287-2296

50. Eggli, P., Müller, W., Schenk, R.:
Porous hydroxyapatite and tricalcium phosphate cylinders with two different pore size ranges implanted in the cancellous bone of rabbits.
Clin. Orthop. 1988, 232: 127-138
51. Ellingsen, J.E.:
Pre-treatment of titanium implants with fluoride improves their retention in bone.
J. Mater. Sci. Mater. Med. 1995, 6: 749-758
52. Ellingsen, J.E., Johansson, C.B., Wennerberg, A., Holmén, A.:
Improved retention and bone-to-implant contact with fluoride-modified titanium implants.
Int. J. Oral Maxillofac. Implants 2004, 19: 659-666
53. Ericsson, I., Johansson, C.B., Bystedt, H., Norton, M.R.:
A histomorphometric evaluation of bone to implant contact on machine-prepared and roughened titanium dental implants. A pilot study in dog.
Clin. Oral Implant Res. 1994, 5: 202-206
54. Eriksson, A.R., Albrektsson, T.:
The effect of heat on bone regeneration.
Int. J. Oral Surg. 1983, 12: 282-283
55. Esposito, M., Coulthard, P., Thomsen, P., Worthington, H.V.:
The role of implant surface modifications, shape and material on the success of osseointegrated dental implants. A Cochrane systematic review.
Eur. J. Prosthodont. Rest. Dent. 2005, 13: 15-31
56. Fillies, T., Wiesmann, H.P., Sommer, D., Joos, U., Meyer, U.:
Primäre Osteoblastenreaktionen auf SLA- und mikrostrukturierten Implantatoberflächen.
Mund Kiefer Gesichtschir. 2005, 9: 24-28
57. Flautre, B., Lu, J.X., Blary, M.C., Hardouin, P.:
A histomorphometrical evaluation of 40 implants prepared with two surface roughnesses each.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997a, Göteborg, Sweden, 16
58. Frayssinet, P., Gineste, L., Conte, P., Rages, J., Rouquet, N.:
Short-term implantation effects of a DCPD-based calcium phosphate cement.
Biomaterials 1998, 19: 971-977
59. Garcia, R., Doremus, R.H.:
Electron microscopy of the bone-hydroxylapatite interface from a human dental implant.
J. Mater. Sci. Mater. Med. 1992, 3: 154-156

60. Geurs, N.C., Jeffcoat, R.L., McGlumphy, E.A., Reddy, M.S., Jeffcoat, M.K.:
Influence of implant geometry and surface characteristics on progressive osseointegration.
Int. J. Oral Maxillofac. Implants 2002, 17: 811-815
61. Glauser, R., Ruhstaller, P., Windisch, S., Zembic, A., Lundgren, A., Gottlow, J., Hämmerle, C.H.:
Immediate occlusal loading of Brånemark System TiUnite implants placed predominantly in soft bone: 4-year results of a prospective clinical study.
Clin. Implant Dent. Rel. Res. 2005, 7 (Suppl. 1): S52-59
62. Gotfredsen, K., Nimb, L., Hjørtning-Hansen, E., Jensen, J.S., Holmén, A.:
Histomorphometric and removal torque analysis for smooth and TiO₂-blasted titanium implants. An experimental study on dogs.
Clin. Oral Implants Res. 1992, 3: 77-84
63. Gottlander, M., Albrektsson, T.:
Histomorphometric studies of hydroxylapatite-coated and uncoated CP titanium threaded implants in bone.
Int. J. Oral Maxillofac. Implants 1991, 6: 399-404
64. Gottlander, M., Albrektsson, T., Carlsson, L.V.:
A histomorphometric study of unthreaded hydroxyapatite-coated and titanium-coated implants in rabbit bone.
Int. J. Oral Maxillofac. Implants 1992, 7: 485-490
65. Gottlander, M., Johansson, C.B., Albrektsson, T.:
Short- and long-term animal studies with a plasma-sprayed calcium phosphate-coated implant.
Clin. Oral Implants Res. 1997, 8: 345-351
66. Graf, H-L., Knöfler, W., Reichert, P., Becker, J. Clostermann, V., Möllerfeld, W.:
ZL-Duraplant – Implantatsystem.
GOI Jahrbuch, 1992, 165-171
67. Gross, U.:
Biologische Aspekte von Implantatmaterialien.
Dtsch. Zahnärztl. Z. 1993, 48: 750-755
68. Gross, K., Berndt, C., Iacono, V.:
Microstructure of hydroxyapatite coated dental implants.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg, Sweden, 40
69. Gross, K., Berndt, C., Iacono, V.:
Variability of hydroxyapatite-coated dental implants.
Int. J. Oral Maxillofac. Implants 1998, 13: 601-610

70. Hallgren, C., Reimers, H., Gold, J., Wennerberg, A.:
The importance of surface texture for bone integration of screw shaped implants:
an in vitro study of implants patterned by photolithography.
J. Biomed. Mater. Res. 2001, 57: 485-496
71. Hansson, G.:
Method for the preparation of implants made of titanium or alloys thereof.
United States Patent, Patent Number: 5,484,286, 1996
72. Hansson, G.:
Some measures to increase the capacity of dental implants to resist loads.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg,
Sweden, 107
73. Hansson, G.:
Surface roughness parameters as predictors of anchorage strengths in bone: A
critical analysis.
J. Biomech. 2000, 33: 1297-1303
74. Hayakawa, T., Yoshinari, M., Nemoto, K., Wolke, J.G., Jansen, J.A.:
Effect of surface roughness and calcium phosphate coating on the implant/bone
response.
Clin. Oral Implants Res. 2000, 11: 296-304
75. Hayashi, K., Uenoyama, K., Matsuguchi, N., Sugioka, Y.:
Quantitative analysis of in vivo tissue responses titanium-oxide- and
hydroxyapatite-coated titanium alloy.
J. Biomed. Mater. Res. 1991, 25: 515-523
76. Huaxia, J., Marquis, P.M.:
Effect of heat treatment on the microstructure of plasma-sprayed hydroxyapatite
coating.
Biomaterials 1993, 14: 64-68
77. Hulshoff, J.E.G., van Dijk, K., van der Waerden, J.P.C.M., Wolke, J.G.C., Kalk,
W., Jansen, J.A.:
Evaluation of plasma-spray and magnetron-sputter Ca-P-coated implants: an in
vivo experiment using rabbits.
J. Biomed. Mater. Res. 1996a, 31: 329-337
78. Hulshoff, J.E.G., van Dijk, K., van der Waerden, J.P.C.M., Kalk, W., Jansen, J.A.:
A histological and histomorphometrical evaluation of screw-type calciumphos-
phate (Ca-P) coated implants; an in vivo experiment in maxillary cancellous bone
of goats.
J. Mater. Sci. Mater. Med. 1996b, 7: 603-609

79. Iamoni, F., Rasperini, G., Trisi, P., Simion, M.:
Histomorphometric analysis of a half hydroxyapatite-coated implant in humans: a pilot study.
Int. J. Oral Maxillofac. Implants 1999, 14: 729-735
80. Ivanoff, C.J., Hallgren, C., Widmark, G., Sennerby, L., Wennerberg, A.:
Histologic evaluation of the bone integration of TiO₂ blasted and turned titanium microimplants in humans.
Clin. Oral Implants Res. 2001, 12: 128-134
81. Ivanoff, C.J., Widmark, G., Johansson, C., Wennerberg, A.:
Histologic evaluation of bone response to oxidized and turned titanium microimplants in human jawbone.
Int. J. Oral Maxillofac. Implants 2003, 18: 341-348
82. Jansen, J.A., Wolke, J.G., Swann, S., van der Waerden, J.P., de Groot, K.:
Application of magnetron sputtering for producing ceramic coatings on implant materials.
Clin. Oral Implants Res. 1993, 4: 28-34
83. Jeffcoat, M.K., McGlumphy, E.A., Reddy, M.S., Geurs, N.C., Proskin, H.M.:
A comparison of hydroxyapatite (HA) -coated threaded, HA-coated cylindrical, and titanium threaded endosseous dental implants.
Int. J. Oral Maxillofac. Implants 2003, 18: 406-410
84. Johansson, C.B., Cho, I., Heo, S.J., Sawai, T., Sawase, T., Wennerberg, A., Meredith, N.:
Techniques to quantify the incorporation of machined and blasted Implants in bone.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg, Sweden, 1997a, 33
85. Johansson, C.B., Heo, S.J., Meredith, N., Wennerberg, A., Albrektsson, A.:
Quantitative investigations of titanium implants in bone.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg, Sweden, 1997b, 46
86. Jokstad, A., Braegger, U., Brunski, J.B., Carr, A.B., Naert, I., Wennerberg, A.:
Quality of dental implants.
Int. Dent. J. 2003, 53 (Suppl 2) : 409-443
87. Kappert, H.F.:
Titan als Werkstoff für die zahnärztliche Prothetik und Implantologie.
Dtsch. Zahnärztl. Z. 1994, 49: 573-583
88. Kasemo, B.:
Biocompatibility of titanium implants: surface science aspects.
J. Prosthet. Dent. 1983, 49: 832-837

89. Kawachi, E.Y., Bertran, C.A., Dos Reis, R.R., Alves, O.L.:
Bioceramics: tendencies and perspectives of an interdisciplinary area.
Quim. Nova 2000, 23: 518-522
90. Kay, J.:
Calcium phosphate coatings for dental implants: Current status and future potential.
Dent. Clin. North Am. 1992, 36: 1-18
91. Keller, J.C.:
Physical and biological characteristics of implant materials.
Adv. Dent. Res. 1999, 13: 5-7
92. Kim, H.M., Miyaji, F., Kokubo, T., Nakamura, T.:
Preparation of bioactive Ti and its alloy via simple chemical surface treatment.
J. Biomed. Mater. Res. 1996, 32: 409-417
93. Kim, Y.H., Koak, J.Y., Chang, I.T., Wennerberg, A., Heo, S.J.:
A histomorphometric analysis of the effects of various surface treatment methods on osseointegration.
Int. J. Oral Maxillofac. Implants 2003, 18: 349-356
94. Klein, C.P., Patka, P., van der Lubbe, H.B., Wolke, J.G., de Groot, K.:
Plasma-sprayed coatings of tetracalciumphosphate, hydroxyl-apatite, and alpha-TCP on titanium alloy: an interface study.
J. Biomed. Mater. Res. 1991, 25: 53-65
95. Klein, C.P., Patka, P., Wolke, J.G., de Blicke-Hogervorst, J.M., de Groot, K.:
Long-term in vivo study of plasma-sprayed coatings on titanium alloys of tetracalcium phosphate, hydroxyapatite and α -tricalcium phosphate.
Biomater. 1994, 15: 146-150
96. Klokkevold, P.R., Nishimura, R.D., Adachi, M., Caputo, A.:
Osseointegration enhanced by chemical etching of the titanium surface. A torque removal study in the rabbit.
Clin. Oral. Implants Res. 1997; 8: 442-447
97. Knabe, C., Howlett, C.R., Klar, F., Zreiqat, H.:
The effect of different titanium and hydroxyapatite-coated dental implant surfaces on phenotypic expression of human bone-derived cells.
J. Biomed. Mater. Res. Part A 2004, 71: 98-107
98. Ko, C.C., Kohn, D.H., Hollister, S.J.:
Micromechanics of implants/tissue interface.
J. Oral Implantol. 1992, 18: 220-230

99. König Júnior B; de Carvalho Lopes C:
Bone remodeling analysis after placement of dental implants using polyfluorochrome sequential labeling.
Ann. Anatomy 2002, 184: 241-244
100. Kohles, S.S., Clark, M.B., Brown, C.A., Kenealy, J.N.:
Direct assessment of profilometric roughness variability from typical implant surface types.
Int. J. Oral Maxillofac. Implants 2004, 19: 510-516
101. Kohri, M., Cooper, E., Ferracane, J., Waite, D.:
Comparative study of hydroxyapatite and titanium dental implants in dogs.
J. Oral Maxillofac. Surg. 1990, 48: 1265-1273
102. Lauer, G., Wiedemann-Al-Ahmad, M., Otten, J.E, Hübner, U., Schmelzeisen, R., Schilli, W.:
The titanium surface texture effects adherences and growth of human gingival keratinocytes and human maxillar osteoblast like cells in vitro.
Biomaterials 2001, 22 : 2799-2809
103. Lausmaa, J., Kasemo, B., Hansson, S.:
Accelerated oxide growth on titanium implants during autoclaving caused by fluorine contamination.
Biomaterials 1985, 6: 23-27
104. Lavelle, C.L.B., Wedgwood, D., Love, W.B.:
Some advances in endosseous implants.
J. Oral Rehab. 1981, 8: 319-331
105. Lavos-Valereto, I.C., Wolynech, S., Deboni, M.C.Z., König, B.:
In vitro and in vivo biocompatibility testing of Ti-6Al-7Nb alloy with and without plasma sprayed hydroxyapatite coating.
J. Biomed. Mater. Res. 2001, 58: 727-733
106. Lazzara, R.J., Testori, T., Trisi, P., Porter, S.S., Weinstein, R.L.:
Histologische Analyse von Implantaten mit zwei verschiedenen Oberflächen (Osseotite und maschinell bearbeitet) am Menschen.
Int. J. Parodontol. Rest. Zahnheilkd. 1999, 19: 119-131
107. Lee, J., Rouhfar, L., Beirne, O.:
Survival of hydroxyapatite-coated implants: A meta-analytic review.
J. Oral Maxillofac. Surg. 2000, 58: 1372-1379
108. LeGeros, J.P., Daculsi, G., LeGeros, R.Z.:
Tissue response to grit-blasted Ti alloys.
Proceedings of the 24th Annual Meeting of the Society for Biomaterials. San Diego, April 24-26, 1998, 229

109. LeGeros, R.Z.:
Properties of osteoconductive biomaterials: calcium phosphates.
Clin. Orthop. Relat. Res. 2002, 395: 81-98
110. Li, D., Ferguson, S.J., Beutler, T., Cochran, D.L., Sittig, C., Hirt, H.P., Buser, D.:
Biomechanical comparison of the sandblasted and acid-etched and the machined and acid-etched titanium surface for dental implants.
J. Biomed. Mater. Res. Part A 2002, 60: 325-332
111. Lind, M., Overgaard, S., Bünger, C., Soballe, K.:
Improved bone anchorage of hydroxyapatite coated implants compared with tricalcium-phosphate coated implants in trabecular bone in dogs.
Biomaterials 1999, 20: 803-808
112. Lind, M., Bünger, C.:
Factors stimulating bone formation.
Eur. Spine J. 2001, 10: 102-109
113. London, R.M., Roberts, F.A., Baker, D.A., Rohrer, M.D., O'Neal, R.B.:
Histologic comparison of a thermal dual-etched implant surface to machined, TPS, and HA surfaces: bone contact in vivo in rabbits.
Int. J. Oral Maxillofac. Implants 2002, 17: 369-376
114. Lopes, C.C., König Jr., B.:
Histological findings of bone remodeling around smooth dental titanium implants inserted in rabbit's tibias.
Ann. Anat. 2002, 184: 359-362
115. Lu, J.X., Flautre, B., Blary, M.C., Hardouin, P.:
Potential of spontaneous bone defects in both species: Sheep and rabbit.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg, Sweden, 16
116. Massaro, C., Baker, M.A., Cosentino, F., Ramires, P.A., Klose, S., Milella, E.:
Surface and biological evaluation of hydroxyapatite-based coatings on titanium deposited by different techniques.
J. Biomed. Mater. Res. 2001, 58: 651-657
117. Masuda, T., Yliheikkilä, P.K., Felton, D.A., Cooper, L.F.:
Generalization regarding the process and phenomenon of osseointegration, part 1: in vivo studies.
Int. J. Oral Maxillofac. Implants 1998, 13: 17-30
118. Mattioli-Belmonte, M., Mengucci, P., Specchia, N., Gobbi, G., Dubini, S., Simonelli, L., Greco, F., Majni, G., Biagini, G., Rizzoli, C.:
An experimental study in X-ray spectroscopy of the zirconium (Ca-PSZ)-bone interface. Microanalytic evaluation of the osteogenetic response.
J. Mater. Sci. Mater. Med. 1997, 8: 85-90

119. Mimura, K., Watanabe, K., Okawa, S., Kobayashi, M., Miyakawa, O.:
Morphological and chemical characterizations of the interface of a hydroxyapatite-coated implant.
Dent. Mater. J. 2004, 23: 353-360
120. Mitri, F.F., Yoshimoto, M., Allegrini Júnior, S., Koo, S., Carbonari, M.J., König Júnior, B.:
Histological findings in titanium implants coated with calcium phosphate ceramics installed in rabbit's tibias.
Ann. Anat. 2005, 187: 93-98
121. Mohammadi, S., Esposito, M., Hall, J., Emanuelsson, L., Krozer, A., Thomsen, P.:
Short-term bone response to titanium implants coated with thin radiofrequent magnetron-sputtered hydroxyapatite in rabbits.
Clin. Implant Dent. Rel. Res. 2003, 5: 241-253
122. Mohammadi, S., Esposito, M., Hall, J., Emanuelsson, L., Krozer, A., Thomsen, P.:
Long-term bone response to titanium implants coated with thin radiofrequent magnetron-sputtered hydroxyapatite in rabbits.
Int. J. Oral Maxillofac. Implants 2004, 19: 498-509
123. Morra, M., Cassinelli, C., Bruzzone, G., Carpi, A., Di Santi, G., Giardino, R., Fini, M.:
Surface chemistry effects of topographic modification of titanium dental implant surfaces: 1. Surface analysis.
Int. J. Oral Maxillofac. Implants 2003, 18: 40-45
124. Mühlemann, H.R.:
Zur Mikrostruktur der Implantatoberfläche.
Schweiz. Monatsschr. Zahnheilk. 1975, 85: 97-112
125. Mustafa, K., Wennerberg, A., Wroblewski, J., Hultenby, K., Lopez, B.S., Arvidson, K.:
Determining optimal surface roughness of TiO₂ blasted titanium implant material for attachment, proliferation and differentiation of cells derived from human mandibular alveolar bone.
Clin. Oral Implants Res. 2001, 12: 515-525
126. Nayab, S.N., Jones, F.H., Olsen, I.:
Human alveolar bone cell adhesion and growth on ion-implanted titanium.
J. Biomed. Mater. Res. 2004, 69A: 651-657

127. Neo, M., Kotani, S., Nakamura, T., Yamamuro, T., Ohtsuki, C., Kokubo, T., Bando, Y.:
A comparative study of ultrastructures of the interfaces between four kinds of surface-active ceramic and bone.
J. Biomed. Mater. Res. 1992, 26: 1419-1432
128. Novaes, A.B. Jr., Souza, S.L., de Oliveira, P.T., Souza, A.M.:
Histomorphometric analysis of the bone-implant contact obtained with 4 different implant surface treatments placed side by side in the dog mandible.
Int. J. Oral Maxillofac. Implants 2002, 17: 377-383
129. Ogawa, T., Sukotjo, C., Nishimura, I.:
Modulated bone matrix-related gene expression is associated with differences in interfacial strength of different implant surface roughness.
J. Prosthodont. 2002, 11: 241-247
130. Ogiso, M., Tabata, T., Ichijo, T., Borgese, D.:
Examination of human bone surrounded by a dense hydroxyapatite dental implant after long-term use.
J. Long Term Eff. Med. Implants 1992, 2: 235-247
131. Ohno, K., Sugimoto, A., Shirota, T., Michi, K., Ohtani, S., Yamagata, K., Donath, K.:
Histologic findings of apatite-titanium complex dental implants in the jaws of dogs.
Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod. 1991, 71: 426-429
132. Ong, J.L., Bessho, K., Cavin, R., Carnes, D.L.:
Bone response to radio frequency sputtered calcium phosphate implants in vivo.
J. Biomed. Mater. Res. 2002, 59: 184-190
133. Oonishi, H., Kushitani, S., Yasukawa, E., Iwaki, H., Hench, L.L., Wilson, J., Tsuji, E., Sugihara, T.:
Particulate bioglass compared with hydroxyapatite graft substitute.
Clin. Orthop. 1997, 334: 316-325
134. Oonishi, H., Noda, T., Ito, S., Kohda, A., Ishimaru, H., Yamamoto, M., Tsuji, E.:
Effect of hydroxyapatite coating on bone growth into porous titanium alloy implants under loaded conditions.
J. App. Biomater. 1994, 5: 23-37
135. Orenstein, I., Tarnow, D., Morris, H., Ochi, S.:
Three-year post-placement survival of implants mobile at placement.
Ann. Periodontol. 2000, 5: 32-41

136. Overgaard, S., Lind, M., Josephsen, K., Maunsbach, A.B., Bünger, C., Søballe, K.:
Resorption of hydroxyapatite and fluorapatite ceramic coatings on weight-bearing implants: a quantitative and morphological study in dogs.
J. Biomed. Mater. Res. 1998, 39: 141-152
137. Park, Y.S., Yi, K.Y., Lee, I.S., Han, C.H., Jung, Y.C.:
The effects of ion beam-assisted deposition of hydroxyapatite on the grit-blasted surface of endosseous implants in rabbit tibiae.
Int. J. Oral Maxillofac. Implants 2005, 20: 31-38
138. Perren, S.M., Cordey, J., Rahn, B.A., Gautier, E., Schneider, E.:
Early temporary porosis of bone induced by internal fixation implants.
Clin. Orthop. 1988, 232: 139-15
139. Peters, M., Leyens, C.:
Titan und Titanlegierungen.
Wiley-VCH, Weinheim 2002
140. Piattelli, A., Manzon, L., Scarano, A., Paolantonio, M., Piattelli, M.:
Histologic and histomorphometric analysis of the bone response to machined and sandblasted titanium implants: an experimental study in rabbits.
Int. J. Oral Maxillofac. Implants 1998, 13: 805-810
141. Piattelli, A., Scarano, A., Alberti, L., Piattelli, M.:
Bone-hydroxyapatite interface in retrieved hydroxyapatite-coated titanium implants: A clinical and histologic report.
Int. J. Oral Maxillofac. Implants 1999, 14: 233-238
142. Pischzik, L.:
Untersuchung zum Einfluss von Art und Größe keramischen Strahlgutes auf den Oberflächenzustand vier ausgewählter metallischer Biomaterialien.
Diss., Humboldt-Univ., Berlin 2003
143. Piveteau, L.-D., Moner, M., Girona, I, Barboux, Ph., Gasser, B., Schlapbach, L.:
Formation and analysis of titanium dioxide coatings containing crystalline calcium phosphate made by a sol-gel route.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg, Sweden, 25
144. Proussaefs, P., Tatakis, D., Lozada, J., Caplanis, N., Rohrer, M.:
Histologic evaluation of hydroxyapatite-coated root-form implants retrieved after 7 years in function: A case report.
Int. J. Oral Maxillofac. Implants 2000, 15: 438-443
145. Proussaefs, P., Lozada, J.:
Histologic evaluation of a 9-year-old hydroxyapatite-coated cylindrical implant placed in conjunction with a subantral augmentation procedure: A case report.
Int. J. Oral Maxillofac. Implants 2001: 16: 737-741

146. Quinlan, P., Nummikoski, P., Schenk, R., Cagna, D., Mellonig, J., Higginbottom, F., Lang, K., Buser, D., Cochran, D.:
Immediate and early loading of SLA ITI single-tooth implants: an in vivo study.
Int. J. Oral Maxillofac. Implants 2005, 20: 360-370
147. Ramires, P.A., Wennerberg, A., Johansson, C.B., Cosentino, F., Tundo, S., Milella, E.:
Biological behavior of sol-gel coated dental implants.
J. Mater. Sci. Mater. Med. 2003, 14: 539-545
148. Rauch, R.:
Implantatwerkstoff Titan.
Quintessenz-Journal 1995, 25: 45-49
149. Ravaglioli, A., Krajewski, A., Biasini, V., Martinetti, R., Mangano, C., Venini, G.:
Interface between hydroxyapatite and mandibular human bone tissue.
Biomaterials 1992, 13: 162-167
150. Rubo de Rezende, M.L., Johansson, C.B.:
Quantitative bone tissue response to commercially pure titanium implants.
J. Mater. Sci. Mater. Med. 1993, 4: 233-239
151. Schlegel, K.A., Park, J., Kloss, F.R., Kessler, P., Schultze-Mosgau, S., Neukam, F.W., Wiltfang, J.:
Mikroradiographische und immunhistochemische Ergebnisse der topischen Knochenlagerkonditionierung vor Implantationen.
Dtsch. Zahnärztl. Z. 2001 (Suppl. 1) D22
152. Schliephake, H., Kage, T.:
Enhancement of bone regeneration using resorbable ceramics and a polymer-ceramic composite material.
J. Biomed. Mater. Res. 2001, 56: 128-136
153. Schneider, G.B., Perinpanayagam, H., Clegg, M., Zaharias, R., Seabold, D., Keller, J., Stanford, C.:
Implant surface roughness affects osteoblast gene expression.
J. Dent. Res. 2003, 82: 372-376
154. Schroeder, A., Pohler, O., Sutter, F.:
Gewebsreaktion auf ein Titan-Hohlzylinderimplantat mit Titan-Spritzschichtoberfläche.
Schweiz. Monatsschr. Zahnheilkd. 1976, 86: 713-727
155. Schrooten, J., Helsen, J., van Oosterwyck, H., Vander Sloten, J.:
Adhesion of a bioactive glasscoating to a Ti-substrate.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg, Sweden, 42

156. Sennerby, L., Thomsen, P., Ericson, L.E.:
Early tissue response to titanium implants inserted in rabbit cortical bone: Part I
Light microscopic observations.
J. Mater. Sci. Mater. Med. 1993, 4: 240-250
157. Skripitz, R., Aspenberg P.:
Tensile bond between bone and titanium; a reappraisal of osseointegration.
Acta Orthop. Scand. 1998, 69: 315-319
158. Sommerfeldt, D.W., Rubin, C.T.:
Biology of bone and how it orchestrates the form and function of the skeleton.
Eur. Spine J. 2001, 10: 86-95
159. Stanford, C.M., Keller, J.C.:
Osseointegration and matrix production at the implant surface.
CRC Crit. Rev. Oral Biol. Med. 1991, 2: 83-96
160. Stanford, C.M.:
Biomechanical and functional behavior of implants.
Adv. Dent. Res. 1999, 13: 88-92
161. Steflik, D.E., Corpe, R.S., Young, T.R., Sisk, A.L., Parr, G.R.:
The biologic tissue responses to uncoated and coated implanted biomaterials.
Adv. Dent. Res. 1999, 13: 27-33
162. Strnad, Z., Strnad, J., Povysil, C., Urban, K.:
Effect of plasma-sprayed hydroxyapatite coating on the osteoconductivity of
commercially pure titanium implants.
Int. J. Oral Maxillofac. Implants 2000, 15: 483-490
163. Strunz, V.:
Enossale Implantationsmaterial in der Mund-Kieferchirurgie.
Carl Hanser Verlag, 1985
164. Sul, Y.T., Johansson, C.B., Kang, Y., Jeon, D.-G., Albrektsson, T.:
Bone reactions to oxidized titanium implants with electrochemical anion sulphuric
acid and phosphoric acid incorporation.
Clin. Implant Dent. Relat. Res. 2002a, 4: 78-87
165. Sul, Y.T., Johansson, C.B., Wiser, K., Albrektsson, T.:
Qualitative and quantitative observations of bone tissue reactions to anodised
implants.
Biomaterials 2002b, 23: 1809-1817
166. Sul, Y-T., Johansson. C.B., Albrektsson, T.:
Oxidized titanium screws coated with calcium ions and their performance in
rabbit bone.
Int. J. Oral Maxillofac. Implants 2002c, 17: 625-634

167. Sullivan, D.Y., Sherwood, R.L., Mai, T.N.:
Preliminary results of a multicenter study evaluating a chemically enhanced surface for machined commercially pure titanium implants.
J. Prosthet. Dent. 1997; 78: 379-386
168. Sun, L., Berndt, C.C., Gross, K.A., Kucuk, A.:
Material fundamentals and clinical performance of plasma-sprayed hydroxyapatite coatings: a review.
J. Biomed. Mater. Res. 2001, 58: 570-592
169. Swann, S.:
Magnetron sputtering.
Phys. Technol. 1988, 19: 67-75
170. Sykaras, N., Iacopino, A., Marker, V., Triplett, R., Woody, R.:
Implant materials, designs, and surface topographies: Their effect on osseointegration. A literature review.
Int. J. Oral Maxillofac. Implants 2000, 15: 675-690
171. Taché, A., Gan, L., Deporter, D., Pilliar, R.M.:
Effect of surface chemistry on the rate of osseointegration of sintered porous-surfaced Ti-6Al-4V implants.
Int. J. Oral Maxillofac. Implants 2004, 19: 19-29
172. Tamai, N., Myoui, A., Tomita, T., Nakase, T., Tanaka, J., Ochi, T., Yoshikawa, H.:
Novel hydroxyapatite ceramics with an interconnective porous structure exhibit superior osteoconduction in vivo.
J. Biomed. Mater. Res. 2002, 59: 110-117
173. Ter Brugge, P., Wolke, J.G.C., Jansen, J.A.:
Effect of calcium phosphate coating composition and crystallinity on the response of osteogenic cells in vitro.
Clin. Oral Implants Res. 2003, 14: 472-480
174. Testori, T., Wiseman, L., Woolfe, S., Porter, S.:
A prospective multicenter clinical study of the Osseotite implant: Four-year interim report.
Int. J. Oral Maxillofac. Implants 2001, 16: 193-200
175. Thomas, K.A., Kay, J.F., Cokk, S.D., Jarcho, M.:
The effect of surface macrotecture and hydroxylapatite coating on the mechanical strengths and histologic profiles of titanium implant materials.
J. Biomed. Mater. Res. 1987; 21: 1395-1414

176. Thomsen, P., Larsson, C., Ericson, L.E., Emanuelsson, L., Sennerby, L., Lausmaa, J., Kasemo B.:
Structure of interface between rabbit cortical bone and implants of gold, zirconium and titanium.
J. Mater. Sci. Mater. Med. 1997, 8: 653-665
177. Thull, R.:
Oberflächenmodifikationen zur Verbesserung von Biokompatibilität und mechanischen Eigenschaften von orthopädischen Implantaten.
Orthopäde 2003, 32: 51-59
178. Trisi, P., Rao, W., Rebaudi, A.:
A histometric comparison of smooth and rough titanium implants in human low-density jawbone.
Int. J. Oral Maxillofac. Implants 1999, 14: 689-698
179. Trisi, P., Lazzara, R., Rao, W., Rebaudi, A.:
Knochen-Implantat-Kontakt und Knochenqualität – Bewertung des erwarteten und tatsächlich vorhandenen Knochenkontakts bei maschinenbearbeiteten und Osseotite-Implantatoberflächen.
Int. J. Par. Rest. Zahnheilkd. 2002, 22: 535-545
180. Trisi, P., Lazzara, R., Rebaudi, A., Rao, W., Testori, T., Porter, S.S.:
Bone-implant contact on machined and dual acid-etched surfaces after 2 months of healing in the human maxilla.
J. Periodont. 2003, 74: 945-956
181. Truhlar, R., Morris, H., Ochi, S.:
Implant surface coating and bone quality-related survival outcomes through 36 months post-placement of root-form endosseous dental implants.
Ann. Periodontol. 2000, 5: 109-118
182. Uhthoff, H.K.:
Mechanical factors influencing the holding power of screws in compact bone.
J. Bone Joint Surg. 1973, 55B: 633-639
183. van Campenhout, H., Labey, L., Sloten, J., Audekercke, R., Perre, G., Bellemans, H., Damme, B.:
What happens with the hydroxylapatite-coating of a cementless knee prosthesis on a long term base?
Proc. 13th European Conference on Biomaterials, 4-7 September 1997, Göteborg, Sweden, 13
184. Wang, B.C., Chang, E., Yang, C.Y., Tu, D.:
A histomorphometric study on osteoconduction and osseointegration of titanium alloy with and without plasma-sprayed hydroxyapatite coating using backscattered electron images.
J. Mater. Sci. Mater. Med. 1993a, 4: 394-403

185. Wang, B.C., Lee, T.M., Chang, E., Yang, C.Y.:
The shear strength and the failure mode of plasma-sprayed hydroxyapatite coating to bone: the effect of coating thickness.
J. Biomed. Mater. Res. 1993b, 27: 1315-1327
186. Wang, S., Lacefield, W.R., Lemons, J.E.:
Interface shear strength and histology of plasma sprayed and sintered hydroxyapatite implants in vivo.
Biomaterials 1996, 17: 1965-1970
187. Watzek, G., Matejka, M., Grundschober, F., Plenk, H.:
Enossale Implantate – Theoretische und morphologische Grundlagen – klinische Konsequenzen.
Z. Stomatol. 1985, 82: 27-49
188. Weinlaender, M., Kenney, E.B., Lekovic, V., Beumer, J. III., Moy, P.K., Lewis, S.:
Histomorphometry of bone apposition around three types of endosseous dental implants.
Int. J. Oral Maxillofac. Implants 1992, 7: 491-496
189. Wennerberg, A., Albrektsson, T., Andersson, B.:
Design and surface characteristics of 13 commercially available oral implant systems.
Int. J. Oral Maxillofac. Implants 1993, 8: 622-633
190. Wennerberg, A.:
On surface roughness and implant incorporation.
Thesis Univ. Göteborg, 1996
191. Wennerberg, A., Hallgren, C., Johansson, C., Danelli, S.:
A histomorphometrical evaluation of 40 implants prepared with two surface roughnesses each.
Proc. 13th European Conference on Biomaterials, 4-7 September 1997a, Göteborg, Sweden, 21
192. Wennerberg, A., Ektessabi, A., Albrektsson, T., Johansson, C., Andersson, B.:
A 1-year follow-up of implants of differing surface roughness placed in rabbit bone.
Int. J. Oral Maxillofac. Implants 1997b; 12: 486-494
193. Wennerberg, A., Albrektsson, T.:
Suggested guidelines for the topographic evaluation of implant surfaces.
Int. J. Oral Maxillofac. Implants 2000, 15: 331-344
194. Wennerberg, A.:
Implant design and surface factors.
Int. J. Prosthodont. 2003, 16 (Suppl.): 45-51

195. Whitehead, R., Lacefield, W., Lucas, L.:
Structure and integrity of a plasma sprayed hydroxyapatite coating on titanium.
J. Biomed. Mater. Res. 1993, 27: 1501-1507
196. Wie, H., Herø, H., Solheim, T.:
Hot isostatic pressing-processed hydroxyapatite-coated titanium implants: light microscopic and scanning electron microscopy investigations.
Int. J. Oral Maxillofac. Implants 1998, 13: 837-844
197. Wiesmann, H.-P., Plate, U., Zierold, K., Höhling, H.J.:
Potassium is involved in apatite biomineralization.
J. Dent. Res. 1998, 77: 1654-1657
198. Wilke, H.J., Claes, L., Steinemann, S.:
The influence of various titanium surfaces on the interface shear strength between implants and bone.
Adv. Biomater. 1990, 9: 309-311
199. Wiltfang, J., Schultze-Mosgau, S., Schlegel, K.A.:
Implantatbett und Implantatlager – nur Einflussfaktoren für die Osseointegration oder beeinflussbare Faktoren?
Z.M. 2001, 91: 44-48
200. Wong, M., Eulenberger, J., Schenk, R., Hunziker, E.:
Effect of surface topology on the osseointegration of implant materials in trabecular bone.
J. Biomed. Mater. Res. 1995, 29: 1567-1575
201. Xynos ID; Edgar AJ; Buttery LD; Hench LL; Polak JM:
Gene-expression profiling of human osteoblasts following treatment with the ionic products of Bioglass 45S5 dissolution.
J. Biomed. Mater. Res. 2001, 55: 151-157
202. Yang, C.:
The effect of calcium phosphate implant coating on osteoconduction.
Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod. 2001, 92: 606-609
203. Yang, C.:
Effect of calcium phosphate surface coating on bone ingrowth onto porous-surfaced titanium alloy implants in rabbit tibiae.
J. Oral Maxillofac. Surg. 2002, 60: 422-425