

8 Literaturverzeichnis

- ARDAIL, D., LERME, F., PUYMIRAT, J., MOREL, G. (1993):
Evidence for the Presence of α - and β -related T₃-receptors in Rat Liver
Mitochondria
Eur. J. Cell Biol. 62: 105-113
- ANGUIANO, B., QUINTANAR, A., LUNA, M., NAVARRO, L.,
DEL ANGEL A.R., PACHECO, P., VALVERDE-R, C. (1995):
Neuroendocrine regulation of adrenal gland and hypothalamus 5' deiodinase
activity.
Endocrinology 136, 3346-3352
- ARMARIO, A., MARTI, O., GAVALDA, A., GIRALT, M., JOLIN, T. (1993):
Effects of chronic immobilization stress on GH and TSH secretion in the rat:
response to hypothalamic regulatory factors
Psychoneuroendocrinology 18, 405-413
- BALZANO, S., BERGMANN, B.M., GILLILAND, M.A., SILVA, J.A.,
RECHTSCHAFFEN, A., REFETOFF, A. (1990):
Effect of total sleep deprivation on 5'-deiodinase activity of rat brown
adipose tissue
Endocrinology 127, 882-890
- BAMBERG, E. (1987):
Endokrinologie.
In: Scheunert, A. und Trautmann, A.
Lehrbuch der Veterinär-Physiologie, 7. Auflage
Berlin, Hamburg: Paul Parey, S. 437-477

- BATES, J.M., ST. GERMAIN, D.L., GALTON, V.A. (1999):
Expression Profiles of the Three Iodothyronine Deiodinases, D1, D2 and D3,
in the Developing Rat.
Endocrinology 140: 844-851
- BAUMGARTNER, A., GRÄF, K.J., KÜRTEN, I., MEINHOLD, H. (1988):
The hypothalamic-pituitary-thyroid axis in psychiatric patients and healthy
subjects: part 1-4. PART₄: TRH tests, thyroxine, triiodothyronine, and reverse
triiodothyronine determinations in medical students during a major
examination
Psychiatry Res. 24, 316-332
- BAUMGARTNER, A. und CAMPOS-BARROS, A. (1993):
Schilddrüsenhormone und depressive Erkrankungen - Kritische Übersicht und
Perspektiven.
Teil 2: Schilddrüsenhormone und ZNS - Ergebnisse der
Grundlagenforschung
Nervenarzt 64: 11-20
- BAUMGARTNER, A., DUBEYKO, M., CAMPOS-BARROS, A., ERAVCI, M.,
MEINHOLD, H. (1994):
Subchronic Administration of Fluoxetine to Rats Affects Triiodothyronine
Production and Deiodination in Regions of the Cortex and the Limbic
Forebrain.
Brain Res. 635: 68-74
- BAUMGARTNER, A., VOELZ, H.P. CAMPOS-BARROS, A., STIEGLITZ, R.D.,
MANSMANN, U., MACKERT, A. (1996):
Serum Concentrations of Thyroid Hormones in Patients with Nonseasonal
Affective Disorders during Treatment Bright and Dim Light
Biol. Psychiat. 40: 899-907

BAUMGARTNER, A., HIEDRA, L., PINNA, G., ERAVCI, M., PRENGEL, H.,
MEINHOLD, H. (1998):

Rat Brain Type II 5'-Iodothyronine Deiodinase Activity is Extremly Sensitive
to Stress

J. Neurochem. 71: 817-826

BAUMGARTNER, A. (2000):

Thyroxine and the Treatment of Affektive Disorders: An Overview of
the Results of Basic and Clinical Research
Int. J. Neuropsych. 3: 149-165

BERRY, M.J., BANU, L., LARSEN, P.R. (1991):

Type I Iodothyronine Deiodinase is a Selenocysteine-containing Enzyme
Nature 349: 438-440

BÖHME, G.(1992):

Endokrine Drüsen
In: Nickel, R., Schummel, A., Seiferle, E
Lehrbuch der Anatomie der Haustiere, Band IV 3. Auflage
Berlin, Hamburg: Paul Parey, S.473-499

BORBELY, A.A., NEUHAUS, H.U. (1979):

Sleep Deprivation: Effects on Sleep and EEG in the rat
J. Comp. Physiol. 133: 71-78

BOTTERMANN, P. (1994):

Schilddrüsenerkrankungen (S.781-796)
In: Innere Medizin, Classen, Diehl, Kochsieck
Urban & Schwarzenberg, 3.Auflage

BRADFORD, M.M. (1976):

A rapid and sensitive method for the quantification of microgram quantities of
protein utilizing the principle of protein-dye binding
Anal. Biochem. 72, 248-254

BRAKEBUSCH, L., HEUFELDER, A.E. (2002):

Leben mit Morbus Basedow
W. Zuckerschwerdt Verlag

BRAKEBUSCH, L., HEUFELDER, A.E. (2004):

Leben mit Hashimoto Thyreoiditis
1. Auflage 2004
Zuckerschwerdt Verlag

BRENNER, K.-V. (1993):

Krankheiten endokriner Organe
In: Wiesner, E.
Kompendium der Heimtierkrankheiten 2, 1. Auflage
Stuttgart, Jena, New York: Gustav Fischer S. 171-184

BROEDEL, O., ERAVCI, M., FUXIUS, S., SMOLARZ, T., JEITNER, A., GRAU, H., STOLTENBURG-DIDINGER, G., PLUECKHAN, H., MEINHOLD, H., BAUMGARTNER, A. (2003):

Effects of Hyper- and Hypothyroidism on Thyroid Hormone Concentrations in Regions of the Rat Brain
Am. J. Physiol. Endocrinol. Metab. 285: 470-480

BROUSSARD, J.D., PETERSON, M.E., FOX, P.R. (1995):

Changes in clinical and laboratory findings in cats with hyperthyroidism from 1983 to 1993.
J Am Vet Med Assoc. 206(3): 302-305

BURMESTER, L.A., PACHUCKI, J., GERMAIN, D.L.S.T. (1997) :

Thyroid Hormones Inhibit Type 2 Iodothyronine Deiodinase in Rat Cerebral Cortex by Both Pre- and Posttranslational Mechanisms
Endocrinology 138: 5231-5237

CALHOUN, J.B. (1962):

Population density and social pathology
Sci. Am. 206, 139-148

CAMPOS-BARROS, A., KÖHLER, R., MÜLLER, F., ERAVCI, M., MEINHOLD, H., WESEMANN, W., BAUMGARTNER, A. (1993):

The Influence of Sleep Deprivation on Thyroid Hormone Metabolism in Rat Frontal Cortex

Neurosci. Lett. 162: 145-148

CAMPOS-BARROS, A., MEINHOLD, H., KÖHLER, R., MÜLLER, F., ERAVCI, M., BAUMGARTNER; A. (1995):

The Effects of Desipramine on Thyroid Hormone Concentrations in Rat Brain Naunyn-Schmiedeberg's Arch. Pharmacol. 351: 469-474

CAMPOS-BARROS, A., HOELL, T., STOLTENBURG, G., MUSA, A., ERAVCI, M., PINNA, G., MEINHOLD, G., BAUMGARTNER, A. (1996):

Phenolic an Tyrosol Ring Iodothyronine Deiodination and Thyroid Hormone Concentrations in the Human Central Nervous System

J. Clin. Endocr. Metab. 81: 2179-2185

CANNON, W.B., (1932):

The wisdom of the body
New York: Norton

CECCATELLI, S., GIARDINO, L., CALZA, L. (1992):

Response of Hypothalamic Peptide mRNAs to Thyroidectomy
Neuroendocrin. 56: 694-703

CIZINAUSKAS, S., BLEY, T., JAGGY, A. (2000):

Neurologische Manifestation der Hypothyreose beim Hund
Tierärztliche Praxis Kleintiere 28, 377-384

CIZZA, G., BRADY, L.S., PACAK, K., BLACKMAN, M.R., GOLD, P.W.,

CHROUSOS, G.P. (1995):

Stress-induced inhibition of the hypothalamic-pituitary-thyroid axis is
attenuated in the aged Fischer 344/N male rat

Endocrinology 62, 506-513

CLINICAL SOCIETY OF LONDON (1888):

Report of a Committee of the Clinical Society of London, to Investigate the
Subject of Myxoedema

Longmanns & Green, London

CROTEAU, W., DAVEY, J.C., GALTON, V.A., ST. GERMAIN, D.L. (1996):

Cloning of the Mammalian Type II Iodothyronine Deiodinase. A Selenoprotein
Differentially Expressed and Regulated in Human and Rat Brain and other
Tissues

J. Clin. Invest. 98: 405-417

DAVIDOFF, R.A., RUSKIN, H.M., (1972):

The Effects of Microelectrophoretically Applied Thyroid Hormone on Single
Cat Central Nervous System Neurons.

Neurology 22: 467-472

DODD, P.F., HARDY, J.A., OAKLEY, A.E., EDWARDSON, J.A., PERRY, E.K.,

DELAUNOY, J.P. (1981):

A rapid method for preparing synaptosomes: comparisions with alternative
procedure

Brain Res. 226, 107-118

DRATMAN, M.B., CRUTCHFIELD, F.L., AXELROD, J., COLBURN, R.W.,

THOA, N. (1976):

Localisation of Triiodothyronine in Nerve Ending Fractions of the Rat Brain
Proc. Natl. Acad. Sci. USA 73: 941-944

- ERAVCI, M., PINNA, G., MEINHOLD, H., BAUMGARTNER,A. (2000):
Effects of Pharmacological and Nonpharmacological Treatments on Thyroid
Hormone Metabolism an Concentrations in Rat Brain
Endocrinology 141: 1027-1040
- FEHM-WOLFSDORF, 1994:
Stress und Wahrnehmung
In: Birbaumer, Schmidt, Biologische Psychologie
Auflage, S. 88-89
Springerverlag
- FELDMANN, E.C., NELSON, R.W. (1996):
Hypercalcemia and primary Hyperparathyroidism
In: Canine and Feline Endocrinology and Reproduction
Philadelphia: WB Saunders Company 455-496
- FELTEN, D., (1994)
Psychologie Heute 5/94
- FERGUSON, D.C. (1984):
Thyroid Function Tests in the Dog-Recent Concepts
Veterinary Clinics of North America:
Small Animal Practice 14: 783-808
- FORD, D.H., GROSS, J. (1959):
The Localization of 131-Labelled Triiodothyronine and Thyroxine in the
Pituitary and Brain of the Male Guinea Pig
Endocrinology 63: 549-561
- FREUDIGER, U. (1993):
Endokrine Organe
In: Freudiger, U., Grünbaum, E.-G., Schimke, E.
Klinik der Hundekrankheiten
Jena, Stuttgart: Gustav Fischer, S. 829-846

GIORDANO, T., PAN, J.B., CASUTO, D., WATANABE, S., ARNERIC, S.P.

(1992):

Thyroid Hormone Regulation of NGF, NT-3 and BDNF RNA in the
Adult Rat Brain

Mol. Brain. Res. 16: 239-245

GLOWINSKI, I., IVERSEN, L.L. (1966):

Regional studies of catecholamine metabolism in rat brain:I. The Disposition
of (3H) dopamine an (3H) dopa in various regions of the brain
J. Neurochem. 13, 655-669

GRÄF, H. (1994):

Endocrinology

In: Endocrine imaging

Hrsg. Higgins, C.B., Auffermann, W.

Stuttgart; New York: Georg Thieme Verlag, S. 46-50

HINTZE, G., BRAVERMAN, L.E., INGBAR, S.H. (1991):

The effect of surgical stress on the in vitro metabolism of thyroxine by rat
liver, kidney, and brain

Endocrinology 128, 146-152

IGLESIAS, T., CAUBIN, J., ZABALLOS, A., BERNA, J., MUÑOZ, A. (1995):

Identification of the Mitochondrial NADH Dehydrogenase Subunit 3 (ND3) as
a Thyroid Hormone Regulated Gene by Whole Genome PCR Analysis

Biochem. Biophys. Res. Commun. 210: 995-1000

JANKOVIC, S.M., RADOSAVLIEVIC, V.R., MARINKOVIC, J. M. (1997):

Risk factors for Graves' disease

Eur J Epidemiol 13:19-23.

JONES, B.R., GRUFFYDD-JONES, T.J., SPARKES, A.H., LUCKE, V.M. (1992):
Preliminary studies on congenital hypothyroidism in a family of
Abyssinian cats
Vet. Rec. 131, 145-148

JOST, E. (1996):
Stress erleben – Stress vermeiden.
In: Balance - Gesundheitsförderung in der Schule.
(Lehrmittelverlag des Kantons Aargau, Hrsg.),
Buchs, Lehrmittelverlag des Kantons Aargau, Im Hag 9, Postfach,
5033 Buchs. Best.Nr. 1466.

KALDERON, B., HERMESH, O., BAR-TANA, J. (1995):
Mitochondrial Permeability Transition is induced by in vivo Thyroid Hormone
Treatment
Endocrinology 136: 3552-3556

KINTZER, P.P. (1994):
Considerations in the treatment of feline hyperthyroidism
Vet. Clin. North Am Small Anim. Pract. 24(3), 587-605

KRAFT, W., DEINERT, M., BÜCHLER, F., REESE, S. (1999):
Symptome der Hyperthyreose der Katze: eine retrospektive Studie
Kleintierpraxis 44, 719-732

LAZARUS, R.S., (1984):
Stress, Appraisal and Coping
New York: Springer Verlag

LOVTRUP-REIN, H., McEWEN, B.S. (1966):
Isolation and fractionation of the rat brain nuclei
J Cell Biol. 30(2), 405-415

LEONARD, J.L., KOEHRLE, J. (2000):

Intracellular Pathways of Iodothyronine Metabolism

In: Braverman, L.E., Utiger, R.D. (eds): The Thyroid, 8th Ed., Lippincott:
Philadelphia, pp. 136-171

MASHIO, Y., INADA, M., TANAKA, K., ISHII, H., NAITO, K., NISHIKAWS, M.,

TAKAHASHI, K., IMURA, R. (1982):

High Affinity 3,5,3'-L-Triiodothyronine Binding to Synaptosomes
in Rat Cerebral Cortex
Endocrinology 110: 1257-1261

MERCHANT, S.R., TABOADA, J, (1997):

Endocrinopathies. Thyroid and adrenal disorders

Vet.Clin.North Am :Small Anim.Pract. 27(6): 1285-1290

MORREALE DE ESCOBAR, G., PASTOR, R., OBREGÓN, M.J., ESCOBAR DEL
REY, F. (1985):

Effects of Maternal Hypothyreoidism on the Weight and Thyroid Hormone
Content of Rat Embryonic Tissues, Before and After Onset of Fetal Thyroid
Function

Endocrinology 47: 543-547

MÖSTL, E. (2000):

Endokrinologie

In: v.Engelhardt, W., Breves, G.

Physiologie der Haustiere

Stuttgart: Enke, S. 490-571

NACAMURA, Y., CHOPRA, I.J., SOLOMON, D.H. (1977):

Preparation of high-specific-activity radioactive iodothyronines and their
analogues.

J Nucl Med 18, 1112-1115

- NICOLOFF, J.T., SPENCER, C.A., LAI-ROSENFELD, A.O., GUTTLER, R.B., LO PRESTI, J., MARCUS, A.O., NIMALASURIYA, A., EIGEN, A., DOSS, R.C., GREEN, B.J., (1986):
Thyrotropin Secretion in Thyrotoxic and Thyroxine-Treated Patients:
Assessment by Sensitive Immunoenzymometric Assay
J Clin. Endocrinol. Metab. 63: 349-355
- NITSCH, J.R. (1981):
Stress. Theorien, Untersuchungen, Maßnahmen
Bern, Stuttgart, Wien: Verlag Hans Huber
- OETTEL, M. (1996):
Schilddrüsenhormone.
In: Frey, H.-H., Löscher, W.
Lehrbuch der Pharmakologie und Toxikologie
für die Veterinärmedizin, 1. Auflage
Stuttgart: Ferdinand Enke Verlag, S. 409-412
- OPSTAD, P.K. (1994):
Circadian rhythm of hormones is extinguished during prolonged physical
stress, sleep and energy deficiency in young men
Eur. J. Endocrinol. 131, 56-66
- PALACIOS-ROMERO, R., MOWBRAY, J. (1979):
Evidence for the Rapid Direct Control Both in Vivo and in Vitro of the
Efficiency of Oxidative Phosphorylation by 3,5,3'-Triiodo-L-Thyronine in
Rats
Biochem. J. 184: 527-538

- PETERSON, M.E., KINTZER, P.P., CAVANAGH, P.G., FOX, P.R., FERGUSON, D.C., JOHNSON, G.F., BECKER, D.V. (1983):
Feline hyperthyroidism: pretreatment clinical and laboratory evaluation of 131 cases
J.Am. Vet.Med Assoc 183(1):103-110
- PETERSON, M.E., FERGUSON, D.C. (1989):
Thyroid Diseases
In: Ettinger, S.J. (Hrsg)
Textbook of veterinary internal medicine, third edition
Philadelphia: W.B. Saunders, S. 174-195
- PFISTER, M. (1996):
Stress.
In Balance: Gesundheitsförderung in der Schule – Heft 20
„Balance“, (Lehrmittelverlag des Kantons Aargau, Hrsg.), Buchs, S. 15ff.
Lehrmittelverlag des Kantons Aargau, Im Hag 9, Postfach,
5033 Buchs. Best.Nr. 1467.
- REESE, S., MÜLLER, M., KURZKE, E., HERMANNS, W., KRAFT, W. (2002):
Prävalenz morphologischer Schilddrüsenveränderungen bei der Katze
Tierärztl. Praxis 30(K), 274-281
- RICHTER, S.D., SCHÜRMEYER, T.H., SCHEIDLOWSKI, M., HÄDICKE, A., TEWES, U., SCHMIDT, R.E., WAGNER, T.O.F. (1996):
Time kinetics of the endocrine response to acute psychological stress
J. Clin. Endocrinol. Metab. 81, 1956-1960
- ROBBINS, J. (1996):
Thyroid Hormone Transport Proteins and the Physiology of Hormone Binding
In: Braverman, L.E., Utiger, R.D.
The Thyroid, a fundamental an clinical Text, 7th Edition
Philadelphia: Lippincott-Raven, S. 96-111

- SALVATORE, D., LOW, S.C., BERRY, M., MAIA, A.L., HARNEY, J.W., CROTEAU, W., ST. GERMAIN, D.L., LARSEN, P.R. (1995): Type 3 Iodothyronine Deiodinase: Cloning, in vitro Expression, and Functional Analysis of the Placental Selenoenzyme
J Clin. Invest. 96: 2421-2430
- SALVATORE, D., BARTH, T., HARVEY, J.W., LARSEN, P.R. (1996): Molecular Biological and Biochemical Characterisation of the Human Type 2 Selenodeiodinase
Endocrinology 137: 3308-3315
- SANTINI, F., PINCHERA, A., CECCARINI, G., CASTAGNA, M., ROSELLINI, V., MAMMOLI, C. (2001): Evidence for a Role of the Type III-Iodothyronine Deiodinase in the Regulation of 3,5,3'-Triiodothyronine Content in the Human Central Nervous System
Eur. J. Endocrinol. 144: 577-583
- SCANLON, M.F., TOFT, A.D. (1996): Regulation of thyrotropin secretion
In Werner and Ingbar's The Thyroid,
7th edition (Braverman, L.E., Utiger, R.D. eds), pp.227-248
Lippincott-Raven, Philadelphia
- SCHEDLOWSKI, M., WIECHERT, D., WAGNER, T.O.F., TEWES, U. (1992): Acute psychological stress increases plasma levels of cortisol, prolactin and TSH
Life Sci. 50, 1201-1205
- SCHWARTZ, H.L., OPPENHEIMER, J.H. (1978): Nuclear Triiodothyronine Receptor Sites in Brain: Probable Identity with Hepatic Receptors and Regional Distribution
Endocrinology 103: 267-273

- SEITZ, H.J., MULLER, M.J., SOBOLL, S. (1985):
Raoid Thyroid-Hormone Effect on Mitochondrial and Cytosolic ATP/ADP
Ratios in the Intact Liver Cell
Biochem. J. 227: 149-153
- SELYE, H. (1936):
A syndrome produced by diverse noxious agents
Nature, 32:138
- SELYE, H. (1956):
The Stress of Live
New York, London, Mc GRAW-HILL
- SELYE, H. (1981):
Geschichte und Grundzüge des Stresskonzepts
In: Nitsch, J.R., (Ed.), Stress: 161-184. Bern: Huber
- SILVA, J.E., LARSEN, P.R. (1986):
Regulation of thyroid hormone expression at the prereceptor and
receptor levels
in Thyroid Hormone Metabolism (Hennemann, G., ed.), pp. 441-503
Marcel Dekker, New York
- SOBOLL, S. (1993):
Thyroid Hormone Action on Mitochondrial Energy Transfer
Biochem. Biophys. Acta 1144: 1-16
- STERLING, K., MILCH, P.O. (1975):
Thyroid Hormone Binding by a Component of Mitochondrial Membrane
Proc. Natl. Acad. Sci.USA 72: 3225-3229

THOMPSON, C.C., WEINBERGER, C., LEBO, R., EVANS, R.M. (1987):
Identification of a Novel Thyroid Hormone Receptor Expressed in the
Mammalian Central Nervous System
Science 237: 1610-1614

VAN DOORN, J., VAN DER HEIDE, D., ROELFSEMA, F. (1984):
The Contribution of Local Thyroxine Monodeiodination to Intracellular 3,5,3'-
Triiodothyronine in Several Tissues of Hyperthyroid Rats at Isotopic
Equilibrium
Endocrinology 115: 174-182

VEGA-NUNEZ, E., MENENDEZ-HURTADO, A., GARESSE, R., SANTOS, A.,
PEREZ-CASTILLO, A. (1995):
Thyroid hormone-regulated brain mitochondrial genes revealed by differential
cDNA cloning
J. Clin. Invest. 96, 893-899

VESTER, F. (1978):
Phänomen Stress
18.Auflage 2003 München bei dtv Nr.1396, S.15

VOLLMANN-HONSDORF, G.K. (2001):
Lichtmikroskopische und ultrastrukturelle morphologische Veränderungen in
der Hippocampusformation von Tupaja als Folge von chronisch
psychosozialem Stress
Dissertation an der Fakultät für Biologie der Universität Bielefeld

WAGNER-LINK, A. (1993):
Aktive Entspannung und Stressbewältigung
Renningen-Malmsheim: Expert Verlag, S. 9

WEINBERGER, C., THOMPSON, C.C., ONG, E.S. (1986):
The C-Erb a Gene Encodes a Thyroid Hormone
Nature 324: 641-645

WHYBROW, P.C., PRANGE, A.J. Jr., TREATWAY, C.R. (1969):

Mental Changes Accompanying Thyroid Gland Dysfunction.
A Reappraisal Using Objective Psychological Measurement,
Arch. Gen. Psychiatry 20: 48-63

WRUTNIAK, C., CASSAR-MALEK, I., MARCHAL, S., RASCLE, A., HEUSSER,

S., KELLER, J.M., FLECHON, J., DAUCA, M., SAMARUT, J.,
GHYSDAEL, J., CABELLO, G (1995):

A 43-kDa Protein Related to C-Erb a α 1 is Located in the Mitochondrial
Matrix of Rat Liver

J. Biol. Chem. 270: 16347-16354

WUTTKE, W. (1997):

Endokrinologie

In: Schmidt, R.F., Thews, G.

Physiologie des Menschen, 27. Auflage

Berlin, Heidelberg, New York: Springer, S. 370-406

ZIMBARDO, P.G., (1995):

Psychologie

6.Auflage

Berlin, Heidelberg, New York

ISBN 3-540-59381-0