

9 Literatur

- Akita, K., Ohtsuki, T., Nukada, Y., Tanimoto, T., Namba, M., Okura, T., Takakura-Yamamoto, R., Torigoe, K., Gu, Y., Su, M. S., Fujii, M., Satoh-Itoh, M., Yamamoto, K., Kohno, K., Ikeda, M. & Kurimoto, M.** (1997). Involvement of caspase-1 and caspase-3 in the production and processing of mature human interleukin 18 in monocytic THP.1 cells. *J Biol Chem* **272**, 26595-603.
- Allan, G. M., Kennedy, S., McNeilly, F., Foster, J. C., Ellis, J. A., Krakowka, S. J., Meehan, B. M. & Adair, B. M.** (1999). Experimental reproduction of severe wasting disease by co-infection of pigs with porcine circovirus and porcine parvovirus. *J Comp Pathol* **121**, 1-11.
- Allan, G. M., McNeilly, F., Cassidy, J. P., Reilly, G. A., Adair, B., Ellis, W. A. & McNulty, M. S.** (1995). Pathogenesis of porcine circovirus; experimental infections of colostrum deprived piglets and examination of pig foetal material. *Vet Microbiol* **44**, 49-64.
- Allan, G. M., McNeilly, F., Ellis, J., Krakowka, S., Meehan, B., McNair, I., Walker, I. & Kennedy, S.** (2000). Experimental infection of colostrum deprived piglets with porcine circovirus 2 (PCV2) and porcine reproductive and respiratory syndrome virus (PRRSV) potentiates PCV2 replication. *Arch Virol* **145**, 2421-9.
- Allan, J. S.** (1998). The risk of using baboons as transplant donors. Exogenous and endogenous viruses. *Ann N Y Acad Sci* **862**, 87-99.
- Aoki, Y., Feldman, G. M. & Tosato, G.** (2003). Inhibition of STAT3 signaling induces apoptosis and decreases survivin expression in primary effusion lymphoma. *Blood* **101**, 1535-42.
- Arima, Y., Hirota, T., Bronner, C., Mousli, M., Fujiwara, T., Niwa, S., Ishikawa, H. & Saya, H.** (2004). Down-regulation of nuclear protein ICBP90 by p53/p21Cip1/WAF1-dependent DNA-damage checkpoint signals contributes to cell cycle arrest at G1/S transition. *Genes Cells* **9**, 131-42.
- Artursson, K., Wallgren, P. & Alm, G. V.** (1989). Appearance of interferon-alpha in serum and signs of reduced immune function in pigs after transport and installation in a fattening farm. *Vet Immunol Immunopathol* **23**, 345-53.
- Back, S. H., Shin, S. & Jang, S. K.** (2002). Polypyrimidine tract-binding proteins are cleaved by caspase-3 during apoptosis. *J Biol Chem* **277**, 27200-9.
- Baily, R. G., Davis, D., Clemson, B. & Zelis, R.** (1994). Normalization of the norepinephrine kinetic response to orthostatic stress after cardiac transplantation. *Am J Cardiol* **74**, 624-5.
- Balasz, M., Segales, J., Rosell, C., Domingo, M., Mankertz, A., Urniza, A. & Planas-Duran, J.** (1999). Experimental inoculation of conventional pigs with tissue homogenates from pigs with post-weaning multisystemic wasting syndrome. *J Comp Pathol* **121**, 139-48.
- Barnard, C. N., Wolpowitz, A. & Losman, J. G.** (1977). Heterotopic cardiac transplantation with a xenograft for assistance of the left heart in cardiogenic shock after cardiopulmonary bypass. *S Afr Med J* **52**, 1035-8.

- Bassaganya-Riera, J., Pogranichniy, R. M., Jobgen, S. C., Halbur, P. G., Yoon, K. J., O'Shea, M., Mohede, I. & Hontecillas, R.** (2003). Conjugated linoleic acid ameliorates viral infectivity in a pig model of virally induced immunosuppression. *J Nutr* **133**, 3204-14.
- Birnboim, H. C. & Doly, J.** (1979). A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res* **7**, 1513-23.
- Blanchard, P., Mahe, D., Cariolet, R., Keranflec'h, A., Baudouard, M. A., Cordioli, P., Albina, E. & Jestin, A.** (2003). Protection of swine against post-weaning multisystemic wasting syndrome (PMWS) by porcine circovirus type 2 (PCV2) proteins. *Vaccine* **21**, 4565-75.
- Born, T. L., Morrison, L. A., Esteban, D. J., VandenBos, T., Thebeau, L. G., Chen, N., Spriggs, M. K., Sims, J. E. & Buller, R. M.** (2000). A poxvirus protein that binds to and inactivates IL-18, and inhibits NK cell response. *J Immunol* **164**, 3246-54.
- Breau, W. C., Atwood, W. J. & Norkin, L. C.** (1992). Class I major histocompatibility proteins are an essential component of the simian virus 40 receptor. *J Virol* **66**, 2037-45.
- Brown, M. S. & Goldstein, J. L.** (1983). Lipoprotein receptors in the liver. Control signals for plasma cholesterol traffic. *J Clin Invest* **72**, 743-7.
- Carbone, R., Fre, S., Iannolo, G., Belleudi, F., Mancini, P., Pelicci, P. G., Torrisci, M. R. & Di Fiore, P. P.** (1997). eps15 and eps15R are essential components of the endocytic pathway. *Cancer Res* **57**, 5498-504.
- Carty, S. M. & Greenleaf, A. L.** (2002). Hyperphosphorylated C-terminal repeat domain-associating proteins in the nuclear proteome link transcription to DNA/chromatin modification and RNA processing. *Mol Cell Proteomics* **1**, 598-610.
- Chen, C. L., Chang, P. C., Lee, M. S., Shien, J. H., Ou, S. J. & Shieh, H. K.** (2003). Nucleotide sequences of goose circovirus isolated in Taiwan. *Avian Pathol* **32**, 165-71.
- Cheung, A. K. & Bolin, S. R.** (2002). Kinetics of porcine circovirus type 2 replication. *Arch Virol* **147**, 43-58.
- Choi, K. S., Mizutani, A. & Lai, M. M.** (2004). SYNCRIP, a member of the heterogeneous nuclear ribonucleoprotein family, is involved in mouse hepatitis virus RNA synthesis. *J Virol* **78**, 13153-62.
- Chu, P. W. & Helms, K.** (1988). Novel virus-like particles containing circular single-stranded DNAs associated with subterranean clover stunt disease. *Virology* **167**, 38-49.
- Chua, K. B., Bellini, W. J., Rota, P. A., Harcourt, B. H., Tamin, A., Lam, S. K., Ksiazek, T. G., Rollin, P. E., Zaki, S. R., Shieh, W., Goldsmith, C. S., Gubler, D. J., Roehrig, J. T., Eaton, B., Gould, A. R., Olson, J., Field, H., Daniels, P., Ling, A. E., Peters, C. J., Anderson, L. J. & Mahy, B. W.** (2000). Nipah virus: a recently emergent deadly paramyxovirus. *Science* **288**, 1432-5.
- Claessens, J. A., Schrier, C. C., Mockett, A. P., Jagt, E. H. & Sondermeijer, P. J.** (1991). Molecular cloning and sequence analysis of the genome of chicken anaemia agent. *J Gen Virol* **72** (Pt 8), 2003-6.

- Clark, E. G.** (1997). Post-weaning multisystemic wasting syndrome. In *Proceedings of the American Association of Swine Practitioners, 28th Annual Meeting*, pp. 499-501. Quebec City, Canada.
- Collum, R. G., Brutsaert, S., Lee, G. & Schindler, C.** (2000). A Stat3-interacting protein (StIP1) regulates cytokine signal transduction. *Proc Natl Acad Sci U S A* **97**, 10120-5.
- Cooley, D. A., Bloodwell, R. D., Hallman, G. L. & Nora, J. J.** (1968). Transplantation of the human heart. Report of four cases. *Jama* **205**, 479-86.
- Cooper, D. K., Groth, C. G. & McKenzie, I. F.** (2000). Xenotransplantation. This new form of treatment might benefit millions. *Bmj* **320**, 868.
- Danen-van Oorschot, A. A., van Der Eb, A. J. & Noteborn, M. H.** (2000). The chicken anemia virus-derived protein apoptin requires activation of caspases for induction of apoptosis in human tumor cells. *J Virol* **74**, 7072-8.
- Darwich, L., Segales, J., Domingo, M. & Mateu, E.** (2002). Changes in CD4(+), CD8(+), CD4(+) CD8(+), and Immunoglobulin M-Positive Peripheral Blood Mononuclear Cells of Postweaning Multisystemic Wasting Syndrome-Affected Pigs and Age-Matched Uninfected Wasted and Healthy Pigs Correlate with Lesions and Porcine Circovirus Type 2 Load in Lymphoid Tissues. *Clin Diagn Lab Immunol* **9**, 236-42.
- Denner, J., Specke, V., Schwendemann, J. & Tacke, S. J.** (2001). Porcine endogenous retroviruses (PERVs): adaptation to human cells and attempts to infect small animals and non-human primates. *Ann Transplant* **6**, 25-33.
- Di Bisceglie, A. M.** (2001). SEN and sensibility: interactions between newly discovered and other hepatitis viruses? *Lancet* **358**, 1925-6.
- Fenaux, M., Opriessnig, T., Halbur, P. G. & Meng, X. J.** (2003). Immunogenicity and pathogenicity of chimeric infectious DNA clones of pathogenic porcine circovirus type 2 (PCV2) and nonpathogenic PCV1 in weanling pigs. *J Virol* **77**, 11232-43.
- Fujioka, N., Akazawa, R., Ohashi, K., Fujii, M., Ikeda, M. & Kurimoto, M.** (1999). Interleukin-18 protects mice against acute herpes simplex virus type 1 infection. *J Virol* **73**, 2401-9.
- Galperin, E., Benjamin, S., Rapaport, D., Rotem-Yehudar, R., Tolchinsky, S. & Horowitz, M.** (2002). EHD3: a protein that resides in recycling tubular and vesicular membrane structures and interacts with EHD1. *Traffic* **3**, 575-89.
- Gevrey, J. C., Laurent, S., Saurin, J. C., Nemoz-Gaillard, E., Regazzi, R., Chevrier, A. M., Chayvialle, J. A. & Abello, J.** (2001). Rab3a controls exocytosis in cholecystokinin-secreting cells. *FEBS Lett* **503**, 19-24.
- Gibbs, M. J. & Weiller, G. F.** (1999). Evidence that a plant virus switched hosts to infect a vertebrate and then recombined with a vertebrate-infecting virus. *Proc Natl Acad Sci U S A* **96**, 8022-7.
- Gosset, P., Tillie-Leblond, I., Oudin, S., Parmentier, O., Wallaert, B., Joseph, M. & Tonnel, A. B.** (1999). Production of chemokines and proinflammatory and antiinflammatory

cytokines by human alveolar macrophages activated by IgE receptors. *J Allergy Clin Immunol* **103**, 289-97.

Green, M. & Webber, S. (2003). Posttransplantation lymphoproliferative disorders. *Pediatr Clin North Am* **50**, 1471-91.

Hamel, A. L., Lin, L. L. & Nayar, G. P. (1998). Nucleotide sequence of porcine circovirus associated with postweaning multisystemic wasting syndrome in pigs. *J Virol* **72**, 5262-7.

Hannon, J. P., Bossone, C. A. & Wade, C. E. (1990). Normal physiological values for conscious pigs used in biomedical research. *Lab Anim Sci* **40**, 293-8.

Harcourt, A. H., Fossey, D., Stewart, K. J. & Watts, D. P. (1980). Reproduction in wild gorillas and some comparisons with chimpanzees. *J Reprod Fertil Suppl Suppl* **28**, 59-70.

Harding, R. M., Burns, T. M. & Dale, J. L. (1991). Virus-like particles associated with banana bunchy top disease contain small single-stranded DNA. *J Gen Virol* **72**, 225-30.

Harding, S. A., Mallett, S. V., Peachey, T. D. & Cox, D. J. (1997). Use of heparinase modified thrombelastography in liver transplantation. *Br J Anaesth* **78**, 175-9.

Hardy, J. D. (1964). The Transplantation of Organs. *Surgery* **56**, 685-705.

Harris, C. E., Boden, R. A. & Astell, C. R. (1999). A novel heterogeneous nuclear ribonucleoprotein-like protein interacts with NS1 of the minute virus of mice. *J Virol* **73**, 72-80.

Hattermann, K., Maerz, A., Slanina, H., Schmitt, C. & Mankertz, A. (2004a). Assessing the risk potential of porcine circoviruses for xenotransplantation: consensus primer-PCR-based search for a human circovirus. *Xenotransplantation*. **11**, 547-50.

Hattermann, K., Roedner, C., Schmitt, C., Finsterbusch, T., Steinfeldt, T. & Mankertz, A. (2004b). Infection studies on human cell lines with porcine circovirus type 1 and porcine circovirus type 2. *Xenotransplantation* **11**, 284-94.

Hawkes, N. A., Otero, G., Winkler, G. S., Marshall, N., Dahmus, M. E., Krappmann, D., Scheidreit, C., Thomas, C. L., Schiavo, G., Erdjument-Bromage, H., Tempst, P. & Svejstrup, J. Q. (2002). Purification and characterization of the human elongator complex. *J Biol Chem* **277**, 3047-52.

Henis-Korenblit, S., Shani, G., Sines, T., Marash, L., Shohat, G. & Kimchi, A. (2002). The caspase-cleaved DAP5 protein supports internal ribosome entry site-mediated translation of death proteins. *Proc Natl Acad Sci U S A* **99**, 5400-5.

Heyraud-Nitschke, F., Schumacher, S., Laufs, J., Schaefer, S., Schell, J. & Gronenborn, B. (1995). Determination of the origin cleavage and joining domain of geminivirus Rep proteins. *Nucleic Acids Res* **23**, 910-6.

Howcroft, T. K., Strebel, K., Martin, M. A. & Singer, D. S. (1993). Repression of MHC class I gene promoter activity by two-exon Tat of HIV. *Science* **260**, 1320-2.

- Hresko, R. C. & Mueckler, M.** (2002). Identification of pp68 as the Tyrosine-phosphorylated Form of SYNCRIP/NSAP1. A cytoplasmic RNA-binding protein. *J Biol Chem* **277**, 25233-8.
- Huang, C. A., Fuchimoto, Y., Gleit, Z. L., Ericsson, T., Griesemer, A., Scheier-Dolberg, R., Melendy, E., Kitamura, H., Fishman, J. A., Ferry, J. A., Harris, N. L., Patience, C., Sachs, D. H., Li, H., Snowden, G., O'Toole, D., Crawford, T. B., Weck, K. E., Kim, S. S., Virgin, H. I. & Speck, S. H.** (2001). Posttransplantation lymphoproliferative disease in miniature swine after allogeneic hematopoietic cell transplantation: similarity to human PTLN and association with a porcine gammaherpesvirus. *Blood* **97**, 1467-73.
- Huard, B.** (2000). Expression of inhibitory receptors for MHC class I molecules on T cells. *Crit Rev Immunol* **20**, 471-6.
- Humar, A., Kumar, D., Caliendo, A. M., Moussa, G., Ashi-Sulaiman, A., Levy, G. & Mazzulli, T.** (2002). Clinical impact of human herpesvirus 6 infection after liver transplantation. *Transplantation* **73**, 599-604.
- Imataka, H., Olsen, H. S. & Sonenberg, N.** (1997). A new translational regulator with homology to eukaryotic translation initiation factor 4G. *Embo J* **16**, 817-25.
- Ishido, S., Wang, C., Lee, B. S., Cohen, G. B. & Jung, J. U.** (2000). Downregulation of major histocompatibility complex class I molecules by Kaposi's sarcoma-associated herpesvirus K3 and K5 proteins. *J Virol* **74**, 5300-9.
- Janeway, C. A., Jr. & Medzhitov, R.** (2002). Innate immune recognition. *Annu Rev Immunol* **20**, 197-216.
- Kalina, U., Kauschat, D., Koyama, N., Nuernberger, H., Ballas, K., Koschmieder, S., Bug, G., Hofmann, W. K., Hoelzer, D. & Ottmann, O. G.** (2000). IL-18 activates STAT3 in the natural killer cell line 92, augments cytotoxic activity, and mediates IFN-gamma production by the stress kinase p38 and by the extracellular regulated kinases p44erk-1 and p42erk-2. *J Immunol* **165**, 1307-13.
- Kamperschroer, C. & Quinn, D. G.** (2002). The role of proinflammatory cytokines in wasting disease during lymphocytic choriomeningitis virus infection. *J Immunol* **169**, 340-9.
- Katul, L., Maiss, E. & Vetten, H. J.** (1995). Sequence analysis of a faba bean necrotic yellows virus DNA component containing a putative replicase gene. *J Gen Virol* **76**, 475-9.
- Keir, M. E., Stoddart, C. A., Linnik-Stepps, V., Moreno, M. E. & McCune, J. M.** (2002). IFN-alpha secretion by type 2 dendritic cells up-regulates MHC class I in the HIV-1-infected thymus. *J Immunol* **168**, 325-31.
- Kerkau, T., Bacik, I., Bennink, J. R., Yewdell, J. W., Hunig, T., Schimpl, A. & Schubert, U.** (1997). The human immunodeficiency virus type 1 (HIV-1) Vpu protein interferes with an early step in the biosynthesis of major histocompatibility complex (MHC) class I molecules. *J Exp Med* **185**, 1295-305.
- Kim, J. & Chae, C.** (2003). Expression of monocyte chemoattractant protein-1 but not interleukin-8 in granulomatous lesions in lymph nodes from pigs with naturally occurring postweaning multisystemic wasting syndrome. *Vet Pathol* **40**, 181-6.

- Kim, J. & Chae, C.** (2005). Necrotising lymphadenitis associated with porcine circovirus type 2 in pigs. *Vet Rec* **156**, 177-8.
- Kim, J., Choi, C. & Chae, C.** (2003). Pathogenesis of Postweaning Multisystemic Wasting Syndrome Reproduced by Co-infection with Korean Isolates of Porcine Circovirus 2 and Porcine Parvovirus. *J Comp Pathol* **128**, 52-9.
- Kim, J., Paek, K., Ha, S., Cho, S., Choi, K., Kim, C., Ryu, S. & Jang, S.** (2004). A cellular RNA-binding protein enhances internal ribosomal entry site-dependent translation through an interaction downstream of the hepatitis C virus polyprotein initiation codon. *Mol Cell Biol.* **24**, 7878-90.
- Kimman, T. G., Bianchi, A. T., de Bruin, T. G., Mulder, W. A., Priem, J. & Voermans, J. J.** (1995). Interaction of pseudorabies virus with immortalized porcine B cells: influence on surface class I and II major histocompatibility complex and immunoglobulin M expression. *Vet Immunol Immunopathol* **45**, 253-63.
- Klein, S. A., Klebba, C., Kauschat, D., Pape, M., Ozmen, L., Hoelzer, D., Ottmann, O. G. & Kalina, U.** (2000). Interleukin-18 stimulates HIV-1 replication in a T-cell line. *Eur Cytokine Netw* **11**, 47-52.
- Koonin, E. V. & Ilyina, T. V.** (1992). Geminivirus replication proteins are related to prokaryotic plasmid rolling circle DNA replication initiator proteins. *J Gen Virol* **73**, 2763-6.
- Koonin, E. V. & Ilyina, T. V.** (1993). Computer-assisted dissection of rolling circle DNA replication. *Biosystems* **30**, 241-68.
- Kovalev, G., Duus, K., Wang, L., Lee, R., Bonyhadi, M., Ho, D., McCune, J. M., Kaneshima, H. & Su, L.** (1999). Induction of MHC class I expression on immature thymocytes in HIV-1-infected SCID-hu Thy/Liv mice: evidence of indirect mechanisms. *J Immunol* **162**, 7555-62.
- Krakowka, S., Ellis, J. A., McNeilly, F., Gilpin, D., Meehan, B., McCullough, K. & Allan, G.** (2002). Immunologic features of porcine circovirus type 2 infection. *Viral Immunol* **15**, 567-82.
- Krakowka, S., Ellis, J. A., McNeilly, F., Ringler, S., Rings, D. M. & Allan, G.** (2001). Activation of the immune system is the pivotal event in the production of wasting disease in pigs infected with porcine circovirus-2 (PCV-2). *Vet Pathol* **38**, 31-42.
- Kuo, H. J., Tran, N. T., Clary, S. A., Morris, N. P. & Glanville, R. W.** (2001). Characterization of EHD4, an EH domain-containing protein expressed in the extracellular matrix. *J Biol Chem* **276**, 43103-10.
- Lau, P. P., Chang, B. H. & Chan, L.** (2001). Two-hybrid cloning identifies an RNA-binding protein, GRY-RBP, as a component of apobec-1 editosome. *Biochem Biophys Res Commun* **282**, 977-83.
- Laufs, J., Schumacher, S., Geisler, N., Jupin, I. & Gronenborn, B.** (1995). Identification of the nicking tyrosine of geminivirus Rep protein. *FEBS Lett* **377**, 258-62.
- Leong, C. C., Chapman, T. L., Bjorkman, P. J., Formankova, D., Mocarski, E. S., Phillips, J. H. & Lanier, L. L.** (1998). Modulation of natural killer cell cytotoxicity in

human cytomegalovirus infection: the role of endogenous class I major histocompatibility complex and a viral class I homolog. *J Exp Med* **187**, 1681-7.

Levy, C., Nechushtan, H. & Razin, E. (2002). A new role for the STAT3 inhibitor, PIAS3: a repressor of microphthalmia transcription factor. *J Biol Chem* **277**, 1962-6.

Levy, M. F., Crippin, J., Sutton, S., Netto, G., McCormack, J., Curiel, T., Goldstein, R. M., Newman, J. T., Gonwa, T. A., Banchereau, J., Diamond, L. E., Byrne, G., Logan, J. & Klintmalm, G. B. (2000). Liver allotransplantation after extracorporeal hepatic support with transgenic (hCD55/hCD59) porcine livers: clinical results and lack of pig-to-human transmission of the porcine endogenous retrovirus. *Transplantation* **69**, 272-80.

Levy-Strumpf, N., Deiss, L. P., Berissi, H. & Kimchi, A. (1997). DAP-5, a novel homolog of eukaryotic translation initiation factor 4G isolated as a putative modulator of gamma interferon-induced programmed cell death. *Mol Cell Biol* **17**, 1615-25.

Liu, Q., Wang, L., Willson, P., O'Connor, B., Keenlside, J., Chirino-Trejo, M., Melendez, R. & Babiuk, L. (2002). Seroprevalence of porcine circovirus type 2 in swine populations in Canada and Costa Rica. *Can J Vet Res* **66**, 225-31.

Livak, K. J., Flood, S. J., Marmaro, J., Giusti, W. & Deetz, K. (1995). Oligonucleotides with fluorescent dyes at opposite ends provide a quenched probe system useful for detecting PCR product and nucleic acid hybridization. *PCR Methods Appl* **4**, 357-62.

Makowka, L., Wu, G. D., Hoffman, A., Podesta, L., Sher, L., Tusso, P. J., Breda, M., Chapman, F. A., Cosenza, C., Yasunaga, C. & et al. (1994). Immunohistopathologic lesions associated with the rejection of a pig-to-human liver xenograft. *Transplant Proc* **26**, 1074-5.

Mandrioli, L., Sarli, G., Panarese, S., Baldoni, S. & Marcato, P. S. (2004). Apoptosis and proliferative activity in lymph node reaction in postweaning multisystemic wasting syndrome (PMWS). *Vet Immunol Immunopathol* **97**, 25-37.

Mankertz, A., Hattermann, K., Ehlers, B. & Soike, D. (2000). Cloning and sequencing of columbid circovirus (coCV), a new circovirus from pigeons. *Arch Virol* **145**, 2469-79.

Mankertz, A. & Hillenbrand, B. (2001). Replication of Porcine Circovirus Type 1 Requires Two Proteins Encoded by the Viral *rep* Gene. *Virology* **279**, 429-38.

Mankertz, A., Mankertz, J., Wolf, K. & Buhk, H. J. (1998a). Identification of a protein essential for replication of porcine circovirus. *J Gen Virol* **79**, 381-4.

Mankertz, A., Mueller, B., Steinfeldt, T., Schmitt, C. & Finsterbusch, T. (2003). New reporter gene-based replication assay reveals exchangeability of replication factors of porcine circovirus types 1 and 2. *J Virol* **77**, 9885-93.

Mankertz, A., Persson, F., Mankertz, J., Blaess, G. & Buhk, H. J. (1997). Mapping and characterization of the origin of DNA replication of porcine circovirus. *J Virol* **71**, 2562-6.

Mankertz, J., Buhk, H. J., Blaess, G. & Mankertz, A. (1998b). Transcription analysis of porcine circovirus (PCV). *Virus Genes* **16**, 267-76.

- Markowski-Grimsrud, C. J. & Schat, K. A.** (2003). Infection with chicken anaemia virus impairs the generation of pathogen-specific cytotoxic T lymphocytes. *Immunology* **109**, 283-94.
- Mateusen, B., Sanchez, R. E., Van Soom, A., Meerts, P., Maes, D. G. & Nauwynck, H. J.** (2004). Susceptibility of pig embryos to porcine circovirus type 2 infection. *Theriogenology* **61**, 91-101.
- Mayer, B. J.** (1999). Endocytosis: EH domains lend a hand. *Curr Biol* **9**, R70-3.
- McNeilly, F., Allan, G. M., Foster, J. C., Adair, B. M., McNulty, M. S. & Pollock, J.** (1996). Effect of porcine circovirus infection on porcine alveolar macrophage function. *Vet Immunol Immunopathol* **49**, 295-306.
- Michaels, M. G., Jenkins, F. J., St George, K., Nalesnik, M. A., Starzl, T. E. & Rinaldo, C. R., Jr.** (2001). Detection of infectious baboon cytomegalovirus after baboon-to-human liver xenotransplantation. *J Virol* **75**, 2825-8.
- Mourelatos, Z., Abel, L., Yong, J., Kataoka, N. & Dreyfuss, G.** (2001). SMN interacts with a novel family of hnRNP and spliceosomal proteins. *Embo J* **20**, 5443-52.
- Mullis, K., Faloona, F., Scharf, S., Saiki, R., Horn, G. & Erlich, H.** (1986). Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction. *Cold Spring Harb Symp Quant Biol* **51 Pt 1**, 263-73.
- Muneta, Y., Mori, Y., Shimoji, Y. & Yokomizo, Y.** (2000). Porcine interleukin 18: cloning, characterization of the cDNA and expression with the baculovirus system. *Cytokine* **12**, 566-72.
- Muneta, Y., Shimoji, Y., Inumaru, S. & Mori, Y.** (2001). Molecular cloning, characterization, and expression of porcine Fas ligand (CD95 ligand). *J Interferon Cytokine Res* **21**, 305-12.
- Nawagitgul, P., Morozov, I., Bolin, S. R., Harms, P. A., Sorden, S. D. & Paul, P. S.** (2000). Open reading frame 2 of porcine circovirus type 2 encodes a major capsid protein. *J Gen Virol* **81**, 2281-7.
- Nevins, T. A., Harder, Z. M., Korneluk, R. G. & Holcik, M.** (2003). Distinct regulation of internal ribosome entry site-mediated translation following cellular stress is mediated by apoptotic fragments of eIF4G translation initiation factor family members eIF4GI and p97/DAP5/NAT1. *J Biol Chem* **278**, 3572-9.
- Nielsen, J., Vincent, I. E., Botner, A., Ladekaer-Mikkelsen, A. S., Allan, G., Summerfield, A. & McCullough, K. C.** (2003). Association of lymphopenia with porcine circovirus type 2 induced postweaning multisystemic wasting syndrome (PMWS). *Vet Immunol Immunopathol* **92**, 97-111.
- Nishigawa, H., Miyata, S., Oshima, K., Sawayanagi, T., Komoto, A., Kuboyama, T., Matsuda, I., Tsuchizaki, T. & Namba, S.** (2001). In planta expression of a protein encoded by the extrachromosomal DNA of a phytoplasma and related to geminivirus replication proteins. *Microbiology* **147**, 507-513.

- Nishizawa, T., Okamoto, H., Konishi, K., Yoshizawa, H., Miyakawa, Y. & Mayumi, M.** (1997). A novel DNA virus (TTV) associated with elevated transaminase levels in posttransfusion hepatitis of unknown etiology. *Biochem Biophys Res Commun* **241**, 92-7.
- Noteborn, M. H.** (2004). Chicken anemia virus induced apoptosis: underlying molecular mechanisms. *Vet Microbiol.* **98**, 89-94.
- Ohshima, K., Haraoka, S., Takahata, Y., Takada, H., Tsutiya, K., Suzuk, K., Suzumiya, J. & Kikuchi, M.** (2002). Interferon-gamma, interleukin-18, monokine induced by interferon-gamma and interferon-gamma-inducible protein-10 in histiocytic necrotizing lymphadenitis. *Leuk Lymphoma* **43**, 1115-20.
- Okamura, H., Tsutsi, H., Komatsu, T., Yutsudo, M., Hakura, A., Tanimoto, T., Torigoe, K., Okura, T., Nukada, Y., Hattori, K. & et al.** (1995). Cloning of a new cytokine that induces IFN-gamma production by T cells. *Nature* **378**, 88-91.
- Patience, C., Patton, G. S., Takeuchi, Y., Weiss, R. A., McClure, M. O., Rydberg, L. & Breimer, M. E.** (1998). No evidence of pig DNA or retroviral infection in patients with short-term extracorporeal connection to pig kidneys. *Lancet* **352**, 699-701.
- Pilipenko, E. V., Pestova, T. V., Kolupaeva, V. G., Khitrina, E. V., Poperechnaya, A. N., Agol, V. I. & Hellen, C. U.** (2000). A cell cycle-dependent protein serves as a template-specific translation initiation factor. *Genes Dev* **14**, 2028-45.
- Pirhonen, J.** (2001). Regulation of IL-18 expression in virus infection. *Scand J Immunol* **53**, 533-9.
- Pirhonen, J., Sareneva, T., Julkunen, I. & Matikainen, S.** (2001). Virus infection induces proteolytic processing of IL-18 in human macrophages via caspase-1 and caspase-3 activation. *Eur J Immunol* **31**, 726-33.
- Pirhonen, J., Sareneva, T., Kurimoto, M., Julkunen, I. & Matikainen, S.** (1999). Virus infection activates IL-1 beta and IL-18 production in human macrophages by a caspase-1-dependent pathway. *J Immunol* **162**, 7322-9.
- Pitkin, Z. & Mullon, C.** (1999). Evidence of absence of porcine endogenous retrovirus (PERV) infection in patients treated with a bioartificial liver support system. *Artif Organs* **23**, 829-33.
- Pohl, U., Smith, J. S., Tachibana, I., Ueki, K., Lee, H. K., Ramaswamy, S., Wu, Q., Mohrenweiser, H. W., Jenkins, R. B. & Louis, D. N.** (2000). EHD2, EHD3, and EHD4 encode novel members of a highly conserved family of EH domain-containing proteins. *Genomics* **63**, 255-62.
- Princeteau** (1905). *Journal Medicine de Bordeaux* **26**, 549-55.
- Puren, A. J., Fantuzzi, G., Gu, Y., Su, M. S. & Dinarello, C. A.** (1998). Interleukin-18 (IFN-gamma-inducing factor) induces IL-8 and IL-1beta via TNFalpha production from non-CD14+ human blood mononuclear cells. *J Clin Invest* **101**, 711-21.
- Reemtsma, K., McCracken, B. H., Schlegel, J. U. & Pearl, M.** (1964). Heterotransplantation of the Kidney: Two Clinical Experiences. *Science* **143**, 700-2.

- Resendes, A. R., Majo, N., Segales, J., Mateu, E., Calsamiglia, M. & Domingo, M.** (2004). Apoptosis in lymphoid organs of pigs naturally infected by porcine circovirus type 2. *J Gen Virol* **85**, 2837-44.
- Reyburn, H. T., Mandelboim, O., Vales-Gomez, M., Davis, D. M., Pazmany, L. & Strominger, J. L.** (1997). The class I MHC homologue of human cytomegalovirus inhibits attack by natural killer cells. *Nature* **386**, 514-7.
- Rhoads, R. E.** (1991). Protein synthesis, cell growth and oncogenesis. *Curr Opin Cell Biol* **3**, 1019-24.
- Ritchie, P. A., Anderson, I. L. & Lambert, D. M.** (2003). Evidence for specificity of psittacine beak and feather disease viruses among avian hosts. *Virology* **306**, 109-15.
- Rosell, C., Segales, J., Plana-Duran, J., Balasch, M., Rodriguez-Arrioja, G. M., Kennedy, S., Allan, G. M., McNeilly, F., Latimer, K. S. & Domingo, M.** (1999). Pathological, immunohistochemical, and in-situ hybridization studies of natural cases of postweaning multisystemic wasting syndrome (PMWS) in pigs. *J Comp Pathol* **120**, 59-78.
- Rosell, C., Segales, J., Ramos-Vara, J. A., Folch, J. M., Rodriguez-Arrioja, G. M., Duran, C. O., Balasch, M., Plana-Duran, J. & Domingo, M.** (2000). Identification of porcine circovirus in tissues of pigs with porcine dermatitis and nephropathy syndrome. *Vet Rec* **146**, 40-3.
- Rovira, A., Balasch, M., Segales, J., Garcia, L., Plana-Duran, J., Rosell, C., Ellerbrok, H., Mankertz, A. & Domingo, M.** (2002). Experimental inoculation of conventional pigs with porcine reproductive and respiratory syndrome virus and porcine circovirus 2. *J Virol* **76**, 3232-9.
- Sabesin, S. M., Bertram, P. D. & Freeman, M. R.** (1980). Lipoprotein metabolism in liver disease. *Adv Intern Med* **25**, 117-46.
- Salcini, A. E., Confalonieri, S., Doria, M., Santolini, E., Tassi, E., Minenkova, O., Cesareni, G., Pelicci, P. G. & Di Fiore, P. P.** (1997). Binding specificity and in vivo targets of the EH domain, a novel protein-protein interaction module. *Genes Dev* **11**, 2239-49.
- Sanger, F., Nicklen, S. & Coulson, A. R.** (1977). DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* **74**, 5463-7.
- Sano, Y., Wada, M., Hashimoto, Y., Matsumoto, T. & Kojima, M.** (1998). Sequences of ten circular ssDNA components associated with the milk vetch dwarf virus genome. *J Gen Virol* **79** (Pt 12), 3111-8.
- Sarli, G., Mandrioli, L., Laurenti, M., Sidoli, L., Cerati, C., Rolla, G. & Marcato, P. S.** (2001). Immunohistochemical characterisation of the lymph node reaction in pig post-weaning multisystemic wasting syndrome (PMWS). *Vet Immunol Immunopathol* **83**, 53-67.
- Schumacher, M., Van Vliet, B. N. & Ferrari, P.** (2003). Kidney transplantation in rats: an appraisal of surgical techniques and outcome. *Microsurgery* **23**, 387-94.
- Schwartz, O., Marechal, V., Le Gall, S., Lemonnier, F. & Heard, J. M.** (1996). Endocytosis of major histocompatibility complex class I molecules is induced by the HIV-1 Nef protein. *Nat Med* **2**, 338-42.

- Segales, J., Calsamiglia, M., Rosell, C., Soler, M., Maldonado, J., Martin, M. & Domingo, M.** (2002). Porcine reproductive and respiratory syndrome virus (PRRSV) infection status in pigs naturally affected with post-weaning multisystemic wasting syndrome (PMWS) in Spain. *Vet Microbiol* **85**, 23-30.
- Segales, J. & Domingo, M.** (2002). Postweaning multisystemic wasting syndrome (PMWS) in pigs. A review. *Vet Q* **24**, 109-24.
- Shapiro, L., Puren, A. J., Barton, H. A., Novick, D., Peskind, R. L., Shenkar, R., Gu, Y., Su, M. S. & Dinarello, C. A.** (1998). Interleukin 18 stimulates HIV type 1 in monocytic cells. *Proc Natl Acad Sci U S A* **95**, 12550-5.
- Shaughnessy, J. D., Jr., Jenkins, N. A. & Copeland, N. G.** (1997). cDNA cloning, expression analysis, and chromosomal localization of a gene with high homology to wheat eIF-(iso)4F and mammalian eIF-4G. *Genomics* **39**, 192-7.
- Skov, S., Nielsen, M., Bregenholt, S., Odum, N. & Claesson, M. H.** (1998). Activation of Stat-3 is involved in the induction of apoptosis after ligation of major histocompatibility complex class I molecules on human Jurkat T cells. *Blood* **91**, 3566-73.
- Smith, T. F., Gaitatzes, C., Saxena, K. & Neer, E. J.** (1999). The WD repeat: a common architecture for diverse functions. *Trends Biochem Sci* **24**, 181-5.
- Soike, D., Hattermann, K., Albrecht, K., Segales, J., Domingo, M., Schmitt, C. & Mankertz, A.** (2001). A diagnostic study on Columbiviridae (CoCV) infection. *Avian Pathology* **30**, 605-611.
- Stanley, J.** (1995). Analysis of African cassava mosaic virus recombinants suggests strand nicking occurs within the conserved nonanucleotide motif during the initiation of rolling circle DNA replication. *Virology* **206**, 707-12.
- Starzl, T. E., Marchioro, T. L., Peters, G. N., Kirkpatrick, C. H., Wilson, W. E., Porter, K. A., Rifkind, D., Ogden, D. A., Hitchcock, C. R. & Waddell, W. R.** (1964). Renal Heterotransplantation from Baboon to Man: Experience with 6 Cases. *Transplantation* **12**, 752-76.
- Steinfeldt, T., Finsterbusch, T. & Mankertz, A.** (2001). Rep and Rep' protein of porcine circovirus type 1 bind to the origin of replication in vitro. *Virology* **291**, 152-60.
- Takahashi, K., Iwasa, Y., Hijikata, M. & Mishiro, S.** (2000). Identification of a new human DNA virus (TTV-like mini virus, TLMV) intermediately related to TT virus and chicken anemia virus. *Arch Virol* **145**, 979-93.
- Takahashi, K., Maruyama, M., Tokuzawa, Y., Murakami, M., Oda, Y., Yoshikane, N., Makabe, K. W., Ichisaka, T. & Yamanaka, S.** (2005). Evolutionarily conserved non-AUG translation initiation in NAT1/p97/DAP5 (EIF4G2). *Genomics* **85**, 360-71.
- Tanaka-Kataoka, M., Kunikata, T., Takayama, S., Iwaki, K., Ohashi, K., Ikeda, M. & Kurimoto, M.** (1999). In vivo antiviral effect of interleukin 18 in a mouse model of vaccinia virus infection. *Cytokine* **11**, 593-9.

- Tischer, I., Bode, L., Peters, D., Pociuli, S. & Germann, B.** (1995). Distribution of antibodies to porcine circovirus in swine populations of different breeding farms. *Arch Virol* **140**, 737-43.
- Tischer, I., Gelderblom, H., Vettermann, W. & Koch, M. A.** (1982). A very small porcine virus with circular single-stranded DNA. *Nature* **295**, 64-6.
- Tischer, I., Miels, W., Wolff, D., Vagt, M. & Griem, W.** (1986). Studies on epidemiology and pathogenicity of porcine circovirus. *Arch Virol* **91**, 271-6.
- Tischer, I., Peters, D., Rasch, R. & Pociuli, S.** (1987). Replication of porcine circovirus: induction by glucosamine and cell cycle dependence. *Arch Virol* **96**, 39-57.
- Tischer, I., Rasch, R. & Tochtermann, G.** (1974). Characterization of papovavirus- and picornavirus-like particles in permanent pig kidney cell lines. *Zentralbl Bakteriol [Orig A]* **226**, 153-67.
- Todd, D., Creelan, J. L., Mackie, D. P., Rixon, F. & McNulty, M. S.** (1990). Purification and biochemical characterization of chicken anaemia agent. *J Gen Virol* **71**, 819-23.
- Todd, D., Weston, J. H., Soike, D. & Smyth, J. A.** (2001). Genome sequence determinations and analyses of novel circoviruses from goose and pigeon. *Virology* **286**, 354-62.
- Tovey, M. G., Meritet, J. F., Guymarho, J. & Maury, C.** (1999). Mucosal cytokine therapy: marked antiviral and antitumor activity. *J Interferon Cytokine Res* **19**, 911-21.
- Udagawa, N., Horwood, N. J., Elliott, J., Mackay, A., Owens, J., Okamura, H., Kurimoto, M., Chambers, T. J., Martin, T. J. & Gillespie, M. T.** (1997). Interleukin-18 (interferon-gamma-inducing factor) is produced by osteoblasts and acts via granulocyte/macrophage colony-stimulating factor and not via interferon-gamma to inhibit osteoclast formation. *J Exp Med* **185**, 1005-12.
- Ulbrecht, M., Martinozzi, S., Grzeschik, M., Hengel, H., Ellwart, J. W., Pla, M. & Weiss, E. H.** (2000). Cutting edge: the human cytomegalovirus UL40 gene product contains a ligand for HLA-E and prevents NK cell-mediated lysis. *J Immunol* **164**, 5019-22.
- van Zanten, J., de Leij, L., Prop, J., Harmsen, M. C. & The, T. H.** (1998). Human cytomegalovirus: a viral complication in transplantation. *Clin Transplant* **12**, 145-58.
- Vincent, I. E., Carrasco, C. P., Herrmann, B., Meehan, B. M., Allan, G. M., Summerfield, A. & McCullough, K. C.** (2003). Dendritic cells harbor infectious porcine circovirus type 2 in the absence of apparent cell modulation or replication of the virus. *J Virol* **77**, 13288-300.
- von der Haar, T. & McCarthy, J. E.** (2002). Intracellular translation initiation factor levels in *Saccharomyces cerevisiae* and their role in cap-complex function. *Mol Microbiol* **46**, 531-44.
- Wattrang, E., McNeilly, F., Allan, G. M., Greko, C., Fossum, C. & Wallgren, P.** (2002). Exudative epidermitis and porcine circovirus-2 infection in a Swedish SPF-herd. *Vet Microbiol* **86**, 281-93.

- West, K. H., Bystrom, J. M., Wojnarowicz, C., Shantz, N., Jacobson, M., Allan, G. M., Haines, D. M., Clark, E. G., Krakowka, S., McNeilly, F., Konoby, C., Martin, K. & Ellis, J. A.** (1999). Myocarditis and abortion associated with intrauterine infection of sows with porcine circovirus 2. *J Vet Diagn Invest* **11**, 530-2.
- Xiang, Y. & Moss, B.** (1999). IL-18 binding and inhibition of interferon gamma induction by human poxvirus-encoded proteins. *Proc Natl Acad Sci U S A* **96**, 11537-42.
- Xing, Z., Zganiacz, A., Wang, J., Divangahi, M. & Nawaz, F.** (2000). IL-12-independent Th1-type immune responses to respiratory viral infection: requirement of IL-18 for IFN-gamma release in the lung but not for the differentiation of viral-reactive Th1-type lymphocytes. *J Immunol* **164**, 2575-84.
- Xu, X. Z., Wes, P. D., Chen, H., Li, H. S., Yu, M., Morgan, S., Liu, Y. & Montell, C.** (1998). Retinal targets for calmodulin include proteins implicated in synaptic transmission. *J Biol Chem* **273**, 31297-307.
- Yamanaka, S., Poksay, K. S., Arnold, K. S. & Innerarity, T. L.** (1997). A novel translational repressor mRNA is edited extensively in livers containing tumors caused by the transgene expression of the apoB mRNA-editing enzyme. *Genes Dev* **11**, 321-33.
- Yamanaka, S., Zhang, X. Y., Maeda, M., Miura, K., Wang, S., Farese, R. V., Jr., Iwao, H. & Innerarity, T. L.** (2000). Essential role of NAT1/p97/DAP5 in embryonic differentiation and the retinoic acid pathway. *Embo J* **19**, 5533-41.
- Yoo, D. & Giulivi, A.** (2000). Xenotransplantation and the potential risk of xenogeneic transmission of porcine viruses. *Can J Vet Res* **64**, 193-203.
- Young, C. J. & Gaston, R. S.** (2002). African Americans and renal transplantation: disproportionate need, limited access, and impaired outcomes. *Am J Med Sci* **323**, 94-9.
- Zijlstra, R., McCracken, B., Odle, J., Donovan, S., Gelberg, H., Petschow, B., Zuckermann, F. & Gaskins, H.** (1999). Malnutrition modifies pig small intestinal inflammatory responses to rotavirus. *J Nutr.* **129**, 838-43.