

9 Literaturverzeichnis

- Aasheim H. C., Pedoutour F., Smeland E. B. (1997) Characterization, expression and chromosomal localization of a human gene homologous to the mouse Lsc oncogene, with strongest expression in hematopoietic tissues.
Oncogene. 14(14):1747-52.
- Abremski K., Hoess R., Sternberg N. (1983) Studies on the properties of P1 site-specific recombination: evidence for topologically unlinked products following recombination.
Cell.;32 (4):1301-11.
- Achison M., Elton C. M., Hargreaves P. G., Knight C. G., Barnes M. J., Farndale R. W. (2001) Integrin-independent tyrosine phosphorylation of p125(fak) in human platelets stimulated by collagen.
J Biol Chem. 276(5):3167-74.
- Allgeier A., Offermanns S., Van Sande J., Spicher K., Schultz G., Dumont J E. (1994) The human thyrotropin receptor activates G-proteins Gs and Gq/11.
J Biol Chem. 13;269(19):13733-5.
- Altenbach C., Yang K., Farrens D. L., Farahbakhsh Z. T., Khorana H. G., and Hubbell W. L. (1996) Structural features and light-dependent changes in the cytoplasmic interhelical E-F loop region of rhodopsin: a site-directed spin-labeling study.
Biochemistry. 24;35(38):12470-8.
- Amatruda T. T. 3rd, Steele D. A., Slepak V. Z., Simon M. I. (1991) G alpha 16, a G protein alpha subunit specifically expressed in hematopoietic cells.
Proc Natl Acad Sci U S A. 1;88(13):5587-91.
- Aragay A. M., Collins L. R., Post G. R., Watson A. J., Feramisco J. R., Brown J. H., and Simon M. I. (1995) G12 requirement for thrombin-stimulated gene expression and DNA synthesis in 1321N1 astrocytoma cells.
J. Biol. Chem. 270, 20073-20077
- Arshavsky V., Bownds, M. D. (1992) Regulation of deactivation of photoreceptor G protein by its target enzyme and cGMP.
Nature 457:416-417
- Auer K. L., Park J. S., Seth P., Coffey R. J., Darlington G., Abo A., McMahon M., Depinho R. A., Fisher P. B., Dent P. (1998) Prolonged activation of the mitogen-activated protein kinase pathway promotes DNA synthesis in primary hepatocytes from p21Cip-1/WAF1-null mice, but not in hepatocytes from p16INK4a-null mice.
Biochem J. 15;336 (Pt 3):551-60
- Berghuis, A. M., Lee, E., Raw, A. G. Gilman, A. G. Sprang S. R.. (1996) Structure of the GDP-Pi complex of Gly203→Ala Gial1: a mimic of the ternary product complex of Gα-catalyzed GTP hydrolysis.
Structure 4: 1277-1290

- Berman, D. M., Gilman, A. G. (1998) Mammalian RGS proteins: barbarians at the gate.
J. Biol. Chem. 273: 1269-1272
- Berman, D. M., Wilkie, T. M, Gilman, A. G. (1996) GAIP and RGS4 are GTPase-activating proteins for the Gi subfamily of G protein α subunits.
Cell 86: 445-452
- Berridge M. J. (1983) Rapid accumulation of inositol trisphosphate reveals that agonists hydrolyse polyphosphoinositides instead of phosphatidylinositol.
Biochem J. Jun 15;212(3):849-58
- Berstein, G., Blank, J. L ., Jhon, D. Y., Exton, J. H., Rhee, S. G., Ross, E. M. (1992) Phospholipase C- β 1 is a GTPase-activating protein for Gq/11, its physiologic regulator.
Cell 70:411-418
- Betz U. A., Bloch W., van den Broek M., Yoshida K., Taga T., Kishimoto T., Addicks K., Rajewsky K., Muller W. (1998) Postnatally induced inactivation of gp130 in mice results in neurological, cardiac, hematopoietic, immunological, hepatic, and pulmonary defects.
J Exp Med. 188(10):1955-65
- Betz U. A., Muller W. (1998) Regulated expression of gp130 and IL-6 receptor alpha chain in T cell maturation and activation.
Int Immunol. Aug;10(8):1175-84
- Birnbaumer L. (1992) Receptor-to-effector signaling through G proteins: roles for beta gamma dimers as well as alpha subunits.
Cell. 71(7):1069-72. Review
- Blank J. L., Ross A. H., Exton J. H. (1991) Purification and characterization of two G-proteins that activate the beta 1 isozyme of phosphoinositide-specific phospholipase C. Identification as members of the Gq class.
J Biol Chem. 266(27):18206-16
- Blumli, K., Schnepf, W., Schroeder, S., Beyermann, M., Macias, M., Oschkinat, H., Lohse, M. J. (1997) A small region in phospholipase C- β 1 inhibits G-protein $\beta\gamma$ -subunit function.
EMBO J. 16:4908-4915
- Boguski, M. S. McCormick, F. (1993) Proteins regulating Ras and its relatives.
Nature 366, 643-654
- Borroto A., Gil D., Delgado P., Vicente-Manzanares M., Alcover A., Sanchez-Madrid F., Alarcon B. (2000) Rho regulates T cell receptor ITAM-induced lymphocyte spreading in an integrin-independent manner.
Eur J Immunol. 30(12):3403-10
- Bourne, H. R. (1997) How receptors talk to heterotrimeric G-proteins.
Curr. Opin. Cell Biol. 9:134-142

- Bourne, H. R., Landis, C. A., Masters, S. B. (1989) Hydrolysis of GTP by the α -chain of Gs and other GTP binding proteins.
Proteins 6:222-230, 1989
- Braun R. E., Lo D., Pinkert C. A., Widera G., Flavell R. A., Palmiter R. D., Brinster R. L. (1990) Infertility in male transgenic mice: disruption of sperm development by HSV-tk expression in postmeiotic germ cells.
Biol Reprod. 43(4):684-93
- Cariappa A., Liou H. C., Horwitz B. H., Pillai S. (2000) Nuclear factor kappa B is required for the development of marginal zone B lymphocytes.
J Exp Med. 192(8):1175-82
- Caron E., Hall A. (1998) Identification of two distinct mechanisms of phagocytosis controlled by different Rho GTPases.
Science. 282(5394):1717-21
- Chan, A. M. L., Fleming, T. P., McGovern, E. S., Chedid, M., Miki, T., and Aaronson, S. A. (1993) Expression cDNA cloning of a transforming gene encoding the wild-type G alpha 12 gene product.
Mol. Cell. Biol. 13, 762-768
- Clapham, D. E., Neer, E. J. (1997) G protein beta gamma subunits.
Annu Rev Pharmacol Toxicol. 37:167-203. Review
- Clementson K. J., Clementson J. M. (2001) Platelet Collagen receptors.
Thromb Haemost 86(1): 189-97
- Clerk A., Sugden P. H. (2000) Small guanine nucleotide-binding proteins and myocardial hypertrophy. Circ Res. 26;86(10):1019-23. Review
- Czech M. P. (2000) PIP2 and PIP3: complex roles at the cell surface.
Cell 100, 603-606
- De Vries L., Elenko E., Hubler L., Jones T. L., Farquhar M. G. (1996) GAIP is membrane-anchored by palmytoylation and interacts with the activated (GTP-bound) form of G α i subunits.
Proc. Natl. Acad. Sci. USA 93: 15203-15208
- Deng C. and Capecchi M. R. (1992) Reexamination of gene targeting frequency as a function of the extend of homology between the targeting vector and the target locus.
Mol Cell. Biol. 12, 3365-3371
- Dhanasekaran N., Prasad M. V., Wadsworth S. J., Dermott J. M., van Rossum G. (1994) Protein kinase C-dependent and -independent activation of Na⁺/H⁺ exchanger by G alpha 12 class of G proteins.
J Biol Chem. 269(16):11802-6
- Dixon, R. A., Kobilka, B. K., Strader, D. J., Benovic, J. L., Dohlman, H. G., Frielle, T., Bolanowski, M. A., Bennett C. D., Rands E., Diehl R. E. Dohlman, H. G., Caron, M.

- G., and Lefkowitz, R. J. (1987) A family of receptors coupled to guanine nucleotide regulatory proteins.
Biochemistry 26:2657-2664
- Drgonova J., Drgon T., Tanaka K., Kollar R., Chen G. C., Ford R. A., Chan C. S., Takai Y., Cabib E. (1996) Rho1p, a yeast protein at the interface between cell polarization and morphogenesis.
Science. 12;272(5259):277-9
- Drubin D. G, Nelson W. J. (1996) Origins of cell polarity.
Cell. 84(3):335-44. Review
- Escobar G., Sauk J., Bravo M. L., Krumwiede M., White J. G. (1987) Immunogold staining of microtubules in resting and activated platelets.
Am J Hematol. 24(2):177-88
- Essen L. O., Perisic O., Cheung R., Katan M., and Williams R. L. Crystal structure of a mammalian phosphoinositide-specific phospholipase C delta.
Nature 380: 595-602, 1996
- Essen L. O., Perisic O., Lynch D. E., Katan M., and Williams R. L. A ternary metal binding site in the C2 domain of phosphoinositide-specific phospholipase C-delta1.
Biochemistry 36: 2753-2762
- Evans M. J. (1989) Potential for genetic manipulation of mammals.
Mol Biol Med. Dec;6(6):557-65. Review
- Exton J. H. (1996) Regulation of phosphoinositide phospholipases by hormones, neurotransmitters, and other agonists linked to G proteins.
Annu Rev Pharmacol Toxicol. 36:481-509. Review
- Finn S. G., Plonk S. G., Fuller S. J. (1999) G alpha 13 stimulates gene expression and increases cell size in cultured neonatal rat ventricular myocytes.
Cardiovasc Res. 42(1):140-8
- Fromm, C., Coso, O. A., Montaner, S., Xu, N., and Gutkind, J. S. (1997) The small GTP-binding protein Rho links G protein-coupled receptors and Galpha12 to the serum response element and to cellular transformation.
Proc. Natl. Acad. Sci. U.S.A. 91,10098-10103
- Fukuhara S., Chikumi H., Gutkind J. S. (2000) Leukemia-associated Rho guanine nucleotide exchange factor (LARG) links heterotrimeric G proteins of the G(12) family to Rho.
FEBS Lett. Nov 24;485(2-3):183-8
- Fukuhara S., Marinissen M. J., Chiariello M., Gutkind J. S. (2000) Signaling from G protein-coupled receptors to ERK5/Big MAPK 1 involves Galpha and Galpha12/13 families of heterotrimeric G proteins.
J. Biol. Chem. 275, No. 28, 21730-21736
- Fukuhara, S., Murga, C., Zohar, M., Igishi, T., and Gutkind, J. S. (1999)
J. Biol. Chem., Vol. 274, 5868-5879

- Fukushima N., Chin J. (2001) The LPA receptors.
Prostaglandins 64 (1-4):21-32
- Galven J. A., Whitehead I. P., Nomanbhoy T., Kay R., and Cerione R. A. (1996)
J. Biol. Chem., Vol. 271,27374-27381
- Gilman, A.G. (1995) Nobel Lecture. G-proteins and regulation of adenylyl cyclase.
Biosci. Rep. 15:65-97
- Girkontaite I., Missy K., Sakk V., Harenberg A., Tedford K., Potzel T., Pfeffer K., Fischer K. D. (2001) Lsc is required for marginal zone B cells, regulation of lymphocyte motility and immune responses.
Nat Immunol. Sep;2(9):855-62
- Glaven J. A., Whitehead I. P., Nomanbhoy T., Kay R., Cerione R. A..(1996) Lfc and Lsc oncoproteins represent two new guanine nucleotide exchange factors for the Rho GTP-binding protein.
J Biol Chem 271(44):27374-27381
- Gohla, A., Harhammer, R., and Schultz, G. (1998) The Gprotein G13 but not G12 mediates signaling from lysophosphatidic acid receptor via epidermal growth factor receptor to Rho.
J. Biol. Chem. 273, 4653-4659
- Gohla A., Schultz G., Offermanns S. (2000) Role for G12/G13 in agonist-induced vascular smooth muscle cell contraction.
Circ Res. 87:221-227
- Guinamard R., Okigaki M., Schlessinger J., Ravetch J. V. (2000) Absence of marginal zone B cells in Pyk-2-deficient mice defines their role in the humoral response.
Nat Immunol. Jul;1(1):31-6
- Gustafsson E., Brakebusch C., Hietanen K., Fassler R. (2001) Tie-1-directed expression of Cre recombinase in endothelial cells of embryoid bodies and transgenic mice.
J Cell Sci. 114(Pt 4):671-6
- Gutkind S. (2000) Regulation of Mitogen-Activated Protein Kinase Signaling Networks by G Protein-Coupled Receptors.
Science's stke Vol. 40 p1-11
- Hackam D. J., Rotstein O. D., Schreiber A., Zhang W. j, Grinstein S. (1997) Rho is required for the initiation of calcium signaling and constitutive endocytosis in *Xenopus laevis* oocytes.
J Cell Biol. Sep;130(6):1319-32
- Hall A. (1998) Rho GTPases and the actin cytoskeleton.
Science 279, 509-514
- Hamilton D. L., Abremski K. (1984) Site-specific recombination by the bacteriophage P1 lox-Cre system. Cre-mediated synapsis of two lox sites.

- J Mol Biol. 178(2):481-6
- Hart M. J., Sharma S., elMasry N., Qiu R. G., McCabe P., Polakis P., Bollag G. (1996) Identification of a novel guanine nucleotide exchange factor for the Rho GTPase. J Biol Chem 271(41):25452-25458
- Hart, M. J., Jiang, X., Kozasa, T., Roscoe, W., Singer, W. D., Gilman, A. G., Sternweis, P. C., and Bollag, G. (1998) Science 280, 2112-2114
- Hart, M. J., Sharma, S., elMasry, N., Qiu, R.-G., McCabe, P., Polakis, P., and Bollag, G. (1996) J. Biol. Chem., Vol. 271 25452-25458
- Hasty P., Rivera-Perez J., Bradley A. (1991) The length of homology required for gene targeting in embryonic stem cells. Mol Cell. Biol 11, 5586-5591
- Hepler, J. R. and Gilman, A. G. (1992) G proteins. Trends Biochem. Sci. 17:383-387
- Hepler J. R., Kozasa T., Smrcka A. V., Simon MI, Rhee SG, Sternweis PC, Gilman AG. (1993) Purification from Sf9 cells and characterization of recombinant Gq alpha and G11 alpha. Activation of purified phospholipase C isozymes by G alpha subunits. J Biol Chem. 268(19):14367-75
- Hilal-Dandan R., Kanter J. R., Brunton L. L. (2000) Characterization of G protein signaling in ventricular myocytes from the adult mouse heart: differences from the rat. J Mol Cell Cardiol. 32(7):1211-21
- Hoess R. H., Ziese M., Sternberg N. (1982) P1 site-specific recombination: nucleotide sequence of the recombining sites. Proc Natl Acad Sci U S A. 79(11):3398-402
- Holtshcke T., Lohler J., Kanno Y., Fehr T., Giese N., Rosenbauer F., Lou J., Knobloch K. P., Gabriele L., Waring J. F., Bachmann M. F., Zinkernagel R. M., Morse H. C. 3rd, Ozato K., Horak I. (1996) Immunodeficiency and chronic myelogenous leukemia-like syndrome in mice with a targeted mutation of the ICSBP gene. Cell. Oct 18;87(2):307-17
- Hooley R., Yu C.-Y., Symons M., and Barber D. L. (1996) G alpha 13 stimulates Na⁺-H⁺ exchange through distinct Cdc42-dependent and RhoA-dependent pathways. J. Biol. Chem. 271, 6152-6158
- Huang E. M., Detwiler T. C. (1980) Reassessment of the evidence for the role of secreted ADP in biphasic platelet aggregation. Mechanism of inhibition by creatine phosphate plus creatine phosphokinase. J Lab Clin Med. 95(1):59-68

- Jho E. H., Davis R. J., Malbon C. C. (1997) c-Jun amino-terminal kinase is regulated by G α 12/G α 13 and obligate for differentiation of P19 embryonal carcinoma cells by retinoic acid.
J Biol Chem. 272(39):24468-74
- Jho E.- H., Davis R. J., Malbon C. C. (1997) c-Jun amino-terminal kinase is regulated by G α 12/g α 13 and obligate for differentiation of P19 embryonal cells by retinoic acid.
J. Biol. Chem. 272, No. 39, 24468-24474
- Jiang H., Kuang Y., Wu Y., Xie W., Simon M. I., and Wu D. Roles of phospholipase C beta2 in chemoattractant-elicited responses.
Proc Natl Acad Sci USA 94: 7971-7975, 1997
- Jiang H., Wu D., Simon M. I. (1994) Activation of phospholipase C beta 4 by heterotrimeric GTP-binding proteins.
J Biol Chem. 269(10):7593-6
- Jiang H., Wu D., and Simon M. I. (1993) The transforming activity of activated G alpha 12.
FEBS Lett. 330(3):319-22
- Johnson G. J., Leis L. A., Dunlop P. C. (1996) Specificity of G alpha q and G alpha 11 gene expression in platelets and erythrocytes. Expressions of cellular differentiation and species differences.
Biochem J. 318 (Pt 3):1023-31
- Kabarowski J. H., Feramisco J. D., Le L. Q., Gu J. L., Luoh S. W., Simon M. I., Witte O. N. (2000) Direct genetic demonstration of G alpha 13 coupling to the orphan G protein-coupled receptor G2A leading to RhoA-dependent actin rearrangement.
Proc Natl Acad Sci U S A. 97(22):12109-14
- Kaibuchi K., Kuroda, S., Amano, M. (1999) Regulation of the cytoskeleton and cell adhesion in the Rho family GTPases in mammalian cells.
Annu. Rev. Biochem. 68, 459-486
- Kim D., Jun K. S., Lee S. B., Kang N. G., Min D. S., Kim Y. H., Ryu S. H., Suh P. G., and Shin H. S. Phospholipase C isozymes selectively couple to specific neurotransmitter receptors.
Nature 389: 290-293, 1997
- Klages B., Brandt U, Simon M. I., Schultz G., Offermanns S. (1999) Activation of G12/G13 results in shape change and Rho/Rho-kinase-mediated myosin light chain phosphorylation in mouse platelets.
J Cell Biol. Feb 22;144(4):745-54
- Komuro R., Sasaki T., Takaishi K., Orita S., Takai Y. (1996) Involvement of Rho and Rac small G proteins and Rho GDI in Ca²⁺-dependent exocytosis from PC12 cells.
Genes Cells 1, 943-951
- Korhonen J., Polvi A., Partanen J., Alitalo K. (1994) The mouse tie receptor tyrosine kinase gene: expression during embryonic angiogenesis.
Oncogene. 9(2):395-403

- Kowluru A., Li G., Rabaglia M. E., Segu V. B., Hofmann F., Aktories K., and Metz S. A. (1997) Evidence for differential roles of the Rho subfamily of GTP-binding proteins in glucose- and calcium-induced insulin secretion from pancreatic β cells. *Biochem. Pharmacol.* 54, 1097-1108
- Kozasa T., Gilman A. G. (1996) Protein kinase C phosphorylates G12 α and inhibits its interaction with G β γ . *J Biol Chem.* 1996 271(21):12562-7
- Kozasa, T. Jiang, X., Hart, M. J., Sternweis, P. M., Singer, W. D., Gilman, A. G., Bollag, G., and Sternweis, P. C. (1998) *Science* 280, 2109-2111
- Kranenbourg O., Moolenaar W. H. (2001) Ras-MAP kinase signaling by lysophosphatidic acid and G protein-coupled receptor agonists. *Oncogene* 20 (13):1540-1546
- Kühn R., Schwenk F., Aguet M., Rajewsky K. (1995) Inducible gene targeting in mice. *Science.* 269(5229):1427-9
- Lakso M., Pichel J. G., Gorman J. R., Sauer B., Okamoto Y., Lee E., Alt F. W., Westphal H. (1996) Efficient in vivo manipulation of mouse genomic sequences at the zygote stage. *Proc Natl Acad Sci U S A.* 93(12):5860-5
- Lamarche N., Hall A. (1994) GAPs for rho-related GTPases. *Trends Genet.* 10, 436-440
- Lambright D. G., Sondek J., Böhm A., Skiba N. P., Hamm H. E., Sigler P. B. (1996) The 2.0 Å crystal structure of a heterotrimeric G protein. *Nature.* 379(6563):311-9
- Laugwitz K. L., Allgeier A., Offermanns S., Spicher K., Van Sande J., Dumont J. E., Schultz G. (1996) The human thyrotropin receptor: a heptahelical receptor capable of stimulating members of all four G protein families. *Proc Natl Acad Sci U S A.* 93(1):116-20
- Lee C. W., Lee K. H., Lee S. B., Park D., Rhee S. G. (1994) Regulation of phospholipase C- β 4 by ribonucleotides and the α subunit of Gq. *J Biol Chem.* Oct 14;269(41):25335-8
- Leurs R., Smit, M.J., Alewijnse, A.E., and Timmerman, H. (1998) Agonist-independent regulation of constitutively active G-protein-coupled receptors. *Trends Biochem. Sci.* 23:418-422
- Lin X., Voyno-Yasenetskaya T. A., Hooley R., Lin C. Y., Orlowski J., Barber D. L. (1996) G α 12 differentially regulates Na⁺-H⁺ exchanger isoforms. *J Biol Chem.* Sep 13;271(37):22604-10

- Liu X., Wu H., Loring J., Hormuzdi S., Disteché C. M., Bornstein P., Jaenisch R. (1997) Trisomy eight in ES cells is a common potential problem in gene targeting and interferes with germ line transmission. *Dev Dyn.* May;209(1):85-91
- Longo L., Bygrave A., Grosveld F. G., Pandolfi P. P. (1997) The chromosome make-up of mouse embryonic stem cells is predictive of somatic and germ cell chimaerism. *Transgenic Res.* Sep;6(5):321-8
- Lopez I., Mak E. C., Ding J., Hamm H. E., Lomasney J. W. (2001) A novel bifunctional phospholipase C is regulated by Ga12 and stimulates the Ras/Mitogen-activated protein kinase pathway. *J. Biol. Chem.* 276, No.4, 2758-2765
- Mannel D. N., Grau G. E. (1997) Role of platelet adhesion in homeostasis and immunopathology. *Mol Pathol.* 50(4):175-85. Review
- Mao X., Fujiwara Y., Orkin S. H. (1999) Improved reporter strain for monitoring Cre recombinase-mediated DNA excisions in mice. *Proc Natl Acad Sci U S A* 96(9):5037-42
- Mao J., Yuan H., and Wu D. (1998) Guanine nucleotide exchange factor GEF115 specifically mediates activation of Rho and serum response factor by the G protein alpha subunit Galpha13. *Proc. Natl. Acad. Sci. U.S.A.* 95, 12937-12976
- Mapara MY, Bommert K, Bargou RC, Leng C, Beck C, Ludwig WD, Gierschik P, Dorken B. (1995) G protein subunit G alpha 16 expression is restricted to progenitor B cells during human B-cell differentiation. *Blood.* 85(7):1836-42
- Meigs T. E., Fields T., A., McKee D. D., Casey P. J. (2001) Interaction of Ga12 and Ga13 with the cytoplasmic domain of cadherin provides a mechanism for b-catenin release. *PNAS* 98, No. 2, 519-524
- Michalopoulos G. K., DeFrances M. C. (1997) Liver regeneration. *Science.* 4;276(5309):60-6. Review
- Nakanishi-Matsui M., Zheng Y. W., Sulciner D. J., Weiss E. J., Ludeman M. J., Coughlin S.R. (2000) PAR3 is a cofactor for PAR4 activation by thrombin. *Nature.* 404(6778):609-13
- Neer E. J., Clapham D. E. (1988) Roles of G protein subunits in transmembrane signaling. *Nature* 333:129-134
- Nieswandt B., Bergmeier W., Eckly A., Schulte V., Ohlmann P., Cazenave J. P., Zirngibl H., Offermanns S., Gachet C. (2001) Evidence for cross-talk between glycoprotein VI and Gi-coupled receptors during collagen-induced platelet aggregation. *Blood.* 2001 97(12):3829-35

- Noguchi Y., Nakamura S., Yasuda T., Kitagawa M., Kohn L. D., Saito Y., Hirai A. (1998) Newly synthesized Rho A, not Ras, is isoprenylated and translocated to membranes coincident with progression of the G1 to S phase of growth-stimulated rat FRTL-5 cells.
J Biol Chem. 6;273(6):3649-53
- Norman J. C., Price L. S., Ridley A. J., Kauer J. A. (1996) The small GTP-binding proteins, Rac and Rho, regulate cytoskeletal organization and exocytosis in mast cells by parallel pathways.
Mol. Biol. Cell 7, 1429-1442
- Offermanns S, Zhao L. P., Gohla A., Sarosi I., Simon M. I., Wilkie T. M.. (1998) Embryonic cardiomyocyte hypoplasia and craniofacial defects in G alpha q/G alpha 11-mutant mice.
EMBO J. Aug 3;17(15):4304-12
- Offermanns S., Hashimoto K., Watanabe M, Sun W., Kurihara H., Thompson R. F., Inoue Y., Kano M., Simon M. I. (1997) Impaired motor coordination and persistent multiple climbing fiber innervation of cerebellar Purkinje cells in mice lacking Galphaq. Proc Natl Acad Sci U S A. 94(25):14089-94
- Offermanns S., Hu Y. H., Simon M. I. (1996) Galpha12 and galpha13 are phosphorylated during platelet activation.
J Biol Chem. 271(42):26044-8
- Offermanns S., Laugwitz K. L., Spicher K., Schultz G. (1994) G proteins of the G12 family are activated via thromboxane A2 and thrombin receptors in human platelets.
Proc Natl Acad Sci U S A. Jan 18;91(2):504-8
- Offermanns S., Mancino V, Revel J. P., Simon M. I. (1997) Vascular system defects and impaired cell chemokinesis as a result of Galpha13 deficiency.
Science. 275(5299):533-6
- Offermanns S., Schulltz G. (1994) Complex information processing by the transmembrane signaling system involving G proteins.
Naunyn-Schmiedeberg's Arch. Pharmacol. 350, 329-338
- Offermanns S., Toombs C. F., Hu Y. H., Simon M. I. (1997) Defective platelet activation in G alpha(q)-deficient mice.
Nature. 389(6647):183-6
- Ohlmann P., Eckly A., Freund M., Cazenave J. P., Offermanns S., Gachet C. (2000) ADP induces partial platelet aggregation without shape change and potentiates collagen-induced aggregation in the absence of Galphaq.
Blood. 96(6):2134-9
- Olson MF, Paterson HF, Marshall CJ. (1998) Signals from Ras and Rho GTPases interact to regulate expression of p21Waf1/Cip1.
Nature. 394(6690):295-9

- Palmiter R. D., Brinster R. L. (1986) Germ-line transformation of mice.
Annu Rev Genet. 20:465-99. Review
- Plonk S. G., Park S.- K., Exton J. H. (1998) The α -subunit of the heterotrimeric G-protein G13 activates a phospholipase D isozyme by a pathway requiring Rho family GTPases.
J. Biol. Chem. 273, No. 9, 4823-4826
- Prasad M. V., Dermott J. M., Heasley L. E., Johnson G. L., Dhanasekaran N.. (1995)
Activation of Jun kinase/stress-activated protein kinase by GTPase-deficient mutants of G alpha 12 and G alpha 13.
J Biol Chem. 270(31):18655-9
- Ramirez-Solis R., Davis A. C., Bradley A. (1993) Gene targeting in embryonic stem cells.
Methods Enzymol. 225:855-78
- Rennolds S. Ostrom, Steven R. Post, and Paul A. Stoichiometry and Compartmentation in G Protein-Coupled Receptor Signaling: Implications for Therapeutic Interventions Involving Gs.
Insel Perspectives in Pharmacology Vol.294, No 2, p 407-412
- Rhee S. G., and Bae Y. S. (1997) Regulation of phosphoinositide-specific phospholipase C isozymes.
J. Biol. Chem. 272, 15045-15048
- Risau W. (1997) Mechanisms of angiogenesis.
Nature. 386(6626):671-4. Review
- Rumenapp U., Asmus M., Schablowski H., Woznicki M., Han L., Jakobs K. H., Fahimi-Vahid M., Michalek C., Wieland T., Schmidt M. (2001) The M3 muscarinic acetylcholine receptor expressed in HEK-293 cells signals to phospholipase D via G12 but not Gq-type G proteins: regulators of G proteins as tools to dissect pertussis toxin-resistant G proteins in receptor-effector coupling.
J Biol Chem. 276(4):2474-9
- Sah V. P., Seasholtz T. M., Sagi S. A. and Brown J. H. (2000). The role of Rho in G protein-coupled receptor signal transduction.
Annu. Rev. Pharmacol. Toxicol., 40, 459-489
- Sah V. P., Minamisawa S., Tam S. P., Wu T. H., Dorn G. W., Ross J., Chien K. R., Brown J. H. Cardiac specific overexpression of RhoA results in sinus and atrioventricular nodal dysfunction and contractile failure. (1999)
J Clin Invest 103: 1627-1634
- Sambrano G. R., Weiss E. J., Zheng Y. W., Huang W., Coughlin S. R. (2001) Role of thrombin signalling in platelets in haemostasis and thrombosis.
Nature. 413(6851):74-8
- Takeda J. (1999) Keratinocyte-specific ablation of Stat3 exhibits impaired skin remodeling, but does not affect skin morphogenesis.
EMBO J. 18(17):4657-68

- Sauer B. (1993) Manipulation of transgenes by site-specific recombination: use of Cre recombinase.
Methods Enzymol.;225:890-900
- Sauer B., Henderson N. (1990) Targeted insertion of exogenous DNA into the eukaryotic genome by the Cre recombinase.
New Biol 2(5):441-9
- Serfas M. S., Goufman E., Feuerman M. H., Gartel A. L., Tyner A. L. (1997) p53-independent induction of p21WAF1/CIP1 expression in pericentral hepatocytes following carbon tetrachloride intoxication.
Cell Growth Differ. 8(9):951-61
- Shenker A., Goldsmith P., Unson C. G., Spiegel A. M. (1991) The G protein coupled to the thromboxane A2 receptor in human platelets is a member of the novel Gq family.
J Biol Chem. 266(14):9309-13
- Shi C. S., Kehrl J. H. (2001) Pyk2 links gqalpha and g13alpha signaling to nf-kappa b activation.
J Biol Chem. 276(34):31845-50
- Shi C. S., Sinnarajah S., Cho H., Kozasa T., Kehrl J. H. (2000) G13alpha-mediated PYK2 activation. PYK2 is a mediator of G13alpha -induced serum response element-dependent transcription.
J Biol Chem. 275(32):24470-6
- Simon M. I., Strathmann M. P., Gautam N. (1991) Diversity of G proteins in signal transduction.
Science. 252(5007):802-8. Review
- Singer W. D., Miller R. T., Sternweis P. C. (1994) Purification and characterization of the alpha subunit of G13.
J Biol Chem. 269(31):19796-802
- Smith A. G., Nichols J., Robertson M., Rathjen P. D. (1992) Differentiation inhibiting activity (DIA/LIF) and mouse development.
Dev Biol. 151(2):339-51. Review
- Smrcka A. V., Sternweis P. C. (1993) Regulation of purified subtypes of phosphatidylinositol-specific phospholipase C beta by G protein alpha and beta gamma subunits.
J Biol Chem. 268(13):9667-74
- Sondek J., Bohm A., Lambright D. G., Hamm H. E., Sigler P. B. (1996) Crystal structure of a G-protein beta gamma dimer at 2.1A resolution.
Nature. 379(6563):369-74
- Song C, Hu CD, Masago M, Kariyai K, Yamawaki-Kataoka Y, Shibatohe M, Wu D, Satoh T, Kataoka T. (2001) Regulation of a novel human phospholipase C, PLCepsilon, through membrane targeting by Ras.
J Biol Chem. 276(4):2752-7

- Sternberg N., Hamilton D. (1981) Bacteriophage P1 site-specific recombination. I. Recombination between loxP sites. *J Mol Biol.* 150(4):467-86
- Sternweis P. C., Smrcka A. V. (1992) Regulation of phospholipase C by G proteins. *Trends Biochem Sci.* 17(12):502-6. Review
- Sternweis, P. C. (1994) The active role of beta gamma in signal transduction. *Curr Opin Cell Biol.* 6(2):198-203. Review
- Strader C. D. (1996) The view from inside the receptor. *J Med Chem.* 39(1):1
- Strathmann M. P., Simon M. I. (1991) G alpha 12 and G alpha 13 subunits define a fourth class of G protein alpha subunits. *Proc Natl Acad Sci U S A.* 88(13):5582-6
- Strathmann, M. P., Wilkie, T. M. Simon, M. I. (1989) Diversity of the G-protein family: sequences from five additional α subunits in the mouse. *Proc. Natl. Acad. Sci. USA* 86:7407-7409
- Suh S. H., Vennekens R., Manolopoulos V. G., Freichel M., Schweig U., Prenen J., Flockerzi V., Droogmans G., Nilius B. (1999) Characterisation of explanted endothelial cells from mouse aorta: electrophysiology and Ca²⁺ signalling. *Pflugers Arch.* 438(5):612-20
- Nishikawa M. (1999) Agonist-induced regulation of myosin phosphatase activity in human platelets through activation of Rho-kinase. *Blood.* 93(10):3408-17
- Taniguchi M., Sanbo M., Watanabe S., Naruse I., Mishina M., Yagi T. (1998) Efficient production of Cre-mediated site-directed recombinants through the utilization of the puromycin resistance gene, *pac*: a transient gene-integration marker for ES cells. *Nucleic Acids Res.* 26(2):679-80
- Taylor S. J., Exton J. H. (1991) Two alpha subunits of the Gq class of G proteins stimulate phosphoinositide phospholipase C-beta 1 activity. *FEBS Lett.* 286(1-2):214-6
- te Riele H., Maandag E. R., Berns A. (1992) Highly efficient gene targeting in embryonic stem cells through homologous recombination with isogenic DNA constructs. *Proc Natl Acad Sci U S A.*, 89, 5128-5132
- Toker, A. (1998) The synthesis and cellular roles of phosphatidylinositol 4,5-bisphosphate. *Curr. Opin. Cell Biol.* 10, 254-261
- Tsien J. Z., Chen D. F., Gerber D., Tom C., Mercer E. H., Anderson D. J., Mayford M., Kandel E. R., Tonegawa S. (1996) Subregion- and cell type-restricted gene knockout in mouse brain. *Cell.* 87(7):1317-26

- Ueda N., Iniguez-Lluhi J. A., Lee E., Smrcka A. V., Robishaw J. D., Gilman A. G. (1994) G protein beta gamma subunits. Simplified purification and properties of novel isoforms. *J Biol Chem.* Feb 11;269(6):4388-95
- Vaiskunaite R., Adarichev V., Furthmayr H., Kozasa T., Gudkov A., Voyno-Yasenetskaya T. A. (2000) Conformational activation of radixin by G13 protein α subunit. *J. Biol. Chem.* 275, No. 34, 26206-26212
- Voyno-Yasenetskaya T. A., Faure M. P., Ahn N. G., Bourne H. R. (1996) α 12 and α 13 regulate extracellular signal-regulated kinase and c-Jun kinase pathways by different mechanisms in COS-7 cells. *J Biol Chem.* 271(35):21081-7.
- Voyno-Yasenetskaya T., Conklin B. R., Gilbert R. L., Hooley R., Bourne H. R., Barber D. L. (1994) G α 13 stimulates Na-H exchange. *J Biol Chem.* 269(7):4721-4.
- Wall M. A., Coleman D. E., Lee E., Iniguez-Lluhi J. A., Posner B. A., Gilman A. G., Sprang S. R. (1995) The structure of the G protein heterotrimer G α 1 β 1 γ 2. *Cell.* Dec 15;83(6):1047-58
- Wang J. F., Zhang X. F., Groopman J E. (2001) Stimulation of beta-1 integrin induces tyrosine phosphorylation of VEGF receptor-3 and modulates cell migration. *J Biol Chem.*
- Wang S, Gebre-Medhin S, Betsholtz C, Stalberg P, Zhou Y, Larsson C, Weber G, Feinstein R, Oberg K, Gobl A, and Skogseid B. Targeted disruption of the mouse phospholipase C β 3 gene results in early embryonic lethality. *FEBS Lett* 441: 261-265
- Watson S., Berlanga O., Best D., Frampton J. (2000) Update on collagen receptor interactions in platelets: is the two-state model still valid? *Platelets.* 11(5):252-8. Review
- Wess J. (1997) G-protein-coupled receptors: Molecular mechanisms involved in receptor activation and selectivity in G-protein recognition.
- Wickman K. D., Iniguez-Lluhi J. A., Davenport P. A., Taussig R., Krapivinsky G. B., Linder ME, Gilman AG, Clapham DE. (1994) Recombinant G-protein beta gamma-subunits activate the muscarinic-gated atrial potassium channel. *Nature.* 368(6468):255-7
- Wilkie T. M., Scherle P. A., Strathmann M. P., Slepak V. Z., Simon M. I. (1991) Characterization of G-protein α subunits in the Gq class: expression in murine tissues and in stromal and hematopoietic cell lines. *Proc Natl Acad Sci U S A.* 88(22):10049-53
- Wu D., Jiang H., Katz A., Simon M. I. (1993b) Identification of critical regions on phospholipase C- β 1 required for activation by G-proteins. *J Biol Chem.* 268(5):3704-9

- Wu D., Katz A., Lee C. H., Simon M.I. (1992) Activation of phospholipase C by alpha 1-adrenergic receptors is mediated by the alpha subunits of Gq family.
J Biol Chem. 267(36):25798-802
- Wu D., Katz A., Simon M. I. (1993a) Activation of phospholipase C beta 2 by the alpha and beta gamma subunits of trimeric GTP-binding protein.
Proc Natl Acad Sci U S A. 90(11):5297-301
- Zhang H., Hasty P., Bradley A. (1994) Targeting frequency for deletion vectors in embryonic stem cells.
Mol. Cell. Biol. 14, 2404-10
- Zipkin ID, Kindt RM, Kenyon CJ. (1997) Role of a new Rho family member in cell migration and axon guidance in *C. elegans*.
Cell. 5;90(5):883-94
- Zohn I. E., Klinger M., Karp X., Kirk H., Symons M., Chrzanowska-Wodnicka M., Der C. J., Kay R J. (2000) G2A is an oncogenic G protein-coupled receptor.
Oncogene. 19(34):3866-77
- Zywietz A., Gohla A., Schmelz M., Schultz G., Offermanns S. (2001) Pleiotropic effects of *Pasteurella multocida* toxin are mediated by Gq-dependent and -independent mechanisms. involvement of Gq but not G11. J Biol Chem. 276(6):3840-5