

## 6. Literaturverzeichnis

- Beagley K.W., Fujihashi K., Lagoo A.S., Lagoo-Deenadaylan S., Black C.A., Murray A.M., Sharmanov A.T., Yamamoto M., McGhee J.R., Elson C.O., et al. (1995) Differences in intraepithelial lymphocyte T cell subsets isolated from murine small versus large intestine. *J Immunol* **154**: 5611-5619.
- Beattie S.E., Barta J.R. & Fernando M.A. (2001) Involvement of CD8<sup>+</sup> and CD3<sup>+</sup> lymphocytes in the transport of *Eimeria necatrix* sporozoites within the intestinal mucosa of chickens. *Parasitol Res* **87**: 405-408.
- Bekhti K. & Pery P. (1989) *In vitro* interactions between murine macrophages and *Eimeria falciformis* sporozoites. *Res Immunol* **140**: 697-709.
- Bekhti K., Kanzanji M. & Péry P. (1992) *In vitro* interactions between murine neutrophils and *Eimeria falciformis* sporozoites. *Res Immunol* **143**: 909-917.
- Biedermann T., Zimmermann S., Himmelrich H., Gummy A., Egeter O., Sakrauski A.K., Seegmüller I., Voigt H., Launois P., Levine A.D., Wagner H., Heeg K., Louis J.A. & Röcken M. (2001) IL-4 instructs T<sub>H</sub>1 responses and resistance to *Leishmania major* in susceptible BALB/c mice. *Nat Immunol* **2**: 1054-1060.
- Biron C.A. & Gazzinelli R.T. (1995) Effects of IL-12 on immune responses to microbial infections: a key mediator in regulating disease outcome. *Curr Opin Immunol* **7**: 485-496.
- Blagburn B.L. & Todd K.S., Jr. (1984) Pathological changes and immunity associated with experimental *Eimeria vermiformis* infections in *Mus musculus*. *J Protozool* **31**: 556-561.
- Boise L.H., Noel P.J. & Thompson C.B. (1995) CD28 and apoptosis. *Curr Opin Immunol* **7**: 620-625.
- Boll G., Rudolphi A., Spieß S. & Reimann J. (1995) Regional specialization of intraepithelial T cells in the murine small and large intestine. *Scand J Immunol* **41**: 103-113.

- Bradford M.M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* **72**: 248-254.
- Brunet L.R. (2001) Nitric oxide in parasitic infections. *Int Immunopharmacol* **1**: 1457-1467.
- Brunner M.C., Chambers C.A., Chan F.K.-M., Hanke J., Winoto A. & Allison J.P. (1999) CTLA-4-mediated inhibition of early events of T cell proliferation. *J Immunol* **162**: 5813-5820.
- Brzoza K.L., Rockel A.B. & Hiltbold E.M. (2004) Cytoplasmic entry of *Listeria monocytogenes* enhances dendritic cell maturation and T cell differentiation and function. *J Immunol* **173**: 2641-2651.
- Buzoni-Gatel D., Lepage A.C., Dimier-Poisson I.H., Bout D.T. & Kasper L.H. (1997) Adoptive transfer of gut intraepithelial lymphocytes protects against murine infection with *Toxoplasma gondii*. *J Immunol* **158**: 5883-5889.
- Byrnes S., Eaton R. & Kogut M. (1993) In vitro interleukin-1 and tumor necrosis factor-alpha production by macrophages from chickens infected with either *Eimeria maxima* or *Eimeria tenella*. *Int J Parasitol* **23**: 639-645.
- Chapman H.D. (1997) Biochemical, genetic and applied aspects of drug resistance in *Eimeria* parasites of the fowl. *Avian Pathol* **26**: 221-144.
- Chen W., Harp J.A. & Harmsen A.G. (1993) Requirements for CD4<sup>+</sup> cells and gamma interferon in resolution of established *Cryptosporidium parvum* infection in mice. *Infect Immun* **61**: 3928-3932.
- Chen W., Jin W. & Wahl S.M. (1998) Engagement of cytotoxic T lymphocyte-associated antigen 4 (CTLA-4) induces transforming growth factor  $\beta$  (TGF- $\beta$ ) production by murine CD4<sup>+</sup> T cells. *J Exp Med* **188**: 1849-1857.

- Cho W.-S. & Chae C. (2003) Expression of inflammatory cytokines (TNF- $\alpha$ , IL-1, IL-6 and IL-8) in colon of pigs naturally infected with *Salmonella typhimurium* and *S. choleraesuis*. *J Vet Med* **50**: 484-487.
- Claesson M.H., Rudolphi A., Kofoed S., Poulsen S.S. & Reimann J. (1996) CD4<sup>+</sup> T lymphocytes infected into severe combined immunodeficient (SCID) mice lead to an inflammatory and lethal bowel disease. *Clin Exp Immunol* **104**: 491-500.
- Combe C.L., Curiel T.J., Moretto M.M. & Khan I.A. (2005) NK cells help to induce CD8<sup>+</sup>-T-cell immunity against *Toxoplasma gondii* in the absence of CD4<sup>+</sup> T cells. *Infect Immun* **73**: 4913-4921.
- Daszak P. (1999) Zoite migration during *Eimeria tenella* infection: parasite adaption to host defences. *Parasitol Today* **15**: 67-72.
- Denkers E.Y. & Gazzinelli R.T. (1998) Regulation and function of T-cell-mediated immunity during *Toxoplasma gondii* infection. *Clin Microbiol Rev* **11**: 569-588.
- De Winter H., Cheroutre H. & Kronenberg M. (1999) Mucosal immunity and inflammation II. The yin and yang of T cells in intestinal inflammation: pathogenic and protective roles in a mouse colitis model. *Am J Physiol* **276**: G1317-G1321.
- Diehl S. & Rincón M. (2002) The two faces of IL-6 on Th1/Th2 differentiation. *Mol Immunol* **39**: 531-536.
- Dimier-Poisson I., Aline F., Mévélec M.-N., Beauvillain C., Buzoni-Gatel D. & Bout D. (2003) Protective mucosal Th2 immune response against *Toxoplasma gondii* by murine mesenteric lymph node dendritic cells. *Infect Immun* **71**: 5254-5265.
- Drapier J.C., Wietzerbin J. & Hibbs J.B. Jr. (1988) Interferon-gamma and tumor necrosis factor induce the L-arginine-dependent cytotoxic effector mechanism in murine macrophages. *Eur J Immunol* **18**: 1587-1592.

- Eckert J., Braun R., Shirley M.W. & Coudert, P. (1995) Biotechnology. Guidelines on techniques in coccidiosis research . Office for Official Publications of the European Communities, Luxembourg.
- Farstad I.N., Halstensen T.S., Kvale D., Fausa O. & Brandtzaeg P. (1997) Topographic distribution of homing receptors on B and T cells in human gut-associated lymphoid tissue. *Am J Pathol* **150**: 187-199.
- Finke D. & Acha-Orbea H. (2001) Differential migration of *in vivo* primed B and T lymphocytes to lymphoid and non-lymphoid organs. *Eur J Immunol* **31**: 2603-2611.
- Flohé S.B., Bauer C., Flohé S. & Moll H. (1998) Antigen-pulsed epidermal Langerhans cells protect susceptible mice from infection with the intracellular parasite *Leishmania major*. *Eur J Immunol* **28**: 3800-3811.
- Fukao T., Matsuda S. & Koyasu S. (2000) Synergistic effects of IL-4 and IL-18 on IL-12-dependent IFN- $\gamma$  production by dendritic cells. *J Immunol* **164**: 64-71.
- Gao W. & Pereira M.A. (2002) Interleukin-6 is required for parasite specific response and host resistance to *Trypanosoma cruzi*. *Int J Parasitol* **32**: 167-170.
- Gazzinelli R.T., Eltoun I., Wynn T.A. & Sher A. (1993) Acute cerebral toxoplasmosis is induced by *in vivo* neutralization of TNF-alpha and correlates with the down-regulated expression of inducible nitric oxide synthase and other markers of macrophage activation. *J Immunol* **151**: 3672-3681.
- Giambrone J.J., Klesius P.H., Eckamn M.K. & Edgar S.A. (1981) Influence of hormonal and chemical bursectomy on the development of acquired immunity to coccidia in broiler chickens. *Poult Sci* **60**: 2612-2618.
- Graefe S.E.B., Jacobs T., Wächter U., Bröker B.M. & Fleischer B. (2004) CTLA-4 regulates the murine immune response to *Trypanosoma cruzi* infection. *Parasite Immunol* **26**: 19-28.

- Greenfield E.A., Nguyen K.A. & Kuchroo V.K. (1998) CD28/B7 costimulation: a review. *Crit Rev Immunol* **18**: 389-418.
- Greenwald R.J., Oosterwegel M.A., van der Woude D., Kubal A., Mandelbrot D.A., Boussiotis V.A. & Sharpe A.H. (2002) CTLA-4 regulates cell cycle progression during a primary immune response. *Eur J Immunol* **32**: 366-373.
- Gribben J.G., Freeman G.J., Boussiotis V.A., Rennert P., Jellis C.L., Greenfield E., Barber M., Restivo V.A. Jr., Ke X., Gray G.S. & Nadler L.M. (1995) CTLA-4 mediates antigen-specific apoptosis of human T cells. *Proc Natl Acad Sci USA* **92**: 811-815.
- Haberkorn A. (1970) Die Entwicklung von *Eimeria falciformis* (Eimer 1870) in der weißen Maus (*Mus musculus*). *Z Parasitenkd* **34**: 49-67.
- Hamann A., Andrew D.P., Jablonski-Westrich D., Holzmann B. & Butcher E.C. (1994) Role of alpha 4-integrins in lymphocyte homing to mucosal tissues *in vivo*. *J Immunol* **152**: 3282-3293.
- Heinzel F.P., Sadick M.D., Mutha S.S. & Locksley R.M. (1991) Production of interferon  $\gamma$ , interleukin 2, interleukin 4, and interleukin 10 by CD4<sup>+</sup> lymphocytes *in vivo* during healing and progressive murine leishmaniasis. *Proc Natl Acad Sci USA* **88**: 7011-7015.
- Iwasaki A. & Kelsall B.L. (1999) Mucosal immunity and inflammation. I. Mucosal dendritic cells: their specialized role in initiating T cell responses. *Am J Physiol* **276**: G1074-G1078.
- Janeway C.A. Jr. (1975) Cellular cooperation during *in vivo* anti-hapten antibody responses. II. The effect of *in vivo* and *in vitro* x-irradiation on T and B cells. *J Immunol* **114**: 1402-1407.
- Jiang H. & Chess L. (2004) An integrated view of suppressor T cell subsets in immunoregulation. *J Clin Invest* **114**: 1198-1208.

- Johnson L.L. (1992) A protective role for endogenous tumor necrosis factor in *Toxoplasma gondii* infection. *Infect Immun* **60**: 1979-1983.
- Johnson L.L. & Sayles P.C. (1995) Strong cytolytic activity of natural killer cells is neither necessary nor sufficient for preimmune resistance to *Toxoplasma gondii* infection. *Nat Immun* **14**: 209-215.
- Kaech S.M., Hemby S., Kersh E. & Ahmed R. (2002) Molecular and functional profiling of memory CD8 T cell differentiation. *Cell* **111**: 837-851.
- Kägi D., Vignaux F., Ledermann B., Burki K., Depraetere V., Nagata S., Hengartner H. & Golstein P. (1994) Fas and perforin pathways as major mechanisms of T cell-mediated cytotoxicity. *Science* **265**: 528-530.
- Kazanji M., Rhalem A. & Péry P. (1994) Production and characterization of monoclonal antibodies directed against *Eimeria falciformis* and cross-reactive with sporozoites from two species of avian coccidia. *Parasitol Res* **80**: 396-402.
- Kopf M., Baumann H., Freer G., Freudenberg M., Lamers M., Kishimoto T., Zinkernagel R., Bluethmann H. & Kohler G. (1994) Impaired immune and acute-phase responses in interleukin-6-deficient mice. *Nature* **368**: 339-342.
- Korbel D.S., Finney O.C. & Riley E.M. (2004) Natural killer cells and innate immunity to protozoan pathogens. *Int J Parasitol* **34**: 1517-1528.
- Kruisbeek A.M. & Shevach E. (1991) Proliferative assays for T-cell functions. In: *Current Protocols in Immunology*, John Wiley & Sons.
- Krummel M.F. & Allison J.P. (1995) CD28 and CTLA-4 have opposing effects on the response of T cells to stimulation. *J Exp Med* **182**: 459-465.

- Krummel M.F., Sullivan T.J. & Allison J.P. (1996) Superantigen responses and co-stimulation: CD28 and CTLA-4 have opposing effects on T cell expansion *in vitro* and *in vivo*. *Int Immunol* **8**: 519-523.
- Kumar S.N., Seelig L.L. Jr. & Head J.R. (1985) Migration of radiolabeled, adoptively transferred T-lymphocytes into the mammary gland and milk of lactating rats. *J Reprod Immunol* **8**: 235-248.
- Kyes S., Carew E., Carding S.R., Janeway C.A. Jr. & Hayday A. (1989) Diversity in T-cell receptor gamma gene usage in intestinal epithelium. *Proc Natl Acad Sci USA* **86**: 5527-5531.
- Lacroix S., Mancassola R., Naciri M. & Laurent F. (2001) *Cryptosporidium parvum*-specific mucosal immune response in C57BL/6 neonatal and gamma interferon-deficient mice: role of tumor necrosis factor alpha in protection. *Infect Immun* **69**: 1635-1642.
- Laskay T., Rollinghoff M. & Solbach W. (1993) Natural killer cells participate in the early defence against *Leishmania major* infection in mice. *Eur J Immunol* **23**: 2237-2241.
- Laurenti M.D., Gidlund M., Ura D.M., Sinhorini I.L., Corbett C.E. & Goto H. (1999) The role of natural killer cells in the early period of infection in murine cutaneous leishmaniasis. *Braz J Med Biol Res* **32**: 323-325.
- Lawn A.M. & Rose M.E. (1982) Mucosal transport of *Eimeria tenella* in the caecum of chicken. *J Parasitol* **68**: 1117-1123.
- Lee Y.-H. & Shin D.-W. (2002) T cell phenotype and intracellular IFN- $\gamma$  production in peritoneal exudate cells and gut intraepithelial lymphocytes during acute *Toxoplasma gondii* infection in mice. *Korean J Parasitol* **40**: 119-129.
- Leitch G.J. & He Q. (1999) Reactive nitrogen and oxygen species ameliorate experimental cryptosporidiosis in the neonatal BALB/c mouse model. *Infect Immun* **67**: 5885-5891.

- Liburd E.M., Armstrong W.D. & Mahrt J.L. (1973) Immunity to the protozoan parasite *Eimeria nieschulzi* in inbred CD-F rats. *Cell Immunol* **7**: 444-452.
- Liesenfeld O., Kosek J., Remington J.S. & Suzuki Y. (1996) Association of CD4<sup>+</sup> T cell-dependent, Interferon- $\gamma$ -mediated necrosis of the small intestine with genetic susceptibility of mice to peroral infection with *Toxoplasma gondii*. *J Exp Med* **184**: 597-607.
- Liesenfeld O., Kang H., Park D., Nguyen T.A., Parkhe C.V., Watanabe H., Abo T., Sher A., Remington J.S. & Suzuki Y. (1999) TNF- $\alpha$ , nitric oxide and IFN- $\gamma$  are all critical for development of necrosis in the small intestine and early mortality in genetically susceptible mice infected perorally with *Toxoplasma gondii*. *Parasite Immunol* **21**: 365-376.
- Lillehoj H.S. (1987) Effects of immunosuppression on avian coccidiosis: cyclosporin A but not hormonal bursectomy abrogates host protective immunity. *Infect Immun* **55**: 1616-1621.
- Lillehoj H.S. (1989) Intestinal intraepithelial and splenic natural killer cell responses to eimerian infections in inbred chickens. *Infect Immun* **57**: 1879-1884.
- Lillehoj H.S. & Bacon L.D. (1991) Increase of intestinal intraepithelial lymphocytes expressing CD8 antigen following challenge with *Eimeria acervulina*. *Avian Dis* **35**: 94-301.
- Lillehoj H.S. & Trout J.M. (1994) CD8<sup>+</sup> T cell-coccidia interactions. *Parasitol Today* **10**: 10-14.
- Lillehoj H.S. & Trout J.M. (1996) Avian gut-associated lymphoid tissue and intestinal immune responses to *Eimeria* parasites. *Clin Microbiol Rev* **9**: 349-360.
- Lillehoj H.S. (1998) Role of T lymphocytes and cytokines in coccidiosis. *Int J Parasitol* **28**: 1071-1081.
- Lillehoj H.S. & Lillehoj E.P. (2000) Avian Coccidiosis. A review of acquired intestinal immunity and vaccination strategies. *Avian Dis* **44**: 408-425.



- Linsley P.S., Greene J.L., Tan P., Bradshaw J., Ledbetter J.A., Anasetti C. & Damle N.K. (1992) Coexpression and functional cooperation of CTLA-4 and CD28 on activated T lymphocytes. *J Exp Med* **176**: 1595-1604.
- Linsley P.S., Greene J.L., Brady W., Bajorath J., Ledbetter J.A. & Peach R. (1994) Human B7-1 (CD80) and B7-2 (CD86) bind with similar avidities but distinct kinetics to CD28 and CTLA-4 receptors. *Immunity* **1**: 793-801.
- Lowin B., Hahne M., Mattmann C. & Tschopp J. (1994) Cytolytic T-cell cytotoxicity is mediated through perforin and Fas lytic pathways. *Nature* **370**: 650-652.
- Lucius R. & Loos-Frank B. (1997) *Parasitologie: Grundlagen für Biologen, Mediziner und Veterinärmediziner*. Heidelberg; Berlin, Spektrum, Akademischer Verlag.
- Lynagh G.R., Bailey M. & Kaiser P. (2000) Interleukin-6 is produced during both murine and avian *Eimeria* infections. *Vet Immunol Immunopathol* **76**: 89-102.
- Macpherson G., Milling S., Yrlid U., Cousins L., Turnbull E. & Huang F.P. (2004) Uptake of antigen from the intestine by dendritic cells. *Ann N Y Acad Sci* **1029**: 75-82.
- Martin D. & Tarleton R. (2004) Generation, specificity, and function of CD8<sup>+</sup> T cells in *Trypanosoma cruzi* infection. *Immunol Rev* **201**: 304-317.
- Martins G.A., Tadokoro C.E., Silva R.B., Silva J.S. & Rizzo L.V. (2004) CTLA-4 blockage increases resistance to infection with the intracellular protozoan *Trypanosoma cruzi*. *J Immunol* **172**: 4893-4901.
- Masopust D., Vezys V., Marzo A.L. & Lefrancois L. (2001) Preferential localization of effector memory cells in nonlymphoid tissue. *Science* **291**: 2413-2417.
- McDougald L.R. (1990) Control of coccidiosis: chemotherapy. In: *Coccidiosis of man and domestic animals*. Long P.L. (ed). Florida, CRC Press.

- Mehlhorn H. & Ruthmann A. (1992) Allgemeine Protozoologie. Stuttgart, Gustav Fischer Verlag Jena.
- Mennechet F.J.D., Kasper L.H., Rachinel N., Li W., Vandewalle A. & Buzoni-Gatel D. (2002) Lamina propria CD4<sup>+</sup> T lymphocytes synergize with murine intestinal epithelial cells to enhance proinflammatory response against an intracellular pathogen. *J Immunol* **168**: 2988-2996.
- Mesfin G.M., Bellamy J.E.C. & Stockdale P.H.G. (1978) The pathological changes caused by *Eimeria falciformis* var *pragensis*. *Can J Comp Med* **42**: 496-510.
- Mesfin G.M. & Bellamy J.E.C. (1979) Migration of Sporozoites of *Eimeria falciformis* var *pragensis* from the absorptive to the crypt epithelium of the colon. *J Parasitol* **65**: 469-471.
- Morrot A. & Zavala F. (2004) Regulation of the CD8<sup>+</sup> T cell responses against *Plasmodium* liver stages in mice. *Int J Parasitol* **34**: 1529-1534.
- Munder M., Mallo M., Eichmann K. & Modolell M. (1998) Murine macrophages secrete interferon  $\gamma$  upon combined stimulation with interleukin (IL)-12 and IL-18: a novel pathway of autocrine macrophage activation. *J Exp Med* **187**: 2103-2108.
- Murphy M.L., Cotterell S.E.J., Gorak P.M.A., Engwerda C.R. & Kaye P.M. (1998) Blockade of CTLA-4 enhances host resistance to the intracellular pathogen, *Leishmania donovani*. *J Immunol* **161**: 4153-4160.
- Nash P.V. & Speer C.A. (1988) B-lymphocyte responses in the large intestine and mesenteric lymph nodes of mice infected with *Eimeria falciformis* (Apicomplexa). *J Parasitol* **74**: 144-152.
- Ohteki T., Fukao T., Suzue K., Maki C., Ito M., Nakamura M. & Koyasu S. (1999) Interleukin 12-dependent interferon  $\gamma$  production by CD8 $\alpha$ <sup>+</sup> lymphoid dendritic cells. *J Exp Med* **189**: 1981-1986.

- Ovington K.S. & Smith N.C. (1992) Cytokines, free radicals and resistance to *Eimeria*. *Parasitol Today* **8**: 422-426.
- Ovington K.S., Alleva L.M. & Kerr E.A. (1995) Cytokines and immunological control of *Eimeria* spp. *Int J Parasitol* **25**: 1331-1351.
- Paiva C.N., Castelo-Branco M.T.L., Lannes-Vieira J. & Gattass C.R. (1999) *Trypanosoma cruzi*: Protective response of vaccinated mice is mediated by CD8<sup>+</sup> cells, prevents signs of polyclonal T lymphocyte activation, and allows restoration of a resting immune state after challenge. *Exp Parasitol* **91**: 7-19.
- Renauld J.C., Vink A. & Van Snick J. (1989) Accessory signals in murine cytolytic T cell responses. Dual requirement for IL-1 and IL-6. *J Immunol* **143**: 1894-1898.
- Reinhardt R.L., Khoruts A., Merica R., Zell T. & Jenkins M.K. (2001) Visualizing the generation of memory CD4 T cells in the whole body. *Nature* **410**: 101-105.
- Riggs M.W. (2002) Recent advances in cryptosporidiosis: the immune response. *Microbes Infect* **4**: 1067-1080.
- Roberts S.J., Smith A.L., West A.B., Wen L., Findly R.C., Owen M.J. & Hayday A.C. (1996) T-cell  $\alpha\beta^+$  and  $\gamma\delta^+$  deficient mice display abnormal but distinct phenotypes toward a natural, widespread infection of the intestinal epithelium. *Proc Natl Acad Sci USA* **93**: 11774-11779.
- Roder J. & Duwe A. (1979) The *beige* mutation in the mouse selectively impairs natural killer cell function. *Nature* **278**: 451-453.
- Rodrigues M.M., Cordey A.S., Arreaza G., Corradin G., Romero P., Maryanski J.L., Nussenzweig R.S. & Zavala F. (1991) CD8<sup>+</sup> cytolytic T cells clones derived against the *Plasmodium yoelii* circumsporozoite protein protect against malaria. *Int Immunol* **3**: 579-585.

- Rommel M. & Heydorn A.-O. (1971) Versuche zur Übertragung der Immunität gegen *Eimeria*-Infektionen durch Lymphozyten. ZParasitenkd **36**: 242-250.
- Rose M.E. & Hesketh P. (1979) Immunity to coccidiosis: T-lymphocyte- or B-lymphocyte deficient animals. Infect Immun **26**: 630-637.
- Rose M.E., Ogilvie B.M., Hesketh P. & Festing M.F. (1979) Failure of nude (athymic) rats to become resistant to reinfection with the intestinal coccidian parasite *Eimeria nieschulzi* or the nematode *Nippostrongylus brasiliensis*. Parasite Immunol **1**: 125-132.
- Rose M.E. & Hesketh P. (1982) Immunity to coccidia in chickens: adoptive transfer with peripheral blood lymphocytes and spleen cells. Parasite Immunol **4**: 171-185.
- Rose M.E., Lawn A.M. & Millard B.J. (1984) The effect of immunity on the early events in the life cycle of *Eimeria tenella* in the caecal mucosa of the chicken. Parasitology **88**: 199-210.
- Rose M.E. & Millard B.J. (1985) *Eimeria vermiformis*: host strains and the developmental cycle. Exp Parasitol **60**: 285-293.
- Rose M.E. & Hesketh P. (1986) Eimerian life cycles: the patency of *Eimeria vermiformis*, but not *Eimeria pragensis*, is subject to host (*Mus musculus*) influence. J Parasitol **72**: 949-954.
- Rose M.E. & Hesketh P. (1987) *Eimeria tenella*: effects of immunity on sporozoites within the lumen of the small intestine. Exp Parasitol **63**: 337-344.
- Rose M.E., Wakelin D., Joysey H.S. & Hesketh P. (1988a) Immunity to coccidiosis: adoptive transfer in NIH mice challenged with *Eimeria vermiformis*. Parasite Immunol **10**: 59-69.
- Rose M.E., Joysey H.S., Hesketh P., Grensis R.K. & Wakelin D. (1988b) Mediation of immunity to *Eimeria vermiformis* in mice by L3T4<sup>+</sup> T cells. Infect Immun **56**: 1760-1765.

- Rose M.E., Wakelin D. & Hesketh P. (1989) Gamma interferon controls *Eimeria vermiformis* primary infection in BALB/c mice. *Infect Immun* **57**: 1599-1603.
- Rose M.E., Wakelin D. & Hesketh P. (1990) *Eimeria vermiformis*: Differences in the course of primary infection can be correlated with lymphocyte responsiveness in the BALB/c and C57BL/6 mouse, *Mus musculus*. *Exp Parasitol* **71**: 276-283.
- Rose M.E., Smith A.L. & Wakelin D. (1991a) Gamma interferon-mediated inhibition of *Eimeria vermiformis* growth in cultured fibroblasts and epithelial cells. *Infect Immun* **59**: 580-586.
- Rose M.E., Wakelin D. & Hesketh P. (1991b) Interferon-gamma-mediated effects upon immunity to coccidial infections in the mouse. *Parasite Immunol* **13**: 63-74.
- Rose M.E., Hesketh P. & Wakelin D. (1992a) Immune control of murine coccidiosis: CD4<sup>+</sup> and CD8<sup>+</sup> T lymphocytes contribute differentially in resistance to primary and secondary infections. *Parasitology* **105**: 349-354.
- Rose M.E., Millard B.J. & Hesketh P. (1992b) Intestinal changes associated with expression of immunity to challenge with *Eimeria vermiformis*. *Infect Immun* **60**: 5283-5290.
- Rose M.E., Hesketh P. & Wakelin D. (1995) Cytotoxic effects of natural killer cells have no significant role in controlling infection with the intracellular protozoon *Eimeria vermiformis*. *Infect Immun* **63**: 3711-3714.
- Rose M.E., Hesketh P. & Wakelin D. (1996) Responses to vaccination in strains of mice that differ in susceptibility to coccidiosis. *Infect Immun* **64**: 246-252.
- Rose M.E., Hesketh P. & Wakelin D. (1997) Oral vaccination against coccidiosis: responses in strains of mice that differ in susceptibility to infection with *Eimeria vermiformis*. *Infect Immun* **65**: 1808-1813.

- Rosenberg B., Juckett D.A., Aylsworth C.F., Dimitrov N.V., Ho S.-C., Judge J.W., Kessel S., Quensen J., Wong K.-P.H., Zlatkin I. & Zlatkin T. (2005) Protein from intestinal *Eimeria* protozoan stimulates IL-12 release from dendritic cells, exhibits antitumor properties *in vivo* and is correlated with low intestinal tumorigenicity. *Int J Cancer* **114**: 756-765.
- Rottenberg M., Cardoni R.L., Andersson R., Segura E.L. & Orn A. (1988) Role of T helper/inducer cells as well as natural killer cells in resistance to *Trypanosoma cruzi* infection. *Scand J Immunol* **28**: 573-582.
- Sarantopoulos S., Lu L. & Cantor H. (2004) Qa-1 restriction of CD8<sup>+</sup> suppressor T cells. *J Clin Invest* **114**: 1218-1221.
- Savill J. (1996) Phagocyte recognition of apoptotic cells. *Biochem Soc Trans* **24**: 1065-1069.
- Scharton T.M. & Scott P. (1993) Natural killer cells are a source of Interferon  $\gamma$  that drives differentiation of CD4<sup>+</sup> T cell subsets and induces early resistance to *Leishmania major* in mice. *J Exp Med* **178**: 567-577.
- Schito M.L., Barta J.R. & Chobotar B. (1996) Comparison of four murine *Eimeria* species in immunocompetent and immunodeficient mice. *J Parasitol* **82**: 255-262.
- Schito M.L. & Barta J.R. (1997) Nonspecific immune responses and mechanisms of resistance to *Eimeria papillata* infections in mice. *Infect Immun* **65**: 3165-3170.
- Schito M.L., Chobotar B. & Barta J.R. (1998) Cellular dynamics and cytokine responses in BALB/c mice infected with *Eimeria papillata* during primary and secondary infections. *J Parasitol* **84**: 328-337.
- Scott P., Artis D., Uzonna J. & Zaph C. (2004) The development of effector and memory T cells in cutaneous leishmaniasis: the implications for vaccine development. *Immunol Rev* **201**: 318-338.

- Shalaby M.R., Waage A. & Espevik T. (1989) Cytokine regulation of interleukin 6 production by human endothelial cells. *Cell Immunol* **121**: 372-282.
- Shehu K. & Nowell F. (1998) Cross-reactions between *Eimeria falciformis* and *Eimeria pragensis* in mice induced by trickle infections. *Parasitology* **117**: 457-465.
- Shi M.Q., Huther S., Burkhardt E. & Zahner H. (2000) Immunity in rats against *Eimeria separata*: oocyst excretion, effects on endogenous stages and local tissue response after primary and challenge infections. *Parasitol Res* **86**: 891-898.
- Shoukry N.H., Cawthon A.G. & Walker C.M. (2004) Cell-mediated immunity and the outcome of Hepatitis C virus infection. *Annu Rev Microbiol* **58**: 391-424.
- Smith A.L., Rose M.E. & Wakelin D. (1994) The role of natural killer cells in resistance to coccidiosis: investigations in a murine model. *Clin Exp Immunol* **97**: 273-279.
- Smith N.C., Ovington K.S., Deplazes P. & Eckert J. (1995) Cytokine and immunoglobulin subclass responses of rats to infection with *Eimeria nieschulzi*. *Parasitology* **111**: 51-57.
- Smith A.L. & Hayday A.C. (1998) Genetic analysis of the essential components of the immunoprotective response to infection with *Eimeria vermiformis*. *Int J Parasitol* **28**: 1061-1069.
- Smith A.L. & Hayday A.C. (2000a) An  $\alpha\beta$  T-cell-independent immunoprotective response towards gut coccidia is supported by  $\gamma\delta$  cells. *Immunology* **101**: 325-332.
- Smith A.L. & Hayday A.C. (2000b) Genetic dissection of primary and secondary responses to a widespread natural pathogen of the gut, *Eimeria vermiformis*. *Infect Immun* **68**: 6273-6280.
- Spahn T.W. & Kucharzik T. (2004) Modulating the intestinal immune system: the role of lymphotoxin and GALT organs. *Gut* **53**: 456-465.

- Steinfelder S. (2002) Charakterisierung der zellulären intestinalen Immunantwort bei Mäusen mit *Eimeria falciformis*-Infektion und Antikokzidia-Therapie. Diplomarbeit, Humboldt Universität Berlin.
- Stiff M.I. & Vasilakos J.P. (1990) Effect of in vivo T-cell depletion on the effector T-cell function of immunity to *Eimeria falciformis*. *Infect Immun* **58**: 1496-1499.
- Stünzi H. & Weiss E. (1990) Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin. 8., überarbeitete Auflage; Verlag Paul Parey; Berlin und Hamburg.
- Stumbles P.A., Thomas J.A., Pimm C.L., Lee P.T., Venaille T.J., Proksch S. & Holt P.G. (1998) Resting respiratory tract dendritic cells preferentially stimulate T helper cell type 2 (Th2) responses and require obligatory cytokine signals for induction of Th1 immunity. *J Exp Med* **188**: 2019-2031.
- Suzue K., Asai T., Takeuchi T. & Koyasu S. (2003) *In vivo* role of IFN- $\gamma$  produced by antigen-presenting cells in early host defense against intracellular pathogens. *Eur J Immunol* **33**: 2666-2675.
- Taguchi T., Aicher W.K., Fujihashi K., Yamamoto M., McGhee J.R., Bluestone J.A. & Kiyono H. (1991) Novel function for intestinal intraepithelial lymphocytes. Murine CD3<sup>+</sup>,  $\gamma/\delta$  TCR<sup>+</sup> T cells produce IFN- $\gamma$  and IL-5. *J Immunol* **147**: 3736-3744.
- Thomson A. (1994) The cytokine handbook. Academic Press, Harcourt Brace & Company, Cambridge.
- Tivol E.A., Borriello F., Schweitzer A.N., Lynch W.P., Bluestone J.A. & Sharpe A.H. (1995) Loss of CTLA-4 leads to massive lymphoproliferation and fatal multiorgan tissue destruction, revealing a critical negative regulatory role of CTLA-4. *Immunity* **3**: 541-547.
- Tomley F. (1994) Antigenetic diversity of the asexual developmental stages of *Eimeria tenella*. *Parasite Immunol* **16**: 407-413.



- Trinchieri G. (1995) Interleukin-12: a proinflammatory cytokine with immunoregulatory functions that bridge innate resistance and antigen-specific adaptive immunity. *Annu Rev Immunol* **13**: 251-276.
- Tripp C.S., Wolf S.F. & Unanue E.R. (1993) Interleukin 12 and tumor necrosis factor  $\alpha$  are costimulators of interferon  $\gamma$  production by natural killer cells in severe combined immunodeficiency mice with listeriosis, and interleukin 10 is a physiologic antagonist. *Proc Natl Acad Sci USA* **90**: 3725-3729.
- Trout J.M. & Lillehoj H.S. (1993) Evidence of a role for intestinal CD8<sup>+</sup> lymphocytes and macrophages in transport of *Eimeria acervulina* sporozoites. *J Parasitol* **79**: 790-792.
- Trout J.M. & Lillehoj H.S. (1995) *Eimeria acervulina*: evidence for the involvement of CD8<sup>+</sup> T lymphocytes in sporozoite transport and host protection. *Poult Sci* **74**: 1117-1125.
- Trout J.M. & Lillehoj H.S. (1996) T lymphocyte roles during *Eimeria acervulina* and *Eimeria tenella* infections. *Vet Immunol Immunopathol* **53**: 163-172.
- Uyttenhove C., Coulie P.G. & Van Snick J. (1988) T cell growth and differentiation induced by interleukin-HP1/IL-6, the murine hybridoma/plasmacytoma growth factor. *J Exp Med* **167**: 1417-1427.
- Van Damme J., Cayphas S., Opdenakker G., Billiau A. & Van Snick J. (1987) Interleukin 1 and poly(rI) poly(rC) induce production of a hybridoma growth factor by human fibroblasts. *Eur J Immunol* **17**: 1-7.
- Van Snick J. (1990) Interleukin-6: An overview. *Annu Rev Immunol* **8**: 253-278.
- Vermeulen A.N. (1998) Progress in recombinant vaccine development against coccidiosis. A review and prospects into the next millennium. *Int J Parasitol* **28**: 1121-1130.

- Vervelde L., Vermeulen A.N. & Jeurissen S.H.M. (1995) *Eimeria tenella*: Sporozoites rarely enter leucocytes in the cecal epithelium of the chicken (*Gallus domesticus*). *Exp parasitol* **81**: 29-38.
- Villegas E.N., Elloso M.M., Reichmann G., Peach R. & Hunter C.A. (1999) Role of CD28 in the generation of effector and memory responses required for resistance to *Toxoplasma gondii*. *J Immunol* **163**: 3344-3353.
- Wakelin D. & Rose M.E. (1990) Immunity to coccidiosis. In: *Coccidiosis of man and domestic animals*. (Edited by Long P.L.), pp. 281-306. CRC Press, Florida.
- Wakelin D., Rose M.E., Hesketh P., Else K.J. & Grecis R.K. (1993) Immunity to coccidiosis: genetic influence on lymphocyte and cytokine responses to infection with *Eimeria vermiformis* in inbred mice. *Parasite Immunol* **15**: 11-19.
- Walunas T.L., Lenschow D.J., Bakker C.Y., Linsley P.S., Freeman G.J., Green J.M., Thompson C.B. & Bluestone J.A. (1994) CTLA-4 can function as a negative regulator of T cell activation. *Immunity* **1**: 405-413.
- Waterhouse P., Penninger J.M., Timms E., Wakeham A., Shahinian A., Lee K.P., Thompson C.B., Griesser H. & Mak T.W. (1995) Lymphoproliferative disorders with early lethality in mice deficient in CTLA-4. *Science* **270**: 985-988.
- Weber W.T. & Mausner R. (1977) Migration patterns of avian embryonic bone marrow cells and their differentiation to functional T and B cells. *Adv Exp Med Biol* **88**: 47-59.
- Westendorf A.M., Templin M., Geffers R., Deppenmeier S., Gruber A.D., Probst-Kepper M., Hansen W., Liblau R.S., Gunzer F., Bruder D. & Buer J. (2005) CD4<sup>+</sup> T cell mediated intestinal immunity: chronic inflammation versus immune regulation. *Gut* **54**: 60-69.
- Williams M.B. & Butcher E.C. (1997) Homing of naive and memory T lymphocyte subsets to Peyer's patches, lymph nodes, and spleen. *J Immunol* **159**: 1746-1752.

- 
- Williams R.B. (1998) Epidemiological aspects of the use of live anticoccidial vaccines for chickens. *Int J Parasitol* **28**: 1089-1098.
- Xu D.-Z., Lu Q. & Deitch E.A. (2002) Nitric oxide directly impairs intestinal barrier function. *Shock* **17**: 139-145.
- Yamashita K., Katsuyuki Y., Masakatsu U. & Akihiko Y. (1998) Cytotoxic T-lymphocyte-mediated lysis of *Toxoplasma gondii*-infected target cells does not lead to death of intracellular parasites. *Infect Immun* **66**: 4651-4655.
- Yun C.H., Lillehoj H.S. & Lillehoj E.P. (2000) Intestinal immune response to coccidiosis. *Dev Comp Immunol* **24**: 303-324.
- Yun C.H., Lillehoj H.S. & Choi K.D. (2000) *Eimeria tenella* infection induces local gamma interferon production and intestinal lymphocyte subpopulation changes. *Infect Immun* **68**: 1282-1288.
- Zhang S., Lillehoj H.S. & Ruff M.D. (1995) *In vivo* role of tumor necrosis-like factor in *Eimeria tenella* infection. *Avian Dis* **39**: 859-866.