

Literatur

- Albrecht, F., A. Roessner, et al. (1983). "Closure of osteochondral lesions using chondral fragments and fibrin adhesive." *Arch Orthop Trauma Surg* 101(3): 213-7.
- Albu, I., L. Bratucu, et al. (1979). "[Comparative morphological studies of the structure of the articular disk of the temporomandibular joint]." *Morphol Embryol (Bucur)* 25(3): 197-204.
- Alving, B. M., M. J. Weinstein, et al. (1995). "Fibrin sealant: summary of a conference on characteristics and clinical uses." *Transfusion* 35(9): 783-90.
- Anitua, E., I. Andia, et al. (2004). "Autologous platelets as a source of proteins for healing and tissue regeneration." *Thromb Haemost* 91(1): 4-15.
- Aper, T., O. E. Teebken, et al. (2004). "Use of a fibrin preparation in the engineering of a vascular graft model." *Eur J Vasc Endovasc Surg* 28(3): 296-302.
- Arevalo-Silva, C. A., R. D. Eavey, et al. (2000). "Internal support of tissue-engineered cartilage." *Arch Otolaryngol Head Neck Surg* 126(12): 1448-52.
- Badrul, A. H., B. S. Aminuddin, et al. (2004). "The effects of autologous human serum on the growth of tissue engineered human articular cartilage." *Med J Malaysia* 59 Suppl B: 11-2.
- Bannasch, H., M. Fohn, et al. (2003). "Skin tissue engineering." *Clin Plast Surg* 30(4): 573-9.
- Banninger, H., T. Hardegger, et al. (1993). "Fibrin glue in surgery: frequent development of inhibitors of bovine thrombin and human factor V." *Br J Haematol* 85(3): 528-32.
- Beier, J. P., U. Kneser, et al. (2004). "Y chromosome detection of three-dimensional tissue-engineered skeletal muscle constructs in a syngeneic rat animal model." *Cell Transplant* 13(1): 45-53.
- Beierlein, W., A. M. Scheule, et al. (2000). "An immediate, allergic skin reaction to aprotinin after reexposure to fibrin sealant." *Transfusion* 40(3): 302-5.
- Beierlein, W., A. M. Scheule, et al. (2000). "Anaphylactic aprotinin reaction." *Ann Thorac Surg* 69(4): 1298.
- Benya, P. D. and J. D. Shaffer (1982). "Dedifferentiated chondrocytes reexpress the differentiated collagen phenotype when cultured in agarose gels." *Cell* 30(1): 215-24.
- Bergel, S. (1909). "Über die Wirkung des Fibrins." *Dtsch Med Wschr* 35: 663-665.
- Berguer, R., R. L. Staerkel, et al. (1991). "Warning: fatal reaction to the use of fibrin glue in deep hepatic wounds. Case reports." *J Trauma* 31(3): 408-11.
- Berruyer, M., J. Amiral, et al. (1993). "Immunization by bovine thrombin used with fibrin glue during cardiovascular operations. Development of thrombin and factor V inhibitors." *J Thorac Cardiovasc Surg* 105(5): 892-7.
- Borges, J., M. C. Mueller, et al. (2003). "Engineered adipose tissue supplied by functional microvessels." *Tissue Eng* 9(6): 1263-70.
- Bosch, T., A. Lennertz, et al. (2000). "Ex vivo biocompatibility of avidin-agarose: a new device for direct adsorption of biotinylated antibodies from human whole blood." *Artif Organs* 24(9): 696-704.
- Bove, J. R. (1978). "Fibrinogen--is the benefit worth the risk?" *Transfusion* 18(2): 129-36.
- Brent, B. (1978). "Reconstruction of traumatic ear deformities." *Clin Plast Surg* 5(3): 437-45.
- Brent, B. (1999). "Technical advances in ear reconstruction with autogenous rib cartilage grafts: personal experience with 1200 cases." *Plast Reconstr Surg* 104(2): 319-34; discussion 335-8.
- Brent, B. and H. S. Byrd (1983). "Secondary ear reconstruction with cartilage grafts covered by axial, random, and free flaps of temporoparietal fascia." *Plast Reconstr Surg* 72(2): 141-52.

- Buchta, C., M. Dettke, et al. (2004). "Fibrin sealant produced by the CryoSeal FS System: product chemistry, material properties and possible preparation in the autologous preoperative setting." *Vox Sang* 86(4): 257-62.
- Bujia, J., S. Alsalameh, et al. (1994). "Humoral immune response against minor collagens type IX and XI in patients with cartilage graft resorption after reconstructive surgery." *Ann Rheum Dis* 53(4): 229-34.
- Bujia, J., M. Sittinger, et al. (1995). "Engineering of cartilage tissue using bioresorbable polymer fleeces and perfusion culture." *Acta Otolaryngol* 115(2): 307-10.
- Butler, S. P., K. van Cott, et al. (1997). "Current progress in the production of recombinant human fibrinogen in the milk of transgenic animals." *Thromb Haemost* 78(1): 537-42.
- Canonico, S. (2003). "The use of human fibrin glue in the surgical operations." *Acta Biomed Ateneo Parmense* 74 Suppl 2: 21-5.
- Cao, Y., A. Rodriguez, et al. (1998). "Comparative study of the use of poly(glycolic acid), calcium alginate and pluronics in the engineering of autologous porcine cartilage." *J Biomater Sci Polym Ed* 9(5): 475-87.
- Carter, C. A., D. G. Jolly, et al. (2003). "Platelet-rich plasma gel promotes differentiation and regeneration during equine wound healing." *Exp Mol Pathol* 74(3): 244-55.
- Casali, B., F. Rodeghiero, et al. (1992). "Fibrin glue from single-donation autologous plasmapheresis." *Transfusion* 32(7): 641-3.
- Chua, K. H., B. S. Aminuddin, et al. (2004). "Human serum provided additional values in growth factors supplemented medium for human chondrocytes monolayer expansion and engineered cartilage construction." *Med J Malaysia* 59 Suppl B: 194-5.
- Dahlstrom, K. K., U. S. Weis-Fogh, et al. (1992). "The use of autologous fibrin adhesive in skin transplantation." *Plast Reconstr Surg* 89(5): 968-72; discussion 973-6.
- David, J. (1999). "Präparation und Testung einer autologen Matrix zur Herstellung von Chondrocytentransplantaten für das Tissue Engineering " Diplomarbeit.
- De Cristofaro, R. and E. Di Cera (1992). "Modulation of thrombin-fibrinogen interaction by specific ion effects." *Biochemistry* 31(1): 257-65.
- de Tulio, S., T. Okamoto, et al. (1992). "Fresh autogenous rib cartilage graft to the malar process of rats with and without removal of the perichondrium: a histological study." *J Nihon Univ Sch Dent* 34(1): 8-15.
- Dickneite, G., H. J. Metzner, et al. (2002). "The importance of factor XIII as a component of fibrin sealants." *J Surg Res* 107(2): 186-95.
- Doolin, E. J., L. F. Strande, et al. (2002). "Engineering a composite neotrachea with surgical adhesives." *J Pediatr Surg* 37(7): 1034-7.
- Dorion, R. P., H. F. Hamati, et al. (1998). "Risk and clinical significance of developing antibodies induced by topical thrombin preparations." *Arch Pathol Lab Med* 122(10): 887-94.
- Dresdale, A., E. A. Rose, et al. (1985). "Preparation of fibrin glue from single-donor fresh-frozen plasma." *Surgery* 97(6): 750-5.
- Duda, G. N., A. Haisch, et al. (2000). "Mechanical quality of tissue engineered cartilage: results after 6 and 12 weeks in vivo." *J Biomed Mater Res* 53(6): 673-7.
- Duda, G. N., A. Kliche, et al. (2004). "Does low-intensity pulsed ultrasound stimulate maturation of tissue-engineered cartilage?" *J Biomed Mater Res B Appl Biomater* 68(1): 21-8.
- Durham, L. H., D. J. Willatt, et al. (1987). "A method for preparation of fibrin glue." *J Laryngol Otol* 101(11): 1182-6.
- Elisseff, J. (2004). "Injectable cartilage tissue engineering." *Expert Opin Biol Ther* 4(12): 1849-59.
- Enzmann, H. (1982). "[Sensitization after local application of fibrin and thrombin]." *Laryngol Rhinol Otol (Stuttg)* 61(6): 302-3.

- EP Conkrite, J. D., EL Lonzer (1944). "Experiences with the use of thrombin with and without soluble cellulose for local hemostasis." *War Med* 5: 80-82.
- Epstein, G. H., R. A. Weisman, et al. (1986). "A new autologous fibrinogen-based adhesive for otologic surgery." *Ann Otol Rhinol Laryngol* 95(1 Pt 1): 40-5.
- Erggelet, C., M. Sittinger, et al. (2003). "The arthroscopic implantation of autologous chondrocytes for the treatment of full-thickness cartilage defects of the knee joint." *Arthroscopy* 19(1): 108-10.
- Fitzsimmons, J. S., A. Sanyal, et al. (2004). "Serum-free media for periosteal chondrogenesis in vitro." *J Orthop Res* 22(4): 716-25.
- Fortier, L. A., P. J. Brofman, et al. (1998). "Disparate chondrocyte metabolism in three-dimensional fibrin cultures derived from autogenous or commercially manufactured fibrinogen." *Am J Vet Res* 59(4): 514-20.
- Fortier, L. A., G. Lust, et al. (1999). "Coordinate upregulation of cartilage matrix synthesis in fibrin cultures supplemented with exogenous insulin-like growth factor-I." *J Orthop Res* 17(4): 467-74.
- Frenkel, S. R., P. B. Saadeh, et al. (2000). "Transforming growth factor beta superfamily members: role in cartilage modeling." *Plast Reconstr Surg* 105(3): 980-90.
- Furtmuller, R., M. G. Schlag, et al. (2002). "Tranexamic acid, a widely used antifibrinolytic agent, causes convulsions by a gamma-aminobutyric acid(A) receptor antagonistic effect." *J Pharmacol Exp Ther* 301(1): 168-73.
- Fussenegger, M., J. Meinhart, et al. (2003). "Stabilized autologous fibrin-chondrocyte constructs for cartilage repair in vivo." *Ann Plast Surg* 51(5): 493-8.
- Galla, T. J., S. V. Vedecnik, et al. (2004). "Fibrin/Schwann cell matrix in poly-epsilon-caprolactone conduits enhances guided nerve regeneration." *Int J Artif Organs* 27(2): 127-36.
- Gammon, R. R., N. Avery, et al. (1998). "Fibrin sealant: an evaluation of methods of production and the role of the blood bank." *J Long Term Eff Med Implants* 8(2): 103-16.
- Gerard, C., C. Catuogno, et al. (2005). "The effect of alginate, hyaluronate and hyaluronate derivatives biomaterials on synthesis of non-articular chondrocyte extracellular matrix." *J Mater Sci Mater Med* 16(6): 541-51.
- Gille J, U. M., A. Müller, A. Martinez-Schramm, E.M. Ehlers, P. Behrens Abstract (2003). "Vergleich der Wirkung verschiedener Fibrinkleber auf die Migration, Differenzierung und Vitalität von Chondrocyten in vitro." DGOOC, Abstract, www.egsm.de.
- Glowacki, J., K. E. Yates, et al. (2005). "In vitro engineering of cartilage: effects of serum substitutes, TGF-beta, and IL-1alpha." *Orthod Craniofac Res* 8(3): 200-8.
- Goessler, U. R., P. Bugert, et al. (2006). "In vitro analysis of differential expression of collagens, integrins, and growth factors in cultured human chondrocytes." *Otolaryngol Head Neck Surg* 134(3): 510-5.
- Grey, E. (1915). "Fibrin as a hemostatic in cerebral surgery." *Surg Gynec Obstet* 21: 452-454.
- Gruber, R., M. Sittinger, et al. (1996). "[In vitro cultivation of human chondrocytes using autologous human serum supplemented culture medium: minimizing possible risk of infection with pathogens of prion diseases]." *Laryngorhinootologie* 75(2): 105-8.
- Haisch, A., A. Groger, et al. (2004). "Creating artificial perichondrium by polymer complex membrane macroencapsulation: immune protection and stabilization of subcutaneously transplanted tissue-engineered cartilage." *Eur Arch Otorhinolaryngol*.
- Haisch, A., A. Groger, et al. (2000). "Macroencapsulation of human cartilage implants: pilot study with polyelectrolyte complex membrane encapsulation." *Biomaterials* 21(15): 1561-6.

- Haisch, A., A. Groger, et al. (2000). "[Protection of autogenous cartilage transplants from resorption using membrane encapsulation]." *Hno* 48(2): 119-24.
- Haisch, A., S. Klaring, et al. (2002). "A tissue-engineering model for the manufacture of auricular-shaped cartilage implants." *Eur Arch Otorhinolaryngol* 259(6): 316-21.
- Haisch, A., O. Schultz, et al. (1996). "[Tissue engineering of human cartilage tissue for reconstructive surgery using biocompatible resorbable fibrin gel and polymer carriers]." *Hno* 44(11): 624-9.
- Haisch, A., F. Wanjura, et al. (2004). "Immunomodulation of tissue-engineered transplants: in vivo bone generation from methylprednisolone-stimulated chondrocytes." *Eur Arch Otorhinolaryngol* 261(4): 216-24.
- Han, B., I. R. Schwab, et al. (2002). "A fibrin-based bioengineered ocular surface with human corneal epithelial stem cells." *Cornea* 21(5): 505-10.
- Hartig, G. K., R. M. Esclamado, et al. (1994). "Comparison of the chondrogenic potential of free and vascularized perichondrium in the airway." *Ann Otol Rhinol Laryngol* 103(1): 9-15.
- Harvey, S. (1916). "The use of fibrin paper and forms in surgery." *Boston Med Surg J* 174: 658-659.
- Hegewald, A. A., J. Ringe, et al. (2004). "Hyaluronic acid and autologous synovial fluid induce chondrogenic differentiation of equine mesenchymal stem cells: a preliminary study." *Tissue Cell* 36(6): 431-8.
- Heystek, J., G. M. Maier-van der Zande, et al. (1975). "Contributions to the optimal use of human blood. VI. Modification of the method to prepare prothrombin complex on a large scale." *Vox Sang* 29(3): 177-83.
- Hino, M., O. Ishiko, et al. (2000). "Transmission of symptomatic parvovirus B19 infection by fibrin sealant used during surgery." *Br J Haematol* 108(1): 194-5.
- Hino, M., R. Yamamura, et al. (1999). "[Human parvovirus B19-induced aplastic crisis in a patient treated with fibrin sealant]." *Rinsho Ketsueki* 40(2): 145-9.
- Homminga, G. N., P. Buma, et al. (1993). "Chondrocyte behavior in fibrin glue in vitro." *Acta Orthop Scand* 64(4): 441-5.
- Hunter, C. J., S. M. Imler, et al. (2002). "Mechanical compression alters gene expression and extracellular matrix synthesis by chondrocytes cultured in collagen I gels." *Biomaterials* 23(4): 1249-59.
- Hunter, C. J. and M. E. Levenston (2002). "The influence of repair tissue maturation on the response to oscillatory compression in a cartilage defect repair model." *Biorheology* 39(1-2): 79-88.
- Hunter, C. J. and M. E. Levenston (2004). "Maturation and integration of tissue-engineered cartilages within an in vitro defect repair model." *Tissue Eng* 10(5-6): 736-46.
- Hutmacher, D. W., J. C. Goh, et al. (2001). "An introduction to biodegradable materials for tissue engineering applications." *Ann Acad Med Singapore* 30(2): 183-91.
- Israels, S. J. and E. D. Israels (1994). "Development of antibodies to bovine and human factor V in two children after exposure to topical bovine thrombin." *Am J Pediatr Hematol Oncol* 16(3): 249-54.
- Israels, S. J. and M. T. Leaker (1997). "Acquired inhibitors to factors V and X after exposure to topical thrombin: interference with monitoring of low molecular weight heparin and warfarin." *J Pediatr* 131(3): 480-3.
- Kamil, S. H., R. D. Eavey, et al. (2004). "Tissue-engineered cartilage as a graft source for laryngotracheal reconstruction: a pig model." *Arch Otolaryngol Head Neck Surg* 130(9): 1048-51.
- Kamil, S. H., K. Kojima, et al. (2003). "In vitro tissue engineering to generate a human-sized auricle and nasal tip." *Laryngoscope* 113(1): 90-4.

- Kamil, S. H., M. P. Vacanti, et al. (2004). "Tissue engineering of a human sized and shaped auricle using a mold." *Laryngoscope* 114(5): 867-70.
- Kao, J. M., R. Rose, et al. (1999). "In vivo biocompatibility evaluation of Cibacron blue-agarose." *J Biomed Mater Res* 47(4): 537-42.
- Kaps, C., C. Bramlage, et al. (2002). "Bone morphogenetic proteins promote cartilage differentiation and protect engineered artificial cartilage from fibroblast invasion and destruction." *Arthritis Rheum* 46(1): 149-62.
- Kaps, C., A. Hoffmann, et al. (2004). "Distinct roles of BMP receptors Type IA and IB in osteo-/chondrogenic differentiation in mesenchymal progenitors (C3H10T1/2)." *Biofactors* 20(2): 71-84.
- Kaps, C., A. Loch, et al. (2002). "Human platelet supernatant promotes proliferation but not differentiation of articular chondrocytes." *Med Biol Eng Comput* 40(4): 485-90.
- Karp, J. M., F. Sarraf, et al. (2004). "Fibrin-filled scaffolds for bone-tissue engineering: An in vivo study." *J Biomed Mater Res A* 71(1): 162-71.
- Katzke, D., A. Pusalkar, et al. (1983). "The effects of fibrin tissue adhesive on the middle ear." *J Laryngol Otol* 97(2): 141-7.
- Kawamura, M., M. Sawafuji, et al. (2002). "Frequency of transmission of human parvovirus B19 infection by fibrin sealant used during thoracic surgery." *Ann Thorac Surg* 73(4): 1098-100.
- Kershen, R. T., S. D. Fefer, et al. (2000). "Tissue-engineered therapies for the treatment of urinary incontinence and vesicoureteral reflux." *World J Urol* 18(1): 51-5.
- Kheirabadi, B. S., R. Pearson, et al. (2002). "Comparative study of the hemostatic efficacy of a new human fibrin sealant: is an antifibrinolytic agent necessary?" *J Trauma* 52(6): 1107-15.
- Kim, B. S., S. P. Yoo, et al. (2004). "Tissue engineering of cartilage with chondrocytes cultured in a chemically-defined, serum-free medium." *Biotechnol Lett* 26(9): 709-12.
- Kjaergard, H. K., P. Axelsen, et al. (1995). "Repair of experimental atrial rupture with fibrin glue." *Injury* 26(3): 147-9.
- Kjaergard, H. K. and H. R. Trumbull (1998). "Vivostat system autologous fibrin sealant: preliminary study in elective coronary bypass grafting." *Ann Thorac Surg* 66(2): 482-6.
- Kjaergard, H. K., U. S. Weis-Fogh, et al. (1992). "Autologous fibrin glue--preparation and clinical use in thoracic surgery." *Eur J Cardiothorac Surg* 6(1): 52-4; discussion 54.
- Kjaergard, H. K., U. S. Weis-Fogh, et al. (1993). "Preparation of autologous fibrin glue from pericardial blood." *Ann Thorac Surg* 55(2): 543-4.
- Kobus, K., M. Szczyt, et al. (2002). "Reconstruction of the auricle." *Br J Plast Surg* 55(8): 645-51.
- Komatsu, F. and S. Yoshida (2001). "Large volume apheresis of autologous plasma and preparation of autologous fibrin glue from the plasma." *Ther Apher* 5(1): 12-6.
- Kopp, J., M. G. Jeschke, et al. (2004). "Applied tissue engineering in the closure of severe burns and chronic wounds using cultured human autologous keratinocytes in a natural fibrin matrix." *Cell Tissue Bank* 5(2): 89-96.
- Krishnan, L. K., A. Vijayan Lal, et al. (2003). "Fibrinolysis inhibitors adversely affect remodeling of tissues sealed with fibrin glue." *Biomaterials* 24(2): 321-7.
- Krzizok, T. (2004). "[Fibrin glue for closing conjunctival wounds in ophthalmic surgery]." *Ophthalmologie* 101(10): 1006-10.
- Lahiji, A., A. Sohrabi, et al. (2000). "Chitosan supports the expression of extracellular matrix proteins in human osteoblasts and chondrocytes." *J Biomed Mater Res* 51(4): 586-95.
- Laitakari, K. and J. Luotonen (1989). "Autologous and homologous fibrinogen sealants: adhesive strength." *Laryngoscope* 99(9): 974-6.

- Lawson, J. H., B. J. Pennell, et al. (1990). "Isolation and characterization of an acquired antithrombin antibody." *Blood* 76(11): 2249-57.
- Lee, A. C., V. M. Yu, et al. (2003). "Controlled release of nerve growth factor enhances sciatic nerve regeneration." *Exp Neurol* 184(1): 295-303.
- Lee, I. W., J. P. Vacanti, et al. (2000). "The living shunt: a tissue engineering approach in the treatment of hydrocephalus." *Neurol Res* 22(1): 105-10.
- Maloney, J. P., C. C. Silliman, et al. (1998). "In vitro release of vascular endothelial growth factor during platelet aggregation." *Am J Physiol* 275(3 Pt 2): H1054-61.
- Mandl, E. W., H. Jahr, et al. (2004). "Fibroblast growth factor-2 in serum-free medium is a potent mitogen and reduces dedifferentiation of human ear chondrocytes in monolayer culture." *Matrix Biol* 23(4): 231-41.
- Marijnissen, W. J., G. J. van Osch, et al. (2002). "Alginate as a chondrocyte-delivery substance in combination with a non-woven scaffold for cartilage tissue engineering." *Biomaterials* 23(6): 1511-7.
- Marlovits, S., B. Tichy, et al. (2003). "Chondrogenesis of aged human articular cartilage in a scaffold-free bioreactor." *Tissue Eng* 9(6): 1215-26.
- Martineau, I., E. Lacoste, et al. (2004). "Effects of calcium and thrombin on growth factor release from platelet concentrates: kinetics and regulation of endothelial cell proliferation." *Biomaterials* 25(18): 4489-502.
- Marx, R. E., E. R. Carlson, et al. (1998). "Platelet-rich plasma: Growth factor enhancement for bone grafts." *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85(6): 638-46.
- Matras, H., H. P. Dinges, et al. (1972). "[Suture-free interfascicular nerve transplantation in animal experiments]." *Wien Med Wochenschr* 122(37): 517-23.
- Mauck, R. L., S. L. Seyhan, et al. (2002). "Influence of seeding density and dynamic deformational loading on the developing structure/function relationships of chondrocyte-seeded agarose hydrogels." *Ann Biomed Eng* 30(8): 1046-56.
- Meinhart, J., M. Fussenegger, et al. (1999). "Stabilization of fibrin-chondrocyte constructs for cartilage reconstruction." *Ann Plast Surg* 42(6): 673-8.
- Mintz, P. D., L. Mayers, et al. (2001). "Fibrin sealant: clinical use and the development of the University of Virginia Tissue Adhesive Center." *Ann Clin Lab Sci* 31(1): 108-18.
- Mol, A., M. I. van Lieshout, et al. (2005). "Fibrin as a cell carrier in cardiovascular tissue engineering applications." *Biomaterials* 26(16): 3113-21.
- Moriya, K., H. Kakizaki, et al. (2003). "Creation of luminal tissue covered with urothelium by implantation of cultured urothelial cells into the peritoneal cavity." *J Urol* 170(6 Pt 1): 2480-5.
- Muntean, W., W. Zenz, et al. (1997). "Severe bleeding due to factor V inhibitor after repeated operations using fibrin sealant containing bovine thrombin." *Thromb Haemost* 77(6): 1223.
- Nagata, S. (1994). "Modification of the stages in total reconstruction of the auricle: Part I. Grafting the three-dimensional costal cartilage framework for lobule-type microtia." *Plast Reconstr Surg* 93(2): 221-30; discussion 267-8.
- Nagata, S. (1994). "Secondary reconstruction for unfavorable microtia results utilizing temporoparietal and innominate fascia flaps." *Plast Reconstr Surg* 94(2): 254-65; discussion 266-7.
- Nagata, S. (1995). "Total auricular reconstruction with a three-dimensional costal cartilage framework." *Ann Chir Plast Esthet* 40(4): 371-99; discussion 400-3.
- Neovius, E. B. and G. Kratz (2003). "Tissue engineering by cocultivating human elastic chondrocytes and keratinocytes." *Tissue Eng* 9(2): 365-9.
- Nixon, A. J., A. E. Sams, et al. (1993). "Temporal matrix synthesis and histologic features of a chondrocyte-laden porous collagen cartilage analogue." *Am J Vet Res* 54(2): 349-56.

- Orsel, I., A. Guillaume, et al. (1997). "[Anaphylactic shock caused by fibrin glue]." *Ann Fr Anesth Reanim* 16(3): 292-3.
- Ortel, T. L., M. C. Mercer, et al. (2001). "Immunologic impact and clinical outcomes after surgical exposure to bovine thrombin." *Ann Surg* 233(1): 88-96.
- Oswald, A. M., L. M. Joly, et al. (2003). "Fatal intraoperative anaphylaxis related to aprotinin after local application of fibrin glue." *Anesthesiology* 99(3): 762-3.
- Oz, M. C., V. Jeevanandam, et al. (1992). "Autologous fibrin glue from intraoperatively collected platelet-rich plasma." *Ann Thorac Surg* 53(3): 530-1.
- Pacifici, L., F. Casella, et al. (2002). "[Platelet rich plasma (PRP): potentialities and techniques of extraction]." *Minerva Stomatol* 51(7-8): 341-50.
- Park, J. J., K. H. Siedentop, et al. (1997). "Comparison of the bonding power of various autologous fibrin tissue adhesives." *Am J Otol* 18(5): 655-9.
- Park, M. S. and C. I. Cha (1993). "Biochemical aspects of autologous fibrin glue derived from ammonium sulfate precipitation." *Laryngoscope* 103(2): 193-6.
- Passaretti, D., R. P. Silverman, et al. (2001). "Cultured chondrocytes produce injectable tissue-engineered cartilage in hydrogel polymer." *Tissue Eng* 7(6): 805-15.
- Perka, C., R. S. Spitzer, et al. (2000). "Matrix-mixed culture: new methodology for chondrocyte culture and preparation of cartilage transplants." *J Biomed Mater Res* 49(3): 305-11.
- Peterson, L., T. Minas, et al. (2000). "Two- to 9-year outcome after autologous chondrocyte transplantation of the knee." *Clin Orthop*(374): 212-34.
- Pipan, C. M., W. P. Glasheen, et al. (1992). "Effects of antifibrinolytic agents on the life span of fibrin sealant." *J Surg Res* 53(4): 402-7.
- Pirsig, W., J. K. Bean, et al. (1995). "Cartilage transformation in a composite graft of demineralized bovine bone matrix and ear perichondrium used in a child for the reconstruction of the nasal septum." *Int J Pediatr Otorhinolaryngol* 32(2): 171-81.
- Quigley, R. L., J. A. Perkins, et al. (1993). "Intraoperative procurement of autologous fibrin glue." *Ann Thorac Surg* 56(2): 387-9.
- Radosevich, M., H. I. Goubran, et al. (1997). "Fibrin sealant: scientific rationale, production methods, properties, and current clinical use." *Vox Sang* 72(3): 133-43.
- Rettinger, G. (1992). "[Autogenous and allogeneic cartilage transplants in head and neck surgery (excluding middle ear and trachea)]." *Eur Arch Otorhinolaryngol Suppl* 1: 127-62.
- Richardson, J. B., B. Caterson, et al. (1999). "Repair of human articular cartilage after implantation of autologous chondrocytes." *J Bone Joint Surg Br* 81(6): 1064-8.
- Rodriguez, A., Y. L. Cao, et al. (1999). "Characteristics of cartilage engineered from human pediatric auricular cartilage." *Plast Reconstr Surg* 103(4): 1111-9.
- Romo, T., 3rd, M. S. Fozo, et al. (2000). "Microtia reconstruction using a porous polyethylene framework." *Facial Plast Surg* 16(1): 15-22.
- Rotter, N., J. Aigner, et al. (1998). "Cartilage reconstruction in head and neck surgery: comparison of resorbable polymer scaffolds for tissue engineering of human septal cartilage." *J Biomed Mater Res* 42(3): 347-56.
- Rotter, N., L. J. Bonassar, et al. (2001). "Age dependence of cellular properties of human septal cartilage: implications for tissue engineering." *Arch Otolaryngol Head Neck Surg* 127(10): 1248-52.
- Roy, R., S. S. Kohles, et al. (2004). "Analysis of bending behavior of native and engineered auricular and costal cartilage." *J Biomed Mater Res A* 68(4): 597-602.
- Saadeh, P. B., B. Brent, et al. (1999). "Human cartilage engineering: chondrocyte extraction, proliferation, and characterization for construct development." *Ann Plast Surg* 42(5): 509-13.

- Saim, A. B., Y. Cao, et al. (2000). "Engineering autogenous cartilage in the shape of a helix using an injectable hydrogel scaffold." *Laryngoscope* 110(10 Pt 1): 1694-7.
- Scheule, A. M., W. Beierlein, et al. (1998). "Repeated anaphylactic reactions to aprotinin in fibrin sealant." *Gastrointest Endosc* 48(1): 83-5.
- Scheule, A. M., W. Beierlein, et al. (1998). "Fibrin sealant, aprotinin, and immune response in children undergoing operations for congenital heart disease." *J Thorac Cardiovasc Surg* 115(4): 883-9.
- Scheule, A. M., W. Beierlein, et al. (1999). "Aprotinin in fibrin tissue adhesives induces specific antibody response and increases antibody response of high-dose intravenous application." *J Thorac Cardiovasc Surg* 118(2): 348-53.
- Schlag, G. and J. Seifert (1998). "Fibrin sealant, aprotinin, and immune response in children undergoing operations for congenital heart disease." *J Thorac Cardiovasc Surg* 116(6): 1082-3.
- Schlag, M. G., R. Hopf, et al. (2002). "Epileptic seizures following cortical application of fibrin sealants containing tranexamic acid in rats." *Acta Neurochir (Wien)* 144(1): 63-9.
- Schoeller, T., S. Lille, et al. (2001). "Bladder reconstruction using a prevascularized capsular tissue seeded with urothelial cells." *J Urol* 165(3): 980-5.
- Schulze-Tanzil, G., P. de Souza, et al. (2002). "Redifferentiation of dedifferentiated human chondrocytes in high-density cultures." *Cell Tissue Res* 308(3): 371-9.
- Shieh, S. J., S. Terada, et al. (2004). "Tissue engineering auricular reconstruction: in vitro and in vivo studies." *Biomaterials* 25(9): 1545-57.
- Siedentop, K. H., D. M. Harris, et al. (1986). "Extended experimental and preliminary surgical findings with autologous fibrin tissue adhesive made from patients own blood." *Laryngoscope* 96(10): 1062-4.
- Sierra, D. H. (1993). "Fibrin sealant adhesive systems: a review of their chemistry, material properties and clinical applications." *J Biomater Appl* 7(4): 309-52.
- Silver, F. H., M. C. Wang, et al. (1995). "Preparation of fibrin glue: a study of chemical and physical methods." *J Appl Biomater* 6(3): 175-83.
- Silverman, R. P., D. Passaretti, et al. (1999). "Injectable tissue-engineered cartilage using a fibrin glue polymer." *Plast Reconstr Surg* 103(7): 1809-18.
- Sims, C. D., P. E. Butler, et al. (1998). "Tissue engineered neocartilage using plasma derived polymer substrates and chondrocytes." *Plast Reconstr Surg* 101(6): 1580-5.
- Sittinger, M., J. Braunling, et al. (1997). "[Proliferative potential of nasal septum chondrocytes for in vitro culture of cartilage transplants]." *Laryngorhinootologie* 76(2): 96-100.
- Sittinger, M., J. Bujia, et al. (1996). "Tissue engineering and autologous transplant formation: practical approaches with resorbable biomaterials and new cell culture techniques." *Biomaterials* 17(3): 237-42.
- Sittinger, M., C. Perka, et al. (1999). "Joint cartilage regeneration by tissue engineering." *Z Rheumatol* 58(3): 130-5.
- Sittinger, M., O. Schultz, et al. (1997). "Artificial tissues in perfusion culture." *Int J Artif Organs* 20(1): 57-62.
- Spero, J. A. (1993). "Bovine thrombin-induced inhibitor of factor V and bleeding risk in postoperative neurosurgical patients. Report of three cases." *J Neurosurg* 78(5): 817-20.
- Spotnitz, W. D., P. D. Mintz, et al. (1987). "Fibrin glue from stored human plasma. An inexpensive and efficient method for local blood bank preparation." *Am Surg* 53(8): 460-2.
- Stemmerger, A. A., Jürgen; Bader, Frank, Calazis, Andreas (1998). *Characterisation of Biomaterials for Tissue Repair*. Heidelberg, Springer.

- Sun, T., M. L. Chan, et al. (2004). "Improving mechanical stability and density distribution of hepatocyte microcapsules by fibrin clot and gold nano-particles." *J Biotechnol* 111(2): 169-77.
- Takakura, H., H. Kurosawa, et al. (1994). "[Autologous fibrin glue from concentrated platelet rich plasma: intraoperative plasma sequestration using autotransfusion device]." *Rinsho Kyobu Geka* 14(3): 221-3.
- Tanaka, K., K. Miyano, et al. (1990). *Process for heat treating thrombin*. United States, Green Cross Corporation (Osaka, JP).
- Tanzer, R. C. (1978). "Microtia--a long-term follow-up of 44 reconstructed auricles." *Plast Reconstr Surg* 61(2): 161-6.
- Tay, A. G., J. Farhadi, et al. (2004). "Cell yield, proliferation, and postexpansion differentiation capacity of human ear, nasal, and rib chondrocytes." *Tissue Eng* 10(5-6): 762-70.
- ten Koppel, P. G., G. J. van Osch, et al. (2001). "A new in vivo model for testing cartilage grafts and biomaterials: the 'rabbit pinna punch-hole' model." *Biomaterials* 22(11): 1407-14.
- Ting, V., C. D. Sims, et al. (1998). "In vitro prefabrication of human cartilage shapes using fibrin glue and human chondrocytes." *Ann Plast Surg* 40(4): 413-20; discussion 420-1.
- Tournoux, F., D. Karila-Cohen, et al. (2004). "[Neutropenia and fever after aorto-coronary bypasses]." *Ann Chir* 129(3): 174-6.
- van Osch, G. J., E. W. Mandl, et al. (2002). "Growth factors in cartilage tissue engineering." *Biorheology* 39(1-2): 215-20.
- van Osch, G. J., S. W. van der Veen, et al. (1998). "Effect of transforming growth factor-beta on proteoglycan synthesis by chondrocytes in relation to differentiation stage and the presence of pericellular matrix." *Matrix Biol* 17(6): 413-24.
- van Susante, J. L., P. Buma, et al. (1995). "Culture of chondrocytes in alginate and collagen carrier gels." *Acta Orthop Scand* 66(6): 549-56.
- Walgenbach, K. J., M. Voigt, et al. (2001). "Tissue engineering in plastic reconstructive surgery." *Anat Rec* 263(4): 372-8.
- Wanjura, F. (2002). "Immunomodulation autologer Tissue-Engineering-Transplantate in vivo." *Dissertationsschrift*.
- Weerda, H. (1979). "[Reconstruction tracheal surgery]." *ZFA (Stuttgart)* 55(1): 16-20.
- Weerda, H. (2003). "[Reconstruction of the ear or ear region in skin avulsion or burns]." *Laryngorhinootologie* 82(4): 302-4.
- Weerda, H. (2003). "[Reconstruction of the external ear after total amputation]." *Laryngorhinootologie* 82(4): 300-02.
- Weerda, H. and K. Schumann (1980). "[Experiences with surgery of the trachea. An analysis of 135 cases (author's transl)]." *Hno* 28(9): 291-300.
- Weiser, L., M. Bhargava, et al. (1999). "Effect of serum and platelet-derived growth factor on chondrocytes grown in collagen gels." *Tissue Eng* 5(6): 533-44.
- Weisman, R. A., A. J. Torsiglieri, et al. (1987). "Biochemical characterization of autologous fibrinogen adhesive." *Laryngoscope* 97(10): 1186-90.
- Westreich, R., M. Kaufman, et al. (2004). "Validating the subcutaneous model of injectable autologous cartilage using a fibrin glue scaffold." *Laryngoscope* 114(12): 2154-60.
- Williams, J. D., T. Romo, 3rd, et al. (1997). "Porous high-density polyethylene implants in auricular reconstruction." *Arch Otolaryngol Head Neck Surg* 123(6): 578-83.
- Xu, J. W., V. Zaporozhan, et al. (2004). "Injectable tissue-engineered cartilage with different chondrocyte sources." *Plast Reconstr Surg* 113(5): 1361-71.
- Yasui, N., S. Osawa, et al. (1982). "Primary culture of chondrocytes embedded in collagen gels." *Exp Cell Biol* 50(2): 92-100.
- Young, J. Z. and P. B. Medawar (1940). "Fibrin suture of peripheral nerves." *Lancet* 2: 126.

Zehnder, J. L. and L. L. Leung (1990). "Development of antibodies to thrombin and factor V with recurrent bleeding in a patient exposed to topical bovine thrombin." *Blood* 76(10): 2011-6.