

9 Literaturverzeichnis

ADEOYA-OSIGUWA SA, FRASER LR (1993): A biphasic pattern of $^{45}\text{Ca}^{2+}$ -uptake by mouse spermatozoa in vitro correlates with changing functional potential. J Reprod Fertil 99: 187-194

AGUAS AP, PINTO DA SILVA (1985): The acrosomal membrane of boar sperm: a Golgi-derived membrane poor in glycoconjugates. J Cell Biol 100: 528-534

ALTHOUSE GC, BRUNS KA, EVANS LE, HOPKINS SM, HSU WH (1995): A simple technique for the purification of plasma membranes from ejaculated boar spermatozoa. Prep Biochem 25: 69-80

ARNOULT C, ZENG Y, FLORMAN HM (1996 a): ZP3-dependent activation of sperm cation channels regulates acrosomal secretion during mammalian fertilization. J Cell Biol 134: 637-645

ARNOULT C, CARDULLO RA, LEMOS JR, FLORMAN HM (1996 b): Activation of mouse sperm T-type Ca^{2+} channels by adhesion to the egg zona pellucida. Proc Natl Acad Sci USA 93: 13004-13009

ARNOULT C, KAZAM IG, VISCONTI PE, KOPF GS, VILLAZ M, FLORMAN HM (1999): Control of the low voltage-activated calcium channel of mouse sperm by egg ZP 3 and by membrane hyperpolarization during capacitation.

Proc Natl Acad Sci USA 12: 6757-6762

AUSTIN CR (1951): Observations on the penetration of sperm into the mammalian egg. Aust J Sci Res B4: 581-596

AUSTIN CR (1952): The capacitation of mammalian sperm. Nature 17: 326

BABA T, AZUMA S, KASHIWABARA S und TOYODA Y (1994): Sperm from mice carrying targeted mutation of the acrosine gene can penetrate the oocyte zona pellucida and effect fertilization. J Biol Chem 269: 31845-31849

BALDWIN JM (1993): The probable arrangement of the helices in G-protein-coupled receptors. EMBO J 12: 1693-1703

BEDFORD JM (1964): Fine structure of the sperm head in ejaculate and uterine spermatozoa of the rabbit. J Reprod Fertil 7: 221-228

BEDFORD JM (1970): Sperm capacitation and fertilization in mammals. Biol Reprod 2 (suppl): 128-158

BEDFORD JM (1983): Significance of the need for sperm capacitation before fertilization in eutherian mammals. Biol Reprod 28: 108-120

BENTLEY JK, GARBERS DL, DOMINO SE, NOLAND TD, VAN DOP C (1986): Spermatozoa contain a guanine nucleotide-binding protein ADP-ribosylated by pertussis toxin. Biochem Biophys Res Commun 138: 728-724

BIELFELD P, FARIDI A, ZANEVELD LJ, DE JONGE CJ (1994): The zona pellucida-induced acrosome reaction of human spermatozoa is mediated by protein kinases. *Fertil Steril* 61: 536-541

BIRNBAUMER L, ABRAMOWITZ J, BROWN AM (1990): Receptor-effector coupling by G proteins. *Biochim Biophys Acta* 1031: 163-224

BIRNBAUMER L, PERES-REYES E, BERTRAND P, GUDERMANN T, WEI X, KIM H, CASTELLANO A, CODINA J (1991): Molecular diversity and function of G-proteins and calcium channels. *Biol Reprod* 44: 207-224

BIRNBAUMER L (1992): Receptor-to-effector signalling through G proteins: roles for $\beta\gamma$ dimers as well as α subunits. *Cell* 71: 1069-1072

BLACKMORE PF, BEEBE SJ, DANFORTH DR, ALEXANDER N (1990): Progesterone and 17 alpha-hydroxyprogesterone. Novel stimulators of calcium influx in human sperm. *J Biol Chem* 265: 1376-1380

BLACKMORE PF, NEULEN J, LATTANZIO F, BEEBE SJ (1991): Cell surface-binding sites for progesterone mediate calcium uptake by human sperm. *J Biol Chem* 266: 18655-18659

BLACKMORE PF, FISHER JF, SPILMAN CH, BLEASDALE JE (1996): Unusual steroid specificity of the cell surface progesterone receptor on human sperm. *Mol Pharmacol* 49: 727-739

BLEIL JD und WASSARMAN PM (1980 a): Mammalian sperm-egg interaction: identification of a glycoprotein in mouse egg zona pellucida possessing receptor activity for sperm. *Cell* 20: 873-882

BLEIL JD, WASSARMANN PM (1980 b): Structure and function of the zona pellucida: identification and characterization of the proteins of the mouse oocyte's zona pellucida. *Dev Biol* 76: 185-202

BLEIL JD, WASSARMAN PM (1983): Sperm-egg interactions in the mouse: sequence of events and induction of the acrosome reaction by a zona pellucida glycoprotein. *Dev Biol* 95: 317-324

BLEIL JD, WASSARMAN PM (1986): Autoradiographic visualization of the mouse egg's sperm receptor bound to sperm. *J Cell Biol* 102: 1363-1371

BLEIL JD, GREVE JM, WASSARMAN PM (1988): Identification of a secondary sperm receptor in the mouse egg zona pellucida: role in maintenance of binding of acrosome reacted sperm to eggs. *Dev Biol* 128: 376-385

BLEIL JD, WASSARMAN PM (1990): Identification of a ZP3-binding protein on acrosome-intact mouse sperm by photoaffinity crosslinking. *Proc Natl Acad Sci USA* 87: 5563-5567

BLOTTNER S (1989): Kapazitation und Akrosomenreaktion von Säugetierspermien und ihr Nachweis als befruchtungsbiologische Funktionsprüfung. Biol Zent Bl 108: 41-62

BOOKBINDER LH, CHENG A, BLEIL JD (1995): Tissue- and species -specific expression of sp56. a mouse sperm fertilization protein. Science 269: 86-88

BRANDELLI A, MIRANDA PV, TEZON JG (1996): Voltage-dependent calcium channels and G_i regulatory protein mediate the sperm acrosomal exocytosis induced by N-acetylglicosaminyl/mannosyl neoglycoproteins. J Androl 17 : 522-529

BRASS LF, MANNING DR, SHATTIL DR (1990): GTP-binding proteins and platelet activation. Progr Hemostasis Thromb 10: 127-174

BREITBART H, LAX J, ROTEM R, NAOR Z (1992): Role of protein kinase C in the acrosome reaction of mammalian spermatozoa. Biochem J 281: 473-476

BURKS DJ, CARBALLADA R, MOORE HDM, SALING PM (1995): Interaction of a tyrosine kinase from human sperm with the zona pellucida at fertilization. Science 269: 83-86

CARDULLO RA, FLORMAN HM (1993): Strategies and methods for evaluating the acrosome reaction . Methods Enzymol 225: 136-153

CHANG MC (1951): Fertilization capacity of spermatozoa deposited into the fallopian tubes. Nature 168: 697-698

CHANG MC (1957): A detrimental effect of seminal plasma on the fertilizing capacity of sperm. Nature 179: 258-259

CHANG MC (1958): Capacitation of rabbit spermatozoa in the uterus with special reference to the reproduction phases of the female. Endocrinology 63: 619-628

CHENG A, LE T, PALACIOS M, BOOKBINDER LH, WASSARMAN PM, SUZUKI F, BLEIL JD (1994): Sperm-egg recognition in the mouse : characterization of sp56, a sperm protein having specific affinity for ZP3. J Cell Biol 125: 867-878

CHENG FP, FAZELI AR, VOORHOUT WF, TREMOLEDA JL, BEVERS MM, COLENBRANDER B (1998): Progesterone in mare follicular fluid induces the acrosome reaction in stallion spermatozoa and enhances in vitro binding to the zona pellucida. Int J Androl 21: 57-66

CHO C, BUNCH DO, FAURE JE, GOULDING EH, EDDY EM, PRIMAKOFF P, MYLES DG (1998): Fertilization defects in sperm from mice lacking fertilin beta. Science 281: 1857-1859

CLAPHAM DE, NEER EJ (1993): New roles for G-protein βγ-dimers in transmembrane signalling. Nature 365: 403-406

COHEN-DAYAG A, TUR-KASPA I, DOR J, MASHIACH S, EISENBACH M. (1995) : Sperm capacitation in humans is transient and correlates with chemotactic responsiveness to follicular factors. Proc Natl Acad Sci USA 92: 11039-11043

CROSS NL, MORALES P, OVERSTREET JW, HANSON FW (1986): Two simple methods for detecting human sperm acrosome reactions. Gamete Res 15: 213-226

DIDION BA, GRAVES CN (1986): In vitro capacitation and acrosome reaction of bovine sperm in estrus and diestrus cows. J Anim Sci 62: 1029-1037

DRAGILEVA E, RUBINSTEIN S, BREITBART H (1999): Intracellular Ca^{2+} - Mg^{2+} -ATPase regulates calcium influx and acrosomal exocytosis in bull and ram spermatozoa. Biol Reprod 61: 1226-1234

DUNBAR BS, DUDKIEWICZ AB, BUNDMAN DS. (1985): Proteolysis of specific zona pellucida glycoproteins by boar acrosin. Biol Reprod 32: 619-630

EDDY EM, O'BRIEN DA (1994): The spermatozoon. In The Physiology Of Reproduction, second edition, KNOBIL E und NEILL JD. eds (New York: Raven Press), 29-78

EHRENWALD E, PARKS JE, FOOTE RH (1988): Cholesterol efflux from bovine sperm I: Induction of the acrosome reaction with lysophosphatidylcholine after reducing sperm cholesterol.

Gamete Res 20: 145-157

EHRENWALD E, FOOTE RH, PARKS JE (1990): Bovine oviductal fluid components and their potential role in sperm cholesterol efflux. Mol Reprod Dev 25: 195-204

ENDO Y, LEE MA, KOPF GS (1987): Evidence for the role of a guanine nucleotide-binding regulatory protein in the zona pellucida-induced mouse sperm acrosome reaction. Dev Biol 119: 210-216

ENDO Y, LEE MA, KOPF GS (1988): Characterization of an islet-activating protein-sensitive site in mouse sperm that is involved in the zona pellucida-induced acrosome reaction. Dev Biol 129: 12-24

EVANS JP, SCHULTZ RM, KOPF GS (1998) : Roles of the disintegrin domains of mouse fertilins alpha and beta in fertilization. Biol Reprod 59: 145-152

EXTON JH (1994): Phosphoinositide phospholipases and G-proteins in hormone action. Annu Rev Physiol 56: 349-369

FAWCETT DW (1970): A comparative overview of sperm ultrastructure. Biol Reprod 2: 90-127

FAYRER-HOSKEN RA, CAUDLE AB, SHUR BD (1991): Galactosyltransferase activity is restricted to the plasma membranes of equine and bovine sperm. Mol Reprod Dev 28: 74-78

FAZELI A, HAGE WJ, CHENG FP, VOORHOUT WF, MARKS A, BEVERS MA, COLENBRANDER B (1997): Acrosome-intact boar spermatozoa initiate binding to the homologous zona pellucida in vitro. *Biol Reprod* 56: 430-438

FLORMAN HM, BECHTOLD KB, WASSARMAN PM (1984): Enzymatic dissection of the functions of the mouse egg's receptor for sperm. *Dev Biol* 106: 243-255

FLORMAN HM, WASSARMAN PM (1985): O-linked oligosaccharides of mouse egg ZP3 account for its sperm receptor activity. *Cell* 41: 313-324

FLORMAN HM, TOMBES RM, FIRST NL, BABCOCK DF (1989) : An adhesion-associated agonist from the zona pellucida activates G protein-promoted elevations of internal Ca^{2+} an pH that mediate mammalian sperm acrosomal exocytosis. *Dev Biol* 135: 133-146

FLORMAN HM (1994): Sequential focal and global elevations of sperm intracellular Ca^{2+} are initiated by the zona pellucida during acrosomal exocytosis. *Dev Biol* 165: 152-164

FLORMAN HM, ARNOULT C, KAZAM IG, LI C, O'TOOLE CMB (1998): A perspective on the control of mammalian fertilization by egg-activated ion channels: a tale of two channels. *Biol Reprod* 59: 12-16

FOCK-NÜZEL R, LOTTSPEICH F, HENSCHEN A, MÜLLER-ESTERL W (1984): Boar acrosin is a two chain molecule. Isolation and primary structure of the light chain, homology of the pro-part of other serine proteinases. *Europ J Biochem* 141: 441-446

FOLTZ KR, PARTIN JS, LENNARZ WJ (1993): Sea urchin receptor for sperm: sequence similarity of binding domain and hsp 70. *Science* 259: 1403-1404

FORESTA C, MIONI R, ROSSATO M, VAROTTO A, ZORZI M (1991): Evidence for the involvement of sperm angiotensin converting enzyme in fertilization. *Int J Androl* 14: 333-339

FRANKEN DR, MORALES PJ, HABENICHT UF (1996): Inhibition of G protein in human sperm and its influence on acrosome reaction and zona pellucida binding. *Fertil Steril* 66: 1009-1011

FREIISMUTH M, CASEY PJ, GILMAN AG (1989):G proteins control diverse pathways of membrane signalling. *FASEB J* 3: 2125-2131

GAO Z und GARBERS DL (1998): Species diversitiy in the structure of zonadhesin, a sperm-specific membrane protein containing miltiple cell adhesion molecule-like domains. *J Biol Chem* 273: 3415-3421

GARBERS DL, KOPF GS (1980): The regulation of spermatozoa by calcium and cyclic nucleotides. *Adv Cyclic Nucl Res* 13: 251-306

GARBI M, RUBINSTEIN S, LAX Y, BREITBART H (2000): Activation of protein kinase calpha in the lysophosphatidic acid-induced acrosome reaction and phospholipase D1 regulation. *Biol Reprod* 63: 1271-1277

GARTY NB, GALIANI D, AHARONHEIM A, HO YK, PHILLIPS DM, DEKEL N, SALOMON Y (1988): G-proteins in mammalian spermatozoa: an immunocytochemical study. *J Cell Sci* 91: 21-31

GILLES M, SEVERIN U, GLATZEL P (1999a): The zona pellucida binding assay (ZPBA) as a tool for the evaluation of successful in-vitro fertilization (IVF) ? *Reprod Dom Anim* 34: 33

GILLES M, ALI A, LANGE A, GLATZEL P (1999b): Functional capacity of bovine zona pellucida after different oocyte deep freezing methods. *Reprod Dom Anim* 34: 25

GILLES M, SEVERIN U, SCHAEFER M, GLATZEL P (2001): Biotesting of spermatozoa function for the use in *in-vitro* systems. *Arch Tierz* 44: 118-120

GILMAN AG (1984): G Proteins and dual control of adenylate cylase. *Cell* 36: 577-599

GONG X, DUBOIS DH, MILLER DJ, SHUR BD (1995) : Activation of a G protein complex by aggregation of β -1,4-galactosyltransferase on the surface of sperm. *Science* 269: 1718-1721

GREEN DP (1997): Three dimensional structure of the zona pellucida. *Rev Reprod* 2: 147-156

GREVE JM, SALZMAN GS, ROLLER RJ, WASSARMAN PM (1982) : Biosynthesis of the major zona pellucida glycoprotein secreted by oocytes during mammalian oogenesis. *Cell* 31: 749-759

GREVE JM, WASSARMAN PM (1985): Mouse egg extracellular coat is a matrix of interconnected filaments possessing a structural repeat. *J Mol Biol* 181: 253-264

GUR Y, BREITBART H, LAX Y, RUBINSTEIN S, ZAMIR N (1998): Angiotensin II induces acrosomal exocytosis in bovine spermatozoa. *Am J Physiol* 275: E87-E93

HAGELÜKEN A, NÜRNBERG B, HARHAMMER R (1995): The class III antiarrhythmic drug amiodarone directly activates pertussis toxin-sensitive G proteins. *Mol Pharmacol* 47: 234-240

HARDY DM, GARBERS DL (1994): Species-specific binding of sperm proteins to the extracellular matrix (zona pellucida) of the egg. *J Biol Chem* 269: 19000-19004

HARDY DM, GARBERS DL (1995): A sperm membrane protein that binds in a species- specific manner to the egg extracellular matrix is homologous to von Willebrand Factor. *J Biol Chem* 270: 26025-26028

HARRISON RAP (1983): The acrosome, its hydrolase and egg penetration.
In NIJHOFF M (Hrsg.) *The Sperm Cell*. J Andr. 259-274

HIGASHIJIMA T, UZU S, NAKAJIMA T, ROSS EM (1988): Mastoparan, a peptide from wasp venom, mimics receptors by activating GTP-binding regulatory proteins (G proteins). *J Biol Chem* 263: 6491-6494S

HIGASHIJIMA T, BURNIER J, ROSS EM (1990): Regulation of Gi and Go by Mastoparan, related amphiphilic peptides, and hydrophobic amines. Mechanism and structural determinants of activity. *J Biol Chem* 265: 14176-14186

HILDEBRANDT JD, CODINA J, TASH JS, KIRCHICK HJ, LIPSCHULTZ L, SEKURA RD, BIRNBAUMER L (1985): The membrane-bound spermatozoal adenylyl cyclase system does not share coupling characteristics with somatic cell adenylyl cyclases. *Endocrinology* 116: 1357-1366

HINSCH E, HÄGELE W, BOHLE RM, SCHILL WB, HINSCH KD (1998): Evaluation of ZP2 (ZPA) domains of functional importance with antisera against synthetic ZP2 (ZPA) peptides. *J Reprod Fertil* 114: 245-251

HUFF RM, NEER EJ (1986): Subunit interactions of native and ADP-ribosylated alpha 39 and alpha 41, two guanine nucleotide-binding proteins from bovine cerebral cortex. *J Biol Chem* 261: 1105-1110

HUGHES J, WARD CJ, ASPINWALL R, BUTLER R, HARRIS PC (1999): Identification of a human homologue of the sea urchin receptor for egg jelly: a polycystic kidney disease-like protein. *Hum Mol Genet* 8: 543-549

JOHNSON RA, JAKOBS KH, SCHULTZ G (1985): Extraction of the adenylyl cyclase-activating factor of bovine sperm and its identification as a trypsin-like protease. *J Biol Chem* 260: 114-121

JOYCE CL, NUZZO NA, WILSON L Jr, ZANEVELD LJ (1987): Evidence for a role of cyclooxygenase (prostaglandin synthetase) in the sperm acrosome reaction and fertilization. *J Androl* 8: 74-82

KLINKER JF, WENZEL-SEIFERT K, SEIFERT R (1996): G-protein-coupled receptors in HL-60 human leukemia cells. *Gen Pharmacol* 27: 33-54

KÖHN FM, DAMMSHÄUSER I, NEUKAMM C, RENNEBERG H, SIEMS WE, SCHILL WB, AUMÜLLER G (1998): Ultrastructural localization of angiotensin-converting enzyme (ACE) in ejaculated human spermatozoa. *Hum Reprod* 13: 604-610

KÖHN FM, MÜLLER C, DRESCHER D, NEUKAMM C, el MULLA KF, HENKEL R, HÄGELE W, HINSCH E, HABENICHT UF, SCHILL WB (1998): Effect of angiotensin converting enzyme (ACE) and angiotensins on human sperm functions. *Andrologia* 30: 207-215

KOPF GS, WOOLKALIS MJ, GERTON GL (1986): Evidence for a guanine nucleotide-binding protein in intervertebrate and mammalian sperm. Identification by islet-activating protein-catalyzed ADP-ribosylation and immunochemical methods. *J Biol Chem* 261: 7327-7331

KOPF GS (1988): Regulation of sperm function by guanine nucleotide-binding regulatory proteins (G-Proteins). *Prog Clin Biol Res* 267: 357-386

KENNEDY WP und POLAKOSKI KL (1981): Evidence for an intrazymogen mechanism in the conversion of proacrosin into acrosin. *Biochemistry* 20: 2240-2245

LAEMMLI UK (1970): Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685

LANGLAIS J, ROBERTS KD (1985): A molecular membrane model of sperm capacitation and the acrosome reaction of mammalian spermatozoa. *Gamete Res* 12: 183-224

LANGLAIS J, KAN FWK, GRANGER L, RAYMOND L, BLEAU G, ROBERTS KD (1988): Identification of sterol acceptors that stimulate cholesterol efflux from human spermatozoa during in vitro capacitation. *Gamete Res* 20: 185-201

LARSON JL und MILLER DJ (1997): Sperm of a variety of mammalian species express beta 1,4-galactosyltransferase on their surface. *Biol Reprod* 57: 442-453

LECLERC P et al. (1996): Cyclic adenosine 3',5' monophosphate-dependent regulation of protein tyrosine phosphorylation in relation to human sperm capacitation and motility. *Biol Reprod* 55: 684-692

LECLERC P und KOPF GS (1999): Evidence for the role of heterotrimeric guanine nucleotide-binding regulatory proteins in the regulation of the mouse sperm adenylyl cyclase by the egg's zona pellucida. *J Androl* 20: 126-134

LEE MA, CHECK JH, KOPF GS (1992): A guanine nucleotide-binding regulatory protein in human sperm mediates acrosomal exocytosis induced by the human zona pellucida. *Mol Reprod Dev* 31: 78-86

LEYTON L und SALING PM (1989): 95 kd sperm proteins bind ZP3 and serve as tyrosine kinase substrates in response to zona binding. *Cell* 57: 1123-1130

LEYTON L, LeGUEN P, BUNCH D, SALING PM (1992): Regulation of mouse gamete interaction by a sperm tyrosine kinase. *Proc Natl Acad Sci USA* 89: 11692-11695

LIANG MN, GARRISON JC (1991): The epidermal growth factor receptor is coupled to a pertussis-sensitive guanine nucleotide regulatory protein in rat hepatocytes. *J Biol Chem* 266: 13342-13349

LIU DY und BAKER HW (1997): Protein kinase C plays an important role in the human zona pellucida-induced acrosome reaction. *Mol Hum Reprod* 3: 1037-1043

LIU DY und BAKER HW (1994): A new test for the assessment of sperm-zona pellucida penetration: relationship with results of other sperm tests and fertilization in vitro. *Hum Reprod* 9: 489-496

LOPATA A, PATULLO MJ, CHANG A, JAMES B (1976) : A method for collecting motile spermatozoa from human semen. *Fertil Steril* 27: 677-684

LOPEZ LC et al. (1985): Receptor function of mouse sperm surface galactosyltransferase during fertilization. *J Cell Biol* 101: 1501-1510

LOPEZ LC und SHUR BD (1987): Redistribution of mouse sperm surface galactosyltransferase after the acrosome reaction. *J Cell Biol* 105: 1663-1670

LU Q und SHUR BD (1997): Sperm from beta 1,4-galactosyltransferase-null mice are refractory to ZP3-induced acrosome reactions and penetrate the zona pellucida poorly. *Development* 124: 4121-4131

MEIZEL S und MUKERJI SK (1975): Proacrosin from rabbit epididymal spermatozoa. Partial purification and initial biochemical characterization. *Biol Reprod* 13: 83-93

MEIZEL S und TURNER KO (1984): The effects of products and inhibitors of arachidonic acid metabolism on the hamster sperm acrosome reaction. *J Exp Zool* 231: 283-288

MERLET F, WEINSTEIN LS, GOLDSMITH PK, RARICK T, HALL JL, BISSON JP, de MAZANCOURT P (1999): Identification and localization of G protein subunits in human spermatozoa. *Mol Hum Reprod* 5: 38-45

MILLER DJ, WINER MA, AX RL (1990): Heparin-binding proteins from seminal plasma bind to bovine spermatozoa and modulate capacitation by heparin. *Biol Reprod* 42: 899-915

MILLER DJ, MACEK MB, SHUR BD (1992): Complementary between sperm surface β -1,4-galactosyltransferase and egg-coat ZP3 mediates sperm-egg binding. *Nature* 357: 589-592

MILLIGAN G (1988): Techniques used in the identification and analysis of function of pertussis toxin-sensitive guanine nucleotide binding proteins. *Biochem J* 255: 5838-5840

MOLLER CC, BLEIL JD, KINLOCH RA, WASSARMAN PM (1990): Structural and functional relationships between mouse and hamster zona pellucida glycoproteins. *Dev Biol* 137: 276-286

MOY HW, MENDOZA LM, SCHULZ JR, SWANSON WJ GLABE CG, VACQUIER VD (1996): The sea urchin sperm receptor for egg jelly is a modular protein with extensive homology to the human polycystic kidney disease protein, PKD 1. *J Cell Biol* 133: 809-817

MULHERON JG, CASANAS, SJ, ARTHUR JM (1994): Human 5 -HT_{1A} receptor expressed in insect cells activates endogenous G_o-like G protein(s). J Biol Chem 269: 12954-12962

NEER EJ (1995): Heterotrimeric G-proteins: organizers of transmembrane signals. Cell 80: 249-257

NAKANO M, TANAKA Y, KIMURA T, HATANAKA Y, TOBITA T. (1989): Boar acrosin digestion of the porcine egg coat, zona pellucida, and rearrangement of the zona proteins. J Biochem (Tokyo) 105: 138-142

NICHOLS J und GARDNER RL(1989): Effect of damage to the zona pellucida on development of preimplantation embryos in the mouse. Hum Reprod 4: 180-187

NING X, WARD CR, KOPF GS (1995): Activation of a G_i protein in digitonin/cholate-solubilized membrane preparations of mouse sperm by the zona pellucida an egg-specific extracellular matrix. Mol Reprod Dev 40: 355-363

NISHIMOTO I, OKAMOTO T, MATSUURA Y, TAKAHASHI S, OKAMOTO T, MURAYAMA Y, OGATA E (1993): Alzheimer amyloid protein precursor complexes with brain GTP-binding protein G_(O). Nature 362: 75-79

OEHNINGER S, MAHONY M, ÖZGÜR K, KOLM P, KRUGER T, FRANKEN D (1997): Clinical significance of human sperm-zona pellucida binding. Fertil Steril 67:1121-1127

OHLENDIEK K, DHUME ST, PARTIN JS, LENNARZ WJ (1993): The sea urchin egg receptor for sperm: isolation and characterization of the intact, biologically active receptor. J Cell Biol 122: 887-895

OHMURA K, NOBUHISHA K, KOBAYASHI Y, YAMAGATA K, SATO S, KASHIWABARA S, BABA T (1999): A homologue of pancreatic trypsin is localized in the acrosome of mammalian sperm and is released during acrosome reaction. J Biol Chem 274: 29426-29432

OKAMOTO T, KATADA T, MURAYAMA Y, UI M, OGATA E, NISHIMOTO E (1990): A simple structure encodes G protein-activating function of the IGF-II/mannose 6-phosphatase receptor. Cell 62: 709-717

OSHERHOFF JE (1999): Regulation of human sperm capacitation by a cholesterol efflux-stimulated signal transduction pathway leading to protein kinase-A mediated up-regulation of protein tyrosine phosphorylation. Mol Hum Reprod 5: 1017-1026

OSMAN RA, ANDRIA ML, JONES AD, MEIZEL S (1989): Steroid induced exocytosis: the human sperm acrosome reaction. Biochem Biophys Res Commun 160: 828-833

O'TOOLE CMB, ARNOULT C, DARSZON A, STEINHARDT RA, FLORMAN HM (2000): Ca²⁺ entry through store-operated channels in mouse sperm is initiated by egg ZP3 and drives the acrosome reaction. Mol Biol Cell 11: 1571-1584

PARRISH JJ, SUSKO-PARRISH JL, WINER MA, FIRST NL (1988): Capacitation of bovine sperm by heparin. *Biol Reprod* 38: 1171-1180

PARRISH JJ, FIRST NL (1991): Bovine *in vitro* fertilization. In: A comparative overview of mammalian fertilization (DUNBAR S, O'RAND eds.): 351-361 New-York: Plenum Press 1991

QUILL TA, REN D, CLAPHAM DE, GARBERS DL (2001): A voltage-gated channel specifically expressed in spermatozoa. *Proc Natl Acad Sci USA* 98: 12527-12531

REN D, NAVARRO B, PEREZ G, JACKSON AC, HSU S, SHI Q, TILLY JL, CLAPHAM DE (2001): A sperm ion channel required for sperm motility and male fertility. *Nature* 413: 603-609

ROLDAN ER, HARRISON RA (1989): Phosphoinositide breakdown and subsequent exocytosis in the Ca^{2+} /ionophore-induced acrosome reaction in mammalian spermatozoa. *Biochem J* 259: 397-406

ROLDAN ER und FRAGIO C (1993): Phospholipase A2 activation and subsequent exocytosis in the Ca^{2+} /ionophore-induced acrosome of ram spermatozoa. *Biochen J* 268: 13962-13970

ROLDAN ER, MURASE T, SHI QX (1994): Exocytosis in spermatozoa in response to progesterone and zona pellucida. *Science* 266: 1578-1581

ROSATI F, CAPONE A, GIOVAMPAOLA CD, BRETTONI C, FOCARELLI R (2000): Sperm-egg interaction at fertilization: glycans as recognition signals. *Int J Dev Biol* 44: 609-618

ROSIERE TK und WASSARMAN PM (1992): Identification of a region of mouse zona pellucida glycoprotein mZP3 that possesses sperm receptor activity. *Dev Biol* 154: 309-317

ROSSATO M, VIRGILIO FD, RIZZUTO R, GALEAZZI C, FORESTA C (2001): Intracellular calcium store depletion and acrosome reaction in human spermatozoa: role of calcium and plasma membrane potential. *Mol Hum Reprod* 7: 119-128

ROTEM R, PAZ GF, HOMONNAI ZT, KALINA M, LAX J, BREITBART H, NAOUR Z (1992): Ca^{2+} -independent induction of acrosome reaction by protein kinase C in human sperm. *Endocrinology* 131: 2235-2243

SABEUR K, VO AT, BALL BA (2000): Effects of angiotensin II on the acrosome reaction in equine spermatozoa. *J Reprod Fertil* 120: 135-142

SALING PM (1981): Involvement of trypsin like activity in binding of mouse spermatozoa to zonae pellucidae. *Proc Natl Acad Sci USA* 78: 6231-6235

SALING PM (1989): Mammalian sperm interaction with extracellular matrices of the egg. *Oxf Rev Reprod Biol* 11: 339-388

SALING PM und BEDFORD JM (1981): Absence of species specificity for mammalian sperm capacitation in vivo. J Reprod Fertil 63: 119-123

SANDOZ D (1970): Evolution des ultrastructures au cours de la formation de l'acrosome du spermatozoïde chez la souris. J Microsc (Paris) 9 : 535-558

SCHAEFER M, HOFMANN T, SCHULTZ G, GUDELMANN T (1998): A new prostaglandin E receptor mediates calcium influx and acrosome reaction in human spermatozoa. Proc Natl Acad Sci USA 95: 3008-3013

SCHILL WB, WOLFF HH (1974) Acrosin activity and acrosome ultrastructure of human spermatozoa after freeze preservation. Naturwissenschaften 61: 172

SHABANOWITZ RB, O'RAND MG (1988): Characterization of the human zona pellucida from fertilized and unfertilized eggs. J Reprod Fertil 82: 151-161

SHAPIRO BM, EDDY EM (1980): When sperm meets egg: biochemical mechanisms of gamete interaction. Int Rev Cytol 66: 257-302

SHI X, AMINDARI S, PARUCHURU K, SKALLA D, BURKIN H, SHUR BD, MILLER DJ (2001): Cell surface beta-1,4-galactosyltransferase-I activates G protein-dependent exocytotic signalling. Development 128: 645-654

SHIMIZU Y, YORIMITSU A, MARYUAMA Y, KUBOTA T, ASO T, BRONSON RA (1998): Prostaglandins induce calcium influx in human spermatozoa. Mol Hum Reprod 4: 555-561

SHIRAKAWA H, MIYAZAKI S (1999): Spatiotemporal characterization of intracellular Ca^{2+} rise during the acrosome reaction of mammalian spermatozoa induced by the zona pellucida. Dev Biol 208: 70-78

SHUR BD, HALL NG (1982): A role for mouse sperm surface galactosyltransferase in sperm binding to the egg zona pellucida. J Cell Biol 95: 574-579

SIEGEL DP, BANSCHBACH J, ALFORD D (1989): Physiological levels of diacylglycerols in phospholipid membranes induce membrane fusion and stabilize inverted phases. Biochemistry 28: 3703-3709

SIMON MI, STRATHMANN MP, GAUTAM N (1991): Diversity of G-proteins in signal transduction. Science 252: 802-808

SPUNGIN B, MARGALIT I, BREITBART H (1995 a): A 70 kDa protein is transferred from the outer acrosomal to the plasma membrane during capacitation. FEBS Lett 357: 98-102

SPUNGIN B, MARGALIT I, BREITBART H (1995 b): Sperm exocytosis reconstructed in a cell-free system. Evidence for the involvement of phospholipase C and actin filaments in membrane fusion. J Cell Sci 108: 2525-2535

SPUNGIN B, BREITBART H (1996): Calcium mobilization and influx during sperm exocytosis. *J Cell Sci* 109: 1947-1955

TAKANO H, ABE K (2000): Changes in the surface structure of the hamster sperm head associated with maturation, *in vitro* capacitation and acrosome reaction: an atomic force microscopic study. *J Electron Microsc (Tokyo)* 49: 437-443

TALBOT P, SUMMERS RG, HYLANDER BL, KEOUGH EM, FRANKLIN LE (1976) : The role of calcium in the acrosome reaction : An analysis using ionophore A 23187. *J Exp Zool* 198: 383-392

TAMURA M, NOGIMORI K, MURAI S, YAJIMA, ITO K, KATADA T, UI M, ISHII S (1982): Subunit structure of islet-activating protein, pertussis toxin, in conformity with the A-B model. *Biochemistry* 21: 5516-5522

TESARIK J, CARRERAS A, MENDOZA C (1993): Differential sensitivity of progesterone- and zona pellucida-induced acrosome reactions to pertussis toxin. *Mol Reprod Dev* 34:183-189

THERIEN I, BLEAU G, MANJUNATH P (1995): Phosphatidylcholine-binding proteins of bovine seminal plasma modulate capacitation of spermatozoa by heparin. *Biol Reprod* 52: 1372-1379

THOMAS P, MEIZEL S (1989): Phosphatidylinositol 4,5-bisphosphate hydrolysis in human sperm stimulated with follicular fluid or progesterone is dependent upon Ca^{2+} influx. *Biochem J* 264: 539-546

TÖPFER-PETERSEN E, CECHOVA D (1990): Zona pellucida induces conversion of proacrosin to acrosin. *Int J Androl* 13: 190-196

TOMES CN, McMASTER CR, SALING PM (1996): Activation of mouse sperm phosphatidylinositol-4,5 bisphosphate-phospholipase C by zona pellucida is modulated by tyrosine phosphorylation. *Mol Reprod Dev* 43: 196-204

TOPPER EK, KRUIJT L, CALVETE J, MANN K, TÖPFER-PETERSEN E, WOELDERS H (1997) : Identification of bovine zona pellucida glycoproteins. *Mol Reprod Dev* 46: 344-350

TRAVIS AJ, JORGEZ CJ, MERDIUSHEV T, JONES BH, DESS DM, DIAZ-CUETO L, STOREY BT, KOPF GS, MOSS SB (2001): Functional relationships between capacitation-dependent cell signalling and compartmentalized metabolic pathways in murine spermatozoa. *J Biol Chem* 276: 7630-7636

TSIOKAS L, KIM E, ARNOULD T, SUKHATME VP, WALZ G (1997): Homo- and heterodimeric interactions between the gene products of PKD1 and PKD2. *Proc Natl Acad Sci USA* 94: 6965-6970

UI M, NOGIMORI K, TAMURA M (1985): Islet-activating protein, pertussis toxin: subunit structure and mechanism for its multiple biological actions. In Pertussis Toxin, SEKURA RD, MOSS J, VAUGHAM M eds. Academic Press Inc. New York

VELDHUISEN B, SPRUIT L, DAUWERSE HG, BREUNING MH, PETERS DJ (1999): Genes homologous to the autosomal dominant polycystic kidney disease genes (PKD1 and PKD2). *Eur J Hum Genet* 7: 860-872

VINSON GP, SARIDOGAN E, PUDDDEFoot JR, DJAHANBAKHCH O (1997): Tissue renin-angiotensin systems and reproduction. *Hum Reprod* 12: 369-378

VISCONTI PE, KOPF GS (1998): Regulation of protein phosphorylation during sperm capacitation. *Biol Reprod* 59: 1-6

WALENSKY LD, SNYDER SH (1995): Inositol 1, 4, 5-trisphosphate receptors selectively localized to the acrosomes of mammalian sperm. *J Cell Biol* 130: 850-869

WARD CR, STOREY BT, KOPF GS (1992): Activation of a G_i protein in mouse sperm membranes by solubilized proteins of the zona pellucida, the egg's extracellular matrix. *J Biol Chem* 267: 14061-14067

WARD CR, STOREY BT, KOPF GS (1994): Selective activation of G_{i1} and G_{i2} in mouse sperm by the zona pellucida, the egg's extracellular matrix. *J Biol Chem* 269: 13254-13258

WASSARMAN PM (1987): The biology and chemistry of fertilization. *Science* 135: 553-554

WASSARMAN PM (1999): Mammalian fertilization: Molecular aspects of gamete adhesion, exocytosis, and fusion. *Cell* 96: 175-183

WASSARMAN PM, ALBERTINI DF (1994): The mammalian ovum. In: KNOBIL E, NEILL JD (eds) *The physiology of reproduction*, second edition. Raven, New-York, 79-122

WASSARMAN PM, LITSCHER ES (1995): Sperm-egg recognition mechanisms in mammals. *Curr Top Dev Biol* 30: 1-19

WEYAND I, GODDE M, FRINGS S, WEINER J, MÜLLER F, ALTENHOFEN W, HATT H, KAUPP UB (1994): Cloning and functional expression of a cyclic-nucleotide-gated channel from mammalian sperm. *Nature* 368: 859-863

WU G, HAYASHI T, PARK JH, DIXIT M, REYNOLDS DM, LI L, MAEDA Y, CAI Y, COCA-PRADOS M, SOMLO S (1998): Identification of PKD2L, a human PKD2-related gene: tissue-specific expression and mapping to chromosome 10q25. *Genomics* 54: 564-548

YAJIMA M, HOSODA K, KANBAYASHI Y, NAKAMURA T, TKAHASHI I, UI M (1978a): Islets-activating protein (IAP) in *Bordetella pertussis* that potentiates insulin secretion responses of rats. Purification and characterization. *J Biochem (Tokyo)* 83: 295-303

YAJIMA M, HOSODA K, KANBAYASHI Y, NAKAMURA T, TKAHASHI I, UI M (1978b): Biological properties of islets-activating protein (IAP) purified from the culture medium of *Bordetella pertussis*. *J Biochem (Tokyo)* 83: 305-312

YAMAGATA K, MURAYAMA K, OKABE M, TOSHIMORI K, NAKANISHI T, KASHIWABARA S, BABA T (1998): Acrosin accelerates the dispersal of acrosomal proteins during acrosome reaction. *J Biol Chem* 273: 10470-10474

YANAGIMACHI R, CHANG MC (1969): In vitro acrosome reaction and capacitation of golden hamster spermatozoa by bovine follicular fluid and its fractions. *J Exp Zool* 170: 269-280

YANAGIMACHI R, USUI N (1974): Calcium dependence of the acrosome reaction and activation of guinea pig spermatozoa. *Exp Cell Res* 89: 161-174

YANAGIMACHI R (1982): Requirement of extracellular calcium ions for various stages of fertilization-related phenomena in the hamster. *Gamete Res* 5: 323-344

YANAGIMACHI R (1994): Mammalian fertilization. In: *The Physiology Of Reproduction*, second edition, KNOBIL E, NEILL JD eds. (New York: Raven Press), 189-280

YONEZAWA N, HATANAKA Y, TAKEYA H NAKANO M (1995): Binding of pig sperm receptor in the zona pellucida to the boar sperm acrosome. *J Reprod Fertil* 103: 1-8

ZANEVELD LJD, DE JONGE CJ, ANDERSON RA, MACK SR (1991): Human sperm capacitation and the acrosome reaction.
Hum Reprod 6: 1265-1274

ZENG Y, CLARK EN, FLORMAN HM (1995): Sperm membrane potential: hyperpolarization during capacitation regulates zona pellucida-dependent acrosomal secretion. *Dev Biol* 171: 554-563