

6. Schriftenverzeichnis

1. Antipenko, A. Y., A. I. Spielman, and M. A. Kirchberger. Interactions of 6-gingerol and ellagic acid with the cardiac sarcoplasmic reticulum Ca^{2+} -ATPase. *J.Pharmacol.Exp.Ther.* 290: 227-234, 1999.
2. Anversa, P., R. Ricci, and G. Olivetti. Quantitative structural analysis of the myocardium during physiologic growth and induced cardiac hypertrophy: a review. *J.Am.Coll.Cardiol.* 7: 1140-1149, 1986.
3. Arai, M., N. R. Alpert, D. H. MacLennan, P. Barton, and M. Periasamy. Alterations in sarcoplasmic reticulum gene expression in human heart failure. A possible mechanism for alterations in systolic and diastolic properties of the failing myocardium. *Circ.Res.* 72: 463-469, 1993.
4. Arai, M., K. Otsu, D. H. MacLennan, N. R. Alpert, and M. Periasamy. Effect of thyroid hormone on the expression of mRNA encoding sarcoplasmic reticulum proteins. *Circ.Res.* 69: 266-276, 1991.
5. Baker, D. L., K. Hashimoto, I. L. Grupp, Y. Ji, T. Reed, E. Loukianov, G. Grupp, A. Bhagwat, B. Hoit, R. Walsh, E. Marban, and M. Periasamy. Targeted overexpression of the sarcoplasmic reticulum Ca^{2+} -ATPase increases cardiac contractility in transgenic mouse hearts. *Circ.Res.* 83: 1205-1214, 1998.
6. Bartel, S., P. Karczewski, I. Morano, and E. G. Krause. Function of C-protein and troponin I phosphorylation in the heart. *Ann.N.Y.Acad.Sci.* 752: 243-245, 1995.
7. Berrios, J., N. Osses, C. Opazo, G. Arenas, L. Mercado, D. J. Benos, and J. G. Reyes. Intracellular Ca^{2+} homeostasis in rat round spermatids. *Biol.Cell* 90: 391-398, 1998.
8. Bers, D. M. Cardiac excitation-contraction coupling. *Nature* 415: 198-205, 2002.
9. Bers, D. M., S. M. Pogwizd, and K. Schlotthauer. Upregulated Na/Ca exchange is involved in both contractile dysfunction and arrhythmogenesis in heart failure. *Basic Res.Cardiol.* 97 Suppl 1: I36-I42, 2002.
10. Beuckelmann, D. J. and E. Erdmann. Ca^{2+} -currents and intracellular $[\text{Ca}^{2+}]_i$ -transients in single ventricular myocytes isolated from terminally failing human myocardium. *Basic Res.Cardiol.* 87 Suppl 1: 235-243, 1992.
11. Beuckelmann, D. J., M. Nabauer, and E. Erdmann. Intracellular calcium handling in isolated ventricular myocytes from patients with terminal heart failure. *Circulation* 85: 1046-1055, 1992.

12. Bleumink, G. S., A. M. Knetsch, M. C. Sturkenboom, S. M. Straus, A. Hofman, J. W. Deckers, J. C. Witteman, and B. H. Stricker. Quantifying the heart failure epidemic: prevalence, incidence rate, lifetime risk and prognosis of heart failure The Rotterdam Study. *Eur.Heart J.* 25: 1614-1619, 2004.
13. Brandl, C. J., N. M. Green, B. Korczak, and D. H. MacLennan. Two Ca^{2+} ATPase genes: homologies and mechanistic implications of deduced amino acid sequences. *Cell* 44: 597-607, 1986.
14. Braunwald, E. and M. R. Bristow. Congestive heart failure: fifty years of progress. *Circulation* 102: IV14-IV23, 2000.
15. Brittsan, A. G., A. N. Carr, A. G. Schmidt, and E. G. Kranias. Maximal inhibition of SERCA2 Ca^{2+} affinity by phospholamban in transgenic hearts overexpressing a non-phosphorylatable form of phospholamban. *J.Biol.Chem.* 275: 12129-12135, 2000.
16. Brittsan, A. G., A. N. Carr, A. G. Schmidt, and E. G. Kranias. Maximal inhibition of SERCA2 Ca^{2+} affinity by phospholamban in transgenic hearts overexpressing a non-phosphorylatable form of phospholamban. *J.Biol.Chem.* 275: 12129-12135, 2000.
17. Cantilina, T., Y. Sagara, G. Inesi, and L. R. Jones. Comparative studies of cardiac and skeletal sarcoplasmic reticulum ATPases. Effect of a phospholamban antibody on enzyme activation by Ca^{2+} . *J.Biol.Chem.* 268: 17018-17025, 1993.
18. Chiesi, M. and R. Schwaller. Reversal of phospholamban-induced inhibition of cardiac sarcoplasmic reticulum Ca^{2+} -ATPase by tannin. *Biochem.Biophys.Res.Commun.* 202: 1668-1673, 1994.
19. Chomczynski, P. and N. Sacchi. Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal.Biochem.* 162: 156-159, 1987.
20. Cleland, J. G., A. Cohen-Solal, J. C. Aguilar, R. Dietz, J. Eastaugh, F. Follath, N. Freemantle, A. Gavazzi, W. H. van Gilst, F. D. Hobbs, J. Korewicki, H. C. Madeira, I. Preda, K. Swedberg, and J. Widimsky. Management of heart failure in primary care (the IMPROVEMENT of Heart Failure Programme): an international survey. *Lancet* 360: 1631-1639, 2002.
21. Coll, K. E., R. G. Johnson, Jr., and E. McKenna. Nucleotide mimetics reverse phospholamban regulation in cardiac sarcoplasmic reticulum. *Ann.N.Y.Acad.Sci.* 853: 267-269, 1998.
22. Coll, K. E., R. G. Johnson, Jr., and E. McKenna. Relationship between phospholamban and nucleotide activation of cardiac sarcoplasmic reticulum Ca^{2+} adenosinetriphosphatase. *Biochemistry* 38: 2444-2451, 1999.
23. Colyer, J. Control of the calcium pump of cardiac sarcoplasmic reticulum. A specific role for the pentameric structure of phospholamban? *Cardiovasc.Res.* 27: 1766-1771, 1993.

24. Cowie, M. R., A. Mosterd, D. A. Wood, J. W. Deckers, P. A. Poole-Wilson, G. C. Sutton, and D. E. Grobbee. The epidemiology of heart failure. *Eur.Heart J.* 18: 208-225, 1997.
25. Davidson, G. A. and M. C. Berman. Mechanism of thermal uncoupling of Ca^{2+} -ATPase of sarcoplasmic reticulum as revealed by thapsigargin stabilization. *Biochim.Biophys.Acta* 1289: 187-194, 1996.
26. de Tombe, P. P. Altered contractile function in heart failure. *Cardiovasc.Res.* 37: 367-380, 1998.
27. del Monte, S. E. Harding, U. Schmidt, T. Matsui, Z. B. Kang, G. W. Dec, J. K. Gwathmey, A. Rosenzweig, and R. J. Hajjar. Restoration of contractile function in isolated cardiomyocytes from failing human hearts by gene transfer of SERCA2a. *Circulation* 100: 2308-2311, 1999.
28. del Monte, F., E. Williams, D. Lebeche, U. Schmidt, A. Rosenzweig, J. K. Gwathmey, E. D. Lewandowski, and R. J. Hajjar. Improvement in survival and cardiac metabolism after gene transfer of sarcoplasmic reticulum Ca^{2+} -ATPase in a rat model of heart failure. *Circulation* 104: 1424-1429, 2001.
29. Dettbarn, C. and P. Palade. Effects of three sarcoplasmic/endoplasmic reticulum Ca^{2+} pump inhibitors on release channels of intracellular stores. *J.Pharmacol.Exp.Ther.* 285: 739-745, 1998.
30. Dzau, V. J. Angiotensin converting enzyme inhibitors and the cardiovascular system. *J.Hypertens.Suppl* 10: S3-10, 1992.
31. Eizema, K., H. Fechner, K. Bezstarosti, S. Schneider-Rasp, L. A. van der, H. Wang, H. P. Schultheiss, W. C. Poller, and J. M. Lamers. Adenovirus-based phospholamban antisense expression as a novel approach to improve cardiac contractile dysfunction: comparison of a constitutive viral versus an endothelin-1-responsive cardiac promoter. *Circulation* 101: 2193-2199, 2000.
32. Fabiato, A. Calcium-induced release of calcium from the cardiac sarcoplasmic reticulum. *Am.J.Physiol.* 245: C1-14, 1983.
33. Fabiato, A. and F. Fabiato. Calculator programs for computing the composition of the solutions containing multiple metals and ligands used for experiments in skinned muscle cells. *J.Physiol. (Paris)* 75: 463-505, 1979.
34. Flesch, M., R. H. Schwinger, P. Schnabel, F. Schiffer, G. van, I. U. Bavendiek, M. Sudkamp, F. Kuhn-Regnier, and M. Bohm. Sarcoplasmic reticulum Ca^{2+} ATPase and phospholamban mRNA and protein levels in end-stage heart failure due to ischemic or dilated cardiomyopathy. *J.Mol.Med.* 74: 321-332, 1996.
35. Francis, G. S. Pathophysiology of chronic heart failure. *Am.J.Med.* 110 Suppl 7A: 37S-46S, 2001.
36. Franzini-Armstrong, C., F. Protasi, and V. Ramesh. Shape, size, and distribution of Ca^{2+} release units and couplons in skeletal and cardiac muscles. *Biophys.J.* 77: 1528-1539, 1999.

37. Fujii, J., A. Ueno, K. Kitano, S. Tanaka, M. Kadoma, and M. Tada. Complete complementary DNA-derived amino acid sequence of canine cardiac phospholamban. *J.Clin.Invest.* 79: 301-304, 1987.
38. Gao, W. D., N. G. Perez, and E. Marban. Calcium cycling and contractile activation in intact mouse cardiac muscle. *J.Physiol.* 507 (Pt 1): 175-184, 1998.
39. Georgakopoulos, D. and D. Kass. Minimal force-frequency modulation of inotropy and relaxation of in situ murine heart. *J.Physiol.* 534: 535-545, 2001.
40. Gilmore, I. R., S. P. Fox, A. J. Hollins, M. Sohail, and S. Akhtar. The design and exogenous delivery of siRNA for post-transcriptional gene silencing. *J.Drug Target* 12: 315-340, 2004.
41. Gleason, W. L. and E. Braunwald. Studies on the first derivative of the ventricular pressure pulse in man. *J.Clin.Invest.* 41: 80-91, 1962.
42. Gomez, A. M., H. H. Valdivia, H. Cheng, M. R. Lederer, L. F. Santana, M. B. Cannell, S. A. McCune, R. A. Altschuld, and W. J. Lederer. Defective excitation-contraction coupling in experimental cardiac hypertrophy and heart failure. *Science* 276: 800-806, 1997.
43. Guo, W., A. O. Jorgensen, and K. P. Campbell. Triadin, a linker for calsequestrin and the ryanodine receptor. *Soc.Gen.Physiol Ser.* 51: 19-28, 1996.
44. Gwathmey, J. K., L. A. Bentivegna, B. J. Ransil, W. Grossman, and J. P. Morgan. Relationship of abnormal intracellular calcium mobilisation to myocyte hypertrophy in human ventricular myocardium. *Cardiovasc.Res.* 27: 199-203, 1993.
45. Hasenfuss, G. Alterations of calcium-regulatory proteins in heart failure. *Cardiovasc.Res.* 37: 279-289, 1998.
46. Hasenfuss, G. and H. Just. Myocardial phenotype changes in heart failure: cellular and sub-cellular adaptations and their functional significance. *Br.Heart J.* 72: S10-S17, 1994.
47. Hasenfuss, G. and B. Pieske. Calcium cycling in congestive heart failure. *J.Mol.Cell Cardiol.* 34: 951-969, 2002.
48. Hasenfuss, G., H. Reinecke, R. Studer, M. Meyer, B. Pieske, J. Holtz, C. Holubarsch, H. Posival, H. Just, and H. Drexler. Relation between myocardial function and expression of sarcoplasmic reticulum Ca^{2+} -ATPase in failing and nonfailing human myocardium. *Circ.Res.* 75: 434-442, 1994.
49. He, H., F. J. Giordano, R. Hilal-Dandan, D. J. Choi, H. A. Rockman, P. M. McDonough, W. F. Bluhm, M. Meyer, M. R. Sayen, E. Swanson, and W. H. Dillmann. Overexpression of the rat sarcoplasmic reticulum Ca^{2+} ATPase gene in the heart of transgenic mice accelerates calcium transients and cardiac relaxation. *J.Clin.Invest.* 100: 380-389, 1997.

50. He, H., M. Meyer, J. L. Martin, P. M. McDonough, P. Ho, X. Lou, W. Y. Lew, R. Hilal-Dandan, and W. H. Dillmann. Effects of mutant and antisense RNA of phospholamban on SR Ca^{2+} -ATPase activity and cardiac myocyte contractility. *Circulation* 100: 974-980, 1999.
51. Hidalgo, C. and P. Donoso. Luminal calcium regulation of calcium release from sarcoplasmic reticulum. *Biosci.Rep.* 15: 387-397, 1995.
52. Hobai, I. A. and B. O'Rourke. Decreased sarcoplasmic reticulum calcium content is responsible for defective excitation-contraction coupling in canine heart failure. *Circulation* 103: 1577-1584, 2001.
53. Holtzhauer, M. An enzyme immunoassay for phospholamban. *J.Clin.Chem.Clin.Biochem.* 25: 799-804, 1987.
54. Hunt, S. A., D. W. Baker, M. H. Chin, M. P. Cinquegrani, A. M. Feldman, G. S. Francis, T. G. Ganiats, S. Goldstein, G. Gregoratos, M. L. Jessup, R. J. Noble, M. Packer, M. A. Silver, L. W. Stevenson, R. J. Gibbons, E. M. Antman, J. S. Alpert, D. P. Faxon, V. Fuster, G. Gregoratos, A. K. Jacobs, L. F. Hiratzka, R. O. Russell, and S. C. Smith, Jr. ACC/AHA Guidelines for the Evaluation and Management of Chronic Heart Failure in the Adult: Executive Summary A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1995 Guidelines for the Evaluation and Management of Heart Failure): Developed in Collaboration With the International Society for Heart and Lung Transplantation; Endorsed by the Heart Failure Society of America. *Circulation* 104: 2996-3007, 2001.
55. Hussain, M. and C. H. Orchard. Sarcoplasmic reticulum Ca^{2+} content, L-type Ca^{2+} current and the Ca^{2+} transient in rat myocytes during beta-adrenergic stimulation. *J.Physiol.* 505 (Pt 2): 385-402, 1997.
56. Ikemoto, N., B. Antoniu, J. J. Kang, L. G. Meszaros, and M. Ronjat. Intravesicular calcium transient during calcium release from sarcoplasmic reticulum. *Biochemistry* 30: 5230-5237, 1991.
57. Ikemoto, N., M. Ronjat, L. G. Meszaros, and M. Koshita. Postulated role of calsequestrin in the regulation of calcium release from sarcoplasmic reticulum. *Biochemistry* 28: 6764-6771, 1989.
58. Inesi, G. and Y. Sagara. Specific inhibitors of intracellular Ca^{2+} transport ATPases. *J.Membr.Biol.* 141: 1-6, 1994.
59. Ito, K., X. Yan, X. Feng, W. J. Manning, W. H. Dillmann, and B. H. Lorell. Transgenic expression of sarcoplasmic reticulum Ca^{2+} atpase modifies the transition from hypertrophy to early heart failure. *Circ.Res.* 89: 422-429, 2001.
60. Jessup, M. and S. Brozena. Heart failure. *N.Engl.J.Med.* 348: 2007-2018, 2003.

61. Kass, D. A., J. M. Hare, and D. Georgakopoulos. Murine cardiac function: a cautionary tail. *Circ.Res.* 82: 519-522, 1998.
62. Kawasaki, T. and M. Kasai. Regulation of calcium channel in sarcoplasmic reticulum by calsequestrin. *Biochem.Biophys.Res.Communic.* 199: 1120-1127, 1994.
63. Kirchberger, M. A., M. Tada, and A. M. Katz. Adenosine 3':5'-monophosphate-dependent protein kinase-catalyzed phosphorylation reaction and its relationship to calcium transport in cardiac sarcoplasmic reticulum. *J.Biol.Chem.* 249: 6166-6173, 1974.
64. Koller, A., J. Schlossmann, K. Ashman, S. Uttenweiler-Joseph, P. Ruth, and F. Hofmann. Association of phospholamban with a cGMP kinase signaling complex. *Biochem.Biophys.Res.Communic.* 300: 155-160, 2003.
65. Koss, K. L. and E. G. Kranias. Phospholamban: a prominent regulator of myocardial contractility. *Circ.Res.* 79: 1059-1063, 1996.
66. Krebs, H. A. and K. Henseleit. Studies on urea formation in the animal organism. *Hoppe-Seylers Z.Physiol.Chem.* 210: 33-66, 1932.
67. Langendorff O. Untersuchungen am überlebenden Säugethierherzen. *Pflügers Arch.ges.Physiol.* 61: 1895.
68. Liew, C. C. and V. J. Dzau. Molecular genetics and genomics of heart failure. *Nat.Rev.Genet.* 5: 811-825, 2004.
69. Limas, C. J., M. T. Olivari, I. F. Goldenberg, T. B. Levine, D. G. Benditt, and A. Simon. Calcium uptake by cardiac sarcoplasmic reticulum in human dilated cardiomyopathy. *Cardiovasc.Res.* 21: 601-605, 1987.
70. Lindemann, J. P. and A. M. Watanabe. Phosphorylation of phospholamban in intact myocardium. Role of Ca²⁺-calmodulin-dependent mechanisms. *J.Biol.Chem.* 260: 4516-4525, 1985.
71. Lindner, M., E. Erdmann, and D. J. Beuckelmann. Calcium content of the sarcoplasmic reticulum in isolated ventricular myocytes from patients with terminal heart failure. *J.Mol.Cell Cardiol.* 30: 743-749, 1998.
72. Lompre, A. M., M. Anger, and D. Levitsky. Sarco(endo)plasmic reticulum calcium pumps in the cardiovascular system: function and gene expression. *J.Mol.Cell Cardiol.* 26: 1109-1121, 1994.
73. Luo, W., I. L. Grupp, J. Harrer, S. Ponniah, G. Grupp, J. J. Duffy, T. Doetschman, and E. G. Kranias. Targeted ablation of the phospholamban gene is associated with markedly enhanced myocardial contractility and loss of beta-agonist stimulation. *Circ.Res.* 75: 401-409, 1994.

74. Luo, W., B. M. Wolska, I. L. Grupp, J. M. Harrer, K. Haghighi, D. G. Ferguson, J. P. Slack, G. Grupp, T. Doetschman, R. J. Solaro, and E. G. Kranias. Phospholamban gene dosage effects in the mammalian heart. *Circ.Res.* 78: 839-847, 1996.
75. Lytton, J. and D. H. MacLennan. Molecular cloning of cDNAs from human kidney coding for two alternatively spliced products of the cardiac Ca^{2+} -ATPase gene. *J.Biol.Chem.* 263: 15024-15031, 1988.
76. Lytton, J., M. Westlin, and M. R. Hanley. Thapsigargin inhibits the sarcoplasmic or endoplasmic reticulum Ca-ATPase family of calcium pumps. *J.Biol.Chem.* 266: 17067-17071, 1991.
77. MacDougall, L. K., L. R. Jones, and P. Cohen. Identification of the major protein phosphatases in mammalian cardiac muscle which dephosphorylate phospholamban. *Eur.J.Biochem.* 196: 725-734, 1991.
78. MacLennan, D. H., M. Abu-Abed, and C. Kang. Structure-function relationships in Ca^{2+} cycling proteins. *J.Mol.Cell Cardiol.* 34: 897-918, 2002.
79. MacLennan, D. H., C. J. Brandl, B. Korczak, and N. M. Green. Calcium ATPaseS: contribution of molecular genetics to our understanding of structure and function. *Soc.Gen.Physiol Ser.* 41: 287-300, 1987.
80. MacLennan, D. H. and N. M. Green. Structural biology. Pumping ions. *Nature* 405: 633-634, 2000.
81. MacLennan, D. H. and E. G. Kranias. Phospholamban: a crucial regulator of cardiac contractility. *Nat.Rev.Mol.Cell Biol.* 4: 566-577, 2003.
82. Malcuit, C., M. Kurokawa, and R. A. Fissore. Calcium oscillations and mammalian egg activation. *J.Cell Physiol.* 2005.
83. Mann, D. L. and M. R. Bristow. Mechanisms and models in heart failure: the biomechanical model and beyond. *Circulation* 111: 2837-2849, 2005.
84. Marks, A. R. Ryanodine receptors/calcium release channels in heart failure and sudden cardiac death. *J.Mol.Cell Cardiol.* 33: 615-624, 2001.
85. Marks, A. R., S. Priori, M. Memmi, K. Kontula, and P. J. Laitinen. Involvement of the cardiac ryanodine receptor/calcium release channel in catecholaminergic polymorphic ventricular tachycardia. *J.Cell Physiol.* 190: 1-6, 2002.
86. Marks, A. R., S. Reiken, and S. O. Marx. Progression of heart failure: is protein kinase a hyperphosphorylation of the ryanodine receptor a contributing factor? *Circulation* 105: 272-275, 2002.

87. Marx, S. O., J. Gaburjakova, M. Gaburjakova, C. Henrikson, K. Ondrias, and A. R. Marks. Coupled gating between cardiac calcium release channels (ryanodine receptors). *Circ.Res.* 88: 1151-1158, 2001.
88. Mason, D. T., E. Braunwald, J. W. Covell, E. H. Sonnenblick, and J. Ross, Jr. Assessment of cardiac contractility. The relation between the rate of pressure rise and ventricular pressure during isovolumic systole. *Circulation* 44: 47-58, 1971.
89. Massie, B. M. and N. B. Shah. Evolving trends in the epidemiologic factors of heart failure: rationale for preventive strategies and comprehensive disease management. *Am.Heart J.* 133: 703-712, 1997.
90. McKenna, E., J. S. Smith, K. E. Coll, E. K. Mazack, E. J. Mayer, J. Antanavage, R. T. Wiedmann, and R. G. Johnson, Jr. Dissociation of phospholamban regulation of cardiac sarcoplasmic reticulum Ca^{2+} -ATPase by quercetin. *J.Biol.Chem.* 271: 24517-24525, 1996.
91. McMurray, J. J., M. C. Petrie, D. R. Murdoch, and A. P. Davie. Clinical epidemiology of heart failure: public and private health burden. *Eur.Heart J.* 19 Suppl P: 9-16, 1998.
92. Mengesdorf, T., S. Althausen, I. Oberndorfer, and W. Paschen. Response of neurons to an irreversible inhibition of endoplasmic reticulum Ca^{2+} -ATPase: relationship between global protein synthesis and expression and translation of individual genes. *Biochem.J.* 356: 805-812, 2001.
93. Mercadier, J. J., A. M. Lompre, P. Duc, K. R. Boheler, J. B. Fraysse, C. Wisnewsky, P. D. Allen, M. Komajda, and K. Schwartz. Altered sarcoplasmic reticulum Ca^{2+} -ATPase gene expression in the human ventricle during end-stage heart failure. *J.Clin.Invest.* 85: 305-309, 1990.
94. Mewes, T. and U. Ravens. L-type calcium currents of human myocytes from ventricle of non-failing and failing hearts and from atrium. *J.Mol.Cell Cardiol.* 26: 1307-1320, 1994.
95. Meyer, M., W. Schillinger, B. Pieske, C. Holubarsch, C. Heilmann, H. Posival, G. Kuwajima, K. Mikoshiba, H. Just, G. Hasenfuss, and . Alterations of sarcoplasmic reticulum proteins in failing human dilated cardiomyopathy. *Circulation* 92: 778-784, 1995.
96. Minamisawa, S., M. Hoshijima, G. Chu, C. A. Ward, K. Frank, Y. Gu, M. E. Martone, Y. Wang, J. Ross, Jr., E. G. Kranias, W. R. Giles, and K. R. Chien. Chronic phospholamban-sarcoplasmic reticulum calcium ATPase interaction is the critical calcium cycling defect in dilated cardiomyopathy. *Cell* 99: 313-322, 1999.
97. Mitchell, R. D., H. K. Simmerman, and L. R. Jones. Ca^{2+} binding effects on protein conformation and protein interactions of canine cardiac calsequestrin. *J.Biol.Chem.* 263: 1376-1381, 1988.
98. Miyamoto, M. I., F. del Monte, U. Schmidt, T. S. DiSalvo, Z. B. Kang, T. Matsui, J. L. Guerrero, J. K. Gwathmey, A. Rosenzweig, and R. J. Hajjar. Adenoviral gene transfer of

- SERCA2a improves left-ventricular function in aortic-banded rats in transition to heart failure. *Proc.Natl.Acad.Sci.U.S.A* 97: 793-798, 2000.
99. Miyata, H., H. S. Silverman, S. J. Sollott, E. G. Lakatta, M. D. Stern, and R. G. Hansford. Measurement of mitochondrial free Ca^{2+} concentration in living single rat cardiac myocytes. *Am.J.Physiol.* 261: H1123-H1134, 1991.
100. Movsesian, M. A., M. Nishikawa, and R. S. Adelstein. Phosphorylation of phospholamban by calcium-activated, phospholipid-dependent protein kinase. Stimulation of cardiac sarcoplasmic reticulum calcium uptake. *J.Biol.Chem.* 259: 8029-8032, 1984.
101. Muller, O. J., M. Lange, H. Rattunde, H. P. Lorenzen, M. Muller, N. Frey, C. Bittner, W. Simionides, H. A. Katus, and W. M. Franz. Transgenic rat hearts overexpressing SERCA2a show improved contractility under baseline conditions and pressure overload. *Cardiovasc.Res.* 59: 380-389, 2003.
102. Mullis, K., F. Faloona, S. Scharf, R. Saiki, G. Horn, and H. Erlich. Specific enzymatic amplification of DNA in vitro: the polymerase chain reaction. *Cold Spring Harb.Symp.Quant.Biol.* 51 Pt 1: 263-273, 1986.
103. Nakayama, H., K. Otsu, O. Yamaguchi, K. Nishida, M. O. Date, K. Hongo, Y. Kusakari, T. Toyofuku, S. Hikoso, K. Kashiwase, T. Takeda, Y. Matsumura, S. Kurihara, M. Hori, and M. Tada. Cardiac-specific overexpression of a high Ca^{2+} affinity mutant of SERCA2a attenuates in vivo pressure overload cardiac hypertrophy. *FASEB J.* 17: 61-63, 2003.
104. Norregaard, A., B. Vilsen, and J. P. Andersen. Transmembrane segment M3 is essential to thapsigargin sensitivity of the sarcoplasmic reticulum Ca^{2+} -ATPase. *J.Biol.Chem.* 269: 26598-26601, 1994.
105. Odermatt, A., K. Kurzydowski, and D. H. MacLennan. The v_{max} of the Ca^{2+} -ATPase of cardiac sarcoplasmic reticulum (SERCA2a) is not altered by Ca^{2+} /calmodulin-dependent phosphorylation or by interaction with phospholamban. *J.Biol.Chem.* 271: 14206-14213, 1996.
106. Ohizumi, Y., S. Sasaki, K. Shibusawa, K. Ishikawa, and F. Ikemoto. Stimulation of sarcoplasmic reticulum Ca^{2+} -ATPase by gingerol analogues. *Biol.Pharm.Bull.* 19: 1377-1379, 1996.
107. Packer, M., M. B. Fowler, E. B. Roecker, A. J. Coats, H. A. Katus, H. Krum, P. Mohacsi, J. L. Rouleau, M. Tendera, C. Staiger, T. L. Holclaw, I. Amann-Zalan, and D. L. DeMets. Effect of carvedilol on the morbidity of patients with severe chronic heart failure: results of the carvedilol prospective randomized cumulative survival (COPERNICUS) study. *Circulation* 106: 2194-2199, 2002.
108. Patil, A. D., A. J. Freyer, B. Carte, R. K. Johnson, and P. Lahouratate. Plakortides, novel cyclic peroxides from the sponge *Plakortis halichondrioides*: activators of cardiac SR- Ca^{2+} -pumping ATPase. *J.Nat.Prod.* 59: 219-223, 1996.

109. Perreault, C. L., R. P. Shannon, K. Komamura, S. F. Vatner, and J. P. Morgan. Abnormalities in intracellular calcium regulation and contractile function in myocardium from dogs with pacing-induced heart failure. *J.Clin.Invest.* 89: 932-938, 1992.
110. Pieske, B., B. Kretschmann, M. Meyer, C. Holubarsch, J. Weirich, H. Posival, K. Minami, H. Just, and G. Hasenfuss. Alterations in intracellular calcium handling associated with the inverse force-frequency relation in human dilated cardiomyopathy. *Circulation* 92: 1169-1178, 1995.
111. Pogwizd, S. M. Increased Na^+ - Ca^{2+} exchanger in the failing heart. *Circ.Res.* 87: 641-643, 2000.
112. Pogwizd, S. M., M. Qi, W. Yuan, A. M. Samarel, and D. M. Bers. Upregulation of Na^+ / Ca^{2+} exchanger expression and function in an arrhythmogenic rabbit model of heart failure. *Circ.Res.* 85: 1009-1019, 1999.
113. Pogwizd, S. M., K. Schlotthauer, L. Li, W. Yuan, and D. M. Bers. Arrhythmogenesis and contractile dysfunction in heart failure: Roles of sodium-calcium exchange, inward rectifier potassium current, and residual beta-adrenergic responsiveness. *Circ.Res.* 88: 1159-1167, 2001.
114. Reddy, L. G., L. R. Jones, R. C. Pace, and D. L. Stokes. Purified, reconstituted cardiac Ca^{2+} -ATPase is regulated by phospholamban but not by direct phosphorylation with Ca^{2+} /calmodulin-dependent protein kinase. *J.Biol.Chem.* 271: 14964-14970, 1996.
115. Reinecke, H., R. Studer, R. Vetter, J. Holtz, and H. Drexler. Cardiac Na^+ / Ca^{2+} exchange activity in patients with end-stage heart failure. *Cardiovasc.Res.* 31: 48-54, 1996.
116. Robertson, S. P., J. D. Johnson, and J. D. Potter. The time-course of Ca^{2+} exchange with calmodulin, troponin, parvalbumin, and myosin in response to transient increases in Ca^{2+} . *Biophys.J.* 34: 559-569, 1981.
117. Roger, V. L., S. A. Weston, M. M. Redfield, J. P. Hellermann-Homan, J. Killian, B. P. Yawn, and S. J. Jacobsen. Trends in heart failure incidence and survival in a community-based population. *JAMA* 292: 344-350, 2004.
118. Rupp, H. and R. Vetter. Sarcoplasmic reticulum function and carnitine palmitoyltransferase-1 inhibition during progression of heart failure. *Br.J.Pharmacol.* 131: 1748-1756, 2000.
119. Rupp, H., A. Zarain-Herzberg, and B. Maisch. The use of partial fatty acid oxidation inhibitors for metabolic therapy of angina pectoris and heart failure. *Herz* 27: 621-636, 2002.
120. Sasaki, T., M. Inui, Y. Kimura, T. Kuzuya, and M. Tada. Molecular mechanism of regulation of Ca^{2+} pump ATPase by phospholamban in cardiac sarcoplasmic reticulum. Effects of synthetic phospholamban peptides on Ca^{2+} pump ATPase. *J.Biol.Chem.* 267: 1674-1679, 1992.
121. Schwinger, R. H., M. Bohm, U. Schmidt, P. Karczewski, U. Bavendiek, M. Flesch, E. G. Krause, and E. Erdmann. Unchanged protein levels of SERCA II and phospholamban but reduced Ca^{2+} uptake and Ca^{2+} -ATPase activity of cardiac sarcoplasmic reticulum from dilated

- cardiomyopathy patients compared with patients with nonfailing hearts. *Circulation* 92: 3220-3228, 1995.
122. Scott, B. T., H. K. Simmerman, J. H. Collins, B. Nadal-Ginard, and L. R. Jones. Complete amino acid sequence of canine cardiac calsequestrin deduced by cDNA cloning. *J.Biol.Chem.* 263: 8958-8964, 1988.
123. Segev, A. and Y. A. Mekori. The Cardiac Insufficiency Bisoprolol Study II. *Lancet* 353: 1361, 1999.
124. Solaro, R. J. and F. N. Briggs. Estimating the functional capabilities of sarcoplasmic reticulum in cardiac muscle. Calcium binding. *Circ.Res.* 34: 531-540, 1974.
125. Studer, R., H. Reinecke, J. Bilger, T. Eschenhagen, M. Bohm, G. Hasenfuss, H. Just, J. Holtz, and H. Drexler. Gene expression of the cardiac Na^+ - Ca^{2+} exchanger in end-stage human heart failure. *Circ.Res.* 75: 443-453, 1994.
126. Studer, R., H. Reinecke, R. Vetter, J. Holtz, and H. Drexler. Expression and function of the cardiac Na^+ / Ca^{2+} exchanger in postnatal development of the rat, in experimental-induced cardiac hypertrophy and in the failing human heart. *Basic Res.Cardiol.* 92 Suppl 1: 53-58, 1997.
127. Suarez, J., B. Gloss, D. D. Belke, Y. Hu, B. Scott, T. Dieterle, Y. K. Kim, M. L. Valencik, J. A. McDonald, and W. H. Dillmann. Doxycycline inducible expression of SERCA2a improves calcium handling and reverts cardiac dysfunction in pressure overload-induced cardiac hypertrophy. *Am.J.Physiol Heart* 287: H2164-H2172, 2004.
128. Tada, M. Molecular structure and function of phospholamban in regulating the calcium pump from sarcoplasmic reticulum. *Ann.N.Y.Acad.Sci.* 671: 92-102, 1992.
129. Tada, M., M. A. Kirchberger, D. I. Repke, and A. M. Katz. The stimulation of calcium transport in cardiac sarcoplasmic reticulum by adenosine 3':5'-monophosphate-dependent protein kinase. *J.Biol.Chem.* 249: 6174-6180, 1974.
130. Tanvetyanon, T. and J. C. Leighton. Life-sustaining treatments in patients who died of chronic congestive heart failure compared with metastatic cancer. *Crit. Care Med.* 31: 60-64, 2003.
131. Tepper, D. Frontiers in congestive heart failure: Effect of Metoprolol CR/XL in chronic heart failure: Metoprolol CR/XL Randomised Intervention Trial in Congestive Heart Failure (MERIT-HF). *Congest.Heart Fail.* 5: 184-185, 1999.
132. Towbin, H., T. Staehelin, and J. Gordon. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *Proc.Natl.Acad.Sci.U.S.A* 76: 4350-4354, 1979.
133. Toyofuku, T., K. Kurzydowski, M. Tada, and D. H. MacLennan. Identification of regions in the Ca^{2+} -ATPase of sarcoplasmic reticulum that affect functional association with phospholamban. *J.Biol.Chem.* 268: 2809-2815, 1993.

134. Vetter, R., U. Rehfeld, C. Reissfelder, W. Weiss, K. D. Wagner, J. Günther, A. Hammes, C. Tschöpe, W. Dillmann, and M. Paul. Transgenic overexpression of the sarcoplasmic reticulum Ca^{2+} ATPase improves reticular Ca^{2+} handling in normal and diabetic rat hearts. *FASEB J.* 16: 1657-1659, 2002.
135. Vetter, R. and H. Rupp. CPT-1 inhibition by etomoxir has a chamber-related action on cardiac sarcoplasmic reticulum and isomyosins. *Am.J.Physiol* 267: H2091-H2099, 1994.
136. Vetter, R., R. Studer, H. Reinecke, F. Kolar, I. Ostadalova, and H. Drexler. Reciprocal changes in the postnatal expression of the sarcolemmal Na^+ - Ca^{2+} -exchanger and SERCA2 in rat heart. *J.Mol.Cell Cardiol.* 27: 1689-1701, 1995.
137. Vetter, R. and H. Will. Sarcolemmal Na-Ca exchange and sarcoplasmic reticulum calcium uptake in developing chick heart. *J.Mol.Cell Cardiol.* 18: 1267-1275, 1986.
138. Wankerl, M. and K. Schwartz. Calcium transport proteins in the nonfailing and failing heart: gene expression and function. *J.Mol.Med.* 73: 487-496, 1995.
139. Watanabe, A., M. Arai, M. Yamazaki, N. Koitabashi, F. Wuytack, and M. Kurabayashi. Phospholamban ablation by RNA interference increases Ca^{2+} uptake into rat cardiac myocyte sarcoplasmic reticulum. *J.Mol.Cell Cardiol.* 37: 691-698, 2004.
140. Weiss, J. L., J. W. Frederiksen, and M. L. Weisfeldt. Hemodynamic determinants of the time-course of fall in canine left ventricular pressure. *J.Clin.Invest.* 58: 751-760, 1976.
141. Will, H., I. Kuttner, C. Kemsies, R. Vetter, and E. Schubert. Comparative analysis of phospholamban phosphorylation in crude membranes of vertebrate hearts. *Experientia* 41: 1052-1054, 1985.
142. Will, H., I. Kuttner, R. Vetter, L. Will-Shahab, and C. Kemsies. Early presence of phospholamban in developing a chick heart. *FEBS Lett.* 155: 326-330, 1983.
143. Wolska, B. M. and B. Lewartowski. Calcium in the in situ mitochondria of rested and stimulated myocardium. *J.Mol.Cell Cardiol.* 23: 217-226, 1991.
144. Wolska, B. M., M. O. Stojanovic, W. Luo, E. G. Kranias, and R. J. Solaro. Effect of ablation of phospholamban on dynamics of cardiac myocyte contraction and intracellular Ca^{2+} . *Am.J.Physiol.* 271: C391-C397, 1996.
145. Wright, M. Pharmacologic effects of ketamine and its use in veterinary medicine. *J.Am.Vet.Med.Assoc.* 180: 1462-1471, 1982.
146. Xu, A., C. Hawkins, and N. Narayanan. Phosphorylation and activation of the Ca^{2+} -pumping ATPase of cardiac sarcoplasmic reticulum by Ca^{2+} /calmodulin-dependent protein kinase. *J.Biol.Chem.* 268: 8394-8397, 1993.

147. Yamamoto, T., M. Yano, M. Kohno, T. Hisaoka, K. Ono, T. Tanigawa, Y. Saiki, Y. Hisamatsu, T. Ohkusa, and M. Matsuzaki. Abnormal Ca^{2+} release from cardiac sarcoplasmic reticulum in tachycardia-induced heart failure. *Cardiovasc.Res.* 44: 146-155, 1999.
148. Yano, M., Y. Ikeda, and M. Matsuzaki. Altered intracellular Ca^{2+} handling in heart failure. *J.Clin.Invest.* 115: 556-564, 2005.
149. Zarain-Herzberg, A., D. H. MacLennan, and M. Periasamy. Characterization of rabbit cardiac sarco(endo)plasmic reticulum Ca^{2+} -ATPase gene. *J.Biol.Chem.* 265: 4670-4677, 1990.
150. Zhang, L., J. Kelley, G. Schmeisser, Y. M. Kobayashi, and L. R. Jones. Complex formation between junctin, triadin, calsequestrin, and the ryanodine receptor. Proteins of the cardiac junctional sarcoplasmic reticulum membrane. *J.Biol.Chem.* 272: 23389-23397, 1997.