

TABLE OF CONTENTS

1	INTRODUCTION	5
1.1	BACTERIAL CONJUGATION.....	5
1.2	VIRULENCE-ASSOCIATED TYPE IV SECRETION SYSTEMS	7
1.3	THE VIRB/VIRD4 TRANSPORT MACHINERY OF TYPE IV SECRETION.....	12
1.4	THE ROLE OF VIRD4/TRAG-LIKE PROTEINS IN T4SS.....	13
1.5	THE AIM OF THIS WORK	14
2	MATERIALS	15
2.1	BACTERIAL STRAINS.....	15
2.2	PLASMIDS AND PHAGES	16
2.3	MEDIA	17
2.4	REAGENTS AND MATERIALS.....	18
2.5	BUFFERS	19
3	METHODS	20
3.1	DNA TECHNIQUES.....	20
3.1.1	<i>Molecular cloning techniques.....</i>	<i>20</i>
3.1.2	<i>Polymerase chain reaction (PCR) techniques</i>	<i>20</i>
3.1.3	<i>DNA sequencing.....</i>	<i>20</i>
3.1.4	<i>Construction of plasmids.....</i>	<i>21</i>
3.1.5	<i>³²P-labelling of DNA fragments.....</i>	<i>23</i>
3.1.6	<i>Generation and isolation of TraG insertion mutants TraGi31</i>	<i>23</i>
3.2	CHARACTERIZATION OF TRAGi31 MUTANT PROTEINS.....	26
3.3	CONJUGATIONS.....	27
3.4	PROTEIN PURIFICATION.....	27
3.4.1	<i>Purification of RP4 TraG and TraGK187T.....</i>	<i>29</i>
3.4.2	<i>Purification of RP4 TraGΔ2 and TraGΔ2K187T and R388 TrwBΔI.....</i>	<i>29</i>
3.4.3	<i>Purification of F TraD.....</i>	<i>30</i>
3.4.4	<i>Purification of HP0524ΔI.....</i>	<i>31</i>
3.5	GEL FILTRATION	31
3.6	GLYCEROL GRADIENT CENTRIFUGATION	31
3.7	NUCLEOSIDE TRIPHOSPHATE HYDROLASE (NTPASE) ASSAY	32
3.8	FRAGMENT RETARDATION ASSAY	32
3.8.1	<i>Fragment retardation with γ-³²P-labeled DNA fragments.....</i>	<i>33</i>
3.8.2	<i>Fragment retardation with non-labeled DNA fragments.....</i>	<i>33</i>
3.9	ELECTROPHORESIS TECHNIQUES.....	34
3.9.1	<i>DNA electrophoresis</i>	<i>34</i>
3.9.2	<i>SDS-Polyacrylamide gel electrophoresis (SDS-PAGE).....</i>	<i>34</i>
3.10	IMMUNOBLOT ANALYSIS (WESTERN BLOT)	35
3.11	TRANSMISSION ELECTRON MICROSCOPY	36
3.12	PROTEIN INTERACTION ANALYSIS BY SURFACE PLASMON RESONANCE (SPR).....	36
3.13	NUCLEOTIDE BINDING ASSAY	37
3.14	SEQUENCE ALIGNMENT OF TRAG-LIKE PROTEINS.....	38

4	RESULTS	39
4.1	TRAG-LIKE PROTEINS CONTAIN TWO CONSERVED DOMAINS THAT PROBABLY FORM A NUCLEOTIDE BINDING POCKET.....	39
4.2	THE TOPOLOGY OF INTEGRAL MEMBRANE PROTEIN TRAG RESEMBLES THE TOPOLOGY OF F TRAD AND TI VIRD4	43
4.3	MUTATIONAL ANALYSIS OF TRAG ALLOWED THE IDENTIFICATION OF FUNCTIONALLY ESSENTIAL DOMAINS.....	45
4.4	TRAG-LIKE PROTEINS ORIGINATING FROM CONJUGATIVE TRANSFER SYSTEMS RP4, F AND R388 AND FROM THE TYPE IV SECRETION SYSTEM OF <i>H. PYLORI</i> WERE PURIFIED	46
4.4.1	<i>Purification of RP4 TraG and TraGK187T</i>	48
4.4.2	<i>Purification of truncated RP4 TraG derivatives TraGΔ2 and TraGΔ2K187T</i>	48
4.4.3	<i>Purification of F TraD</i>	50
4.4.4	<i>Purification of H. pylori HP0524Δ1</i>	50
4.4.5	<i>Purification of R388 TrwBΔ1</i>	51
4.5	THE MEMBRANE ANCHOR IS RESPONSIBLE FOR OLIGOMERIZATION OF TRAG AND TRWB	52
4.6	TRAG-LIKE PROTEINS DO NOT HYDROLYZE NUCLEOTIDES BUT BIND TO NUCLEOSIDE DI- AND TRIPHOSPHATES	54
4.6.1	<i>TraG-like proteins do not hydrolyze NTPs in vitro</i>	54
4.6.2	<i>TraGΔ2 and TrwBΔ1 bind ATP and ADP</i>	56
4.6.3	<i>The dissociation constants (K_d) for nucleotide binding of TraGΔ2 and TrwBΔ1 were determined to be in the 10⁻¹ mM range</i>	57
4.6.4	<i>Mutation in the putative nucleotide binding site of TraG (TraGΔ2K187T) causes reduction of its ATP- and ADP-binding ability</i>	59
4.6.5	<i>TNP-ATP-binding of TraGΔ2 and TrwBΔ1 is inhibited in the presence of Mg²⁺ and DNA and is competed by other nucleotides</i>	60
4.7	TRAG-LIKE PROTEINS BIND TO DNA VIA THE CYTOPLASMIC DOMAIN	61
4.7.1	<i>TraG, TraD and HP0524Δ1 bind to DNA with varying specificity for ss- or ds-DNA</i>	61
4.7.2	<i>Removal of the membrane anchor of TraG or point mutation in the putative P-loop motif does not affect the DNA binding ability of TraG</i>	62
4.7.3	<i>Dissociation constants for dsDNA-binding of TraGΔ2 and TrwBΔ1 were determined</i>	63
4.7.4	<i>dsDNA binding of TraGΔ2 and TrwBΔ1 is competed by ssDNA and is weakly inhibited by the presence of Mg²⁺ and nucleotides</i>	64
4.8	TRAG OLIGOMERS INTERACT WITH THE RELAXASE TRAI OF RP4	65
4.8.1	<i>TraG binds tightly and specifically to TraI</i>	65
4.8.2	<i>The membrane anchor of TraG is essential for interaction with TraI</i>	66
5	DISCUSSION	69
5.1	SEQUENTIAL AND STRUCTURAL CONSERVATION OF TRAG-LIKE PROTEINS	69
5.2	TRAG-LIKE PROTEINS ARE OLIGOMERIC PROTEINS THAT BIND TO DNA, NUCLEOTIDES AND RELAXASE BUT DO NOT HYDROLYZE NTPS <i>IN VITRO</i>	72
5.3	FUNCTIONAL DISSECTION OF DNA-, NUCLEOTIDE- AND RELAXASE-BINDING ACTIVITIES OF RP4 TRAG.....	76
5.4	THE ROLE OF TRAG-LIKE PROTEINS IN TYPE IV SECRETION SYSTEMS	78
5.5	PERSPECTIVES	82
6	SUMMARY	83
7	ZUSAMMENFASSUNG	84
8	REFERENCES	85
9	ABBREVIATIONS	91