

7 LITERATURVERZEICHNIS

- ADVANTA 2003: <http://www.advantacan.com/details.asp?id=4>.
- AKBAR, A. 1989: Resynthesis of *Brassica napus* aiming for improved earliness and carried out by different approach. *Hereditas* **111**, 239-246. Science Ltd
- ANDREASSON, E., S. WRETLBLAD, G. GRANÉR, X. WU, J. ZHANG, C. DIXELIUS, L. RASK & J. MEIJER 2001: The myrosinase-glucosinolate system in the interaction between *Leptosphaeria maculans* and *Brassica napus*. *Mol. Plant Pathol.* **2**, 281-286.
- ANNIS, S.L. & P.H. GOODWIN 1997: Inhibition of polygalacturonase activity produced by *Leptosphaeria maculans* with stem extracts of canola, and the relationship of inhibition to resistance. *J. Phytopathol.* **145**, 217-223.
- ANONYMUS 2000: Kompendium Gentchnologie und Lebensmittel. Herausgeber Aventis Crop Science Deutschland GmbH, Bund für Lebensmittelrecht und Lebensmittelkunde e.V., Monsanto Agrar Deutschland GmbH, Novartis Seeds GmbH, 3. Auflage. Warlich Druck und Verlagsgesellschaft mbH, Meckenheim, pp 77-81.
- ARMSTRONG, S.J., P. FRANSZ, D.F. MARSHALL & G.H. JONES 1998: Physical mapping of DNA repetitive sequences to mitotic and meiotic chromosomes of *Brassica oleracea* var. *alboglabra* by fluorescence *in situ* hybridization. *Heredity* **81**, 666-673.
- ARNTZEN, C.J., A. COGLIAN, B. JOHNSON, J. PEACOCK & M. RODEMEYER 2003: GM crops: science, politics and communication. *Nature Rev. Genet.* **4**, 839-843.
- ATTIA, T. & G. RÖBBELEN 1986: Cytogenetic relationship within cultivated *Brassica* analysed in amphihaploids from the three diploid ancestors. *Can. J. Genet. Cytol.* **28**, 323-329.
- BADAWY, H.M.A., H.-H. HOPPE & E. KOCH 1991: Differential reactions between the genus *Brassica* and aggressive single spore isolates of *Leptosphaeria maculans*. *J. Phytopathol.* **131**, 109-119.
- BALESSENT, M.-H., A. ATTARD, D. ANSAN-MELAYAH, R. DELOURME, M. RENARD & T. ROUXEL 2001. Genetic control and host range of avirulence toward *Brassica napus* cultivars Quinta and Jet Neuf in *Leptosphaeria maculans*. *Phytopathol.* **91**, 70-76.
- BALESSENT, M.-H., C. GALL, P. ROBIN & T. ROUXEL 1992: Intraspecific variation in soluble mycelial protein and esterase patterns of *Leptosphaeria maculans* French isolates. *Mycol. Res.* **96**, 677-684.
- BARANYK, P. & A. FABRY 1999: History of the rapeseed (*Brassica napus* L.) growing and breeding from middle age Europe to Canberra. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.regional.org.au/au/gcirc/4/374.htm>.
- BARBETTI, M.J. & R.K KHANGURA 1999: Managing blackleg in the disease-prone environment of Western Australia. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.regional.org.au/au/gcirc/3/8.htm>.
- BARRET, P., J. GUÉRIF, J. REYNOIRD, R. DELOURME, F. EBER, M. RENARD & A.M. CHÈVRE 1998: Selection of stable *Brassica napus*-*Brassica juncea* recombinant lines resistant to blackleg (*Leptosphaeria maculans*). 2. A 'to and fro' strategy to localise and characterise interspecific introgressions on the *B. napus* genome. *Theor. Appl. Genet.* **96**, 1097-1103.

- BAUDIS, H. 1997: Reminiszenz an ein Kapitel wechselvoller deutscher Pflanzenzüchtungsgeschichte, 100 Jahre Pflanzenzüchtung im Hause NPZ-Lembke. In: 100 Jahre NPZ/Lembke Pflanzenzüchtung 1897-1997 (BAUDIS, H. & G. RÖBBELEN), Hrsg.: Norddeutsche Pflanzenzucht Hans-Georg Lembke KG, Hohenlieth/Holtsee, pp 4-41.
- BELLIN, U. 1988: Herstellung von Additionslinien von *Brassica napus* mit Chromosomen des B-Genoms. Diss., Georg-August-Universität Göttingen, 63 S..
- BELLIN, U. & K.G.B. DOS SANTOS 2002: Beurteilung der Rekombinationsfähigkeit von *Brassica*-Arhybriden durch Unterscheidung der Genome mit Hilfe von GISH. Vortr. Pflanzenzüchtg. **54**, 373-376.
- BENNETT, M.D., R.A. FINCH & I.R. BARCLAY 1976: The time rate and mechanism of chromosome elimination in *Hordeum* hybrids. Chromosoma, **54**, 175-200.
- BERBEE, M.L. 2001: The phylogeny of plant and animal pathogens in the Ascomycota. Physiol. Mol. Plant Pathol. **59**, 165-187.
- BETTACH, N., M. MASSOUI & M. DELMAS 1996: Comparative study of cruciferae seeds in the genus *Lepidium*, *Eruca*, *Diplotaxis* and *Sinapis*. Ocl-Oleagineux Corps Gras Lipides **3**, 145-148.
- BING, D.J., R.K. DOWNEY & G.F.W. RAKOW 1991: Potential of gene transfer among oilseed *Brassica* and their weedy relatives. Proc. 8th Int. Rapeseed Congr. (Saskatoon) **4**, pp 1022-1027.
- BING, D.J., R.K. DOWNEY & G.F.W. RAKOW 1995: An evaluation of intergeneric gene transfer between *Brassica napus* and *Sinapis arvensis*. Plant Breed. (New York), 481-484.
- BING, D.J., R.K. DOWNEY & G.F.W. RAKOW 1996: Hybridizations among *Brassica napus*, *B. rapa* and *B. juncea* and their two weedy relatives *B. nigra* and *Sinapis arvensis* under open pollination conditions in the field. Plant Breed. **115**, 470-473.
- BIOSCOPE 2002: Asian in favour of GM food. Asian Food Information Centre (AFIC), 07.10.02, http://www.bio-scope.org/disp_doc.cfm?id=C35D5ADDD6D644839559D2C139D65F45.
- BIOSCOPE 2003: EU einig bei GVO-Kennzeichnung - Haftungsfrage weiterhin ungeklärt, 03.07.03, http://www.bio-scope.org/disp_doc.cfm?id=53F23B0172584F2D9B2CC184BA83B359.
- BMELF 1995: Bericht des Bundes und der Länder über Nachwachsende Rohstoffe 1995. Schriftenreihe des Bundesministeriums für Ernährung, Landwirtschaft und Forsten (BMELF). Reihe A: Angewandte Wissenschaft, Sonderheft, Bonn, 338 S..
- BOCKEY, D. 2002: Biodieselproduktion und Vermarktung in Deutschland, Situation und Perspektive, Union zur Förderung von Oel- und Proteinpflanzen e.V. (UFOP), Berlin, 18 S..
- BOEREMA, G.H. & H.A. VAN KESTEREN 1964: The nomenclature of two fungi parasitizing *Brassica*. Persoonia **3**, 17-28.
- BOHMAN, S., M. WANG & C. DIXELIUS 2002: *Arabidopsis thaliana*-derived resistance against *Leptosphaeria maculans* in a *Brassica napus* genomic background. Theor. Appl. Genet. **105**, 498-504.
- BONDE, M.R., J.A. MICALES & G.L. PETERSON 1993: The use of isozyme analysis for identification for plant-pathogenic fungi. Plant Disease **77**, 961-968.
- BOUDARD, G. 1981: Modalités de l'attaque parasitaire des crucifères par *Leptosphaeria maculans* (Desm.) Ces. et de Not. (f.c. *Phoma lingam*) agent de la nécrose du collet et déterminisme moléculaire du pouvoir pathogène. Thèse de Doct. Sci. Nat., Univ. Sci. et Tech. de Lille. Zitiert nach: WILLIAMS, P.H. (1992).

- BRC 2001: The development of blackleg resistant canola germplasm and genetic markers for blackleg resistance genes. Appendix A, Project Work Plan, Blackleg Resistance Consortium, September 13 2001, 31 S. (in Teilen von der NPZ zur Verfügung gestellt).
- BROWN, J., J.B. DAVIS, A.P. BROWN, D.A. ERICKSON & L. SEIP 1999: Developing canola-quality cultivars of yellow mustard (*Sinapis alba* L.). Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.regional.org.au/au/gcirc/4/280.htm>.
- BRUN, H. & M. TRIBODET 1995: Pathogenicity of *Leptosphaeria maculans* isolates on one ecotype of *Arabidopsis thaliana*. Cruciferae News. **17**, 74-75.
- BUDAHN, H., H. PETERKA & O. SCHRADER 2000: Molecular markers for added chromosomes of radish in rape and their effects on nematode resistance. Vortr. Pflanzenzüchtg. **47**, 192.
- БУЛАТ, С.А. и Н.В. МИРОНЕНКО (BULAT, S.A. & N.V. MIRONENKO) 1996: Идентификация грибов и анализ их генетической изменчивости методом полимеразной цепной реакции (пцр) с геноспецифичными и неспецифичными праймерами. Генетика **32**, 165-183 [Identification of fungi and analysis of their genetic diversity by polymerase chain reaction (PCR) with gene-specific and nonspecific primers. Genetika **32**, 165-183.]
- DE BUYSER, J., Y. HENRY & G. TALEB 1985: Wheat androgenesis: cytogenetical analysis and agronomic performance of doubled haploids. Z. Pflanzenzüchtg. **95**, 23-34.
- CAETANO-PEREIRA, C.M., O.M. TASCHETTO, M.S. PAGLIARINI & E.M. BRASIL 1998: Spontaneous mixoploidy in maize anthers. Cytologia **63**, 305-309.
- CANDOLFI, M., K. BROWN & B. REBER 1999: Bt-corn and non-target arthropods: results of a field evaluation. IOBC WG „Pesticides and Beneficial Organisms“ - Meeting 27-29 October 1999, Versailles (http://www.bba.de/english/public/abstract/iobc99_1/iobc99_1.pdf).
- CANOLA COUNCIL 2001: Canola, origin & history. Canola Council of Canada, Winnipeg/Manitoba, 4-5 (<http://www.canola-council.org/pubs/originhistory5.pdf>).
- CANOLA COUNCIL 2002: Breeding for resistance. Canola Digest - February 2002 Issue, Canola Council of Canada, Winnipeg/Manitoba (<http://www.canola-council.org/about/digests/0202.html>).
- CAO, M., D.A. SIEPER, F. DONG & J. JIANG 2000: Genomic in situ hybridization (GISH) reveals high chromosome pairing affinity between *Lolium perenne* and *Festuca mairei*. Genome **43**, 398-403.
- CARGEEG, L.A. & N. THURLING 1979: Seedling and adult plant resistance to blackleg [*Leptosphaeria maculans* (Desm.) Ces. et de Not.] in spring rape (*Brassica napus* L.). Aust. J. Agric. Res. **30**, 37-46.
- CARGEEG, L.A. & N. THURLING 1980: Contribution of host-pathogen interactions to the expression of the blackleg disease of spring rape (*Brassica napus* L.) caused by *Leptosphaeria maculans* (Desm.) Ces. et de Not. Euphytica **29**, 465-476.
- CHEN, B.Y. & W.K. HENEEN 1989: Resynthesized *B. napus* and the development of yellow seeded type. Proc. XII EUCARPIA Congress (Göttingen) **15**, pp 11-16.
- CHEN, C.-Y. & B.J. HOWLETT 1996: Rapid necrosis of guard cells is associated with the arrest of fungal growth in leaves of Indian mustard (*Brassica juncea*) inoculated with avirulent isolates of *Leptosphaeria maculans*. Physiol. Mol. Plant Pathol. **48**, 73-81.
- CHEN, C.-Y. & G. SÉGUIN-SWARTZ 1999: Reaction of wild crucifers to *Leptosphaeria maculans*, the causal agent of blackleg of crucifers. Can. J. Plant Pathol. **21**, 361-367.

- CHENG, B.F., G. SÉGUIN-SWARTZ & D.J. SOMERS 2002: Cytogenetic and molecular characterization of intergeneric hybrids between *Brassica napus* and *Orychophragmus violaceus*. *Genome* **45**, 110-115.
- CHÈVRE, A.M., P. BARRET, F. EBER, P. DUPUY, H. BRUN, X. TANGUY & M. RENARD 1997: Selection of stable *Brassica napus*-*B. juncea* recombinant lines resistant to blackleg (*Leptosphaeria maculans*). 1: Identification of molecular markers, chromosomal and genomic origin of the introgression. *Theor. Appl. Genet.* **95**, 1104-1111.
- CHÈVRE, A.M., F. EBER, H. DARMENCY, A. FLEURY, H. PICHAULT, J.C. LETANNEUR & M. RENARD 2000: Assessment of interspecific hybridization between transgenic oilseed rape and wild radish under normal agronomic conditions. *Theor. Appl. Genet.* **100**, 1233-1239.
- CHÈVRE, A.M., F. EBER, P. THIS, P. BARRET, H. BRUN, X. TANGUY & M. RENARD 1995: Establishment of a chromosomal map and blackleg resistance analyses from *B. napus*-*B. nigra* addition and recombinant lines. *Proc. 9th Int. Rapeseed Congr. (Cambridge)* **4**, pp 1217-1219.
- CHÈVRE, A.M., F. EBER, P. THIS, P. BARRET, X. TANGUY, H. BRUN, M. DELSENY & M. RENARD 1996: Interspecific gene flow as a component of risk assessment for transgenic *Brassicas*. *Acta Hortic.* **407**, 169-179.
- CHÈVRE, A.M., P. THIS, F. EBER, M. DESCHAMPS, M. RENARD, M. DELSENY & C.F. QUIROS 1991: Characterization of disomic addition lines *Brassica napus*-*Brassica nigra* by isozyme, fatty acid, and RFLP markers. *Theor. Appl. Genet.* **81**, 43-49.
- CHOUDHARY, B.R., P. JOSHI & S. RAMA RAO 2000: Interspecific hybridization between *Brassica carinata* and *Brassica rapa*. *Plant Breed.* **119**, 417-420.
- CHOUDHARY, B.R., P. JOSHI & S. RAMA RAO 2002: Cytogenetics of *Brassica juncea* x *Brassica rapa* hybrids and patterns of variation in the hybrid derivatives. *Plant Breed.* **121**, 292-296.
- CONDIT, C. 2001: What is "public opinion" about genetics? *Nature Rev. Genet.* **2**, 811-815.
- CONWAY, G. & G. TOENNIESSEN 1999: Feeding the world in the twenty-first century. *Nature* **402**, C55-C58.
- COWLING, W.A., C. LI, S.J. BARKER & D.G. GILCHRIST 2003: The potential role of apoptosis in the host-parasite interaction of *Leptosphaeria maculans* with *Brassica napus*. *Blackleg News* **7**, 9.
- COIZJNSEN, A.J., K.M. POPA, B.D. ROLLS, A. PURWANTARA & B.J. HOWLETT 2000: Genome analysis of the plant pathogenic fungus *Leptosphaeria maculans*: Mapping mating type and host specificity loci. *Mol. Plant Pathol.* **1**, 293-302.
- CRAMER, N. 1990: Raps. Züchtung, Anbau und Vermarktung von Körnerraps. Verlag Eugen Ulmer, Stuttgart, p 112.
- CROUCH, J.H., B.G. LEWIS & R.F. MITHEN 1994: The effect of A-genome substitution on the resistance of *Brassica napus* to infection by *Leptosphaeria maculans*. *Plant Breed.* **112**, 265-278.
- CUNNINGHAM, G.H. 1927: Dry rot of swedes and turnips: its cause and control. *N. Z. Dept. Agric. Bull.* **133**, 1-51.
- DALE, P.J., B. CLARKE & E.M.G. FONTES 2002: Potential for the environmental impact of transgenic crops. *Nature Biotechnol.* **20**, 567-574.
- DANGL, J.L. & J.D.G. JONES 2001: Plant pathogens and integrated defence responses to infection. *Nature* **411**, 826-833.

- DATTA, K., R. VELAZHAHAN, N. OLIVA, I. ONA, T. MEW, G.S. KHUSH, S. MUTHUKRISHNAN & S.K. DATTA 1999: Overexpression of the cloned rice thaumatin-like protein (PR-5) gene in transgenic rice plants enhances environmental friendly resistance to *Rhizoctonia solani* causing sheath blight disease. *Theor. Appl. Genet.* **98**, 1138-1145.
- DIEDERICHSEN, E. 1992: Kombination verschiedener Resistzenzen gegenüber *Plasmiodiophora brassicae* Wor. in resynthetisierten Formen von *Brassica*-Arten. Diss., Freie Universität Berlin, 172 S..
- DIEDERICHSEN, E. & M.D. SACRISTÁN 1994: The use of ovule culture in reciprocal hybridization between *B. campestris* L. and *B. oleracea* L. *Plant Breed.* **113**, 79-82.
- DIXELIUS, C. 1999: Inheritance of the resistance to *Leptosphaeria maculans* of *Brassica nigra* and *B. juncea* in near-isogenic lines of *B. napus*. *Plant Breed.* **118**, 151-156.
- DIXON, R.A. 2001: Natural products and plant disease resistance. *Nature* **411**, 843-847.
- DIXON, R.A., L. ACHNINE, P. KOTA, C.-J. LIU, M.S.S. REDDY & L. WANG 2002: The phenylpropanoid pathway and plant defense - a genomics perspective. *Mol. Plant Pathol.* **3**, 371-390.
- DOEBLEY, J. 1990: Molecular evidence for gene flow among *Zea* species. *Bioscience* **40**, 443-448.
- DOEBLEY, J., M.M. GOODMAN & C.W. STUBER 1987: Patterns of isozyme variation between maize and Mexican annual teosinte. *Econ. Bot.* **41**, 234-246.
- DOWNEY, R.K. 1966: Rapeseed botany, production and utilization. In: Rapeseed meal for livestock and poultry - a review. *Can. Dep. Agric. Publ.*, p 1257.
- EDITOR NATURE 2002: Editorial note. *Nature* **416**, 600.
- EDWARDS, K., C. JOHNSTONE & C. THOMPSON 1991: A simple and rapid method for the preparation of plant genomic DNA for PCR analysis. *Nucl. Acids Res.* **19**, 1349.
- FAHLESON, J., U. LAGERCRANTZ, A. MOURAS & K. GLIMELIUS 1997: Characterization of somatic hybrids between *Brassica napus* and *Eruca sativa* using species-specific repetitive sequences and genomic in situ hybridization. *Plant Sci.* **123**, 133-142.
- FALAK, I., P. THOMPSON, W. MCNABB, A. GROMBACHER & S. DWIPAK 1999: Development of Blackleg resistant canola quality *B. rapa*. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.regional.org.au/au/gcirc/4/252.htm>.
- FALISTOCCHI, E., R. TORRICELLI & M. FALCINELLI 2002: Genomic relationships between *Medicago murex* Willd. and *Medicago lesinsii* E. Small. investigated by in situ hybridization. *Theor. Appl. Genet.* **105**, 829-833.
- FAO 1987: Production yearbook 1986, FAO, Rome. Zitiert nach FRANKE, W. (1989).
- FAO 2003: FAOSTAT. Food and Agriculture Organization of the United Nations, Rome (<http://apps.fao.org/page/form?collection=Production.Crops.Primary&Domain=Production&servlet=1&language=EN&hostname=apps.fao.org&version=default>).
- FDA 1988: U. S. Food and Drug Administration, Answers 11/14/1988, <http://www.fda.gov/bbs/topics/ANSWERS/ANS00198.html>.
- FEDAK, G. 1985: Wide crosses in *Hordeum*. In: RASMUSSEN, D.C. (Ed.). Barley agronomy monograph. ASA-CSSA-SSSA, Madison, Wis., pp 155-186.
- FEDAK, G., Q. CHEN, R.L. CONNER, A. LAROCHE, R. PETROSKI & K.W. ARMSTRONG 2000: Characterization of wheat-*Thinopyrum* partial amphiploids by meiotic analysis and genomic in situ hybridization. *Genome* **43**, 712-719.

- FEIL, B. & P. STAMP 2001: Pollenfreisetzung durch gentechnisch veränderte Pflanzen - mit konventioneller Züchtung sicher verhindert. Pressemitteilung Institut für Pflanzenwissenschaften, ETH Zürich (<http://www.ipw.agrl.ethz.ch/~bfeil/Transgener-Pollenpressemitteilung.html>).
- FERREIRA, M.E., J.S. DIAS, A. MENGISTU & P.H. WILLIAMS 1993: Screening of Portuguese cole landraces (*Brassica oleracea* L.) with *Leptosphaeria maculans* and *Xanthomonas campestris* pv. *campestris*. *Euphytica* **65**, 219-227.
- FIEBIG, H.-J. undatiert: Fettsäurezusammensetzung wichtiger pflanzlicher und tierischer Speisefette und -öle. In: Deutsches Lebensmittelbuch. Zitiert nach: <http://www.dgfett.de/material/fszus.htm>.
- FITT, B.D.L., P. GLADDERS, J.A. TURNER, K.G. SUTHERLAND, S.J. WELHAM & J.M.L. DAVIES 1997: Prospects for developing a forecasting scheme to optimise use of fungicides for disease control on winter oilseed rape in the UK. *Aspects Appl. Biol.* **48**, 135-142.
- FLOR, H.H. 1956: The complementary genetic systems in flax and flax rust. *Adv. in Genet.* **8**, 29-54.
- FRANK, S. & C. NUSSBAUM 2003: Zerrissene Pumpen. *Focus* **42**, 13.10.03, 244.
- FRANKE, W. 1989: Nutzpflanzenkunde. G. Thieme Verlag, Stuttgart, New York, pp 157-158.
- FRAUEN, M., J. NOACK, W. PAULMANN & F. GROSSE 2003: Development and perspectives of MSL-hybrids in winter oilseed rape in Europe. Proc. 11th Int. Rapeseed Congr. (06-10 July 2003, Copenhagen/Denmark) **1**, pp 316-318.
- FRIESEN, N. & M. KLAAS 1998: Origin of some minor vegetatively propagated *Allium* crops studied with RAPD and GISH. *Genet. Res. Crop Evol.* **45**, 511-523.
- FRANSZ, P.F., C. ALONSO-BLANCO, T.B. LIHARSKA, A.J.M. PEETERS, P. ZABEL & J.H. DE JONG 1996: High-resolution physical mapping in *Arabidopsis thaliana* and tomato by fluorescence in situ hybridization to extended DNA fibers. *Plant J.* **9**, 421-430.
- FUCHS, L. 1543: Zitiert nach: Das Kräuterbuch von 1543 - Kolorierte Gesamtausgabe, Taschen Deutschland, 2001, 960 S..
- GABRIEL, D.W. & B.G. ROLFE 1990: Working models of specific recognition in plant-microbe interactions. *Annu. Rev. Phytopathol.* **28**, 365-391.
- GALL, C., M.-H. BALESIDENT, I. DESTHIEUX, P. ROBIN & T. ROUXEL 1995: Polymorphism of Tox⁰ *Leptosphaeria maculans* isolates as revealed by soluble protein and isozyme electrophoresis. *Mycol. Res.* **99**, 221-229.
- GAMBORG, O.L., R.A. MILLER & K. OJIMA 1968: Nutrient requirements of suspension cultures of soybean root cells. *Exp. Cell. Res.* **50**, 151-158.
- GARRIGA-CALDERÉ, F., D.J. HUIGEN, A. ANGRISANO, E. JACOBSEN & M.S. RAMANNA 1998: Transmission of alien tomato chromosomes from BC₁ to BC₂ progenies derived from backcrossing potato (+) tomato fusion hybrids to potato: the selection of single additions for seven different tomato chromosomes. *Theor. Appl. Genet.* **96**, 155-163.
- GAVRILENKO, T., J. LARKKA, E. PEHU & V.-M. ROKKA 2002: Identification of mitotic chromosomes of tuberous and non-tuberous *Solanum* species (*Solanum tuberosum* and *Solanum brevidens*) by GISH in their interspecific hybrids. *Genome* **45**, 442-449.
- GILCHRIST, D.G. 1998: Programmed cell death in plant disease: The purpose and promise of cellular suicide. *Annu. Rev. Phytopathol.* **36**, 393-414.

- GLADDERS, P. & T.M. MUSA 1980: Observations on the epidemiology of *Leptosphaeria maculans* stem canker in winter oilseed rape. *Plant Pathol.* **29**, 28-37.
- GLAZEBROOK, J. 1999: Genes controlling expression of defense responses in *Arabidopsis*. *Curr. Opin. Plant Biol.* **2**, 280-286.
- GÓMEZ-CAMPO, C. 1999: Biology of *Brassica* coenospecies. Developments in plant genetics and breeding. Elsevier Science B.V., 490 S..
- GÓMEZ-CAMPO, C., J.M. HERRANZ-SANZ & F. MONTERO-RIQUELME 2001: The genus *Coincya* Rouy (Cruciferae) in south-central Spain revisited: a morphometric analysis of population structure. *Bot. J. Linn. Soc.* **135**, 125-135.
- GOULD, F., N. BLAIR, M. REID, T.L. RENNIE, J. LOPEZ & S. MICINSKI 2002: *Bacillus thuringiensis*-toxin resistance management: Stable isotope assessment of alternate host use by *Helicoverpa zea*. *Proc. Natl. Acad. Sci. USA* **99**, 16581-16586.
- GREENPEACE 2001: The false promise of genetically engineered rice. Greenpeace, International Genetic Engineering Campaign, Background Information updated 02/2001 (<http://archive.greenpeace.org/geneng/reports/food/falsepromise.pdf>).
- GUGEL, R.K. & G.A. PETRIE 1992: History, occurrence, impact and control of blackleg of rapeseed. *Can. J. Plant Pathol.* **14**, 36-45.
- GUGEL, R.K. & G. SÉGUIN-SWARTZ 1997: Introgression of Blackleg resistance from *Sinapis alba* into *Brassica napus*. *Brassica 97 - 2nd Int. Symp. on Brassicas/10th Cruc. Gen. Workshop*, 23-27 September 1997, Book of Abstracts, p 222.
- GUILLON, H. & B. DE MASSY 2002: An initiation site for meiotic crossing-over and gene conversion in the mouse. *Nature Genet.* **32**, 296-299.
- HAILS, R. & J. KINDERLERER 2003: The GM public debate: context and communication strategies. *Nature Rev. Genet.* **4**, 819-825.
- HALFHILL, M.D., H.A. RICHARDS, S.A. MABON & C.N. STEWART 2001: Expression of GFP and Bt transgenes in *Brassica napus* and hybridization with *Brassica rapa*. *Theor. Appl. Genet.* **103**, 659-667.
- HALL, R., R.D. PETERS & R.A. ASSABGUI 1993: Occurrence and impact of blackleg on oilseed rape in Ontario. *Can. J. Plant Pathol.* **15**, 305-313.
- HAMMOND, K.E. & B.G. LEWIS 1986: The timing and sequence of events leading to stem canker disease in populations of *Brassica napus* var. *oleifera* in the field. *Plant Pathol.* **35**, 551-564.
- HAMMOND, K.E. & B.G. LEWIS 1987: Variation in stem infections caused by aggressive and non-aggressive isolates of *Leptosphaeria maculans* on *Brassica napus* var. *oleifera*. *Plant Pathol.* **36**, 53-65.
- HAMMOND, K.E., B.G. LEWIS & T.M. MUSA 1985: A systemic pathway in the infection of oilseed rape plants by *Leptosphaeria maculans*. *Plant Pathol.* **34**, 557-565.
- HANACZIWSKYJ, P. & R.B. DRYSDALE 1984: Variation in pathogenicity of *Leptosphaeria maculans* to oilseed rape and other brassicas. *Aspects Appl. Biol.* **6**, 343-354.
- HARBERD, D.J. & E.D. MCARTHUR 1980: Meiotic analysis of some species and genus hybrids in the *Brassicaceae*. In: S. TSUMODA, K. HINATA & C. GOMEZ-CAMPO (Eds.). *Brassica crops and wild allies - biology and breeding*. Japan Sci. Soc. Press, Tokyo, pp 65-87.
- HASSAN, A.K., C. SCHULZ, M.D. SACRISTÁN & J. WÖSTEMEYER 1991: Biochemical and molecular tools for the differentiation of aggressive and non-aggressive isolates of the oilseed rape pathogen, *Phoma lingam*. *J. Phytopathol.* **131**, 120-136.

- HASTEROK, R., G. JENKINS, T. LANGDON, R.N. JONES & J. MALUSZYNSKA 2001: Ribosomal DNA is an effective marker of *Brassica* chromosomes. *Theor. Appl. Genet.* **103**, 486-490.
- HEITEFUSS, R. 2001: Defence reactions of plants to fungal pathogens: principles and perspectives, using powdery mildew on cereals as an example. *Naturwiss.* **88**, 273-283.
- HENDERSON, M.P. 1918: The black-leg disease of cabbage caused by *Phoma lingam* (Tode) Desmaz. *Phytopathol.* **8**, 379-431.
- HENNIN, C., E. DIEDERICHSEN & M. HÖFTE 2002: Resistance to fungal pathogens triggered by the Cf9-Avr9 response in tomato and oilseed rape in the absence of hypersensitive cell death. *Mol. Plant Pathol.* **3**, 31-41.
- HENNIN, C., M. HÖFTE & E. DIEDERICHSEN 2001: Functional expression of Cf9 and Avr9 genes in *Brassica napus* induces enhanced resistance to *Leptosphaeria maculans*. *Mol. Plant-Microbe Interact.* **14**, 1075-1085.
- HESLOP-HARRISON, J.S. & T. SCHWARZACHER 1996: Genomic Southern and *in situ* hybridization for plant genome analysis. In: P.P. Jauhar (Ed.). *Methods of genome analysis in plants*. CRC Press, Boca Raton, Fla., pp 163-179.
- HEYN, F.W. 1976: Transfer of restorer genes from *Raphanus* to cytoplasmic male sterile *Brassica napus*. *Cruciferae Newsl.* **1**, 15-16.
- HEYN, F.W. 1977: Analysis of unreduced gametes in the Brassiceae by crosses between species and ploidy levels. *Z. Pflanzenzüchtg.* **78**, 13-30.
- HIZUME, M., F. SHIBATA, Y. MATSUSAKI & Z. GARAJOVA 2002: Chromosome identification and comparative karyotypic analyses of four *Pinus* species. *Theor. Appl. Genet.* **105**, 491-497.
- HOU, A. & E.B. PEFFLEY 2000: Recombinant chromosomes of advanced backcross plants between *Allium cepa* L. and *A. fistulosum* L. revealed by *in situ* hybridization. *Theor. Appl. Genet.* **100**, 1190-1196.
- HOWLETT, B.J. 1997: Genome analysis of the fungal plant pathogen, *Leptosphaeria maculans* using pulsed field gel electrophoresis. *Electrophoresis* **18**, 1544-1547.
- HOWLETT, B.J., A. IDNURM & M.S.C. PEDRAS 2001: *Leptosphaeria maculans*, the causal agent of blackleg disease of Brassicas. *Fung. Genet. Biol.* **33**, 1-14.
- HUGHES, W. 1933: A study of *Phoma lingam* (Tode) Desm. and the "dry rot" it causes, particularly in swede turnips. *Scientific Proc. Royal Dublin Soc.* **20**, 495-529.
- IDNURM, A. & B.J. HOWLETT 2001: Characterization of an opsin gene from the ascomycete *Leptosphaeria maculans*. *Genome* **44**, 167-171.
- INABA, R. & T. NISHIO 2002: Phylogenetic analysis of *Brassiceae* based on the nucleotide sequences of the S-locus related gene, *SLR1*. *Theor. Appl. Genet.* **105**, 1159-1165.
- INOMATA, N. 1988: Intergeneric hybridization between *Brassica napus* and *Sinapis arvensis* and their crossability. *Cruciferae Newsl.* **13**, 22-23.
- INOMATA, N. 1997: Hybrid progenies of the cross in *Brassica napus* x *Sinapis arvensis*. *Cruciferae Newsl.* **18**, 14-15.
- JAMES, C. 2002: Global status of commercialized transgenic crops: 2002. ISAAA Briefs No. **27**, Preview. The International Service for the Acquisition of Agri-Biotech Applications, Ithaca/NY, 23 S..
- JANCHEN, E. 1942: Das System der Cruciferen. *Österr. Bot. Z.* **91**, 1-28.

- JANEJA, H.S., S.K. BANGA, P.B. BHASKAR & S.S. BANGA 2003: Alloplasmatic male sterile *Brassica napus* with *Enarthrocarpus lyratus* cytoplasm: introgression and molecular mapping of an *E. lyratus* chromosome segment carrying a fertility restoring gene. *Genome* **46**, 792-797.
- JAYARAMAN, K.S. 2002: Poor crop management plagues *Bt* cotton experiment in India. *Nature Biotechnol.* **20**, 1069.
- JEDRYCZKA, M. , T. ROUXEL & M.-H. BALESIDENT 1999: Rep-PCR based genomic fingerprinting of isolates of *Leptosphaeria maculans* from Poland. *Eur. J. Plant Pathol.* **105**, 813-823.
- JIANG, L. & H.C. BECKER 2001: Environmental effects on expression of apetalous flowers in oilseed rape. *J. Appl. Bot.* **75**, 75-79.
- JOHNSON, R.D. & B.G. LEWIS 1990: DNA polymorphism in *Leptosphaeria maculans*. *Physiol. Mol. Plant Pathol.* **37**, 417-424.
- JOHNSON, R.D. & B.G. LEWIS 1994: Variation in host range, systemic infection and epidemiology of *Leptosphaeria maculans*. *Plant Pathol.* **43**, 269-277.
- JØRGENSEN, R.B. & B. ANDERSEN 1994: Spontaneous hybridization between oilseed rape (*Brassica napus*) and a weedy *B. campestris* (Brassicaceae): a risk of growing genetically modified oilseed rape. *Am. J. Bot.* **81**, 1620-1626.
- KAMISUGI Y., S. NAKAYAMA, C.M. O'NEIL, R.J. MATHIAS, M. TRICK & K. FUKUI 1998: Visualization of the *Brassica* self-incompatibility S-locus on identified oilseed rape chromosomes. *Plant Mol. Biol.* **38**, 1081-1087.
- KANEKO, Y., H. YANO, S.W. BANG & Y. MATSUZAWA 2001: Production and characterization of *Raphanus sativus-Brassica rapa* monosomic chromosome addition lines. *Plant Breed.* **120**, 163-168.
- KAPILA, R., M.S. NEGI, P. THIS, M. DELSENY, P.S. SRIVASTAVA & M. LAKSHMIKUMARAN 1996: A new family of dispersed repeats from *Brassica nigra*: characterization and localization. *Theor. Appl. Genet.* **93**, 1123-1129.
- KARPETCHENKO, G.D. 1924: The number of chromosomes and the genetic correlation of cultivated Cruciferae. *Trudy Prikl. Bot. Selekts.* **13**, 3-14 (Russisch). Zitiert nach WARWICK *et al.* (2000).
- KASHA, K.J. 1974: Haploids from higher plants. In: KASHA, K.J. (Ed.). *Haploids in higher plants*. Office of Continuing Education, University of Guelph, Guelph, Ont., pp 67-87.
- KAUP, M. 1999: Wettbewerbsfähige und ökologische Produkte aus Nachwachsenden Rohstoffen?! nova-Institut für politische und ökologische Innovationen, Hürth/Köln, <http://www.nova-institut.de/mih/uebersichtsartikel/ue-kaup.htm>.
- KERI, M. 1991: Resistance of *Brassica juncea* Czern. & Coss. to blackleg disease caused by *Leptosphaeria maculans* (Desm.) Ces. et de Not. MSc thesis, University of Manitoba, Winnipeg, Manitoba.
- KERLAN, M.C., A.M. CHÈVRE & F. EBER 1993: Interspecific hybrids between transgenic rapeseed (*Brassica napus*) and related species: cytogenetical characterization and detection of the transgene. *Genome* **36**, 1099-1106.
- KERLAN, M.C., A.M. CHÈVRE, F. EBER, A. BARANGER & M. RENARD 1992: Risk assessment of outcrossing of transgenic rapeseed to related species. 1. Interspecific hybrid production under optimal conditions with emphasis on pollination and fertilization. *Euphytica* **62**, 145-153.

- KHARBANDA, P.D., J. YANG, P. BEATTY, S. JENSEN & J.P. TEWARI 1999: Biocontrol of *Leptosphaeria maculans* and other pathogens of canola with *Paenibacillus polymyxa* PKB1. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. http://www.regional.org.au/au/gcirc/3/448.htm#P1_99.
- KIRCHNER, H.-A. 1974: Krankheiten und Schädlinge von Raps, Rübsen und Senf. In: KLINKOWSKI, M., E. MÜHLE, E. REINMUTH & H. BOCHOW (Hrsg.). Phytopathologie und Pflanzenschutz, Band II, Krankheiten und Schädlinge landwirtschaftlicher Kulturpflanzen. Akademie-Verlag, Berlin, 711 S..
- KIRKEGAARD, J.A., J.N. MATTHIESSEN, P.T.W. WONG, A. MEAD, M. SARWAR & B.J. SMITH 1999: Exploiting the biofumigation potential of Brassicas in farming systems. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. http://www.regional.org.au/au/gcirc/2/125.htm#P7_70.
- KOBELT, P. 2001: Die Verbreitung von sekundären Plasmodien von *Plasmodiophora brassicae* (Wor.) im Wurzelgewebe von *Arabidopsis thaliana* nach immunhistologischer Markierung des plasmodialen Zytoskeletts. Diss., Freie Universität Berlin, 76 S..
- KOCH, E., H.M.A. BADAWAY & H.-H. HOPPE 1989: Differences between aggressive and non-aggressive single spore lines of *Leptosphaeria maculans* in cultural characteristics and phytotoxin production. J. Phytopathol. **124**, 52-62.
- KOCH, E., K. SONG, T.C. OSBORN & P.H. WILLIAMS 1991: Relationship between pathogenicity and phylogeny based on restriction fragment polymorphism in *Leptosphaeria maculans*. Mol. Plant-Microbe Interact. **4**, 341-349.
- KÖHLER, W., G. SCHACHTEL & P. VOLESKE 1995: Biostatistik: Einführung in die Biometrie für Biologen und Agrarwissenschaftler. 2. Auflage, Springer, Berlin, Heidelberg, New York, London, Paris, Tokio, Hongkong, Barcelona, Budapest, 285 S..
- KOOPMANN, B., T. KUSWINANTI, M.E. THUERER & H.-H. HOPPE 1999: Distribution of *Phoma lingam* pathogenicity groups in Germany and characterization of isolates. 10th Int. Rapeseed Congr., 26-29 September 1999, Canberra/Australia, Poster (nicht in Abstract Book und Proc.).
- KOREN, A., S. BEN-AROYA & M. KUPIEC 2002: Control of meiotic recombination initiation: a role for the environment? Curr. Genet. **42**, 129-139.
- KRÜGER, W. 1978: Über den Befall des Rapses durch *Phoma lingam* in der Bundesrepublik Deutschland. Proc. 5th Int. Rapeseed Congr. Malmö/Sweden **1**, 338-341.
- KRÜGER, W. 1979: Verbreitung der Wurzelhals- und Stengelfäule (verursacht durch *Phoma lingam*) bei Raps in der Bundesrepublik Deutschland. Nachrichtenblatt d. Dt. Pflanzenschutzdienstes **31**, 145-148.
- KRÜGER, W. 1980: Wurzel- und Stengelkrankheiten des Rapses. Kali-Briefe (Büntehof) **15**, 179-192.
- KUDO, N. & Y. KIMURA 2001: Flow cytometric evidence for endopolyploidy in seedlings of some *Brassica* species. Theor. Appl. Genet. **102**, 104-110.
- KÜPFER, P. 1969: Recherche cytotaxonomiques sur la flore des montagnes de la Péninsula Ibérique. Bull. Soc. Neuchâteloise Sci. Nat. **92**, 31-48.
- KULIKOVA, O., G. GUALTIERI, R. GEURTS, D.-J. KIM, D. COOK, T. HUGUET, J.H. DE JONG, P.F. FRANSZ & T. BISSELING 2001: Integration of the FISH pachytene and genetic maps of *Medicago truncatula*. Plant J. **27**, 49-58.

- KUSWINANTI, T., B. KOOPMANN & H.-H. HOPPE 1999: Virulence pattern of aggressive isolates of *Leptosphaeria maculans* on an extended set of *Brassica* differentials. *J. Plant Dis. Protect.* **106**, 12-20.
- KUTCHER, H. R., C. G. J. VANDENBERG & S. R. RIMMER 1993: Variation in pathogenicity of *Leptosphaeria maculans* on *Brassica* spp. based on cotyledon and stem reactions. *Can. J. Plant Pathol.* **15**, 253-258.
- KUUSK, A.-K., I. HAPSTADIUS, L. ZHOU, L.A. STEVENTON, H. GIESE & C. DIXELIUS 2002: Presence of *Leptosphaeria maculans* Group A and Group B Isolates in Sweden. *J. Phytopathol.* **150**, 349-356.
- LAGERCRANTZ, U. 1998: Comparative mapping between *Arabidopsis thaliana* and *Brassica nigra* indicates that *Brassica* genomes have evolved through extensive genome replication accompanied by chromosome fusions and frequent rearrangements. *Genetics* **150**, 1217-1228.
- LEADLAY, E.A. & V.H. HEYWOOD 1990: The biology and systematics of the Genus *Coincya Porta* & Rigo ex. Rouy (*Cruciferae*). *Bot. J. Linn. Soc.* **102**, 313-398.
- LECKBAND, G. 2002: NAPUS 2000 - Gesunde Lebensmittel aus transgener Rapssaat. *Vortr. Pflanzenzüchtg.* **54**, 167-172.
- LEFOL, E., V. DANIELOU & H. DARMENCY 1996: Predicting hybridization between transgenic oilseed rape and wild mustard. *Field Crops Res.* **45**, 153-161.
- LEITCH, A.R., T. SCHWARZACHER, D. JACKSON & I.J. LEITCH 1994: *In situ*-Hybridisierung. Spektrum Akademischer Verlag, Heidelberg, Berlin, Oxford, 144 S..
- LI, H., K. SIVASITHAMPARAM & M.J. BARBETTI 2003: New race of *Leptosphaeria maculans* overcomes the single dominant blackleg resistance gene from *Brassica rapa* ssp. *sylvestris* in *B. napus* rapeseed in Australia. *Blackleg News* **7**, 10.
- LI, Z. & W.K. HENEEN 1999: Production and cytogenetics of intergeneric hybrids between three cultivated *Brassica* diploids and *Orychophragmus violaceus*. *Theor. Appl. Genet.* **99**, 694-704.
- LIM, K.-B., M.S. RAMANNA, J.H. DE JONG, E. JACOBSEN & J.M. VAN TUYL 2001: Indeterminate meiotic restitution (IMR): A novel type of meiotic nuclear restitution mechanism detected in interspecific lily hybrids by GISH. *Theor. Appl. Genet.* **103**, 219-230.
- LINNERT, G. 1982: Chiasmafrequenzen und Chiasmaverteilung bei diploiden, tetraploiden, autoallopolyploiden und synthetischen amphidiploiden Weizen. *Biol. Zbl.* **101**, 385-393.
- LINNERT, G. 1991: Lehrbuch der allgemeinen Cytogenetik. Verlag Paul Parey, Berlin, Hamburg, pp 108-110.
- LIU, B. & J.F. WENDEL 2003: Epigenetic phenomena and the evolution of plant allopolyploids. *Mol. Phylogen. Evol.* **29**, 365-379.
- LOMBARD, V. & R. DELOURME 2001: A consensus linkage map for rapeseed (*Brassica napus* L.): construction and integration of three individual maps from DH populations. *Theor. Appl. Genet.* **103**, 491-507.
- LU, C. & M. KATO 2001 : Fertilization fitness and relation to chromosome number in interspecific progeny between *Brassica napus* and *B. rapa*: a comparative study using natural and resynthesized *B. napus*. *Breed. Sci.* **51**, 73-81.
- MAHUKU, G.S., R. HALL & P.H. GOODWIN 1996: Co-infection and induction of systemic acquired resistance by weakly and highly virulent isolates of *Leptosphaeria maculans* in oilseed rape. *Physiol. Mol. Plant Pathol.* **49**, 61-72.

- MALUSZYNsKA, J. & J.S. HESLOP-HARRISON 1993: Physical mapping of rDNA loci in *Brassica* species. *Genome* **36**, 774-781.
- MANIATIS, T.A., A. JEFFREY & D.G. KLEID 1975: Nucleotide sequence of the rightward operator of phage λ . *Proc. Natl. Acad. Sci. USA* **72**, 1184-1188.
- MARIE, D. & S. BROWN 1993 : A cytometric exercice in plant DNA histograms, with 2C values for 70 species. *Biol. Cell.* **78**, 41-51.
- MARTIN, T. 2002: Weed alert! *Coincya monensis* (L.) Greuter and Burdet (Isle of Man cabbage, coincya, star mustard). Wildland invasive species team, <http://tncweeds.ucdavis.edu/alert/alrtcoin.html>.
- MATTSON, B. 1988: Interspecific crosses within the genus *Brassica* and some related genera. *Sveriges Utsadesforen. Tidskr.* **98**, 187-212. Zitiert nach WARWICK *et al.* (2000).
- MAYERHOFER, R., V.K. BANSAL, M.R. THIAGARAJAH, G.R. STRINGAM & A.G. GOOD 1997: Molecular mapping of resistance to *Leptosphaeria maculans* in Australien cultivars of *Brassica napus*. *Genome* **40**, 294-301.
- MENGISTU, A., S.R. RIMMER, E. KOCH & P.H. WILLIAMS 1991: Pathogenicity grouping of isolates of *Leptosphaeria maculans* on *Brassica napus* cultivars and their disease reaction profiles on rapid-cycling brassicas. *Plant Disease* **75**, 1279-1282.
- MICHELMORE, R.W., I. PARAN & R.V. KESSELI 1991: Identification of markers linked to disease-resistance genes by bulked segregant analysis - a rapid method to detect markers in specific genomic regions by using segregating populations. *Proc. Natl. Acad. Sci. USA* **88**, 9828-9832.
- MILLER, U.L. 1955: V-8 juice agar as a general purpose medium for fungi and bacteria. *Phytopathol.* **45**, 461-462.
- MIZUSHIMA, U. 1950: Karyogenetic studies of species and genus hybrids in the tribe Brassiceae of Cruciferae. *Tohoku J. Agr. Res.* **1**, 1-14.
- MORALES, V.M., G. SÉGUIN-SWARTZ & J.L. TAYLOR 1993: Chromosome length polymorphisms in *Leptosphaeria maculans*. *Phytopathol.* **83**, 503-509.
- MORINAGA, T. 1934: On the chromosome number of *Brassica juncea* and *Brassica napus*, on the hybrid between the two, and an offspring line of the hybrid. *Jap. J. Genet.* **9**, 161-163.
- MORINAGA, T. & E. FUKUSHIMA 1930: Another new chromosome number in *Brassica*. *Bot. Mag. (Tokio)* **44**, 373-374.
- MOYES, C.L., S.G. COLE, C.A. CASAIS & P.J. DALE 1999: Sexual compatibility between oilseed rape and *Sinapis arvensis*. *Proc. 10th Int. Rapeseed Congr.*, 26-29 September 1999, Canberra/Australia, auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.regional.org.au/au/gcirc/4/529.htm>.
- MÜLLER, E. & M. TOMASEVIC 1957: Kulturversuche mit einigen Arten der Gattung *Leptosphaeria* Ces. et de Not. *Phytopathol. Z.* **29**, 287-294.
- MURASHIGE, T. & F. SKOOG 1962: Revised media for rapid growth and bioassays with tobacco tissue cultures. *Physiol. Plantarum* **15**, 473-497.
- MURPHY, D.J. 1999: Is rapeseed really an allergenic plant? Popular myths versus scientific realities. *Immunology Today* **20**, 511-514.
- NACZI, R.F.C. & J.W. THIERET 1996: Invasion and spread of *Coincya monensis* (Brassicaceae) in North America. *Sida* **17**, 43-53.

- NIELEN, S. 1999: Molekulare Untersuchungen und genomische *in situ* Hybridisierung asymmetrischer somatischer *Brassica napus* (+) *Brassica nigra* Hybriden sowie deren sexueller Nachkommenschaften. Diss., Freie Universität Berlin, 113 S..
- NPZ 1993: Lembke-Kompendium Raps (4) 1993/94, Faszination Rapszüchtung. Norddeutsche Pflanzenzucht Hans-Georg Lembke KG, Hohenlieth/Holtsee; Saatzucht Hans Lembke, Malchow, 48 S..
- OGBONNAYA, F.C., G. HALLORAN, S. MARCROFT, E. PANG & N. GORORO 2003: Progress in the utilisation of *Brassica nigra* in breeding for resistance to blackleg (*Leptosphaeria maculans*). Proc. 11th Int. Rapeseed Congr. (06-10 July 2003, Copenhagen/Denmark) **1**, pp 39-41.
- OLIN-FATIH, M. & W.K. HENEEN 1992: C-banded karyotypes of *Brassica campestris*, *B. oleracea* and *B. napus*. *Genome* **35**, 583-589.
- OSHIMA, M. 2000: Molecular phylogenetic relationship of *Brassica* and allied genera. *Brassica* 2000 (3rd Int. Symp. on Brassicas/12th Cruc. Genet. Workshop), 5-9th September 2000, Wellesbourne/UK, Abstracts, p 21.
- PANG, E.C.K. & G.M. HALLORAN 1996a: The genetics of adult-plant blackleg (*Leptosphaeria maculans*) resistance from *Brassica juncea* in *B. napus*. *Theor. Appl. Genet.* **92**, 382-387.
- PANG, E.C.K. & G.M. HALLORAN 1996b: The genetics of blackleg [*Leptosphaeria maculans* (Desm.) Ces. et De Not.] resistance in rapeseed (*Brassica napus* L.). II. Seedling and adult-plant resistance as quantitative traits. *Theor. Appl. Genet.* **93**, 941-949.
- PARKIN, I.A.P., A.G. SHARPE & D.J. LYDIATE 2003: Patterns of genome duplication within the *Brassica napus* genome. *Genome* **46**, 291-303.
- PAUL, V.H. 1988: Krankheiten und Schädlinge des Rapses. Verlag Th. Mann, Gelsenkirchen, 120 S..
- PEDRAS, M.S.C. & C.J. BIESENTHAL 2000: HPLC analyses of cultures of *Phoma* spp.: Differentiation among groups and species through secondary metabolite profiles. *Can. J. Microbiol.* **46**, 685-691.
- PEDRAS, M.S.C. & F.I. OKANGA 2000: Metabolism of analogs of the phytoalexin brassinin by plant pathogenic fungi. *Can. J. Chem.* **78**, 338-346.
- PEDRAS, M.S.C., F.I. OKANGA, I.L. ZAHARIA & A.Q. KHAN 2000: Phytoalexins from crucifers: Synthesis, biosynthesis, and biotransformation. *Phytochem.* **53**, 161-176.
- PEDRAS, M.S.C. & G. SÉGUIN-SWARTZ 1990: Rapid high-performance liquid chromatographic analysis of phytotoxins from *Phoma lingam*. *J. Chromat.* **519**, 383-386.
- PEDRAS, M.S.C., G. SÉGUIN-SWARTZ & S.R. ABRAMS 1990: Minor phytotoxins from the blackleg fungus *Phoma lingam*. *Phytochem.* **29**, 777-782.
- PEDRAS, M.S.C., J.L. TAYLOR & V.M. MORALES 1995: Phomaligin A and other yellow pigments in *Phoma lingam* and *P. wasabiae*. *Phytochem.* **38**, 1215-1222.
- PELLETIER, G., C. PRIMARD, F. VEDEL, P. CHETRIT, R. REMY, P. ROUSSELLE & M. RENARD 1983: Intergeneric cytoplasmic hybridization in *Cruciferae* by protoplast fusion. *Mol. Gen. Genet.* **191**, 244-250.
- PELLETIER, G., C. PRIMARD, F. VEDEL, P. CHETRIT, M. RENARD & R. PELLAN-DELOURME 1987: Molecular, phenotypic and genetic characterization of mitochondrial recombinants in rapeseed. Proc. 7th Int. Rapeseed Congr., Poznan/Polen, pp 113-118.
- PETES, T.D. 2001: Meiotic recombination hot spots and cold spots. *Nature Rev. Genet.* **2**, 360-369.

- PLIESKE, J. & D. STRUSS 2001a: STS markers linked to *Phoma* resistance genes of the *Brassica* B-genome revealed sequence homology between *Brassica nigra* and *Brassica napus*. *Theor. Appl. Genet.* **102**, 483-488.
- PLIESKE, J. & D. STRUSS 2001b: Microsatellite markers for genome analysis in *Brassica*. I. development in *Brassica napus* and abundance in *Brassicaceae* species. *Theor. Appl. Genet.* **102**, 689-694.
- PLIESKE, J., D. STRUSS & G. RÖBBELEN 1998: Inheritance of resistance derived from the B-genome of *Brassica* against *Phoma lingam* in rapeseed and the development of molecular markers. *Theor. Appl. Genet.* **97**, 929-936.
- PLUMMER, K.M., K. DUNSE & B.J. HOWLETT 1994: Non-aggressive strains of the blackleg fungus, *Leptosphaeria maculans*, are present in Australia and can be distinguished from aggressive strains by molecular analysis. *Aust. J. Bot.* **42**, 1-8.
- PLÜMPER, B. 1995: Somatische und sexuelle Hybridisierung für den Transfer von Krankheitsresistenzen auf *Brassica napus* L. Diss., Freie Universität Berlin, 108 S..
- PONNAMPALAM, M., E.C.K. PANG & P.J.W. TAYLOR 1999: Molecular markers for blackleg resistance in canola. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.regional.org.au/au/gcirc/3/546.htm>.
- POTRYKUS, I., P.K. BURKHARDT, S.K. DATTA, J. FUTTERER, G.C. GHOSH-BISWAS, A. KLOTI, G. SPANGENBERG & J. WUNN 1995: Gene technology for developing countries: genetic engineering of indica rice. In: TERZI, M. (Ed.). *Plant Molecular and Cellular Biology*. Kluwer Academic Publishers. Dordrecht, pp 253-262.
- PRELL, H.H. & P.R. DAY 2001: Plant-fungal pathogen interaction. A classical and molecular view. Springer Berlin, Heidelberg, New York, 214 S..
- PURWANTARA, A., P.A. SALISBURY, W.A. BURTON & B.J. HOWLETT 1998: Reaction of *Brassica juncea* (Indian mustard) lines to Australian isolates of *Leptosphaeria maculans* under glasshouse and field conditions. *Eur. J. Plant Pathol.* **104**, 895-902.
- QUEIRÓS, M. 1973: Contribuição para o conhecimento citotaxonómico das Spermatophyta de Portugal. IX. Cruciferae. *Bol. Soc. Brot.*, Ser. 2, **47**, 315-335. Zitiert nach: WARWICK *et al.* (2000).
- RAFI 2000: Terminator two years later: RAFI update on terminator/traitor technology. Rural Advancement Foundation International (RAFI), Report prepared in preparation for the 5th Conference of Parties to the Convention on Biological Diversity, 15-26 May 2000, Nairobi, Kenya. May 2000, 18 S. (http://www.etcgroup.org/documents/other_rafiupdate.pdf).
- RAINAS, S.N., Y. MUKAI & M. YAMAMOTO 1998: In situ hybridization identifies the diploid progenitor species of *Coffea arabica* (Rubiaceae). *Theor. Appl. Genet.* **97**, 1204-1209.
- RAKOW, G. 2002: Oilseed breeding in Canada. 13th Crucifer Genetics Workshop, 23-26 March 2002, University of California, Davis/USA, Book of Abstracts, p 62.
- RAKOW, G. & J.P. RANEY 2003: Present status and future perspectives of breeding for seed quality in *Brassica* oilseed crops. Proc. 11th Int. Rapeseed Congr. (06-10 July 2003, Copenhagen/Denmark) **1**, pp 181-185.
- RAKOW, G. & G. SÉGUIN-SWARTZ 1999: Development of apetalous *Brassica napus*. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.regional.org.au/au/gcirc/4/69.htm>.

- RAMSBOTTOM, J.E. & J.E. THOMAS 1999: Latest findings on variety and fungicide interactions. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.regional.org.au/au/gcirc/3/312.htm>.
- REDDY, P.V., R. PATEL & J.F. WHITE JR. 1998: Phylogenetic and developmental evidence supporting reclassification of cruciferous pathogens *Phoma lingam* and *Phoma wasabiae* in *Plenodomus*. Can. J. Bot. **76**, 1916-1922.
- RIEGER, M.A., M. LAMOND, C. PRESTON, S.B. POWLES & R.T. ROUSH 2002: Pollen-mediated movement of herbicide resistance between commercial canola fields. Science **296**, 2383-2386.
- RIEGER, M.A., T.D. POTTER, C. PRESTON & S.B. POWLES 2001: Hybridisation between *Brassica napus* L. and *Raphanus raphanistrum* L. under agronomic field conditions. Theor. Appl. Genet. **103**, 555-560.
- RIMMER, S.R. & C.G.J. VAN DEN BERG 1992: Resistance of oilseed *Brassica* spp. to blackleg caused by *Leptosphaeria maculans*. Can. J. Plant Pathol. **14**, 56-66.
- RKI 2001: Elfter Bericht nach Inkrafttreten des Gentechnikgesetzes (GenTG) für den Zeitraum vom 01.01.2000 bis 31.12.2000. Die Arbeit der Zentralen Kommission für die Biologische Sicherheit (ZKBS) im Jahr 2000. Bundesgesundheitsbl.-Gesundheitsforsch.-Gesundheitsschutz **44**, 929-941.
- ROGERS, S.O. & A.J. BENDICH 1985: Detection of small amounts of human DNA in human-rodent hybrids. J. Cell Sci. **38**, 391-403.
- ROTHMALER, W. 1987: Exkursionsflora für die Gebiete der DDR und der BRD. Band 2, Gefäßpflanzen, Volk und Wissen Volkseigener Verlag Berlin, 640 S..
- ROUXEL, T., C. GALL & M.-H. BALESSENT 1994: Du polymorphisme au complexe d' espèce: combien d' agents pathogènes sont impliqués dans le nécrose du collet du colza? Agronomie **14**, 413-432.
- ROUXEL, T., A. KOLLMANN, L. BOULIDARD & R. MITHEN 1991: Abiotic elicitation of indole phytoalexins and resistance to *Leptosphaeria maculans* within *Brassicaceae*. Planta **184**, 271-278.
- ROUXEL, T., E. WILLNER, L. COUDARD & M.-H. BALESSENT 2003: Screening and identification of resistance to *Leptosphaeria maculans* (stem canker) in *Brassica napus* accessions. Euphytica **133**, 219-231.
- ROY, N.N. 1978: A study on disease variation in the populations of an interspecific cross of *Brassica juncea* L. x *B. napus* L. Euphytica **27**, 145-149.
- ROY, N.N. 1984: Interspecific transfer of *Brassica juncea*-type high blackleg resistance to *Brassica napus*. Euphytica **33**, 295-303.
- RUIZ-DÍEZ, B. 2002: A Review. Strategies for the transformation of filamentous fungi. J. Appl. Microbiol. **92**, 189-195.
- SACRISTÁN, M.D. 1982: Resistance responses to *Phoma lingam* of plants regenerated from selected cell and embryogenic cultures of haploid *Brassica napus*. Theor. Appl. Genet. **61**, 193-200.
- SACRISTÁN, M.D. & M. GERDEMANN 1986: Different behavior of *Brassica juncea* and *B. carinata* as sources of *Phoma lingam* resistance in experiments of interspecific transfer to *B. napus*. Plant Breed. **97**, 304-314.
- SALISBURY, P.A. 1987: Blackleg resistance in weedy crucifers. Cruciferae Newslett. **12**, 90.

- SALISBURY, P.A. & D.J. BALLINGER 1993: Evaluation of race variability in *Leptosphaeria maculans* on *Brassica* species in Australia. In: Proc. 9th Austr. Research Assembly on *Brassicac*, Wagga Wagga/Australia, pp 107-111.
- SCHÄFER, C. & J. WÖSTEMEYER 1992: Random primer dependent PCR differentiates aggressive from non-aggressive isolates of the oilseed rape pathogen *Phoma lingam* (*Leptosphaeria maculans*). *J. Phytopathol.* **136**, 124-136.
- SCHARMER, K. 2001: GET-Gesellschaft für Entwicklungstechnologie mbH: Biodiesel-Energie und Umweltbilanz Rapsölmethylester. Zitiert nach: BOKEY (2002).
- SCHLEIER, S., K. VOIGT & J. WÖSTEMEYER 1997: RAPD-based molecular diagnosis of mixed fungal infections on oilseed rape (*Brassica napus*): evidence for genus- and species-specific sequences in the fungal genomes. *J. Phytopathol.* **145**, 81-87.
- SCHMID, K.-P. 2002: Umstrittene Reform. In: Die Zeit. Wirtschaft, 30/2002, Hamburg (http://www.zeit.de/2002/30/Wirtschaft/print_200230_fischler_neu.html).
- SCHRADER, O., H. BUDAHN & R. AHNE 2000: Detection of 5S and 25S rRNA genes in *Sinapis alba*, *Raphanus sativus* and *Brassica napus* by double fluorescence in situ hybridization. *Theor. Appl. Genet.* **100**, 665-669.
- SCHRÖDER-LEMBKE, G. 1989: Die Entwicklung des Raps- und Rübsenanbaus in der Deutschen Landwirtschaft. Verlag Th. Mann, Gelsenkirchen-Buer, 35 S..
- SCHUBERT, D. 2002a: A different perspective on GM food. *Nature Biotechnol.* **20**, 969.
- SCHUBERT, D. 2002b: David Schubert replies. *Nature Biotechnol.* **20**, 1197.
- SCHUSTER, W., F. SCHEIBERT-BÖHM & F. SCHLÖSSER 1980: Untersuchungen zum Befall durch *Phoma lingam* (Tode ex. Fr.) Desm. bei Winterraps. *Z. Acker- u. Pflanzenbau* **149**, 433-446.
- SCHWARZACHER, T. & P. HESLOP-HARRISON 2000: Practical *in situ* hybridization. BIOS Scientific Publishers Limited, Oxford, 203 S..
- SÉGUIN-SWARTZ, G. 2000: A question of terminology. *Blackleg News* **6**, 1.
- SEIDEL, D., F. DAEBELER, D. AMELUNG, K.-H. ENGEL & W. LÜCKE 1984: Auftreten, Schadwirkung und Bekämpfung von *Phoma lingam* an Winterraps. *Nachrichtenblatt Pflanzenschutz DDR* **38**, 120-123.
- SEIDEL, D., T. WETZEL & K. SCHUMANN 1988: Grundlagen der Phytopathologie und des Pflanzenschutzes. VEB Deutscher Landwirtschaftsverlag, Berlin, p 63.
- SEXTON, A.C. & B.J. HOWLETT 2001: Green fluorescent protein as a reporter in the *Brassica-Leptosphaeria maculans* interaction. *Physiol. Mol. Plant Pathol.* **58**, 13-21.
- SHOEMAKER, R.A. & H. BRUN 2001: The teleomorph of the weakly aggressive segregate of *Leptosphaeria maculans*. *Can. J. Bot.* **79**, 412-419.
- SIPPEL, D.W. & R. HALL 1995: Glucose phosphate isomerase polymorphisms distinguish weakly from highly virulent strains of *Leptosphaeria maculans*. *Can. J. Plant Pathol.* **17**, 1-6.
- SKARZHINSKAYA, M., J. FAHLESON, K. GLIMELIUS & A. MOURAS 1998: Genome organization of *Brassica napus*, *Lesquerella fendleri* and analysis of their somatic hybrids using genomic *in situ* hybridization. *Genome* **41**, 691-701.
- SMITH, H.C. 1956: *Leptosphaeria napi*, the perithecial form of *Phoma lingam* causing dry-rot disease of Brassicas. *N. Z. Sci. Rev.* **14**, 116-117.
- SMITH, H.C. & B.C. SUTTON 1964: *Leptosphaeria maculans* the ascogenous state of *Phoma lingam*. *Trans. Brit. Mycol. Soc.* **47**, 159-165.

- SNOW, A.A. 2002: Transgenic crops - why gene flow matters. *Nature Biotechnol.* **20**, 542.
- SNOWDON, R.J., P. BÖTTINGER, T. PICKARDT, W. KÖHLER & W. FRIEDT 2001: Physical localisation of transgenes on *Vicia faba* chromosomes. *Chrom. Res.* **9**, 607-610.
- SNOWDON, R.J., T. FRIEDRICH, W. FRIEDT & W. KÖHLER 2002: Identifying the chromosomes of the A- and C-genome diploid *Brassica* species *B. rapa* (syn. *campestris*) and *B. oleracea* in their amphidiploid *B. napus*. *Theor. Appl. Genet.* **104**, 533-538.
- SNOWDON, R.J., A. KÖHLER, W. KÖHLER & W. FRIEDT 1999: FISHing for new rapeseed lines: the application of molecular cytogenetic techniques to *Brassica* breeding. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.).
- SNOWDON, R.J., W. KÖHLER, W. FRIEDT & A. KÖHLER 1997a: Genomic in situ hybridization in *Brassica* amphidiploids and interspecific hybrids. *Theor. Appl. Genet.* **95**, 1320-1324.
- SNOWDON R.J., W. KÖHLER & A. KÖHLER 1997b: Chromosomal localization of rDNA loci in the *Brassica* A and C genomes. *Genome* **40**, 582-587.
- SNOWDON, R.J., W. KÖHLER, W. FRIEDT, W. LÜHS & A. KÖHLER 1998: Detecting R-genome chromatin in nematode-resistant *Brassica napus* x *Raphanus sativus* hybrids. In: LELLEY, T. (Ed.). Current topics in plant cytogenetics related to plant improvement. WUV-Universitätsverlag, Wien, pp 220-226.
- SNOWDON, R.J., H. WINTER, A. DIESTEL & M.D. SACRISTÁN 2000: Development and characterisation of *Brassica napus*-*Sinapis arvensis* addition lines exhibiting resistance to *Leptosphaeria maculans*. *Theor. Appl. Genet.* **101**, 1008-1014.
- SOMDA, I., S. HARKOUS & H. BRUN 1997: Bipolar heterothallism in B-group isolates of *Leptosphaeria maculans*. *Plant Pathol.* **46**, 890-896.
- SOMERS, D.J. & G. DEMMON 2002: Identification of repetitive, genome-specific probes in crucifer oilseed species. *Genome* **45**, 485-492.
- SONG, K.M., T.C. OSBORN & P.H. WILLIAMS 1988: *Brassica* taxonomy based on nuclear restriction fragment length polymorphisms (RFLPs). 1. Genome evolution of diploid and amphidiploid species. *Theor. Appl. Genet.* **75**, 784-794.
- SOROKA, J., R. GUGEL, R. ELLIOTT, G. RAKOW & J.P. RANEY 2003: Resistance of crucifer species to insect pests. Proc. 11th Int. Rapeseed Congr. (06-10 July 2003, Copenhagen/Denmark) **3**, pp 1031-1033.
- SOSNOWSKI, M.R., M.D. RAMSEY, G. MURRAY, E.S. SCOTT & C. WILMSHURST 2001: Symptoms of blackleg (*Leptosphaeria maculans*) on the roots of canola in Australia. *Plant Pathol.* **50**, 808.
- SOSNOWSKI, M.R., M.D. RAMSEY & E.S. SCOTT 1999: Host-pathogen interactions between *Leptosphaeria maculans* and canola. Proc. 10th Int. Rapeseed Congress, 26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.).
- SOSNOWSKI, M.R., E.S. SCOTT & M.D. RAMSEY 2003: Epidemiological studies of *Leptosphaeria maculans* on canola in a controlled environment. Proc. 11th Int. Rapeseed Congr. (06-10 July 2003, Copenhagen/Denmark) **4**, pp 1175-1177.
- SPAHL, T. & T. DEICHMANN 2001: Das populäre Lexikon der Gentechnik. Überraschende Fakten von Allergie über Killerkartoffeln bis Zelltherapie. Eichborn, Frankfurt am Main, 464 S..
- STARK-LORENZEN, P., B. NELKE, G. HANBLER, H.P. MUHLBACH & J.E. THOMZIK 1997: Transfer of a grapevine stilbene synthase gene to rice (*Oryza sativa* L.). *Plant Cell Rep.* **16**, 668-673.

- STEWART JR, C.N., M.D. HALFHILL & S.I. WARWICK 2003: Transgene introgression from genetically modified crops to their wild relatives. *Nature Rev. Genet.* **4**, 806-817.
- STORCK, M. & M.D. SACRISTÁN 1995: The role of phytoalexins in the seedling resistance to *Leptosphaeria maculans* in some crucifers. *Z. Naturforsch. C* **50**, 15-20.
- SUGIMOTO-SHIRASU, K. & K. ROBERTS 2003: "Big it up": endoreduplication and cell-size control in plants. *Curr. Opin. Plant Biol.* **6**, 544-553.
- SZARKA, R., I. GÖNTÉR, M. MOLNÁR-LÁNG, S. MÓROSZ & D. DUDITS 2002: Mixing of maize and wheat genomic DNA by somatic hybridization in regenerated sterile maize plants. *Theor. Appl. Genet.* **105**, 1-7.
- TAYLOR, J.L. 1993: A simple, sensitive and rapid method for detecting seed contaminated with highly virulent *Leptosphaeria maculans*. *Appl. Environm. Microbiol.* **59**, 3881-3885.
- TAYLOR, J.L., I. BORGmann & G. SÉGUIN-SWARTZ 1991: Electrophoretic karyotyping of *Leptosphaeria maculans* differentiates highly virulent from weakly virulent isolates. *Curr. Genet.* **19**, 273-278.
- TEWARI, J.P., V.K. BANSAL, I. TEWARI, C. GOMEZ-CAMPO, G.R. STRINGAM & M.R. THIAGARAJAH 1996: Reactions of some wild and cultivated accessions of *Eruca* against *Leptosphaeria maculans*. *Cruciferae Newslett.* **18**, 130-131.
- THÜRWÄCHTER, F., V. GARBE & H.-H. HOPPE 1999: Ascospore discharge, leaf infestation and variations in pathogenicity as criteria to predict impact of *Leptosphaeria maculans* on oilseed rape. *J. Phytopathol.* **147**, 215-222.
- TOAL, E.S. & P.W. JONES 1999: Induction of systemic resistance to *Sclerotinia sclerotiorum* by oxalic acid in oilseed rape. *Plant Pathol.* **48**, 759-767.
- TODE, H.I. 1791: *Fungi Mecklenburgenses Selecti. Fasciculus II.* 51 S..
- TÖR, M., K. MANNING, G.J. KING, A.J. THOMPSON, G.H. JONES, G.B. SEYMOUR & S.J. ARMSTRONG 2002: Genetic analysis and FISH mapping of the *Colourless non-ripening* locus of tomato. *Theor. Appl. Genet.* **104**, 165-170.
- TORIYAMA, K., T. OKADA, I. SWOBODA, P.L. BHALLA, M.B. SINGH 1999: Molecular and immunologic characterization of a *Brassica* pollen allergen. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD (in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.region.org.au/au/gcirc/4/632.htm>).
- TORRANCE, L. 1995: Use of monoclonal antibodies in plant pathology. *Eur. J. Plant Pathol.* **101**, 351-363.
- TRANSGEN 2003a: Gentechnisch veränderte Pflanzen. Raps. Anbauflächen weltweit. http://www.transgen.de/?link=/Anwendung/Pflanzen/Zulassung/raps_flaechen.html.
- TRANSGEN 2003b: Gentechnisch veränderte Pflanzen: Zulassungen weltweit. Raps (Canola). http://www.transgen.de/?link=/Anwendung/Pflanzen/Zulassung/raps_zul.html.
- TREWAVAS, A. 1999: Much food, many problems. A new agriculture, combining genetic modification technology with sustainable farming, is our best hope for the future. *Nature* **402**, 231-232.
- TSUCHIYA, D., A. MATSUMOTO, S.F. COVERT, C.R. BRONSON & M. TAGA 2002: Physical mapping of plasmid and cosmid clones in filamentous fungi by fiber-FISH. *Fung. Genet. Biol.* **37**, 22-28.

- TSUKAMOTO, C., M. FURUYA, K. CHIKAYASU, K. OKUBO & K. HINATA 1993: Chemotaxonomic markers in *Brassica* seeds at the species and subspecies levels. *Biosci. Biotechnol. Biochem.* **57**, 653-654.
- U, N. 1935: Genome analysis in *Brassica* with special reference to the experimental formation of *B. napus* and peculiar mode of fertilization. *Jpn. J. Bot.* **7**, 389-452.
- UBA 1998: Gentechnik in der Landwirtschaft: Chancen und Risiken. Studie des Umweltbundesamtes über Regulierung und Risikodiskussion zu gentechnisch veränderten Pflanzen in den USA, Umweltbundesamt, Presse-Information vom 02.12.1998, Berlin.
- UBA 2000a: Rapsöl-Diesel bringt keine entscheidenden Vorteile für die Umwelt, Kohlendioxidausstoß kann auf anderen Wegen billiger und effektiver gesenkt werden. Umweltbundesamt, Presse-Information Nr. 01/00 vom 14.01.2000, Berlin (<http://www.umweltbundesamt.de/uba-info-presse/presse-informationen/p-0100-d.htm>).
- UBA 2000b: Fachinformation zum Thema Biologische Sicherheit/Gentechnik, Gentechnische Veränderungen: Qualitätsverbesserung pflanzlicher Erzeugnisse. Umweltbundesamt, Berlin (<http://www.umweltbundesamt.de/uba-info-daten/daten/bsg/bsg8.htm>).
- UBA 2002a: Fachinformation zum Thema Biologische Sicherheit/Gentechnik, Freigesetzte Pflanzen und Mikroorganismen, Herkunftsländer (Stand: Nov. 2002). Umweltbundesamt, Berlin (<http://www.umweltbundesamt.de/uba-info-daten/daten/bsg/bsg14.htm>).
- UBA 2002b: Fachinformation zum Thema Biologische Sicherheit/Gentechnik, Freisetzungsanträge in Deutschland. Umweltbundesamt, Berlin (<http://www.umweltbundesamt.de/uba-info-daten/daten/bsg/bsg16.htm>).
- UBA 2002c: Fachinformation zum Thema Biologische Sicherheit/Gentechnik, Statistik zu Inverkehrbringen. Anträge zum Inverkehrbringen (November 2002). Umweltbundesamt, Berlin (<http://www.umweltbundesamt.de/uba-info-daten/daten/bsg/bsg15.htm>).
- UFOP undatiert: Ölsäure einfach gut! Rapsöl-Information aus Wissenschaft und Forschung, Ausgabe 1, Union zur Förderung von Oel- und Proteinpflanzen e.V. (UFOP), Berlin, 6 S..
- U. S. Code Collection undatiert: U. S. Code Collection, Title 7, Chapter 101, Subchapter III, Sec. 7442, Definitions. U.S. House of Representatives, <http://uscode.house.gov/uscode-cgi/fastweb.exe?getdoc+uscview+t05t08+3920+4++%28canola>.
- VAVILOW, N.I. 1926: Studies on the origin of cultivated plants. Centres of origin of cultivated plants. *Bull. Appl. Bot. Plant Breed.* **16**, 139-248.
- VENN, L.A. 1979: The genetic control of sexual compatibility in *Leptosphaeria maculans*. *Australasian J. Plant Pathol.* **8**, 5-6.
- VERHOOG, A.D. 2002: Ölsaatenanbau in der EU. In: Statistik kurz gefasst, Landwirtschaft und Fischerei, Thema 5 – 6/2002, Original: Englisch. Europäische Gemeinschaften, 8 S. (http://www.eu-datasshop.de/download/DE/sta_kurz/thema5/nn_02_06.pdf).
- DE VEYLERD, L., J. JOUBES & D. INZE 2003 : Plant cell cycle transitions. *Curr. Opin. Plant Biol.* **6**, 536-543.
- VIOQUE, J. & J. PASTOR 1995: Aportaciones al conocimiento cariológico del género *Coincyia* (Brassicaceae) en la Península Ibérica. *Stud. Bot.* **14**, 143-151. Zitiert nach: WARWICK *et al.* (2000).
- WANG, Y. & B. FRISTENSKY 2001: Transgenic canola lines expressing pea defense gene DRR206 have resistance to aggressive blackleg isolates and to *Rhizoctonia solani*. *Mol. Breed.* **8**, 263-271.

- WARWICK, S.I. & L.D. BLACK 1991: Molecular systematics of *Brassica* and allied genera (subtribe Brassicinae, Brassiceae) - chloroplast genome and cytodeme congruence. *Theor. Appl. Genet.* **82**, 81-92.
- WARWICK, S.I. & L.D. BLACK 1996: Phylogenetic implications of chloroplast DNA restriction site variation in subtribes Raphaninae and Cakilinae (Brassicaceae, tribe Brassiceae). *Can. J. Bot.* **75**, 960-973.
- WARWICK, S.I., A. FRANCIS & J. LA FLECHE 2000: Guide to Wild Germplasm of *Brassica* and Allied Crops (tribe Brassiceae, Brassicaceae), 2nd Edition, Electronic product published by Agriculture and Agri-Food Canada, Eastern Cereal and Oilseed Research Centre, Ottawa, <http://www.brassica.info/crucifer%20genetics/guidewild.htm>.
- WARWICK, S.I., M.-J. SIMARD, A. LÉGERE, H.J. BECKIE, L. BRAUN, B. ZHU, P. MASON, G. SÉGUIN-SWARTZ & C.N. STEWART 2003: Hybridization between *Brassica napus* L. and its wild relatives: *B. rapa* L., *Raphanus raphanistrum* L., *Sinapis arvensis* L., and *Erucastrum gallicum* (Willd.) O. E. Schulz. *Theor. Appl. Genet.* **107**, 528-539.
- WERRES, S. & C. STEFFENS 1994: Immunological techniques used with fungal plant pathogens: aspects of antigens, antibodies and assays for diagnosis. *Ann. Appl. Biol.* **125**, 615-643.
- WEST, J.S., M.-H. BALESSENT, T. ROUXEL, J.P. NARCY, Y.-J. HUANG, J. ROUX, J.M. STEED, B.D.L. FITT & J. SCHMITT 2002a: Colonization of winter oilseed rape tissues by A/Tox⁺ and B/Tox⁰ *Leptosphaeria maculans* (phoma stem canker) in France and England. *Plant Pathol.* **51**, 311-321.
- WEST, J.S., B.D.L. FITT, P.K. LEECH, J.E. BIDDULPH, Y.-J. HUANG & M.-H. BALESSENT 2002b: Effects of timing of *Leptosphaeria maculans* ascospore release and fungicide regime on phoma leaf spot and phoma stem canker development on winter oilseed rape (*Brassica napus*) in southern England. *Plant Pathol.* **51**, 454-463.
- WEST, J.S., J.E. BIDDULPH, B.D.L. FITT & P. GLADDERS 1999: Epidemiology of *Leptosphaeria maculans* in relation to forecasting stem canker severity on winter oilseed rape in the UK. *Ann. Appl. Biol.* **135**, 535-546.
- WEST, J.S., N. EVANS, S. LIU, B. HU & L. PENG 2000: *Leptosphaeria maculans* causing stem canker of oilseed rape in China. *Plant Pathol.* **49**, 800.
- WEST, J.S., P.D. KHARBANDA, M.J. BARBETTI & B.D.L. FITT 2001: Epidemiology and management of *L. maculans* on oilseed rape in Australia, Canada and Europe. *Plant Pathol.* **50**, 10-27.
- WILKINSON, M.J., L.J. ELLIOTT, J. ALLAINGUILLAUME, M.W. SHAW, C. NORRIS, R. WELTERS, M. ALEXANDER, J. SWEET & D.C. MASON 2003: Hybridization between *Brassica napus* and *B. rapa* on a national scale in the United Kingdom. *Science* **302**, 457-459.
- WILLIAMS, J.G.K., A.R. KUBELIK, K.J. LIVAK, J.A. RAFALSKI & S.V. TINGEY 1990: DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucl. Acids Res.* **18**, 6531-6535.
- WILLIAMS, P.H. 1992: Biology of *Leptosphaeria maculans*. *Can. J. Plant Pathol.* **14**, 30-35.
- WILLIAMS, R.H. & B.D.L. FITT 1999: Differentiating A and B groups of *Leptosphaeria maculans*, causal agent of stem canker (blackleg) of oilseed rape. *Plant Pathol.* **48**, 161-175.
- WINTER, H., A. DIESTEL, S. GÄRTIG, N. KRONE, K. STERENBERG & M.D. SACRISTÁN 2003a: Transfer von Resistzenzen gegen *Leptosphaeria maculans* aus Wildcruciferen in den Raps. *Vortr. Pflanzenzüchtg.* **56**, 51-62.

- WINTER, H., A. DIESTEL, S. GÄRTIG, N. KRONE, K. STERENBERG & M.D. SACRISTÁN 2003b: Transfer of new blackleg resistances into oilseed rape. Proc. 11th Int. Rapeseed Congr. (06-10 July 2003, Copenhagen/Denmark) **1**, pp 19-21.
- WINTER, H., S. GAERTIG, A. DIESTEL & M.D. SACRISTÁN 1999: Blackleg resistance of different origin transferred into *Brassica napus*. Proc. 10th Int. Rapeseed Congr. (26-29 September 1999, Canberra/Australia), auf CD in WRATTEN, N. & P. SALISBURY (Eds.) bzw. <http://www.regional.org.au/au/gcirc/4/593.htm>.
- WINTER, H. & M.D. SACRISTÁN 1998: Cytological and isozyme analysis of dihaploid *Brassica napus*-*B. juncea* backcross lines and their resistance behavior against *Leptosphaeria maculans*. Cruciferae Newslett. **20**, 29-30.
- WITTERN, I. & W. KRÜGER 1985: Sporenkeimung von *Phoma lingam* (Tode ex. Fr.) Desm. und Resistenzprüfung bei Raps im Gewächshaus. Phytopathol. Z. **113**, 113-124.
- WRIGHT, F.R.E. 1936: The Lundy *Brassica*, with some additions. J. Bot. (London) **74** (suppl.), 1-8.
- WU, J.G., Z. LI, Y. LIU, H.L. LIU & T.D. FU 1997: Cytogenetics and morphology of the pentaploid hybrid between *Brassica napus* and *Orychophragmus violaceus* and its progeny. Plant Breed. **116**, 251-257.
- XI, K. & R.A.A. MORRALL 1993: Histopathology of blackleg development in spring rapeseed. J. Phytopathol. **137**, 26-32.
- XUE, B., P.H. GOODWIN & S.L. ANNIS 1992: Pathotype identification of *Leptosphaeria maculans* oligonucleotide primers from ribosomal internal transcribed spacer sequences. Physiol. Mol. Plant Pathol. **41**, 179-188.
- YAKURA, K. & S. TANIFUJI 1983: Molecular cloning and restriction analysis of *EcoRI*-fragments of *Vicia faba* rDNA. Plant Cell Physiol. **24**, 1327-1330.
- YE, X., S. AL-BABILI, A. KLÖTI, J. ZHANG, P. LUCCA, P. BERGER & I. POTRYKUS 2000: Engineering the provitamin A (β -carotene) biosynthetic pathway into (carotenoid-free) rice endosperm. Science **287**, 303-305.
- ZHAO, Q., L. JIANG, H. BECKER & G.A. WOLF 2002: Untersuchung zur Anfälligkeit blütenblattloser Rapslinien gegenüber *Sclerotinia sclerotiorum* und anderen Rapsstängelkrankheitserregern mit Hilfe von serologischen Verfahren. Poster Nr. 549, 53. Deutsche Pflanzenschutztagung, 16.-19. September 2002, Bonn.
- ZHOU, Y., B.D.L. FITT, S.J. WELHAM, P. GLADDERS, C.E. SANSFORD & J.S. WEST 1999: Effects of severity and timing of stem canker (*Leptosphaeria maculans*) symptoms on yield of winter oilseed rape (*Brassica napus*) in the UK. Eur. J. Plant Pathol. **105**, 715-728.
- ZHU, B. & S.R. RIMMER 2003: Inheritance of resistance to *Leptosphaeria maculans* in two accessions of *Brassica napus*. Can. J. Plant Pathol. **25**, 98-103.
- ZHU, J., D. STRUSS & G. RÖBBELEN 1993: Studies on resistance to *Phoma lingam* in *Brassica napus* - *Brassica nigra* addition lines. Plant Breed. **111**, 192-197.
- ZIOLKOWSKI, P.A. & J. SADOWSKI 2002: FISH-mapping of rDNAs and *Arabidopsis* BACs on pachytene complements of selected *Brassicaceae*. Genome **45**, 189-197.