

## 8 LITERATURVERZEICHNIS

- [1] **Ahlers M, Bumann A, Freesmeyer WB:**  
Neue Nomenklaturempfehlungen der AFDT.  
URL: [www.dgmzk.de](http://www.dgmzk.de), 2005.
- [2] **Ahlers M, Freesmeyer WB, Fussnegger M, et al.:**  
Zur Therapie der funktionellen Erkrankungen des kranio-mandibulären Systems.  
Wissenschaftliche Stellungnahme der DGZMK.  
Deutsch Zahnärztl Z 60, 2005.
- [3] **Arlen H:**  
The otomandibular syndrome: a new concept.  
Ear Nose Throat J 56: 26-30, 1977.
- [4] **Arlen H:**  
The otomandibular syndrome.  
In: Gelb H: Clinical management of head, neck and TMJ pain and dysfunction.  
WB Saunders & Co Philadelphia, 171-180, 1984.
- [5] **Ash CM, Pinto OF:**  
The TMJ and the middle ear: structural and functional correlates for aural symptoms associated with temporomandibular joint dysfunction.  
Int J Prosthodont 4: 51-7., 1991.
- [6] **Ash MM, Ash CM, Ash JL, et al.:**  
Kiefergelenk und Gehörsymptome - Möglichkeiten der Therapie.  
Phillip J 8: 287-299, 1991.
- [7] **Baguley DM, Axon P, Winter IM, et al.:**  
The effect of vestibular nerve section upon tinnitus.  
Clin Otolaryngol Allied Sci 27: 219-226, 2002.
- [8] **Bernstein JM, Mohl ND, Spiller H:**  
Temporomandibular joint dysfunction masquerading as disease of the ear, nose and throat.  
Trans Am Acad Ophthalmol Otolaryngol 73: 1208-1217, 1969.
- [9] **Boenninghaus HG:**  
Hals-Nasen-Ohrenheilkunde für den Allgemeinarzt.  
Springer Berlin, 1996.
- [10] **Brookes GB, Maw AR, Coleman MJ:**  
"Costen's syndrome" - correlation or coincidence: a review of 45 patients with temporomandibular joint dysfunction, otalgia and other aural symptoms.  
Clin Otolaryngol 5: 23 - 36, 1980.

- [11] **Brunner E, Langer F:**  
Nichtparametrische Analyse longitudinaler Daten.  
München Wien Oldenburg, 1999.
- [12] **Bush FM:**  
Tinnitus and otalgia in temporomandibular disorders.  
J Prosthet Dent 58: 495-498, 1987.
- [13] **Cacace AT:**  
Expanding the biological basis of tinnitus: crossmodal origins and the role of neuroplasticity.  
Hear Res 175: 112-132, 2003.
- [14] **Carlsson GE:**  
Epidemiological studies of signs and symptoms of temporomandibular joint-pain-dysfunction. A literature review.  
Austr Prosthodont Soc Bull 14: 7-12, 1984.
- [15] **Chan SWY, Reade PC:**  
Tinnitus and temporomandibular pain-dysfunction disorder.  
Clin Otolaryngol 19: 370-380, 1994.
- [16] **Chole RA, Parker WS:**  
Tinnitus and vertigo in patients with temporomandibular disorders.  
Arch Otolaryngol Head Neck Surg 118: 817-821, 1992.
- [17] **Ciancaglini R, Loreti P, Radaelli G:**  
Ear, nose, and throat symptoms in patients with TMD: The association of symptoms according to severity of arthropathy.  
J Orofacial Pain 8: 293-297, 1994.
- [18] **Clark GT, Seligman DA, Solberg WK, et al.:**  
Guidelines for the treatment of temporomandibular disorders.  
J Craniomandib Disord 4: 80-88, 1990.
- [19] **Coles RRA:**  
Epidemiology of tinnitus: Demographic and clinical features.  
J Laryngol Otol Suppl 9: 195-199, 1984.
- [20] **Cooper BC, Cooper DL:**  
Multidisciplinary approach to the differential diagnosis of facial, head and neck pain.  
J Prosth Dent 66: 72-78, 1991.
- [21] **Costen JB:**  
A syndrome of ear and sinus symptoms dependent upon disturbed function of the temporomandibular joint.  
Ann Otol Rhinol Laryngol 43: 1-4, 1934.

- [22] **Davis AC:**  
Hearing disorders in the population. First phase findings of the MRC National Study of Hearing.  
In: Lutman ME, Haggard MP: Hearing Science and Hearing disorders. Academic London, 35-60, 1983.
- [23] **DeBoever JA, Carlsson GE:**  
Etiology and differential diagnosis of temporomandibular disorders.  
In: Zarb G, Carlsson GE, Sessle B, et al.: Temporomandibular joint and masticatory muscle disorders. 1993.
- [24] **DeBoever JA, Steenks MH:**  
Epidemiologie, Symptomatologie und Ätiologie der kranio-mandibulären Dysfunktion.  
In: Steenks MH, deWijer A: Kiefergelenkfehl-funktionen aus physiotherapeutischer und zahnmedizinischer Sicht. Quintessenz Berlin, 35-43, 1991.
- [25] **Dolowitz DA, Ward JW, Fingerel CO, et al.:**  
The role of muscular incoordination in the pathogenesis of the temporomandibular joint syndrome.  
Laryngoscope 74: 790, 1964.
- [26] **DuBrul L:**  
Evolution of the temporomandibular joint.  
In: Sarnat BG: The temporomandibular joint. CC Thomas Springfield, 3-27, 1964.
- [27] **Dworkin SF, Huggins KH, LeResche L, et al.:**  
Epidemiology of signs and symptoms in temporomandibular disorders: clinical signs in cases and controls.  
J Am Dent Assoc 120: 273-281, 1990.
- [28] **Dworkin SF, LeResche L:**  
Research diagnostic criteria for temporomandibular disorders: Review, criteria, examinations and specifications, critique.  
J Craniomandib Disorders 6: 301-355, 1992.
- [29] **Dylina TJ:**  
A common-sense approach to splint therapy.  
J Prosthet Dent 86: 539-545, 2001.
- [30] **Erlandson SI, Hallberg LRM, Axelsson A:**  
Psychological and audiological correlates of perceived tinnitus severity.  
Audiology 31: 168-179, 1992.
- [31] **Feldmann H:**  
Tinnitus.  
Thieme Stuttgart - New York, 1992.

- [32] **Feldmann H:**  
Mechanisms of tinnitus.  
In: Vernon J, Moeller A: Mechanisms of tinnitus.  
Allyn & Bacon Boston, MA, 35-49, 1995.
- [33] **Frahn G, John M:**  
Schmerzen im orofazialen System - eine kontrollierte Studie mit Stabilisierungsschiene und Ultraschall.  
Dtsch Zahnärztl Z 51: 478-481, 1996.
- [34] **Frumker SC, Kyle MA:**  
Tinnitus as a symptom of temporomandibular joint dysfunction.  
Semin Hear 8: 21-28, 1987.
- [35] **Gabler M, Reiber T, John M:**  
Die mehrdimensionale Charakterisierung einer Patientenpopulation mit kranio-mandibulären Dysfunktionen.  
Deutsch Zahnärztl Z 56: 332-334, 2001.
- [36] **Gelb H, Bernstein JM:**  
Clinical evaluation of two hundred patients with temporomandibular joint syndrome.  
J Prosth Dent 49: 234-243, 1983.
- [37] **Gelb H, Gelb ML, Wagner ML:**  
The relationship of tinnitus to craniocervical mandibular disorders.  
J Craniomandib Pract 15: 136 - 143, 1996.
- [38] **Georgiewa P, Klapp BF, Fischer F, et al.:**  
An integrative model of developing tinnitus based on recent neurobiological findings.  
Med Hypotheses 66: 592-600, 2006.
- [39] **Glanville JD, Coles RRA, Sullivan BM:**  
A family with high-tonal objective tinnitus.  
J Laryngol Otol 85: 1-10, 1971.
- [40] **Goebel G:**  
Tinnitus aus medizinischer Sicht.  
In: Kröner-Herwig B: Psychologische Behandlung des chronischen Tinnitus.  
Beltz Psychologie Verlags Union Weinheim, 1-14, 1997.
- [41] **Goebel G, Decot E, Marek A:**  
Entscheidungshilfen bei Diagnostik und Wahl psychologischer Behandlungsmethoden.  
HNO 49: 1036-1046, 2001.
- [42] **Goebel G, Fichter M:**  
Depression beim chronischen Tinnitus.  
Münch Med Wschr 140, 1998.

- [43] **Goebel G, Hiller W:**  
Tinnitus-Fragebogen (TF) - Ein Instrument zur Erfassung von Belastung und Schweregrad bei Tinnitus, Handanweisung.  
Hogrefe Göttingen, 2000.
- [44] **Goodfriend DJ:**  
Symptomatology and treatment of abnormalities of the mandibular articulation.  
Dent Cosmos 78: 844-852, 947-960, 1936.
- [45] **Greimel KV, Biesinger E:**  
Psychologische Prinzipien bei der Behandlung von Tinnituspatienten.  
HNO 47: 130-134, 1999.
- [46] **Halford JBS, Anderson SD:**  
Anxiety and depression in tinnitus sufferers.  
J Psychosom Res 35: 383-390, 1991.
- [47] **Hankey GT:**  
Some observations on Costen's mandibular syndrome. Including a review of 100 out of 500 cases.  
Proc R Soc Med 51: 225-232, 1957.
- [48] **Hankey GT:**  
Painful disorders of the temporomandibular joint. The mandibular syndrome of Costen.  
Proc R Soc Med 55: 787-792, 1962.
- [49] **Hautzinger M, Bailer M:**  
Allgemeine Depressionsskala.  
Beltz Weinheim, 1993.
- [50] **Hazell JW, Jastreboff PJ:**  
Tinnitus. I: Auditory mechanisms: a model for tinnitus and hearing impairment.  
J Otolaryngol 19: 1-5, 1990.
- [51] **Hazell JW, Wood SM, Cooper HR, et al.:**  
A clinical study of tinnitus maskers.  
Brit J Audiol 19: 64-146, 1985.
- [52] **Helkimo M:**  
Studies on function and dysfunction of the masticatory system.  
Svensk Tandläk T 67: 101-119, 1974.
- [53] **Helkimo M:**  
Epidemiological surveys of dysfunction of the masticatory system.  
Oral Sci Rev 7: 54-69, 1976.
- [54] **Henderson DH, Cooper JCJ, Bryan GW, et al.:**  
Otologic complaints in temporomandibular joint syndrome.  
Arch Otolaryngol Head Neck Surg 118: 1208-1213, 1992.

- [55] **Hesse G, Laubert A:**  
Tinnitus retraining therapy. Indications and treatment goals.  
HNO 49: 764-777, 2001.
- [56] **Hesse G, Rienhoff NK, Nelting M, et al.:**  
Ergebnisse stationärer Therapie bei Patienten mit chronisch komplexem  
Tinnitus.  
Laryng-Rhino-Otol 80: 503-508, 2001.
- [57] **Hiyama S, Ono T, Ishiwata Y, et al.:**  
First night effect of an interocclusal appliance on nocturnal masticatory muscle  
activity.  
J Oral Rehabil 30: 139-145, 2003.
- [58] **Jastreboff PJ, Hazell JW:**  
A neurophysiological approach to tinnitus: clinical implications.  
Br J Audiol 27: 7-17, 1993.
- [59] **Jeanmonod D, Magnin M, Morel A:**  
Low-threshold calcium spike bursts in the human thalamus. Common  
physiopathology for sensory, motor and limbic positive symptoms.  
Brain 119: 363-375, 1996.
- [60] **Johansson AS, Isberg A, Isaacson G:**  
A radiographic and histologic study of the topographic relations in the temporo-  
mandibular joint region: implications for a nerve entrapment mechanism.  
J Oral Maxillofac Surg 48: 953-961, 1990.
- [61] **John M:**  
Mehrdimensionaler Therapieerfolg für schmerzhaft kranio-mandibuläre  
Dysfunktionen.  
Dtsch Zahnärztl Z 54: 391-395, 1999.
- [62] **John M:**  
Stellungnahme des Arbeitskreises Epidemiologie in der DGZMK in Zusammen-  
arbeit mit der Arbeitsgemeinschaft für Funktionslehre der DGZMK zu epide-  
miologischen Studien über kranio-mandibuläre Dysfunktionen (CMD).  
URL: [www.dgzmk.de/mitteilg/htm#cmd](http://www.dgzmk.de/mitteilg/htm#cmd), 2000.
- [63] **Kempf HG, Roller R:**  
Über die Beziehung von Innenohrstörungen und Kiefergelenkserkrankungen.  
HNO 41: 7 - 10, 1993.
- [64] **Klockhoff I, Westerberg CE:**  
In: Rubinstein B: Tinnitus in patients with temporomandibular disorders - is  
there a link?, Swed Dent J, 1-46, 1993
- [65] **Koskinen J, Paavolainen M, Raivio M, et al.:**  
Otolological manifestations in temporomandibular joint dysfunction.  
J Oral Rehabil 7: 249-254, 1980.

- [66] **Laskin DM:**  
Etiology of the pain-dysfunction syndrome.  
J Am Dent Assoc 79: 147-153, 1969.
- [67] **Lenarz T:**  
Epidemiologie.  
In: Feldmann H: Tinnitus.  
Thieme Stuttgart, 71-75, 1992.
- [68] **Lenarz T:**  
Leitlinien der Deutschen Gesellschaft für Hals-Nasen-Ohren-Heilkunde, Kopf-  
und Hals-Chirurgie. Tinnitus.  
HNO 47: 14-18, 1999.
- [69] **Leske MC:**  
Prevalence of communicative disorders in the US: language, hearing and vesti-  
bular disorders.  
Asha 23: 229-237, 1981.
- [70] **Levy BM:**  
Embryological development of the temporomandibular joint.  
In: Sarnat BG: The temporomandibular joint.  
Charles C. Thomas Springfield, 59-70, 1964.
- [71] **Lockwood AH, Salvi RJ, Coad ML, et al.:**  
The functional neuroanatomy of tinnitus: evidence for limbic system links and  
neural plasticity.  
Neurology 50: 114-120, 1998.
- [72] **Longridge NS:**  
A tinnitus clinic.  
J Otolaryngol 8: 390-395, 1979.
- [73] **Lotzmann U:**  
Funktionstherapie mit Hilfe von Okklusionsschienen.  
Phillip J 15: 25-31, 1998.
- [74] **Lotzmann U, Kobes LWR:**  
Funktionsstörungen des Kauorgans und Hals-Nasen-Ohren-Symptome.  
Dtsch Stomatol 41: 414-417, 1991.
- [75] **Mazurek B, Georgiewa P, Seydel C, et al.:**  
Integrierte Tinnitusintensivbehandlung: Konzept und erste praktische  
Erfahrungen.  
Gesundheitswesen 67: 485-491, 2005.
- [76] **McMahon CM, Patuzzi RB:**  
The origin of the 900 Hz spectral peak in spontaneous and sound-evoked round-  
window electrical activity.  
Hear Res 173: 134-152, 2002.

- [77] **McNeill C:**  
Cranio-mandibular disorders. Guidelines for evaluation, diagnosis and management.  
Quintessenz Chicago, 1990.
- [78] **McNeill C:**  
Temporomandibular Disorders: Guidelines for classification, assessment, and management.  
Quintessence Chicago, 1993.
- [79] **Meikle M, Griest S:**  
The perceived localisation of tinnitus.  
In: Feldmann H: Proceedings III. International Tinnitus Seminar Münster 1987.  
Harsch Karlsruhe, 183-189, 1987.
- [80] **Meikle M, Taylor-Walsh E:**  
Characteristics of tinnitus and related observations in over 1800 tinnitus clinic patients.  
J Laryngol Otol 9: 17-21, 1984.
- [81] **Melcher JR, Sigalovsky IS, Guinan JJJr., et al.:**  
Lateralized tinnitus studied with functional magnetic resonance imaging: abnormal inferior colliculus activation.  
J Neurophysiol 83: 1058-1072, 2000.
- [82] **Mercuri LG, Campbell RL, Shamaskin RG:**  
Intra-articular meniscus dysfunction surgery.  
Oral Surg 54: 613-621, 1982.
- [83] **Moller AR:**  
Similarities between severe tinnitus and chronic pain.  
J Am Acad Audiol 11: 115-124, 2000.
- [84] **Monson GS:**  
Occlusion as applied to crown and bridge-work.  
Nat Dent Assoc 7: 399-413, 1920.
- [85] **Moss RA, Sult SC, Garret JC:**  
Questionnaire evaluation of craniomandibular pain factors among college students.  
J Craniomand Prac 2: 364-368, 1984.
- [86] **MRC Institute of hearing research:**  
Epidemiology of tinnitus.  
In: Hazell JH: Tinnitus.  
Churchill Livingstone Edinburgh, 46-70, 1987.
- [87] **Muhn timer W, Elbert T, Taub E, et al.:**  
Reorganization of auditory cortex in tinnitus.  
Proc Natl Acad Sci USA 95: 10340-10343, 1998.



- [88] **Myrhaug H:**  
The incidence of ear symptoms in cases of malocclusion and temporomandibular joint disturbances.  
Br J Oral Surg 2: 28-32, 1964.
- [89] **Myrhaug H:**  
Parafunktionen im Kauapparat als Ursache eines otodontalen Syndroms (I).  
Quintessenz 20: 89-94, 117-121, 1969.
- [90] **Myrhaug H:**  
Parafunktionen im Kauapparat als Ursache eines otodontalen Syndroms (II).  
Quintessenz 20: 6-11, 1969.
- [91] **Neuhauser W:**  
Tinnitus als zahnärztliches Problem. Kiefergelenksaffektionen und Bruxismus. Diagnostische und therapeutische Möglichkeiten.  
In: Goebel G: Ohrgeräusche. Psychosomatische Aspekte des komplexen Tinnitus. Vorkommen, Auswirkungen, Diagnostik und Therapie.  
Quintessenz München, 245-269, 1992.
- [92] **Nilner M:**  
Epidemiologic studies in TMD.  
In: McNeill C: Current controversies in temporomandibular disorders.  
Quintessence Chicago, 21-26, 1992.
- [93] **Ohrbach R, Stohler CS:**  
Review of the literature: current diagnostic systems.  
J Craniomand Disord Facial Oral Pain 6: 307-317, 1992.
- [94] **Okano N, Baba K, Akishige S, et al.:**  
The influence of altered occlusal guidance on condylar displacement.  
J Oral Rehabil 29: 1091-1098, 2002.
- [95] **Okkerse W, Brebels A, De Deyn PP, et al.:**  
Influence of a bite-plane according to Jeanmonod, on bruxism activity during sleep.  
J Oral Rehabil 29: 980-985, 2002.
- [96] **Ottl P:**  
Okklusionsschientherapie.  
Deutscher Zahnärzte Kalender: 121-138, 1997.
- [97] **Peroz I:**  
Funktionsstörungen des Kauorgans bei Tinnituspatienten im Vergleich zu einer Kontrollgruppe.  
HNO 51: 544-548, 2003.
- [98] **Philipp U, Munker G, Komposch G:**  
Die Funktion der Tuba Eustachii bei Patienten mit Kiefergelenkerkrankungen.  
Deutsch Zahnärztl Z 27: 806-810, 1972.

- [99] **Pilgramm M, Rychlik R, Leibisch H, et al.:**  
Tinnitus in the Federal Republic of Germany: A representative epidemiological study.  
In: Hazell J: Proceedings of the Sixth International Tinnitus Seminar.  
Cambridge, UK, 64-67, 1999.
- [100] **Pinto OF:**  
A new structure related to the temporomandibular joint and middle ear.  
J Prosth Dent 12: 95-103, 1962.
- [101] **Rammelsberg P:**  
Untersuchungen über Ätiologie, Diagnose und Therapie von Diskopathien des Kiefergelenks.  
Quintessenz Berlin, 1998.
- [102] **Ren Y-F, Isberg A:**  
Tinnitus in patients with temporomandibular joint internal derangement.  
J Craniomand Prac 13: 75 - 80, 1995.
- [103] **Rosanowski F, Hoppe U, Köllner V, et al.:**  
Interdisziplinäres Management des chronischen Tinnitus (I).  
Versicherungsmedizin 53: 29-35, 2001.
- [104] **Rubinstein B:**  
Tinnitus in patients with temporomandibular disorders - is there a link?  
Swed Dent J 95: 1-46, 1993.
- [105] **Rubinstein B, Axelsson A, Carlsson GE:**  
Prevalence of signs and symptoms of craniomandibular disorders in tinnitus patients.  
J Craniomandib Disord Facial Oral Pain 4: 186-192, 1990.
- [106] **Rubinstein B, Carlsson GE:**  
Effects of stomatognathic treatment on tinnitus: A retrospective study.  
J Craniomandib Prac 5: 254-259, 1987.
- [107] **Rugh JD, Solberg WK:**  
Oral health status in the United States: Temporomandibular Disorders.  
J Dent Educ 49: 398-405, 1985.
- [108] **Sachs L:**  
Angewandte Statistik.  
Springer-Verlag Berlin, 1991.
- [109] **Salvi RJ, Lockwood AH, Burkhard R:**  
Neural plasticity and tinnitus.  
In: Salvi RJ, Tyler RS: Tinnitus handbook.  
Singular San Diego, CA, 123-148, 2000.

- [110] **Schmolke C:**  
The relationship between the temporomandibular joint capsule, articular disc and jaw muscles.  
J Anat 184: 335-345, 1994.
- [111] **Schneider WR, Hilk A, Franzen U:**  
Soziale Unterstützung, Beschwerdedruck, Streßverarbeitung und Persönlichkeitsmerkmale bei Patienten mit subjektivem chronischem Tinnitus aurium und einer klinischen Kontrollgruppe.  
HNO 42: 22-27, 1994.
- [112] **Schulte W:**  
Hörstörungen durch Myoarthropathien des Kiefergelenkes.  
HNO 41: 12-13, 1993.
- [113] **Seligman DA, Pullinger AG:**  
The role of intercuspal occlusal relationships in temporomandibular disorders: a review.  
J Craniomandib Disord Facial Oral Pain 5: 96-106, 1991.
- [114] **Shapiro HH, Truex RC:**  
The temporomandibular joint and the auditory function.  
J A D A 30: 1147-1168, 1943.
- [115] **Shulman A:**  
Clinical classification of subjective idiopathic tinnitus.  
J Laryng Otol 4: 102-106, 1981.
- [116] **Sicher H:**  
Temporomandibular Articulation in mandibular overclosure.  
J Am Dent Assoc 36: 131-139, 1948.
- [117] **Simpson JJ, Davis WE:**  
A review of evidence in support of a role for 5-HT in the perception of tinnitus.  
Hear Res 145: 1-7, 2000.
- [118] **Slack RWT, Soucek SO, Wong K:**  
Sonotubometry in the investigation of objective tinnitus and palatal myoclonus.  
J Laryng Otol 100: 529-531, 1986.
- [119] **Steger E, Deponte V, Windhorst C:**  
Anatomische Untersuchung zur Frage des sogenannten Costensyndroms.  
Dtsch Zahnärztl Z 29: 531-535, 1974.
- [120] **Stobik C, Weber R, Münte F, et al.:**  
Psychosomatische Belastungsfaktoren bei kompensiertem und dekompenziertem Tinnitus.  
Psychosom Med Psychol 53: 344-352, 2003.

- [121] **Stouffer JL, Tyler RS:**  
Characterization of tinnitus by tinnitus patients.  
J Speech Hear Disord 55: 439-453, 1990.
- [122] **Thonner K-E:**  
Aural symptoms in relation to the temporomandibular joint.  
Acta Odontol Scand 10: 180-198, 1953.
- [123] **Toland AD, Porubsky E, Coker NJ, et al.:**  
Velo-pharyngo-laryngeal myoclonus: evaluation of objective tinnitus and extra-thoracic airway obstruction.  
Laryngoscope 94: 691-695, 1984.
- [124] **Trampisch HJ, Windeler J:**  
Medizinische Statistik.  
Springer Verlag Berlin Heidelberg New York, 2000.
- [125] **Travell JE, Simons DG:**  
Masseter muscle "the trismus muscle".  
In: Myofascial pain and dysfunction: the trigger point manual.  
Williams and Wilkins Baltimore, 219-235, 1983.
- [126] **Türp J, John M, Nilges P, et al.:**  
Schmerzen im Bereich der Kaumuskulatur und Kiefergelenke.  
Schmerz 14: 416-428, 2000.
- [127] **Türp J, Schindler H-J:**  
Myoarthropathien des Kauph Systems: II - Welche Symptome sind behandlungsbedürftig?  
Zahn Prax 3: 78-81, 2005.
- [128] **Van der Weele LT, Dibbets JMH:**  
Helkimo's index: a scale or just a set of symptoms?  
J Oral Rehabil 14: 229-237, 1987.
- [129] **Vernon J, Griest S, Press L:**  
Attributes of tinnitus associated with the temporomandibular joint syndrome.  
Eur Arch Otorhinolaryngol 249: 93-94, 1992.
- [130] **Vernon J, Griest S, Press L:**  
Attributes of tinnitus that may predict temporomandibular joint dysfunction.  
Cranio 10: 282-288, 1992.
- [131] **von Zerssen D:**  
Die Beschwerdenliste (B-L). Manual.  
Beltz Weinheim, 1976.
- [132] **Wahlund K, List T, Dworkin SF:**  
Temporomandibular disorders in children and adolescents: reliability of a questionnaire, clinical examination and diagnosis.  
J Orofacial Pain 12: 42-51, 1998.

- [133] **Wänman A, Agerberg G:**  
Mandibular dysfunction in adolescents. Prevalence of signs.  
Acta Odontol Scand 44: 55-62, 1986.
- [134] **Watanabe I, Kumagami H, Tsuda Y:**  
Tinnitus due to abnormal contraction of stapedial muscle.  
ORL 36: 217-226, 1974.
- [135] **Weber T:**  
Memorix Zahnmedizin.  
Thieme Stuttgart, 1999.
- [136] **Wedel A, Carlsson GE:**  
Retrospective review of 350 patients referred to a TMJ-clinic.  
Community Dent Oral Epidemiol 11: 69-73, 1983.
- [137] **Wilkinson TM:**  
The Lack of Correlation Between Occlusal Factors and TMD.  
In: McNeill C: Current Controversies in TMD.  
Quintessenz New York, 1992.
- [138] **Williamson EH:**  
The interrelationship of internal derangements of the temporomandibular joint, headache, vertigo, and tinnitus: a survey of 25 patients.  
J craniomand prac 8: 301-306, 1990.
- [139] **Wright EF, Bifano SL:**  
Tinnitus improvement through TMD therapy.  
J A D A 128: 1424-1432, 1997.
- [140] **Wright WH:**  
Deafness as influenced by malposition of the jaws.  
Nat Dent Assoc 7: 979-992, 1920.
- [141] **Zenner HP:**  
Eine Systematik für Entstehungsmechanismen von Tinnitus.  
HNO 46: 699-704, 1998.
- [142] **Zenner HP:**  
Kognitive Therapie bei chronischem Tinnitus - heute anerkannte Therapie der Wahl.  
Laryng-Rhino-Otol 82: 750-751, 2003.