

6. Literaturverzeichnis

Altieri P, Brunelli C, Garibaldi S, Nicolino A, Ubaldi S, Spallarossa P, Olivotti L, Rossettin P, Barsotti A, Ghigliotti G. Metalloproteinases 2 and 9 are increased in plasma of patients with heart failure. *Eur J Clin Invest.* 2003;33:648-56.

Beaudeux JL, Giral P, Bruckert E, Foglietti MJ, Chapman MJ. Matrix metalloproteinases, inflammation and atherosclerosis: therapeutic perspectives. *Clin Chem Lab Med.* 2004;42:121-31.

Bergelson JM, Cunningham JA, Drogue G, Kurt-Jones EA, Krithivas A, Hong JS, Horwitz MS, Crowell RL, Finberg RW. Isolation of a common receptor for Coxsackie B viruses and adenoviruses 2 and 5. *Science.* 1997;275:1320-3.

Boenisch T, Farmilo AJ, Stead RH, Key M, Welcher R, Harvey R, Atwood KN. *Handbook of immunochemical methods.* 3.Auflage, 2001, DAKO corporation.

Bryant D, Becker L, Richardson J, Shelton J, Franco F, Peshock R, Thompson M, Giroir B. Cardiac failure in transgenic mice with myocardial expression of tumor necrosis factor-alpha. *Circulation.* 1998;97:1375-81.

Caforio AL, Baboonian C, McKenna WJ. Postviral autoimmune heart disease--fact or fiction? *Eur Heart J.* 1997;18:1051-5.

Carding SR, Lu D, Bottomly K. A polymerase chain reaction assay for the detection and quantification of cytokine expression in small numbers of cells. *J. Immunol. Methods.* 1992;151:277-87.

Carmeliet P, Moons L, Lijnen R, Baes M, Lemaitre V, Tipping P, Drew A, Eeckhout Y, Shapiro S, Lupu F, Collen D. Urokinase-generated plasmin activates matrix metalloproteinases during aneurysm formation. *Nat Genet.* 1997;17:439-44.

Carmeliet P, Schoonjans L, Kieckens L, Ream B, Degen J, Bronson R, De Vos R, van den Oord JJ, Collen D, Mulligan RC. Physiological consequences of loss of plasminogen activator gene function in mice. *Nature*. 1994;368:419-24.

Cher DJ, Mosmann TR. Two types of murine helper T cell clone. II. Delayed-type hypersensitivity is mediated by TH1 clones. *J Immunol*. 1987;138:3688-94.

Cheung C, Luo H, Yanagawa B, Leong HS, Samarasekera D, Lai JC, Suarez A, Zhang J, McManus BM. Matrix metalloproteinases and tissue inhibitors of matrix metalloproteinases in coxsackievirus-induced myocarditis. *Cardiovasc Pathol*. 2006;15:63-74.

Chow LH, Beisel KW, McManus BM. Enteroviral infection of mice with severe combined immunodeficiency. Evidence for direct viral pathogenesis of myocardial injury. *Lab Invest*. 1992;66:24-31.

Coffman RL. Origins of the T(H)1-T(H)2 model: a personal perspective. *Nat Immunol*. 2006;7:539-41.

Collen D, Lijnen HR. Basic and clinical aspects of fibrinolysis and thrombolysis. *Blood*. 1991;78:3114-24.

Corvisart JN. *Essai sur les maladies et les lesions organique du cœur*. Gates J MMSS. 1812; 182: 299-303

Creemers E, Cleutjens J, Smits J, Heymans S, Moons L, Collen D, Daemen M, Carmeliet P. Disruption of the plasminogen gene in mice abolishes wound healing after myocardial infarction. *Am J Pathol*. 2000;156:1865-73.

Cunningham MW, Antone SM, Gulizia JM, McManus BM, Fischetti VA, Gauntt CJ. Cytotoxic and viral neutralizing antibodies crossreact with streptococcal M protein, enteroviruses, and human cardiac myosin. *Proc Natl Acad Sci U S A*. 1992;89:1320-4.

Ducharme A, Frantz S, Aikawa M, Rabkin E, Lindsey M, Rohde LE, Schoen FJ, Kelly RA, Werb Z, Libby P, Lee RT. Targeted deletion of matrix metalloproteinase-9 attenuates left ventricular enlargement and collagen accumulation after experimental myocardial infarction. *J Clin Invest.* 2000;106:55-62.

Eberhardt W, Huwiler A, Beck KF, Walpen S, Pfeilschifter J. Amplification of IL-1 beta-induced matrix metalloproteinase-9 expression by superoxide in rat glomerular mesangial cells is mediated by increased activities of NF-kappa B and activating protein-1 and involves activation of the mitogen-activated protein kinase pathways. *J Immunol.* 2000;165:5788-97.

Eghbali M, Tomek R, Woods C, Bhambi B. Cardiac fibroblasts are predisposed to convert into myocyte phenotype: specific effect of transforming growth factor beta. *Proc Natl Acad Sci U S A.* 1991;88:795-9.

Evans HG, Lewis MJ, Shah AM. Interleukin-1 beta modulates myocardial contraction via dexamethasone sensitive production of nitric oxide. *Cardiovasc Res.* 1993;27:1486-90.

Fechner H, Noutsias M, Tschoepe C, Hinze K, Wang X, Escher F, Pauschinger M, Dekkers D, Vetter R, Paul M, Lamers J, Schultheiss HP, Poller W. Induction of coxsackievirus-adenovirus-receptor expression during myocardial tissue formation and remodeling: identification of a cell-to-cell contact-dependent regulatory mechanism. *Circulation.* 2003;107:876-82.

Feldman AM, Li YY, McTiernan CF. Matrix metalloproteinases in pathophysiology and treatment of heart failure. *Lancet.* 2001;357:654-5.

Finkel MS, Oddis CV, Jacob TD, Watkins SC, Hattler BG, Simmons RL. Negative inotropic effects of cytokines on the heart mediated by nitric oxide. *Science.* 1992;257:387-9.

Gauntt CJ, Arizpe HM, Higdon AL, Wood HJ, Bowers DF, Rozek MM, Crawley R. Molecular mimicry, anti-coxsackievirus B3 neutralizing monoclonal antibodies, and myocarditis. *J Immunol.* 1995;154:2983-95.

Gauntt CJ, Tracy SM, Chapman N, Wood HJ, Kolbeck PC, Karaganis AG, Winfrey CL, Cunningham MW. Coxsackievirus-induced chronic myocarditis in murine models. *Eur Heart J.* 1995;16 Suppl O:56-8.

Godeny EK, Gauntt CJ. Murine natural killer cells limit coxsackievirus B3 replication. *J Immunol.* 1987;139:913-8.

Gundersen D, Tran-Thang C, Sordat B, Mourali F, Ruegg C. Plasmin-induced proteolysis of tenascin-C: modulation by T lymphocyte-derived urokinase-type plasminogen activator and effect on T lymphocyte adhesion, activation, and cell clustering. *J Immunol.* 1997;158:1051-60.

Gunja-Smith Z, Morales AR, Romanelli R, Woessner JF, Jr. Remodeling of human myocardial collagen in idiopathic dilated cardiomyopathy. Role of metalloproteinases and pyridinoline cross-links. *Am J Pathol.* 1996;148:1639-48.

Gyetko MR, Aizenberg D, Mayo-Bond L. Urokinase-deficient and urokinase receptor-deficient mice have impaired neutrophil antimicrobial activation in vitro. *J Leukoc Biol.* 2004;76:648-56.

Gyetko MR, Chen GH, McDonald RA, Goodman R, Huffnagle GB, Wilkinson CC, Fuller JA, Toews GB. Urokinase is required for the pulmonary inflammatory response to Cryptococcus neoformans. A murine transgenic model. *J Clin Invest.* 1996;97:1818-26.

Hashimoto I, Tatsumi M, Nakagawa M. The role of T lymphocytes in the pathogenesis of Coxsackie virus B3 heart disease. *Br J Exp Pathol.* 1983;64:497-504.

Henke A, Huber S, Stelzner A, Whitton JL. The role of CD8+ T lymphocytes in coxsackievirus B3-induced myocarditis. *J Virol.* 1995;69:6720-8.

Heymans S, Lupu F, Terclavers S, Vanwetswinkel B, Herbert JM, Baker A, Collen D, Carmeliet P, Moons L. Loss or inhibition of uPA or MMP-9 attenuates LV remodeling and dysfunction after acute pressure overload in mice. *Am J Pathol.* 2005;166:15-25.

Heymans S, Luttun A, Nuyens D, Theilmeier G, Creemers E, Moons L, Dyspersin GD, Cleutjens JP, Shipley M, Angellilo A, Levi M, Nube O, Baker A, Keshet E, Lupu F, Herbert JM, Smits JF, Shapiro SD, Baes M, Borgers M, Collen D, Daemen MJ, Carmeliet P. Inhibition of plasminogen activators or matrix metalloproteinases prevents cardiac rupture but impairs therapeutic angiogenesis and causes cardiac failure. *Nat Med.* 1999;5:1135-42.

Heymans S, Pauschinger M, De Palma A, Kallwellis-Opara A, Rutschow S, Swinnen M, Vanhoutte D, Gao F, Torpai R, Baker AH, Padalko E, Neyts J, Schultheiss HP, Van de Werf F, Carmeliet P, Pinto YM. Inhibition of urokinase-type plasminogen activator or matrix metalloproteinases prevents cardiac injury and dysfunction during viral myocarditis. *Circulation.* 2006;114:565-73.

Hinglais N, Heudes D, Nicoletti A, Mandet C, Laurent M, Bariety J, Michel J-B. Colocalization of myocardial fibrosis and inflammatory cells in rats. *Lab Invest.* 1994;70:286-294.

Hosenpud JD, Campbell SM, Mendelson DJ. Interleukin-1-induced myocardial depression in an isolated beating heart preparation. *J Heart Transplant.* 1989;8:460-4.

Huber SA, Graveline D, Newell MK, Born WK, O'Brien RL. V gamma 1+ T cells suppress and V gamma 4+ T cells promote susceptibility to coxsackievirus B3-induced myocarditis in mice. *J Immunol.* 2000;165:4174-81.

Huber SA, Job LP. Cellular immune mechanisms in Coxsackievirus group B, type 3 induced myocarditis in Balb/C mice. *Adv Exp Med Biol.* 1983;161:491-508.

Inomata T, Hanawa H, Miyanishi T, Yajima E, Nakayama S, Maita T, Kodama M, Izumi T, Shibata A, Abo T. Localization of porcine cardiac myosin epitopes that induce experimental autoimmune myocarditis. *Circ Res.* 1995;76:726-33.

Kawai C. From myocarditis to cardiomyopathy: mechanisms of inflammation and cell death: learning from the past for the future. *Circulation.* 1999;99:1091-100.

Kearney MT, Cotton JM, Richardson PJ, Shah AM. Viral myocarditis and dilated cardiomyopathy: mechanisms, manifestations, and management. *Postgrad Med J.* 2001;77:4-10.

Kerrigan JJ, Mansell JP, Sandy JR. Matrix turnover. *J Orthod.* 2000;27:227-33.

Kim HE, Dalal SS, Young E, Legato MJ, Weisfeldt ML, D'Armiento J. Disruption of the myocardial extracellular matrix leads to cardiac dysfunction. *J Clin Invest.* 2000;106:857-66.

Kim KS, Hufnagel G, Chapman NM, Tracy S. The group B coxsackieviruses and myocarditis. *Rev Med Virol.* 2001;11:355-68.

Kindzelskii AL, Amhad I, Keller D, Zhou M-J, Haugland RP, Garni-Wagner BA, Gyetko MR, Todd RF, Petty HR. Pericellular proteolysis by leukocytes and tumor cells on substrates: focal activation and the role of urokinase-type plasminogen activator. *Histochem Cell Biol.* 2004;121:299-310.

Kirchheimer JC, Remold HG. Functional characteristics of receptor-bound urokinase on human monocytes: catalytic efficiency and susceptibility to inactivation by plasminogen activator inhibitors. *Blood.* 1989;74:1396-402.

Kishimoto C, Kitazawa M, Hiraoka Y, Takada H. Extracellular matrix remodeling in coxsackievirus B3 myocarditis. *Clin Immunol Immunopathol.* 1997;85:47-55.

Kishimoto C, Kuribayashi K, Masuda T, Tomioka N, Kawai C. Immunologic behavior of lymphocytes in experimental viral myocarditis: significance of T lymphocytes in the severity of myocarditis and silent myocarditis in BALB/c-*nu/nu* mice. *Circulation.* 1985;71:1247-54.

Kishimoto C, Kurnick JT, Fallon JT, Crumpacker CS, Abelmann WH. Characteristics of lymphocytes cultured from murine viral myocarditis specimens: a preliminary and technical report. *J Am Coll Cardiol.* 1989;14:799-802.

Klingel K, Hohenadl C, Canu A, Albrecht M, Seemann M, Mall G, Kandolf R. Ongoing enterovirus-induced myocarditis is associated with persistent heart muscle infection: quantitative analysis of virus replication, tissue damage, and inflammation. *Proc Natl Acad Sci U S A.* 1992;89:314-8.

Kodama M, Hanawa H, Saeki M, Hosono H, Inomata T, Suzuki K, Shibata A. Rat dilated cardiomyopathy after autoimmune giant cell myocarditis. *Circ Res.* 1994;75:278-84.

Kovacs EJ. Fibrogenic cytokines: the role of immune mediators in the development of scar tissue. *Immunol Today.* 1991;12:17-23

Kuhl U, Noutsias M, Seeberg B, Schultheiss HP. Immunohistological evidence for a chronic intramyocardial inflammatory process in dilated cardiomyopathy. *Heart.* 1996;75:295-300.

Kuhl U, Pauschinger M, Bock T, Klingel K, Schwimmbeck CP, Seeberg B, Krautwurm L, Poller W, Schultheiss HP, Kandolf R. Parvovirus B19 infection mimicking acute myocardial infarction. *Circulation.* 2003;108:945-50.

Kuhl U, Pauschinger M, Seeberg B, Lassner D, Noutsias M, Poller W, Schultheiss HP. Viral persistence in the myocardium is associated with progressive cardiac dysfunction. *Circulation.* 2005;112:1965-70.

Kuznetsova SA, Roberts DD. Functional regulation of T lymphocytes by modulatory extracellular matrix proteins. *Int J Biochem Cell Biol.* 2004;36:1126-34.

Kyu B, Matsumori A, Sato Y, Okada I, Chapman NM, Tracy S. Cardiac persistence of cardioviral RNA detected by polymerase chain reaction in a murine model of dilated cardiomyopathy. *Circulation.* 1992;86:522-30.

Lane JR, Neumann DA, Lafond-Walker A, Herskowitz A, Rose NR. LPS promotes CB3-induced myocarditis in resistant B10.A mice. *Cell Immunol.* 1991;136:219-33.

Lane JR, Neumann DA, Lafond-Walker A, Herskowitz A, Rose NR. Role of IL-1 and tumor necrosis factor in coxsackie virus-induced autoimmune myocarditis. *J Immunol.* 1993;151:1682-90.

Lee JK, Zaidi SH, Liu P, Dawood F, Cheah AY, Wen WH, Saiki Y, Rabinovitch M. A serine elastase inhibitor reduces inflammation and fibrosis and preserves cardiac function after experimentally-induced murine myocarditis. *Nat Med.* 1998;4:1383-91.

Levine B, Kalman J, Mayer L, Fillit HM, Packer M. Elevated circulating levels of tumor necrosis factor in severe chronic heart failure. *N Engl J Med.* 1990;323:236-41.

Li J, Campanale NV, Liang RJ, Deane JA, Bertram JF, Ricardo SD. Inhibition of p38 mitogen-activated protein kinase and transforming growth factor-beta1/Smad signaling pathways modulates the development of fibrosis in adriamycin-induced nephropathy. *Am J Pathol.* 2006;169:1527-40.

Li J, Leschka S, Rutschow S, Schwimmbeck PL, Husmann L, Noutsias M, Westermann D, Poller W, Zeichhardt H, Klinkel K, Tschoepe C, Schultheiss HP, Pauschinger M. Immunmodulation by interleukin-4 suppresses matrix metalloproteinases and improves cardiac function in murine myocarditis. *Eur. J. Pharmacol.* 2007;554:60-8.

Li J, Schwimmbeck PL, Tschope C, Leschka S, Husmann L, Rutschow S, Reichenbach F, Noutsias M, Kobalz U, Poller W, Spillmann F, Zeichhardt H, Schultheiss HP, Pauschinger M. Collagen degradation in a murine myocarditis model: relevance of matrix metalloproteinase in association with inflammatory induction. *Cardiovasc Res.* 2002;56:235-47.

Li YH, Rozanski GJ. Effects of human recombinant interleukin-1 on electrical properties of guinea pig ventricular cells. *Cardiovasc Res.* 1993;27:525-30.

Li YY, McTiernan CF, Feldman AM. Proinflammatory cytokines regulate tissue inhibitors of metalloproteinases and disintegrin metalloproteinase in cardiac cells. *Cardiovasc Res.* 1999;42:162-72.

Liu PP, Mason JW. Advances in the understanding of myocarditis. *Circulation*. 2001;104:1076-82.

Mann DL. Tumor necrosis factor and viral myocarditis: the fine line between innate and inappropriate immune responses in the heart. *Circulation*. 2001;103:626-9.

Mason JW. Myocarditis and dilated cardiomyopathy: an inflammatory link. *Cardiovasc Res*. 2003;60:5-10.

Matsumori A. Cytokines in myocarditis and cardiomyopathies. *Curr Opin Cardiol*. 1996;11:302-9.

Matsumori A. Molecular and immune mechanisms in the pathogenesis of cardiomyopathy--role of viruses, cytokines, and nitric oxide. *Jpn Circ J*. 1997;61:275-91.

Matsumori A, Yamada T, Suzuki H, Matoba Y, Sasayama S. Increased circulating cytokines in patients with myocarditis and cardiomyopathy. *Br Heart J*. 1994;72:561-6.

Matsumura S, Iwanaga S, Mochizuki S, Okamoto H, Ogawa S, Okada Y. Targeted deletion or pharmacological inhibition of MMP-2 prevents cardiac rupture after myocardial infarction in mice. *J Clin Invest*. 2005;115:599-609.

McCarthy RE, 3rd, Boehmer JP, Hruban RH, Hutchins GM, Kasper EK, Hare JM, Baughman KL. Long-term outcome of fulminant myocarditis as compared with acute (nonfulminant) myocarditis. *N Engl J Med*. 2000;342:690-5.

Mori S, Gibson G, McTiernan CF. Differential expression of MMPs and TIMPs in moderate and severe heart failure in a transgenic model. *J Card Fail*. 2006;12:314-25.

Moscatelli D, Rifkin DB. Membrane and matrix localization of proteinases: a common theme in tumor cell invasion and angiogenesis. *Biochim Biophys Acta*. 1988;948:67-85.

Moshal KS, Tyagi N, Moss V, Henderson B, Steed M, Ovechkin A, Aru GM, Tyagi SC. Early induction of matrix metalloproteinase-9 transduces signaling in human heart end stage failure. *J Cell Mol Med.* 2005;9:704-13.

Mosmann TR, Cherwinski H, Bond MW, Giedlin MA, Coffman RL. Two types of murine helper T cell clone. I. Definition according to profiles of lymphokine activities and secreted proteins. *J Immunol.* 1986;136:2348-57.

Muckelbauer JK, Kremer M, Minor I, Diana G, Dutko FJ, Groarke J, Pevear DC, Rossmann MG. The structure of coxsackievirus B3 at 3.5 Å resolution. *Structure.* 1995;3:653-67.

Neumann DA. Autoimmunity and idiopathic dilated cardiomyopathy. *Mayo Clin Proc.* 1994;69:193-5.

Neumann DA, Lane JR, Allen GS, Herskowitz A, Rose NR. Viral myocarditis leading to cardiomyopathy: do cytokines contribute to pathogenesis? *Clin Immunol Immunopathol.* 1993;68:181-90.

Noutsias M, Fechner H, de Jonge H, Wang X, Dekkers D, Houtsmuller AB, Pauschinger M, Bergelson J, Warraich R, Yacoub M, Hetzer R, Lamers J, Schultheiss HP, Poller W. Human coxsackie-adenovirus receptor is colocalized with integrins alpha(v)beta(3) and alpha(v)beta(5) on the cardiomyocyte sarcolemma and upregulated in dilated cardiomyopathy: implications for cardiotropic viral infections. *Circulation.* 2001;104:275-80.

Noutsias M, Pauschinger M, Ostermann K, Escher F, Blohm JH, Schultheiss H, Kuhl U. Digital image analysis system for the quantification of infiltrates and cell adhesion molecules in inflammatory cardiomyopathy. *Med Sci Monit.* 2002;8:MT59-71.

Opavsky MA, Penninger J, Aitken K, Wen WH, Dawood F, Mak T, Liu P. Susceptibility to myocarditis is dependent on the response of alphabeta T lymphocytes to coxsackieviral infection. *Circ Res.* 1999;85:551-8.

Pauschinger M, Chandrasekharan K, Schultheiss HP. Myocardial remodeling in viral heart disease: possible interactions between inflammatory mediators and MMP-TIMP system. *Heart Fail Rev.* 2004;9:21-31.

Pauschinger M, Doerner A, Kuehl U, Schwimmbeck PL, Poller W, Kandolf R, Schultheiss HP. Enteroviral RNA replication in the myocardium of patients with left ventricular dysfunction and clinically suspected myocarditis. *Circulation.* 1999;99:889-895.

Pauschinger M, Knopf D, Petschauer S, Doerner A, Poller W, Schwimmbeck PL, Kuhl U, Schultheiss HP. Dilated cardiomyopathy is associated with significant changes in collagen type I/III ratio. *Circulation.* 1999;99:2750-6.

Plesner T, Behrendt N, Ploug M. Structure, function and expression on blood and bone marrow cells of the urokinase-type plasminogen activator receptor, uPAR. *Stem Cells.* 1997;15:398-408.

Pummerer CL, Grassl G, Sailer M, Bachmaier KW, Penninger JM, Neu N. Cardiac myosin-induced myocarditis: target recognition by autoreactive T cells requires prior activation of cardiac interstitial cells. *Lab Invest.* 1996;74:845-52.

Richardson P, McKenna W, Bristow M, Maisch B, Mautner B, O'Connell J, Olsen E, Thiene G, Goodwin J, Gyarfas I, Martin I, Nordet P. Report of the 1995 World Health Organization/International Society and Federation of Cardiology Task Force on the Definition and Classification of cardiomyopathies. *Circulation.* 1996;93:841-2.

Ritzenthaler JD, Goldstein RH, Fine A, Lichtler A, Rowe DW, Smith BD. Transforming growth factor beta activation element in the distal promoter regions of the rat alpha 1 type I collagen gene. *Biochem J.* 1991;280:157-162.

Rohde LE, Ducharme A, Arroyo LH, Aikawa M, Sukhova GH, Lopez-Anaya A, McClure KF, Mitchell PG, Libby P, Lee RT. Matrix metalloproteinase inhibition attenuates early left ventricular enlargement after experimental myocardial infarction in mice. *Circulation.* 1999;99:3063-70.

Rudolph-Owen LA, Hulboy DL, Wilson CL, Mudgett J, Matrisian LM. Coordinate expression of matrix metalloproteinase family members in the uterus of normal, matrilysin-deficient, and stromelysin-1-deficient mice. *Endocrinology*. 1997;138:4902-11.

Rueckert RR. Picornaviridae: The viruses and their replication. In Fields BN, Knipe BN, Howley PM (eds.). 1996. *Virology*. Lippincott-Raven Publishers, Philadelphia, pp 609-54

Saiki RK, Gelfand DH, Stoffel S, Scharf SJ, Higuchi R, Horn GT, Mullis KB, Erlich HA. Primer-directed enzymatic amplification of DNA with a thermostable DNA polymerase. *Science*. 1988;239:487-91.

Saksela O, Rifkin DB. Cell-associated plasminogen activation: regulation and physiological functions. *Annu Rev Cell Biol*. 1988;4:93-126.

Sambrook J & Russell DW. *Molecular cloning - a laboratory manual*. 2001. Cold Spring Harbour Laboratory Press, Cold Spring Harbour, N.Y.

Sato M, Toyozaki T, Odaka K, Uehara T, Arano Y, Hasegawa H, Yoshida K, Imanaka-Yoshida K, Yoshida T, Hiroe M, Tadokoro H, Irie T, Tanada S, Komuro I. Detection of experimental autoimmune myocarditis in rats by ¹¹¹In monoclonal antibody specific for tenascin-C. *Circulation*. 2002;106:1397-402.

Schellings MW, Pinto YM, Heymans S. Matricellular proteins in the heart: possible role during stress and remodeling. *Cardiovasc Res*. 2004;64:24-31.

Schmidt A, Lorkowski S, Seidler D, Breithardt G, Buddecke E. TGF- β 1 generates a specific multicomponent extracellular matrix in human coronary SMC. *Eur J Clin Invest*. 2006;36:473-82.

Schwimmbeck PL, Huber SA, Schultheiss HP. Roles of T cells in coxsackievirus B-induced disease. *Curr Top Microbiol Immunol*. 1997;223:283-303.

Seko Y, Matsuda H, Kato K, Hashimoto Y, Yagita H, Okumura K, Yazaki Y. Expression of intercellular adhesion molecule-1 in murine hearts with acute myocarditis caused by coxsackievirus B3. *J Clin Invest.* 1993;91:1327-36.

Seko Y, Takahashi N, Yagita H, Okumura K, Yazaki Y. Expression of cytokine mRNAs in murine hearts with acute myocarditis caused by coxsackievirus b3. *J Pathol.* 1997;183:105-8.

Shingu M, Isayama T, Yasutake C, Naono T, Nobunaga M, Tomari K, Horie K, Goto Y. Role of oxygen radicals and IL-6 in IL-1-dependent cartilage matrix degradation. *Inflammation.* 1994;18:613-23.

Shingu M, Nagai Y, Isayama T, Naono T, Nobunaga M. The effects of cytokines on metalloproteinase inhibitors (TIMP) and collagenase production by human chondrocytes and TIMP production by synovial cells and endothelial cells. *Clin Exp Immunol.* 1993;94:145-9.

Shioi T, Matsumori A, Sasayama S. Persistent expression of cytokine in the chronic stage of viral myocarditis in mice. *Circulation.* 1996;94:2930-7.

Sivasubramanian N, Coker ML, Kurrelmeyer KM, MacLellan WR, DeMayo FJ, Spinale FG, Mann DL. Left ventricular remodeling in transgenic mice with cardiac restricted overexpression of tumor necrosis factor. *Circulation.* 2001;104:826-31.

Sobernheim JF. *Praktische Diagnostik der inneren Krankheiten mit vorzüglicher Rücksicht auf pathologische Anatomie.* Hirschwald, Berlin. 1837; 118.

Spinale FG. Matrix metalloproteinases: regulation and dysregulation in the failing heart. *Circ Res.* 2002;90:520-30.

Spinale FG, Coker ML, Krombach SR, Mukherjee R, Hallak H, Houck WV, Clair MJ, Kribbs SB, Johnson LL, Peterson JT, Zile MR. Matrix metalloproteinase inhibition during the development of congestive heart failure : effects on left ventricular dimensions and function. *Circ Res.* 1999;85:364-76.

St-Pierre Y, Potworowski EF. T cell control of extracellular matrix degradation. *Dev Immunol.* 2000;7:171-7.

Task force for the diagnosis and treatment of chronic heart failure of the european society of cardiology: Guidelines for the diagnosis and treatment of chronic heart failure. *Eur Heart J.* 2005;26(11):1115-40.

Vaday GG, Lider O. Extracellular matrix moieties, cytokines, and enzymes: dynamic effects on immune cell behavior and inflammation. *J Leukoc Biol.* 2000;67:149-59.

Vallejo J, Mann DL. Antiinflammatory therapy in myocarditis. *Curr Opin Cardiol.* 2003;18:189-93.

Vassali JD, Sappino AP, Belin D. The plasminogen/plasmin system. *J Clin Invest.* 1991;88:1067-72.

Weber KT. Extracellular matrix remodeling in heart failure: a role for de novo angiotensin II generation. *Circulation.* 1997;96:4065-82.

Wee L, Liu P, Penn L, Butany JW, McLaughlin PR, Sole MJ, Liew CC. Persistence of viral genome into late stages of murine myocarditis detected by polymerase chain reaction. *Circulation.* 1992;86:1605-14.

Wessely R, Henke A, Zell R, Kandolf R, Knowlton KU. Low-level expression of a mutant coxsackieviral cDNA induces a myocytopathic effect in culture: an approach to the study of enteroviral persistence in cardiac myocytes. *Circulation.* 1998;98:450-7.

Whittaker P, Kloner RA, Boughner DR, Pickering JG. Quantitative assessment of myocardial collagen with picrosirius red staining and circularly polarized light. *Basic Res Cardiol.* 1994;89:397-410.

Why HJ, Archard LC, Richardson PJ. Dilated cardiomyopathy--new insights into the pathogenesis. *Postgrad Med J.* 1994;70 Suppl 1:S2-7.

Wolfgram LJ, Beisel KW, Rose NR. Heart-specific autoantibodies following murine coxsackievirus B3 myocarditis. *J Exp Med.* 1985;161:1112-21.

Woodruff JF. Viral myocarditis. A review. *Am J Pathol.* 1980;101:425-84.

Xiong D, Lee GH, Badorff C, Dorner A, Lee S, Wolf P, Knowlton KU. Dystrophin deficiency markedly increases enterovirus-induced cardiomyopathy: a genetic predisposition to viral heart disease. *Nat Med.* 2002;8:872-7.

Zaragoza C, Balbin M, Lopez-Otin C, Lamas S. Nitric oxide regulates matrix metalloprotease-13 expression and activity in endothelium. *Kidney Int.* 2002;61:804-8.