

10. References

AGNER, K. (1941)

Verdoperoxidase. A ferment isolated from leucocytes.
Acta Physiol Scand. 2 (Suppl. 8), 1 – 62.

AIMES, R.T.; QUIGLEY, J.P. (1995)

Matrix metalloproteinase-2 is an interstitial collagenase. Inhibitor-free enzyme catalyzes the cleavage of collagen fibrils and soluble native type I collagen generating the specific $\frac{3}{4}$ - and $\frac{1}{4}$ -length fragments.
J Biol Chem. 270 (11), 5872 – 5876.

AKENS, M. K. (1994)

Untersuchung physikalischer und biochemischer Parameter der Synovia vor und nach arthroskopischen Eingriffen an Fessel- und Sprunggelenken des Pferdes sowie der Beurteilung des Einflusses von hochmolekularem Na-Hyaluronat auf den Regenerationsverlauf.
Vet med Diss., Berlin.

ALEXANDER, J.W. (1980)

Pathogenesis and biochemical aspects of degenerative joint disease.
Comp Cont Educ Pract Vet. 11 (12), 961 – 967.

ATILOLA, M.A.O.; LUMSDEN, J.H.; ROOKE, F. (1986)

A comparison of manual and electronic counting for total nucleated cell counts on synovial fluid from canine stifle joints.
Can J Vet Res. 50 (2), 282 – 284.

ATTENBURROW, D.P.; GOSS, V.A. (1994)

Case report: Acute joint destabilization in the equine demonstrating early pathology in osteoarthritis.
Osteoarthritis Cartilage 2 (4), 281 – 283.

AUER, D.E.; NG, J.C.; SEAWRIGHT, A.A. (1993)

Free radical oxidation products in plasma and synovial fluid of horses with synovial inflammation.
Aust Vet J. 70 (2), 49 – 52.

AYDELOTTE, M.B.; KUETTNER, K.E. (1993)

Heterogeneity of articular chondrocytes and cartilage matrix.
In: WOESSNER, J.F. Jr.; HOWELL, D.S. (Eds): Joint Cartilage Degradation: Basic and Clinical Aspects.
New York, Marcel Dekker Inc. pp. 37 – 65.

BABIOR, B.M. (1999)

NADPH Oxidase: An Update.
Blood. 93 (5), 1464 – 1476.

- BABIOR, B.M. (2000)
Phagocytes and oxidative stress.
Am J Med. 109 (1), 33 – 44.
- BAKER, M.S.; GREEN, S.P.; LOWTHER, D.A. (1989)
Changes in the viscosity of hyaluronic acid after exposure to a myeloperoxidase-derived oxidant.
Arthritis Rheum. 32 (4), 461 – 467.
- BENBAREK, H.; GRULKE, S.; DEBY-DUPONT, G. et al. (2000)
Citotoxicity of stimulated equine neutrophils on equine endothelial cells in culture.
Equine Vet J. 32 (4), 327 – 333.
- BENITO, M.J.; VEALE, D.J.; FITZGERALD, O. et al. (2005)
Synovial tissue inflammation in early and late osteoarthritis.
Ann Rheum Dis. 64 (9), 1263 – 1267.
- BERTONE, A.L. (1996)
Infectious Arthritis.
In: McILWRAITH, C.W.; TROTTER, G.W. (Eds): *Joint Disease in the Horse.*
Philadelphia, W.B. Saunders Company. pp. 397 – 409.
- BERTONE, A.L.; McILWRAITH, C.W.; JONES, R.L. et al. (1987)
Comparison of various treatments for experimentally induced equine infectious arthritis.
Am J Vet Res. 48 (3), 519 – 529.
- BERTONE, A.L.; DAVIS, D.M.; COX, H.U. et al. (1992)
Arthrotomy versus arthroscopy and partial synovectomy for treatment of experimentally induced infectious arthritis in horses.
Am J Vet Res. 53 (4), 585 – 591.
- BERTONE, A.L.; PALMER, J.L.; JONES, J. (2001)
Synovial fluid cytokines and eicosanoids as markers of joint disease.
Vet Surg. 30 (6), 528 – 538.
- BILLINGHURST, R.C. (2003)
Biomarkers of joint disease.
In: ROBINSON, N.E.; WILSON, M. R. (Eds): *Current Therapy in Equine Medicine, Ed 5.*
Philadelphia, Saunders. pp. 513 – 520.
- BLEVINS, W.E.; WIDMER, W.R. (1990)
Radiology in racetrack practice.
Vet Clin North Am Equine Pract. 6 (1), 31 – 61.
- BOLBOL, A.E. (1983)
Normale Synovialflüßigkeit beim Pferd.
In: KNEZEVIC, P.F. (Ed): *Orthopädie bei Huf- und Klautentieren.*
Hannover, Verlag Schlüter. 1985. Band 8. ISBN 3-87706-087-0. pp. 271 – 279.

- BRAMA, P.A.; TEKOPPELE, J.M.; BEEKMAN, B. et al (1998)
Matrix metalloproteinase activity in equine synovial fluid: influence of age, osteoarthritis, and osteochondrosis.
Ann Rheum Dis. 57 (11), 697 – 699.
- BRAMA, P.A.; TEKOPPELE, J.M.; BEEKMAN, B. et al. (2000)
Influence of development and joint pathology on stromelysin enzyme activity in equine synovial fluid.
Ann Rheum Dis. 59 (2), 155 – 157.
- BRAMA, P.A.; van den BOOM, R.; DEGROOT, J. et al. (2004)
Collagenase-1 (MMP-1) activity in equine synovial fluid: influence of age, joint pathology, exercise and repeated arthrocentesis.
Equine Vet J. 36 (1), 34 – 40.
- BRANDT, K.D.; MANKIN, H.J. (1994)
Pathogenesis of Osteoarthritis.
In: SLEDGE, C.B.; HARRIS, E.D. Jr.; RUDDY, S.; KELLEY, W.N. (Eds): *Arthritis Surgery*. Philadelphia, W.B. Saunders Company. pp. 450 – 468.
- BREHM, X.; STÄCKER, W. (1994)
OCD im Tarsokruralgelenk beim Trabrennpferd - Zusammenhang zwischen radiologischen und klinischen Befunden und der Rennlaufbahn.
In: HERTSCH, B. (Ed): *International Symposium "Joint diseases in the horse"* Dortmund 1994, Ed 2.
Warendorf, Verlag der Deutschen Reiterlichen Vereinigung. 1996. ISBN 3-88542-280-8. pp. 91 – 98.
- BRIDGES, C.H.; HARRIS, E.D. (1988)
Experimentally induced cartilaginous fractures (osteochondritis dissecans) in foals fed low-copper diets.
J Am Vet Med Assoc. 193 (2), 215 – 221.
- BROOK, I.; CONTRONI, G. (1978)
Rapid diagnosis of septic arthritis by quantitative analysis of joint fluid lactic acid with a monotest lactate kit.
J Clin Microbiol. 8 (6), 676 – 679.
- BUSCHMANN, H.D. (1976)
Untersuchungen zum Nachweis von Rheumafaktor(en) bei Pferden.
Vet med Diss., Hannover.
- BUSSO, N.; PÉCLAT, V.; SO, A. (1997)
Plasminogen activation in synovial tissues: differences between normal, osteoarthritis, and rheumatoid arthritis joints.
Ann Rheum Dis. 56 (9), 550 – 557.
- BYARS, T.D.; TYLER, D.E.; WHITLOCK, R.H. et al. (1984)
Non-erosive polysynovitis in a horse.
Equine Vet J. 16 (2), 141 – 143.

- CANOSO, J.J. (1998)
Aspiration and injection of joints and periarticular tissues.
In: KLIPPEL, J.H.; DIEPPE, P.A. (Eds): Rheumatology, Ed 2.
London, Mosby. pp. 12.1 – 12.12.
- CANTLEY, C.E.; FIRTH, E.C.; DELAHUNT, J.W. et al. (1999)
Naturally occurring osteoarthritis in the metacarpophalangeal joints of wild horses.
Equine Vet J. 31 (1), 73 – 81.
- CARLSON, C.S.; CULLINS, L.D. and MEUTEN, D.J. (1995)
Osteochondrosis of the articular- epiphyseal cartilage complex in young horses: evidence for a defect in cartilage canal blood supply.
Vet Pathol. 32 (6), 641 – 647.
- CARON, J.P. (1996)
Neurogenic Factors in Joint Pain and Disease Pathogenesis.
In: McILWRAITH, C.W.; TROTTER, G.W. (Eds): Joint Disease in the Horse.
Philadelphia, W.B. Saunders Company. pp. 70 – 80.
- CARTER, S.D.; OSBORNE, A.C.; MAY, S.A. et al. (1995)
Rheumatoid factor, anti-heat shock protein (65 kDa) antibodies and anti-nuclear antibodies in equine joint diseases.
Equine Vet J. 27 (4) 288 – 295.
- CHEN, C.T., BURTON-WURSTER, N.; BORDEN, C. et al. (2001)
Chondrocyte necrosis and apoptosis in impact damaged articular cartilage.
J Orthop Res. 19 (4), 703 – 711.
- CLARK, R.A. (1983)
Extracellular effects of the myeloperoxidase-hydrogen peroxide-halide system.
Adv Inflammation Res. 5, 107 – 146.
- CLEGG, P.D.; COUGHLAN, A.R., RIGGS, C.M. et al. (1997)
Matrix metalloproteinases 2 and 9 in equine synovial fluids.
Equine Vet J. 29 (5), 343 – 348.
- CLEGG, P.D. and CARTER, S.D (1999)
Matrix metalloproteinase-2 and -9 are activated in joint diseases.
Equine Vet J. 31 (4), 324 – 330.
- CLYNE, M.J. (1987)
Pathogenesis of degenerative joint disease.
Equine Vet J. 19 (1), 15 – 18.
- DÄMMRICH, K. (1985)
Wachstumsstörungen des Skeletts bei jungen Pferden.
Pferdeheilkunde. 1 (1): 5 – 13.

DÄMMRICH, K. (1993)

Arthrosen bei Pferden und Rindern.

In: KNEZEVIC, P.F. (Ed): Orthopädie bei Huf- und Klauentieren.

Schattauer, Stuttgart. 1995. ISBN 3-7945-1588-9. pp. 4 – 18.

DAGLEISH, M.P.; WAKEMAN, K.D.; McDIARMID, A.M. (2003)

A preliminary evaluation of the use of equine neutrophil elastase 2A concentration in synovial fluid as a marker for joint inflammation in horses.

Equine Vet J. 35 (6), 623 – 626.

DAVIES, J.M.S.; HORWITZ, D.A.; DAVIES, K.J.A. (1993)

Potential roles of hypochlorous acid and N-chloroamines in collagen breakdown by phagocytic cells in synovitis.

Free Radic Biol Med. 15 (6), 637 – 643.

de la PEÑA, E.; SALA, S.; ROVIRA, J.C. et al. (2002)

Elastoviscous substances with analgesic effects on joint pain reduce stretch-activated ion channel activity in vitro.

Pain. 99 (3), 501 – 508.

DEBY-DUPONT, G.; GRULKE, S.; CAUDRON, I. et al. (1998)

Equine neutrophil myeloperoxidase in plasma : design of a radio-immunoassay and first results in septic pathologies.

Vet Immunol Immunopathol. 66 (3-4), 257 – 271.

DIEPPE, P.A.; LOHMANDER, L.S. (2005)

Pathogenesis and management of pain in osteoarthritis.

Lancet. 365, 965 – 973.

DIMOCK, A.N.; SICILIANO, P.D.; McILWRAITH, C.W. (2000)

Evidence supporting an increased presence of reactive oxygen species in the diseased equine joint.

Equine Vet J. 32 (5), 439 – 443.

DIRKS, T. (2000)

T-Lymphozyten-Differenzierung in der Synovia und peripherem Blut bei gelenkerkrankten Pferden.

Vet med Diss., Berlin.

EDWARDS, S.W.; NURCOMBE, H.L.; HART, A. (1987)

Oxidative inactivation of myeloperoxidase released from human neutrophils.

Biochem J. 245 (3), 925 – 928.

EDWARDS, S.W.; HUGHES, V.; BARLOW, J. et al. (1988)

Immunological detection of myeloperoxidase in synovial fluid from patients with rheumatoid arthritis.

Biochem J. 250 (1), 81 – 85.

EDWARDS, S.W.; HALLETT, M.B. (1997)

Seeing the wood for the trees: the forgotten role of neutrophils in rheumatoid arthritis.

Immunol Today. 18 (7), 320 – 324.

- EHRlich, G.E. (1987)
The subclinical phase of osteoarthritis.
J Rheumatol. 14 (Suppl. 14), 88 – 90.
- EISENMENGER, E. (1974)
Gelenkpunktionen für Diagnostik und Therapie.
Tierärztl Prax. 2, 401 – 407.
- FASSBENDER, H.G. (1983)
Die Arthrose – nicht nur ein degenerativer Prozeß.
In: FASSBENDER, H.G.; ANNEFELD, M.; WILHELMI, G.; MAIER, R. (Eds):
Gelenkknorpel und Arthrose.
Bern, Verlag Hans Huber. pp. 7 – 28.
- FIETZ, S.; BONDZIO, A.; HERTSCH, B.W.; EINSPANIER, R. (2004)
Optimization of Myeloperoxidase activity measurement in synovial fluids of horses.
Abstracted in: Tagungsband der Deutschen Veterinärmedizinischen Gesellschaft e.V.
Fachgruppe Physiologie und Biochemie: 15 Symposium, Berlin 25 – 27 März 2004. p. 53.
- FIRTH, E. C. (1996)
Functional Joint Anatomy and Its Development.
In: McILWRAITH, C.W.; TROTTER, G.W. (Eds): *Joint Disease in the Horse.*
Philadelphia, W.B. Saunders. pp. 80 – 86.
- FIRTH, E.C.; GREYDANUS, Y. (1987)
Cartilage thickness measurements in foals.
Res Vet Sci. 42 (1), 35 – 46.
- FLANNERY, C.R.; LARK, M.W.; SANDY, J.D. (1992)
Identification of a stromelysin cleavage site within the interglobular domains of human aggrecan: evidence for proteolysis at this site in vivo in human articular cartilage.
J Biol Chem. 267 (2), 1008 – 1014.
- FLUGGE, L.A.; MILLER-DEIST, L.A.; PETILLO, P.A. (1999)
Towards a molecular understanding of arthritis.
Chem Biol. 6 (6), 157 – 166.
- FRISBIE, D.D.; RAY, C.S.; IONESCU, M. et al. (1999)
Measurement of synovial fluid and serum concentrations of the 846 epitope of chondroitin sulphate and of carboxy propeptides of type II procollagen for diagnosis of osteochondral fragmentation in horses.
Am J Vet Res. 60 (3), 306 – 309.
- FU, X.; KASSIM, S.Y.; PARKS, W.C. et al. (2001)
Hypochlorous acid oxygenates the cysteine switch domain of pro-matrilysin (MMP-7). A mechanisms for matrix metalloproteinase activation and atherosclerotic plaque rupture by myeloperoxidase.
J Biol Chem. 276 (44), 41279 – 41287.

- FULKERSON, J.P.; LADENBAUER-BELLIS, I.M.; CHRISMAN, O.D. (1979)
In vitro hexosamine depletion of intact articular cartilage by E-prostaglandins: prevention by chloroquine.
Arthritis Rheum. 22 (10), 1117 – 1121.
- FULLER, C.J.; BARR, A.R.; SHARIF, M. et al. (2001)
Cross-sectional comparison of synovial fluid biochemical markers in equine osteoarthritis and the correlation of these markers with articular cartilage damage.
Osteoarthritis Cartilage. 9 (1), 49 – 55.
- GARNERO, P.; ROUSSEAU, J-C.; DELMAS, P.D. (2000)
Molecular basis and clinical use of biochemical markers of bone, cartilage, and synovium in joint diseases.
Arthritis Rheum. 43 (5), 953 – 968.
- GAUDIN, P.; RAZAKABOAY, M. ; SURLA, A. et al. (1997)
A study of metalloproteinases in fifty joint fluid specimens.
Rev Rhum Engl Ed. 64 (6), 375 – 381.
- GÄNGEL, H. (1980)
Über die diagnostische Verwertbarkeit der Synovia bei Erkrankungen der Synovialräume des Pferdes.
Mh Vet-Med. 35, 694 – 697.
- GERWECK, U.; RUPP, A.; EPPLE, P. et al. (1994)
Leitungs- und Gelenkanästhesie als diagnostisches Hilfsmittel bei der Lahmheitsuntersuchung des Pferdes.
Prakt Tierarzt. 11, 951 – 958.
- GIBSON, K.T.; HODGE; H.; WHITTEM, T. (1996)
Inflammatory mediators in equine synovial fluid.
Aust Vet J. 73 (4), 148 – 151.
- GILBERTSON, E.M. (1975)
Development of periarticular osteophytes in experimentally induced osteoarthritis in the dog. A study using microradiographic, microangiographic, and fluorescent bone-labelling techniques.
Ann Rheum Dis. 34 (1), 12 – 25.
- GLADE, M.J.; BELLING, T.H. (1986)
A dietary etiology for osteochondrotic cartilage.
Equine Vet Sci. 6, 151 – 155.
- GOBELET, C.; GERSTER, J.C. (1984)
Synovial fluid lactate levels in septic and non-septic arthritides.
Ann Rheum Dis. 43 (5), 742 – 745.
- GOLDENBERG, D.L. (1994)
Bacterial Arthritis.
In: SLEDGE, C.B.; HARRIS; E.D.; RUDDY, S.; KELLEY, W.N. (Eds): *Arthritis Surgery.* Philadelphia, W.B. Saunders Company. pp. 495 – 512.

- GREEN, S.P.; BAKER, M.S.; LOWTHER, D.A. (1990)
Depolymerization of synovial fluid hyaluronic acid (HA) by the complete myeloperoxidase (MPO) system may involve the formation of a HA-MPO ionic complex.
J Rheumatol. 17 (12), 1670 – 1675.
- GROOTVELD, M.; HENDERSON, E.B.; FARRELL, A. et al. (1991)
Oxidative damage to hyaluronate and glucose in synovial fluid during exercise of the inflamed rheumatoid joint. Detection of abnormal low-molecular-mass metabolites by proton-n.m.r. spectroscopy.
Biochem J. 273, 459 – 467.
- GRULKE, S.; BENBAREK, H.; CAUDRON, I. et al. (1999)
Plasma myeloperoxidase level and polymorphonuclear leukocyte activation in horses suffering from large intestinal obstruction requiring surgery: preliminary results.
Can J Vet Res. 63 (2), 142 – 147.
- HADLER, N.M.; SPITZNAGEL, J.K.; QUINET, R.J. (1979)
Lysosomal enzymes in inflammatory synovial effusions.
J Immunol. 123 (2), 572 – 577.
- HAGUE, B.A.; CARTER, G.K. (1999)
Inflammatory, Infectious, and Immune Diseases.
In: COLAHAN, P.T.; MERRITT, A.M.; MOORE, J.N.; MAYHEW, I.G. (Eds): *Equine Medicine and Surgery*, Ed 5.
St. Louis, Mosby. pp. 1447 – 1458.
- HALLIWELL, B. (1993)
The role of oxygen radicals in human disease, with particular reference to the vascular system.
Haemostasis. 23 (Suppl. 1), 118 – 126.
- HAMPTON, M.B.; KETTLE A.J.; WINTERBOURN, C.C. (1998)
Inside the neutrophil phagosome: oxidants, myeloperoxidase, and bacterial killing.
Blood. 92 (9), 3007 – 3017.
- HARDY, J.; BERTONE, A.L.; MALEMUD, C.J. (1998)
Effect of synovial membrane infection in vitro on equine synoviocytes and chondrocytes
Am J Vet Res. 59 (3) 293 – 299.
- HAWKINS, D.L.; RICHARDSON, D.W. (1999)
Degenerative Joint Disease.
In: COLAHAN, P.T.; MERRITT, A.M.; MOORE, J.N.; MAYHEW, I.G. (Eds): *Equine Medicine and Surgery*, Ed 5.
St. Louis, Mosby. pp. 1362 – 1368.
- HENSON, F.M.D.; DAVENPORT, C.; BUTLER, L. et al. (1997)
Effect of insuline and insuline-like growth factor I and II on the growth of equine fetal and neonatal chondrocytes.
Equine Vet J. 29 (6), 441 – 447.

- HERTSCH, B. (1983)
Labordiagnostik bei der Lahmheitsuntersuchung.
Collegium veterinarium. XIV, 123 – 125.
- HERTSCH, B. (1991)
Die Arthroskopie des Talokruralgelenkes bei der Osteochondrosis dissecans beim Pferd.
Swiss Vet. 8 (11a), 67 – 71.
- HERTSCH, B. (2005)
Aktuelles zur Entstehung von belastungsbedingten Arthropathien beim Pferd.
In: BPT – Kongress, 22. – 25. September 2005. Bremen, Germany. pp. 80 – 81.
- HOLLANDER, A.P. ; HEATHFIELD, T.F. ; WEBBER, C. et al. (1994)
Increased damage to type II collagen in osteoarthritic cartilage detected by a new immunoassay.
J Clin Invest. 93 (4), 1722 – 1732.
- HOUGH, A.J. (1997)
Pathology of Osteoarthritis.
In: KOOPMAN, W.J. (Ed): Arthritis and Allied Conditions. A Textbook of Rheumatology, Ed 13.
Baltimore, Williams & Wilkins. pp. 1945 – 1968.
- JAHN, M.; BAYNES, J.W.; SPITELLER, G. (1999)
The reaction of hyaluronic acid and its monomers, glucuronic acid and N-acetylglucosamine, with reactive oxygen species.
Carbohydr Res. 321 (3-4), 228 – 234.
- JASIN, H.E.; SIMMONS, H.C. (1983)
Bacterial lipopolysaccharides induce in vitro degradation of cartilage matrix through chondrocyte activation.
J Clin Invest. 72 (6), 2014 – 2019.
- JOHANSSON, H-E.; REJNÖ, S. (1976)
Light and electron microscopic investigation of equine synovial membrane.
Acta Vet Scand. 17 (2), 153 – 168.
- JOUGLIN, M.; ROBERT, C.; VALETTE, J-P. et al. (2000)
Metalloproteinases and tumor necrosis factor-alpha activities in synovial fluids of horses: correlation with articular cartilage alterations.
Vet Res. 31 (5), 507 – 515.
- KAWCAK, C.E.; FRISBIE, D.D.; TROTTER, G.W. et al. (1997)
Effect of intravenous administration of sodium hyaluronate on carpal joints in exercising horses after arthroscopic surgery and osteochondral fragmentation.
Am J Vet Res. 58 (10), 1132 – 1140.
- KAWCAK, C.E.; McILWRAITH, C.W.; NORRDIN, R.W. et al. (2001)
The role of subchondral bone in joint disease: a review.
Equine Vet J. 33 (2), 120 – 126.

- KEHRER, J.P. (1993)
Free radicals as mediators of tissue injury and disease.
Crit Rev Toxicol. 23 (1), 21 – 48.
- KETTLE, A.J.; GEDYE, C.A.; HAMPTON, M.B. et al. (1995)
Inhibition of Myeloperoxidase by benzoic acid hydrazides.
Biochem J. 308, 559 – 563.
- KIDD, J.A.; FULLER, C.; BARR, A.R.S. (2001)
Osteoarthritis in the horse.
Equine Vet Educ. 13 (3), 160 – 168.
- KIM, D.Y.; TAYLOR, H.W.; MOORE, R.M. et al. (2003)
Articular chondrocyte apoptosis in equine osteoarthritis.
Vet J. 166 (1), 52 – 57.
- KING, C.C.; JEFFERSON, M.M.; THOMAS, E.L. (1997)
Secretion and inactivation of myeloperoxidase by isolated neutrophils.
J Leukoc Biol. 61 (3), 293 – 302.
- KIRKER-HEAD, C.A.; CHANDNA, V.K.; AGARWAL, R.K. et al. (2000)
Concentrations of substance P and prostaglandin E₂ in synovial fluid of normal and abnormal joints of horses.
Am J Vet Res. 61 (6), 714 – 718.
- KJELDSEN, L.; SENDELØV, H.; BORREGAARD, N. (1999)
Subcellular fractionation of human neutrophils on Percoll density gradients.
J Immunol Methods. 232 (1-2), 131 – 143.
- KLEBANOFF, S.J. (1999)
Myeloperoxidase.
Proc Assoc Am Physicians. 111 (5), 383 – 389.
- KLEIN, J.; HOŘEJŠÍ, V. (1997)
Defence reactions mediated by phagocytes.
In: KLEIN, J.; HOŘEJŠÍ, V. (Eds). *Immunology*, Ed 2.
Oxford, Blackwell Science Ltd. pp. 442 – 464.
- KOWANKO, I.C.; BATES, E.J.; FERRANTE, A. (1989)
Mechanisms of human neutrophil-mediated cartilage damage in vitro: the role of lysosomal enzymes, hydrogen peroxide and hypochlorous acid.
Immunol Cell Biol. 67, 321 – 329.
- LAMMER, B. (2001)
Untersuchung synovialer Parameter aus osteoarthritischen Gelenken beim Hund unter besonderer Berücksichtigung des Myeloperoxidasegehaltes.
Vet med Diss., Berlin.
- LAPOINTE, J.M.; LAVERTY, S.; LAVOIE, J.P. (1992)
Septic arthritis in 15 Standardbred racehorses after intra-articular injection.
Equine Vet J. 24 (6), 430 – 434.

- LEFKOWITZ, D.L.; GELDERMAN, M.P.; FUHRMANN, S.,R. et al. (1999)
Neutrophilic myeloperoxidase-macrophage interactions perpetuate chronic inflammation associated with experimental arthritis.
Clin Immunol. 91 (2), 145 – 155.
- LEE, M-H.; MURPHY, G. (2004)
Matrix metalloproteinases at a glance.
J Cell Sci. 117, 4015 – 4016.
- LEVICK, J.R. (1990)
Hypoxia and acidosis in chronic inflammatory arthritis; relation to vascular supply and dynamic effusion pressure.
J Rheumatol. 17 (5), 579 – 582.
- LEVICK, J.R. (1992)
Synovial Fluid: Determinants of volume turnover and material concentration.
In: KUETTNER, K.E.; R. SCHLEYERBACH, R.; PEYRON, J.G. et al. (Eds): *Articular Cartilage and Osteoarthritis*.
New York, Raven Press, p. 529.
- LITTLE, C.B. (1995)
Diseases of Joints.
In: KOBLUK, C.N.; AMES, T.R.; GEOR, R.J. (Eds): *The Horse. Diseases & Clinical Management*.
Philadelphia, W.B. Saunders Company. pp. 707 – 735.
- LITTLE, C.B.; HILBERT, B.J.; WICKSTROM, S. et al. (1990)
Quantitative microanalysis of equine synovial fluid glycosaminoglycan concentration.
Am J Vet Res. 51 (10), 1534 – 1539.
- LLOYD, K.C.K.; STOVER, S.M.; PASCOE, J.R. et al. (1990)
Synovial fluid pH, cytologic characteristics, and gentamicin concentration after intra-articular administration of the drug in an experimental model of infectious arthritis in horses.
Am J Vet Res. 51 (9), 1363 – 1369.
- LOHMANDER, L.S. (2004)
Markers of altered metabolism in osteoarthritis.
J Rheumatol. (Suppl. 70), 28 – 35.
- LOHMANDER, L.S.; LARK, M.W.; DAHLBERG, L. et al. (1992)
Cartilage matrix metabolism in osteoarthritis: Markers in synovial fluid, serum and urine.
Clin Biochem. 25 (3), 167 – 174.
- LOHMANDER, L.S.; EYRE, E.R. (2005)
From biomarkers to surrogate outcome in osteoarthritis - what are the challenges?
J Rheumatol. 32 (6), 1142 – 1143.
- LOTZ, M.; BLANCO, F.J.; von KEMPIS, J. et al. (1995)
Cytokine regulation of chondrocyte functions.
J Rheumatol. 22 (1) (Suppl. 43), 104 – 107.

- LOZADA, C.J.; ALTMAN, R.D. (1997)
Management of Osteoarthritis.
In: KOOPMAN, W.J. (Ed): Arthritis and Allied Conditions. A Textbook of Rheumatology, Ed 13.
Baltimore, Williams & Wilkins. pp. 2013 – 2025.
- MADISON, J.; SOMMER, M.; SPENCER, P.A. (1991)
Relations among synovial membrane histopathologic findings, synovial fluid cytologic findings, and bacterial culture results in horses with suspected infectious arthritis: 64 cases (1979 – 1987).
J Am Vet Med Assoc. 198 (9), 1655 – 1661.
- MAHAFFEY, E. A. (2002)
Synovial Fluid.
In: COWELL, R.L.; TYLER, R.D. (Eds): Diagnostic Cytology and Hematology of the Horse. St. Louis, Mosby. pp. 163 – 170.
- MALARK, J.A.; NIXON, A.J.; SKINNER, K.L. et al. (1990)
Characteristics of digital flexor tendon sheath fluid from clinically normal horses.
Am J Vet Res. 52 (8), 1292 – 1294.
- MANKIN, H.J.; RADIN, E.L. (1997)
Structure and Function of Joints.
In: KOOPMAN, W.J. (Ed): Arthritis and Allied Conditions. A Textbook of Rheumatology, Ed 13.
Baltimore, Williams & Wilkins. pp. 175 – 192.
- MARTEL-PELLETIER, J. (2004)
Pathophysiology of osteoarthritis.
Osteoarthritis Cartilage. 12, 31 – 33.
- MARTEL-PELLETIER, J.; PELLETIER, J-P. (1987)
Neutral proteases in human osteoarthritic synovium : quantification and characterization.
J Rheumatol. 14 (Suppl. 14), 38 – 40.
- MARTHY-HARTERT, M.; BOURGEOIS, E.; GRULKE, S. et al. (1998)
Purification of myeloperoxidase from equine polymorphonuclear leucocytes.
Can J Vet Res. 62 (2), 127 – 132.
- MAY, S.A.; HOOKE, R.E.; LEES, P. (1992)
Equine chondrocyte activation by a variety of stimuli.
Br Vet J. 148 (5), 389 – 397.
- McCARTY, J.D. (1997)
Synovial Fluid.
In: KOOPMAN, W.J. (Ed): Arthritis and Allied Conditions. A Textbook of Rheumatology, Ed 13.
Baltimore, Williams & Wilkins. pp. 81 – 102.

- McCONNICO, R.S.; WEISTOCK, D.; POSTON, M.E. et al. (1999)
Myeloperoxidase activity of the large intestine in an equine model of acute colitis.
Am J Vet Res. 60 (7), 807 – 813.
- McILWRAITH, C.W. (1980)
Synovial fluid analysis in the diagnosis of equine joint disease.
Equine Pract. 2 (2), 44 – 48.
- McILWRAITH, C.W. (1982)
Current concepts in equine degenerative joint disease.
J Am Vet Med Assoc. 180 (3), 239 – 250.
- McILWRAITH, C.W. (1987)
Diseases of joints, tendons, ligaments, and related structures.
In: STASHAK, T.S. (Ed): *Adams' Lameness in Horses*, Ed 4.
Philadelphia, Lea & Febiger. pp. 339 – 485.
- McILWRAITH, C.W. (1996)
General pathobiology of the joint and response to injury.
In: McILWRAITH, C.W.; TROTTER, G.W. (Eds): *Joint Disease in the Horse*.
Philadelphia, W.B. Saunders Company. pp. 40 – 70.
- McILWRAITH, C.W. (2002)
Diseases of joints, tendons, ligaments, and related structures.
In: STASHAK, T.S. (Ed): *Adams' Lameness in Horses*, Ed 5.
Philadelphia, Lippincott, Williams & Wilkins. pp. 459 – 644.
- McILWRAITH, C.W. (2005)
Use of synovial fluid and serum biomarkers in equine bone and joint disease: a review.
Equine Vet J. 37 (5), 473 – 482.
- McILWRAITH, C.W.; van SICKLE, D.C. (1981)
Experimentally induced arthritis of the equine carpus: histologic and histochemical changes in the articular cartilage.
Am J Vet Res. 42 (2), 209 – 217.
- McILWRAITH, C.W.; VACHON, A. (1988)
Review of pathogenesis and treatment of degenerative joint disease.
Equine Vet J. (Suppl. 6), 3 – 11.
- McILWRAITH, C.W.; BILLINGHURST, R.C.; FRISBIE; D.D. (2001)
Current and future diagnostic means to better characterize osteoarthritis in the horse – Routine synovial fluid analysis and synovial fluid and serum markers.
Proc Am Ass Equine Pract. 47, 171 – 179.
- McINTOSH, S.C.; McILWRAITH, C.W. (1993)
Natural history of femoropatellar osteochondrosis in three crops of Throughbreds.
Equine Vet J. (Suppl. 16), 54 – 61.

- MITCHELL, P.G.; MAGNA, H.A.; REEVES, L.M. et al. (1996)
Cloning, expression, and type II collagenolytic activity of matrix metalloproteinase-13 from human osteoarthritic cartilage.
J Clin Invest. 97 (3), 761 – 768.
- MOREL, F.; DEWARD, B.; BERTHIER, S. et al. (1994)
Further characterization of the gelatinase-containing particles of human neutrophils.
Biochem Biophys Acta. 1201 (3), 373 – 380.
- MURPHY, G.; COCKETT, M.I.; STEPHENS, P.E. et al. (1987)
Stromelysin is an activator of procollagenase. A study with natural and recombinant enzymes.
Biochem J. 248 (1), 265 – 268.
- MYERS, S.L.; O'CONNOR B.L.; BRANDT, K.D. (1996)
Accelerated clearance of albumin from the osteoarthritic knee: implications for interpretation of concentrations of “cartilage markers”.
J Rheumatol. 23 (10), 1744 – 1748.
- NAGASE, H.; WOESSNER, J. F. Jr. (1993)
Role of endogenous proteinases in the degradation of cartilage matrix.
In: WOESSNER, J.F. Jr.; HOWELL, D. S. (Eds): *Joint Cartilage Degradation. Basic and Clinical Aspects.*
New York, Marcel Dekker, Inc. pp. 159 – 186.
- NAGASE, H.; WOESSNER, J.F. Jr. (1999)
Matrix Metalloproteinases.
J Biol Chem. 274 (31), 21491 – 21494.
- NELSON, F.; DAHLBERG, L.; LAVERTY, S. et al. (1998)
Evidence for altered synthesis of type II collagen in patients with osteoarthritis.
J Clin Invest. 102 (12), 2115 – 2125.
- NICHOLS, B.A.; BAINTON, D.F. (1973)
Differentiation of human monocytes in bone marrow and blood. Sequential formation of two granule population.
Lab Invest. 29 (1), 27 – 40.
- NIXON, A.J. (1993)
Die Oberfläche des Gelenkknorpels: Struktur und Funktion.
Pferdeheilkunde. 9 (2), 95 – 100.
- NURCOMBE, H.L.; BUCKNALL, R.C.; EDWARDS, S.W. (1991)
Activation of the neutrophils Myeloperoxidase-H₂O₂ system by synovial fluid isolated from patients with rheumatoid arthritis.
Ann Rheum Dis. 50 (4), 237 – 242.
- OLDRUITENBORGH-OOSTERBAAN, S.V.; MOL, J.A.; BARNEVELD, A. (1999)
Hormones, growth factors and other plasma variables in relation to osteochondrosis.
Equine Vet J. (Suppl. 31), 45 – 54.

- OLSZOWSKI, S.; MAK, P.; OLSZOWSKA, E. et al. (2003)
Collagen type II modification by hypochlorite.
Acta Biochim Pol. 50 (2), 471 – 479.
- PALMER, J.L.; BERTONE, A.L. (1994)
Joint structure, biochemistry and biochemical disequilibrium in synovitis and equine joint disease.
Equine Vet J. 26 (4), 263 – 277.
- PALMER, J.L.; BERTONE, A.L. (1996)
Joint biomechanics in the pathogenesis of traumatic arthritis.
In: McILWRAITH, C.W.; TROTTER, G.W. (Eds): *Joint Disease in the Horse*. Philadelphia, W.B. Saunders Company, pp. 120 – 145.
- PALMER, J.L.; BERTONE, A.L.; McCLAIN, H. (1995)
Assessment of glycosaminoglycan concentration in equine synovial fluid as a marker of joint disease.
Can J Vet Res. 59 (3), 205 – 212.
- PELLETIER, J-P.; DiBATTISTA, J.A.; ROUGHLEY, P. et al. (1993)
Cytokines and inflammation in cartilage degradation.
Rheum Dis Clin North Am. 19 (3), 545 – 568.
- PELLETIER, J-P.; MARTEL-PELLETIER, J.; HOWELL, D.S. (1997)
Etiopathogenesis of Osteoarthritis.
In: KOOPMAN, W.J. (Ed): *Arthritis and Allied Conditions. A Textbook of Rheumatology*, Ed 13. Baltimore, Williams & Wilkins. pp. 1969 – 1984.
- PERSSON, L. (1971)
On the synovia in horses. A clinical and experimental study.
Acta Vet Scand. (Suppl. 35), 1 – 77.
- PHILIPPSON, J. (1996)
Pathogenesis of Osteochondrosis – Genetic implications.
In: McILWRAITH, C.W.; TROTTER, G.W. (Eds). *Joint Disease in the Horse*. Philadelphia, W.B. Saunders Company. pp. 359 – 362.
- PHILIPSSON, J.; ANDREASSON, E.; SANDGREN, B. et al. (1993)
Osteochondrosis in the tarsocrural joint and osteochondral fragments in the fetlock joints in Standardbred trotters. II: Heritability.
Equine Vet J. (Suppl. 16), 38 – 41.
- POOL, R.R. (1996)
Traumatic Injury and Osteoarthritis.
In: McILWRAITH, C.W. and TROTTER, G.W. (Eds): *Joint Disease in the Horse*. Philadelphia, W.B. Saunders Company. pp. 87 – 104.

- POOLE, A.R. (1997)
Cartilage in health and disease.
In: KOOPMAN, W.J. (Ed): Arthritis and Allied Conditions. Textbook of Rheumatology, Ed 13.
Baltimore, Williams and Wilkins. pp. 255 – 308.
- POOLE, A.R.; ROSENBER, L.C.; REINER, A. et al. (1996)
Contents and distributions of the proteoglycans decorin and biglycan in normal and osteoarthritic human articular cartilage.
J Orthop Res. 14 (5), 681 – 689.
- POOLE, A.R.; KOBAYASHI, M.; YASUDA, T. et al. (2002)
Type II collagen degradation and its regulation in articular cartilage in osteoarthritis.
Ann Rheum Dis. 61 (Suppl. 2): 78 – 81.
- POPOT, M.A.; BONNAIRE, Y.; GUÉCHOT, J. et al. (2004)
Hyaluronan in horses: physiological production rate, plasma and synovial fluid concentrations in control conditions and following sodium hyaluronate administration
Equine Vet J. 36 (6), 482 – 487.
- POZO, M.A.; BALAZS, E.A.; BELMONTE, C. (1997)
Reduction of sensory responses to passive movements of inflamed knee joints by hylan, a hyaluronan derivate.
Exp Brain Res. 116 (1), 3 – 9.
- PRICE, J.S.; SYMONS, J.S.; RUSSELL, R.G.G. (1992)
Cytokines: inflammatory mediators of joint disease.
Equine Vet J. 24 (2); 78 – 80.
- RADIN, E.L.; BURR, D.B.; CATERSON, B. et al. (1991)
Mechanical determinants of osteoarthrosis.
Semin Arthritis Rheum. 21, 12 – 21.
- RAY, C.S.; POOLE, A.R.; McILWRAITH, C.W. (1996)
Use of synovial fluid and serum markers in articular disease.
In: McILWRAITH, C.W.; TROTTER, G.W. (Eds): Joint Disease in the Horse.
Philadelphia, W.B. Saunders Company. pp. 203 – 216.
- REJNÖ, S. (1976)
Viscosity of equine synovial fluid.
Acta Vet Scand. 17 (2), 169 – 177.
- REES, M.D.; HAWKINS, C.L.; DAVIES, M.J. (2004)
Hypochlorite and superoxide radicals can act synergistically to induce fragmentation of hyaluronan and chondroitin sulphates.
Biochem J. 381, 175 – 184.
- RIORDAN, T.; DOYLE, D.; TABAQCHALI, S. (1982)
Synovial fluid lactic acid measurement in the diagnosis and management of septic arthritis.
J Clin Pathol. 35 (4), 390 – 394.

- RIZKALA, G.; REINER, A.; BOGOCH, E. et al. (1992)
Studies of the articular cartilage proteoglycan aggrecan in health and osteoarthritis. Evidence for molecular heterogeneity and extensive molecular changes in disease.
J Clin Invest. 90 (6), 2268 – 2277.
- ROONEY, J.R. (1975)
Osteochondrosis in the horse.
Mod Vet Pract. 56 (1): 41 – 43; 113 – 116.
- RØRVIK, A.M.; GRØNDAHL, A.M. (1995)
Markers of osteoarthritis: A review of the literature.
Vet Surg. 24 (3), 244 – 262.
- SANDER, T. (1990)
Synoviauntersuchungen – im Besonderen die Bestimmung der Hyaluronsäure bei an Corpora libera im Talokruralgelenk erkrankten und arthroskopisch behandelten Pferden.
Vet med Diss., Hannover.
- SANGREN, B.; DALIN, G.; CARLSTEN, J.; LUNDEHEIM, N. (1993)
Development of osteochondrosis in the tarsocrural joint and osteochondral fragments in the fetlock joints of standardbred trotters. II. Body measurements and clinical findings.
Equine Vet J. (Suppl. 16), 48 – 53.
- SCHILLER, J. ARNHOLD, J.; SONNTAG, K. et al. (1996)
NMR Studies on human, pathologically changed synovial fluids: role of hypochlorous acid.
Magn Reson Med. 35 (6), 848 – 853.
- SCHNEIDER, R.K.; BRAMLAGE, L.R.; MOORE, R.M. et al. (1992a)
A retrospective study of 192 horses affected with septic arthritis/tenosynovitis.
Equine Vet J. 24 (6), 436 – 442.
- SCHNEIDER, R.K.; BRAMLAGE, L.R.; MOORE, R.M. et al. (1992b)
Open drainage, intra-articular and systemic antibiotics in the treatment of septic arthritis/tenosynovitis in horses.
Equine Vet J. 24 (6), 443 – 449.
- SERTEYN, D.; GRULKE, S.; FRANCK, T. et al. (2003)
La myéloperoxidase des neutrophiles, une enzyme de défense aux capacités oxydantes.
Ann Méd Vét. 147, 79 – 93.
- SIMKIN, P.A. (1991)
Physiology of normal and abnormal synovium.
Semin Arthritis Rheum. 21 (3), 179 – 183.
- SIMKIN, P.A. (1995)
Synovial perfusion and synovial fluid solutes.
Ann Rheum Dis. 54 (5), 424 – 428.

- SIMKIN, P.A. (1997)
Synovial physiology.
In: KOOPMAN, W.J. (Ed): Arthritis and Allied Conditions. A Textbook of Rheumatology, Ed 13.
Baltimore, Williams & Wilkins. pp. 193 – 205.
- SPELLMEYER, K. (2003)
Myeloperoxidase-Aktivität im Serum und in der Synovia bei Hunden mit Osteoarthritis – Eine prospektive Studie.
Vet med Diss., Berlin.
- SPIERS, S.; MAY, S.A.; BENNETT, D. et al. (1994a)
Cellular sources of proteolytic enzymes in equine joints.
Equine Vet J. 26 (1), 43 – 47.
- SPIERS, S.; MAY, S.A.; HARRISON, L.J. et al. (1994b)
Proteolytic enzymes in equine joints with infectious arthritis.
Equine Vet J. 26 (1), 48 – 50.
- SPRENG D.E.; SCHAWALDER, P.D. (1997)
Die Osteoarthritis beim Hund.
Prakt Tierarzt. 78 (5), 364 – 376.
- STASHAK, T.S. (1987)
Diagnosis of lameness.
In: STASHAK, T.S. (Ed): Adams' Lameness in Horses, Ed 4.
Philadelphia, Lea & Febiger. pp. 100 – 156.
- STRÖMBERG, B.; REJNÖ, S. (1978)
Osteochondrosis in the horse. A clinical and radiologic investigation of osteochondritic dissecans of the knee and hock joints.
Acta Radiol (Suppl. 358), 139 – 152.
- TAKEICHI, O.; SAITO, I.; TSURUMACHI, T. et al. (1994)
Human polymorphonuclear leukocytes derived from chronically inflamed tissue express inflammatory cytokines in vivo.
Cell Immunol. 156 (2), 296 – 309.
- TEW, W.P.; HOTCHKISS, R.N. (1981)
Synovial fluid analysis and equine joint disorders.
J Equine Vet Sci. 1, 163 – 170.
- THONAR, E.J.-M.; SHINMEI, M.; LOHMANDER, L. S. (1993)
Body fluid markers of cartilage changes in osteoarthritis
Rheum Dis Clin North Am. 19 (3), 635 – 657.

- THONAR, E.J.-M.; LENZ, M.E.; MASUDA, K. et al. (1999)
Body fluid markers of cartilage metabolism.
In: SEIBEL, M.J.; ROBINS, S.P.; BILEZIKIAN, J.P. (Eds): Dynamics of Bone and Cartilage Metabolism. San Diego, Academic Press, pp. 453 – 464.
Cited by: McILWRAITH, C.W. (2005)
Use of synovial fluid and serum biomarkers in equine bone and joint diseases: a review.
Equine Vet J. 37 (5), 473 – 482.
- TODHUNTER, R.J. (1996)
Anatomy and physiology of synovial joints.
In: McILWRAITH, C.W.; TROTTER, G.W. (Eds): Joint Disease in the Horse.
Philadelphia, W.B. Saunders Company. pp. 1 – 28.
- TODHUNTER, R.J.; LUST, G. (1990)
Pathophysiology of synovitis: clinical signs and examination in horses.
Comp Cont Educ Pract Vet. 12 (7), 980 – 992.
- TORRE, F.; DECKER, R. (1994)
The use of arthroscopy in the treatment of septic arthritis in horses: 16 cases
In: HERTSCH, B. (Ed): International Symposium “Joint Diseases in the Horse” Dortmund 1994, Ed 2.
Warendorf, Verlag der Deutschen Reiterlichen Vereinigung. 1996 . ISBN 3-88542-280-8. pp. 161 – 174.
- TREUHAF, P.S.; McCARTY, D.J. (1971)
Synovial fluid pH, lactate, oxygen and carbon dioxide partial pressure in various joint diseases.
Arthritis Rheum. 14 (4), 475 – 484.
- TRIPPEL, S.B. (1995)
Growth factor actions on articular cartilage.
J Rheumtol (Suppl. 43), 129 – 132.
- TROTTER, G.W.; McILWRAITH, C.W. (1996)
Clinical features and diagnosis of equine joint disease.
In: McILWRAITH, C.W.; TROTTER, G.W. (Eds): Joint Disease in the Horse.
Philadelphia, W.B. Saunders Company. pp. 120 – 145.
- TULAMO, R.-M.; BRAMLAGE, L.R.; GABEL, A.A. (1989a)
Sequential clinical and synovial fluid changes associated with acute infectious arthritis in the horse.
Equine Vet J. 21(5), 325 – 331.
- TULAMO, R.-M.; BRAMLAGE, L.R.; GABEL, A.A. (1989b)
The influence of corticosteroids on sequential clinical and synovial fluid parameters in joints with acute infectious arthritis in the horse.
Equine Vet J. 21(5), 332 – 337.

- TUNG, J.T.; ARNOLD, C.E.; ALEXANDER, L.H. et al. (2002a)
Evaluation of the influence of prostaglandin E₂ on recombinant equine interleukin-1 β -stimulated matrix metalloproteinase 1, 3, and 13 and tissue inhibitor of matrix metalloproteinase 1 expression in equine chondrocyte cultures.
Am J Vet Res. 63 (7), 987 – 993.
- TUNG, J.T.; FENTON, J.I.; ARNOLD, C. et al (2002b)
Recombinant equine interleukin-1 β induces putative mediators of articular cartilage degradation in equine chondrocytes.
Can J Vet Res. 66 (1), 19 – 25.
- van de LOO, A.A.; van den BERG, W.B. (1990)
Effects of murine recombinant interleukin 1 on synovial joints in mice: measurement of patellar cartilage metabolism and joint inflammation.
Ann Rheum Dis. 49 (4), 238 – 245.
- van den BOOM, R.; van der HARST, M.R.; BROMMER, H. et al. (2005)
Relationship between synovial fluid levels of glycosaminoglycans, hydroxyproline and general MMP activity and the presence and severity of articular cartilage change on the proximal articular surface of P1.
Equine Vet J. 37 (1), 19 – 25.
- van den HOOGEN, B.M.; van de LEST, C.H.A.; van WEEREN, P.R. et al. (1998)
Loading-induced changes in synovial fluid affect cartilage metabolism.
Br J Rheumatol. 37 (6), 671 – 676.
- van PELT, R.W. (1962)
Properties of equine synovial fluid.
J Am Vet Med Assoc. 141, 1051 – 1061.
- van PELT, R.W. (1967)
Characteristics of normal equine tarsal synovial fluid.
Can J Comp Med Vet Sci. 31 (12), 342 – 347.
- van PELT, R.W. (1974)
Interpretation of synovial fluid findings in the horse.
J Am Vet Med Assoc. 165 (1), 91 – 95.
- van WEEREN, P.R. (2005)
Equine Osteochondrosis: a challenging enigma.
Pferdeheilkunde. 21 (4), 285 – 292.
- van WEEREN, P.R.; BARNEVELD, A. (1999)
Study design to evaluate the influence of exercise on the development of the musculo-skeletal system of foals up to age 11 months.
Equine Vet J. (Suppl. 31), 4 – 8.
- VERSCHOOTEN, F.; VERBEECK, J. (1997)
Flexion test of the metacarpophalangeal and interphalangeal joints and flexion angle of the metacarpophalangeal joint in sound horses.
Equine Vet J. 29 (1), 50 – 54.

- VISSERS, M.C.M.; WINTERBOURN, C.C. (1987)
Myeloperoxidase-dependent oxidative inactivation of neutrophils neutral proteinases and microbicidal enzymes.
Biochem J. 245 (1), 277 – 280.
- VOÛTE, L.C.; HENSON, F.M.D.; PLATT, D. et al. (1997)
Lesions of the lateral trochlear ridge of the distal femur in ponies with histological features of equine dyschondroplasia.
Proc Brit Equine Vet Assoc. 36, 153 – 154.
- VRINS, A.; FELDMAN, B.F. (1983)
Lupus erythematosus-like syndrome in a horse.
Equine Pract. 5 (6), 18 – 25.
- WALLIS, W.J.; SIMKIN, P.A.; NELP, W.B. (1987)
Protein traffic in human synovial effusions.
Arthritis Rheum. 30 (1), 57 – 63.
- WARD, T.T.; STEIGBIGEL, R.T. (1978)
Acidosis of synovial fluid correlates with synovial fluid leukocytosis.
Am J Med. 64 (6), 933 – 936.
- WEISS, S.J. (1989)
Tissue destruction by neutrophils.
N Engl J Med. 320 (6), 365 – 376.
- WEISS, S.J. (1985); PEPPIN, G.; ORTIZ, X. et al. (1985)
Oxidative autoactivation of latent collagenase by human neutrophils.
Science. 227 (4688), 747 – 749.
- WIDMER, R.W.; BLEVINS, W.E. (1994)
Radiographic evaluation of degenerative joint disease in horses: interpretive principles.
Comp Cont Educ Pract Vet. 16 (7), 907 – 918.
- YARBROUGH, B.; SNYDER, J.R.; HARMON, F.A. et al. (1994)
Evaluation of Myeloperoxidase concentrations in experimentally induced equine colonic ischaemia and reperfusion.
Equine Vet J. 26 (1), 67 – 69.
- YUDOH, K.; NGUYEN, T.; NAKAMURA, H. et al. (2005)
Potential involvement of oxidative stress in cartilage senescence and development of osteoarthritis: oxidative stress induces chondrocyte telomere instability and downregulation of chondrocyte function.
Arthritis Res Ther. 7 (2): 380 – 391.