

10. Collected References

- Abouheif, E., Zardoya, R., Meyer, A., 1998. Limitations of metazoan 18S rRNA sequence data: Implications for reconstructing a phylogeny of the animal kingdom and inferring the reality of the Cambrian explosion. *J. Mol. Evol.* 47, 394-405.
- Almeida, W.O., Christoffersen, M.L., Amorim, D.S., Garraffoni, A.R.S., Silva, G.S., 2003. Polychaeta, Annelida, and Articulata are not monophyletic: articulating the Metameria (Metazoa, Coelomata). *Revista Brasil. Zool.* 20, 23-57.
- Apakupakul, K., Siddall, M.E., Burreson, E., 1999. Higher level relationships of leeches (Annelida: Clitellata: Euhirudinea) based on morphology and gene sequences. *Mol. Phylogenetic Evol.* 12, 350-359.
- Audouin, J.V., Milne-Edwards, H., 1833. Classification des Annélides, et description de celles qui habitent les côtes de France. *Ann. Sci. Nat.* 30, 411-425.
- Ax, P., 1999. Das System der Metazoa II. Stuttgart: Gustav Fischer Verlag.
- Bartolomaeus, T., 1995. Structure and formation of the uncini in *Pectinaria koreni*, *Pectinaria auricoma* (Terebellida) and *Spirorbis spirorbis* (Sabellida): implications for annelid phylogeny and the position of the Pogonophora. *Zoomorphology* 115, 161-177.
- Bartolomaeus, T., 1998. Chaetogenesis in polychaetous Annelida - significance for annelid systematics and the position of the Pogonophora. *Zoology* 100, 348-364.
- Bartolomaeus, T., Meyer, K., 1997. Development and phylogenetic significance of hooked setae in Arenicolidae (Polychaeta, Annelida). *Inv. Biol.* 116, 227-242.
- Bartolomaeus, T., Meyer, K., 1999. Zur Phylogenie der Arenicolidae. *Cour. Forsch.-Inst. Senckenberg* 215, 23-29.
- Bellan, G., Bellan-Santini, D., Dauvin, J.-C., 1990. Phénetique et phylogénie des Opheliidae (Annelides Polychetes). *C. R. Acad. Sci. Paris, Series III* 310, 175-181.
- Blake, J.A., 1981. The Scalibregmatidae (Annelida: Polychaeta) from South America and Antarctica collected chiefly during the cruises of the R/V Anton Bruun, R/V Hero and USNS Eltanin. *Proc. Biol. Soc. Wash.* 94, 1131-1162.
- Blake, J.A., 2000a. Family Opheliidae Malmgren, 1867. In "Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, Vol. 7: The Annelida, Part 4: Polychaeta: Flabelligeridae to Sternaspidae (J.A. Blake, B. Hilbig, and P. Valentich Scott, Eds.), pp. 145-168, Santa Barbara Museum of Natural History, Santa Barbara, California.

- Blake, J.A., 2000b. Family Scalibregmatidae Malmgren, 1867. In "Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel, Vol. 7: The Annelida, Part 4: Polychaeta: Flabelligeridae to Sternaspidae (J.A. Blake, B. Hilbig, and P. Valentich Scott, Eds.), pp. 129-144, Santa Barbara Museum of Natural History, Santa Barbara, California.
- Blake, J.A., 2000c. A new genus and species of polychaete worm (Family Orbiniidae) from methane seeps in the Gulf of Mexico, with a review of the systematics and phylogenetic interrelationships of the genera of Orbiniidae. *Cah. Biol. Mar.* 41, 435-449.
- Borda, E., Siddall, M.E., 2004. Arhynchobdellida (Annelida: Oligochaeta: Hirudinida): phylogenetic relationships and evolution. *Mol. Phylogenet. Evol.* 30, 213-225.
- Brown,S., Rouse,G.W., Hutchings,G.W., Colgan,D., 1999. Assesing the usefulness of histone H3, U2 snRNA and 28S rDNA in analyses of polychaete relationships. *Aust. J. Zool.* 47, 499-516.
- Brusca, R.C., Brusca, G.J., 1990. Invertebrates. Sinauer Associates, Inc, Sunderland, MA.
- Dales, R.P., 1962. The polychaete stomodeum and the interrelationships of the families of the Polychaeta. *Proc. Zool. Soc. London* 139, 289-328.
- Dauvin, J.-C., Bellan, G., 1994. Systematics, ecology and biogeographic relationships in the sub-family Travisinae (Polychaeta, Opheliidae). *Mem. Mus. natn. Hist. nat.* 162, 169-184.
- Day, J.H., 1967. "A Monograph on the Polychaeta of Southern Africa. Part 2. Sedentaria," British Museum (Natural History), London.
- Eeckhaut, I., McHugh, D., Mardulyn, P., Tiedemann, R., Monteyne, D., Jangoux, M., and Milinkovitch, M.C., 2000. Myzostomida: a link between trochozoans and flatworms? *Proc. R. Soc. Lond. B* 267, 1383-1392.
- Erséus, C., Källersjö, M., 2004. 18S rDNA phylogeny of Clitellata (Annelida). *Zool. Scr.* 33, 187-196.
- Erséus C., Prestegaard T., Källersjö M., 2000. Phylogenetic analysis of Tubificidae (Annelida, Clitellata) based on 18S rDNA sequences. *Mol. Phylogenet. Evol.* 15, 381-389.
- Fauchald,K., 1977. The polychaete worms. Definitions and keys to the orders, families and genera. *Nat. Hist. Mus. LA County Sci. Ser.* 28, 1-188.

- Fauchald, K., Rouse, G.W., 1997. Polychaete systematics: past and present. *Zool. Scr.* 26, 71-138.
- Fauvel, P., 1927. Polychetes Sédentaires. Addenda aux Errantes, Archiannelides, Myzostomaires. *Faune de France* 5, 1-488.
- Gamble, F.W., Ashworth, J.H., 1900. The anatomy and classification of the Arenicolidae, with some observations on their postlarval stages. *Quart. J. Micr. Sci.* 43, 419-569.
- Gelder, S.R., Palmer, R., 1976. The nervous system of the marine polychaete *Ctenodrilus serratus* and its importance in the taxonomic position of the Ctenodrilidae. *Trans. Amer. Micr. Soc.* 95, 156-164.
- George, J.D., Petersen, M.E., 1991. The validity of the genus *Zeppelina* (Vaillant) (Polychaeta: Ctenodrilidae). *Ophelia Suppl.* 5, 89-100.
- Giere, O.W., Erséus, C., 1998. A systematic account of the Questidae (Annelida, Polychaeta), with description of new taxa. *Zool. Scr.* 27, 345-360.
- Giere, O.W., Riser, N.W., 1981. Questidae – Polychaetes with oligochaetoid morphology and development. *Zool. Scr.* 10, 95-103.
- Giribet, G., 2002. Current advances in the phylogenetic reconstruction of metazoan evolution. A new paradigm for the Cambrian explosion? *Mol. Phylogenet. Evol.* 24, 345-357.
- Grygier, M.J., 2000. Myzostomida. In “Polychaetes & Allies: The Southern synthesis. Fauna of Australia. Vol. 4. Polychaeta, Myzostomida, Pogonophora, Echiura, Sipuncula” (P.L. Beesley, G.J.B. Ross, and C.J. Glasby, Eds.), pp. 297-329, CSIRO Publishing, Melbourne.
- Halanych, K.M., Dahlgren, T.G., McHugh, D., 2002. Unsegmented annelids? Possible origin of four lophotrochozoan worm taxa. *Integr. Comp. Biol.* 42, 678-684.
- Hartman, O., 1966. Quantitative survey of the benthos of San Pedro basin, Southern California. Part II. Final results and conclusions. *Allan Hancock Pacific Expeditions* 19, 187-456.
- Hartmann-Schröder, G., 1971. Annelida, Borstenwürmer, Polychaeta. *Tierwelt Deutschlands* 58, 1-594.
- Hartmann-Schröder, G., 1996. Annelida, Borstenwürmer, Polychaeta. 2., neubearbeitete Auflage. *Tierwelt Deutschlands* 58, 1-648.
- Haszprunar, G., 1996. The Mollusca: coelomate turbellarians or mesenchymate annelids? In “Origin and evolutionary radiation of the Mollusca” (J.D. Taylor, Eds.), pp. 1-28, Oxford University Press, Oxford.
- Hausen, H., 2001. „Untersuchungen zur Phylogenie ‘spiomorpher’ Polychaeten

- (Annelida)," Logos Verlag, Berlin.
- Hessling,R., Westheide,W., 2002. Are Echiura derived from a segmented ancestor? Immunohistochemical analysis of the nervous system in developmental stages of *Bonellia viridis*. *J. Morph.* 252, 100-113.
- Hillis,D.M., 1987. Molecular versus morphological approaches to systematics. *Ann. Rev. Ecol. Syst.* 18, 23-42.
- Jamieson, B.G.M., Webb, R.I., 1984. The morphology, spermatozoal ultrastructure and phylogenetic affinities of a new species of questid (Polychaeta, Annelida). In: Hutchings PA, ed. *Proceedings of the 1st International Polychaete Conference, Sydney, Australia*. Sydney: Linnean Society of New South Wales, 21-34.
- Kojima, S., 1998. Paraphyletic status of Polychaeta suggested by phylogenetic analysis based on the amino acid sequences of elongation factor-1alpha. *Mol. Phylogenet. Evol.* 9, 255-261.
- Kudenov, J., Blake, J.A., 1978. A review of the genera and species of the Scalibregmidae (Polychaeta) with descriptions of one new genus and three new species from Australia. *J. Nat. Hist.* 12, 427-444.
- Martin,P., Kaygorodova,I., Sherbakov,D.Y., Verheyen,E., 2000. Rapidly evolving lineages impede the resolution of phylogenetic relationships among Clitellata (Annelida). *Mol. Phylogenet. Evol.* 15, 355-368.
- Martin,P., 2001. On the origin of the Hirudinea and the demise of the Oligochaeta. *Proc. R. Soc. Lond. B* 268, 1089-1098.
- Mesnil, F., Caullery, M., 1897. Sur la position systematique du genre *Ctenodrilus* Clap.; ses affinités avec les Cirratuliens. *C.R. hebd. Séanc. Acad. Sci., Paris* **125**: 542-544.
- McHugh,D., 1997. Molecular evidence that echiurans and pogonophorans are derived annelids. *Proc. Natl. Acad. Sci. USA* 94, 8006-8009.
- McHugh,D., 2000. Molecular phylogeny of the Annelida. *Can. J. Zool.* 78, 1873-1884.
- McLusky, D.S., Anderson, F.E., Wolfe-Murphy, S., 1983. Distribution and population recovery of *Arenicola marina* and other benthic fauna after bait digging. *Mar. Ecol. Prog. Ser.*, 11, 173-179.
- Müller, M.C., Westheide, W., 2000. Structure of the nervous system of *Myzostoma cirriferum* (Annelida) as revealed by immunohistochemistry and cLSM analyses. *J. Morph.* 245, 87-98.
- Nielsen, C., 2000. "Animal Evolution," Oxford University Press, Oxford, 2nd revised ed.

- Nogueira, J.M.M., Rizzo, A.E., 2001. A new species of *Branchiomaldane* (Polychaeta: Arenicolidae) from the state of Sao Paulo, south eastern Brazil. *J. Mar. Biol. Ass. U.K.* 81, 415-421.
- Nygren, A., Sundberg, P., 2003. Phylogeny and evolution of reproductive modes in Autolytinae (Syllidae, Annelida). *Mol. Phylogen. Evol.* 29, 235-249.
- Petersen, M.E., George, J.D., 1991. A new species of *Raricirrus* from northern Europe, with notes on its biology and a discussion of the affinities of the genus (Polychaeta: Ctenodrilidae). *Ophelia Suppl.* 5, 185-208.
- Pettibone, M.H., 1982. Annelida. In: Parker, S.P., ed. Synopsis and classification of living organisms, Vol.2. New York: McGraw-Hill, pp. 1-43.
- Puschke, G., 2002a. On the ground pattern of Annelida. *Org. Div. Evol.* 3, 181-196.
- Puschke, G., 2002b. Male genital organs, spermatogenesis and spermatozoa in the enigmatic terrestrial polychaete *Parergodrilus heideri* (Annelida, Parergodrilidae). *Zoomorphology* 121, 125-138.
- Puschke, G., 2003. Is *Hrabeiella periglandulata* (Annelida, "Polychaeta") the sister group of Clitellata? Evidence from an ultrastructural analysis of the dorsal pharynx in *H. periglandulata* and *Enchytraeus minutus* (Annelida, Clitellata). *Zoomorphology* 122, 55-66.
- Puschke, G., Hessling, R., Westheide, W., 2000. The phylogenetic position of the Clitellata and Echiura - on the problematic assessment of absent characters. *J. zool. Sys. Evol. Res.* 38, 165-173.
- Puschke, G., Wolfrath, F., Westheide, W., 1997. Ultrastructure of the nuchal organ in *Onchnesoma squamatum* (Sipuncula, Phascolionidae). *Zoomorphology* 117, 23-31.
- Rota, E., Martin, P., Erseus, C., 2001. Soil-dwelling polychaetes: enigmatic as ever? Some hints on their phylogenetic relationships as suggested by a maximum parsimony analysis of 18S rRNA gene sequences. *Contr. Zool.* 70, 127-138.
- Rouse, G.W., Fauchald, K., 1995. The articulation of annelids. *Zool. Scr.* 24, 269-301.
- Rouse, G.W., Fauchald, K., 1997. Cladistics and polychaetes. *Zool. Scr.* 26, 139-204.
- Rouse, G.W., Pleijel, F., 2003. Problems in polychaete systematics. In: Sigvaldadottir, E., Mackie, A.S.Y., Helgason, G.V., Reish, D.J., Svavarsson, J., Steingrimmson, S.A.,

- Gudmundsson, G. (Eds.). Advances in polychaete research. *Hydrobiologia* 496, 175-189.
- Santos, S.L., 1977. A new species of *Travisia* (Polychaeta, Opheliidae) from Tampa Bay, Florida. *Proc. Biol. Soc. Wash.* 89, 559-564.
- Schmidt, O., 1857. Zur Kenntnis der Turbellaria, Rhabdocoela und einiger anderer Würmer des Mittelmeeres. *Sitzber. K. Akad. Wiss. Wien, Math.-Nat. Klasse* 23, 347-366.
- Siddall, M.E., Apakupakul, K., Burreson, E., Coates, K.A., Erseus, C., Gelder, S.R., Källersjö, M., Trapido-Rosenthal, H., 2001. Validating Livanow: Molecular data agree that leeches, branchiobdellidans, and *Acanthobdella peledina* form a monophyletic group of oligochaetes. *Mol. Phylogenet. Evol.* 21, 346-351.
- Storch, V., 1988. Integument. In "The Ultrastructure of Polychaeta.." (W. Westheide, and C.O. Hermans, Eds.), Microfauna Marina 4 pp. 13-36, Gustav Fischer Verlag, Stuttgart.
- Struck,T.H., Hessling,R., Purschke,G., 2002a. The phylogenetic position of the Aelosomatidae and Paergodrilidae, two enigmatic oligochaete-like taxa of the "Polychaeta", based on molecular data from 18S rDNA sequences. *J. zool. Sys. Evol. Res.* 40, 155-163.
- Struck, T.H., Westheide, W., Purschke, G., 2002b. Progenesis in Eunicida („Polychaeta”, Annelida) – separate evolutionary events? Evidence from molecular data. *Mol. Phylogenet. Evol.* 25, 190-199.
- Trontelj,P., Sket,B., Steinbrück,G., 1999. Molecular phylogeny of leeches: Congruence of nuclear and mitochondrial rDNA data sets and the origin of bloodsucking. *J. zool. Sys. Evol. Res.* 37, 141-147.
- Westheide, W., Rieger, R., 1996. Spezielle Zoologie. Gustav Fischer Verlag, Stuttgart.
- Westheide, W., 1997. The direction of evolution within the Polychaeta. *J. Nat. Hist.* 31, 1-15.
- Westheide, W., McHugh, D., Purschke, G., Rouse, G. W., 1999. Systematization of the Annelida: different approaches. *Hydrobiologia* 402, 291-307.
- Winnepenninckx,B.M.H., van der Peer,Y., Backeljau,T., 1998. Metazoan relationships on the basis of 18S rRNA sequences: A few years later *Amer. Zool.* 38, 888-906.
- Zal, F., Lallier, F., Toulmond, A., 2002. Utilisation comme substitut sanguin d'une

hémoglobine extracellulaire de poids moléculaire élevé. French Patent No. 00 07031, granted August, 2, 2002.

Zrzavy, J., Hypsa, V., Tietz, D.F., 2001. Myzostomida are not annelids: Molecular and morphological support for a clade of animals with anterior sperm flagella. *Cladistics* 17, 170-198.