

7 LITERATUR

- Adam E, Kozma-Bognar L, Dallmann G, Nagy F (1995) Transcription of tobacco phytochrome-A genes initiates at multiple start sites and requires multiple cis-acting regulatory elements. *Plant Mol Biol* 29: 983-993
- Ahmad M, Cashmore AR (1996) Seeing blue: the discovery of cryptochrome. *Plant Mol Biol* 30: 851-861
- Ahmad M, Jarillo JA, Smirnova O, Cashmore AR (1998) The CRY1 blue light photoreceptor of *Arabidopsis* interacts with phytochrome A in vitro. *Mol Cell* 1: 939-948
- Allen GJ, Muir SR, Sanders D (1995) Release of Ca²⁺ from individual plant vacuoles by both InsP3 and cyclic ADP-ribose. *Science* 268: 735-737
- Ashton NW, Cove DJ (1977) The isolation and preliminary characterisation of auxotrophic and analogue resistant mutants of the moss *Physcomitrella patens*. *Mol Gen Genet* 154: 87-95
- Ashton NW, Grimsley NH, Cove DJ (1979) Analysis of gametophytic development in the moss, *Physcomitrella patens*, using auxin and cytokinin resistant mutants. *Planta* 144: 427-435
- Ausubel FM, Brent R, Kingston RE, Moore DD, Seidman JG, Struhl K (1988) *Current Protocols in Molecular Biology*. Jon Wiley & Sons, Inc.,
- Baldino F, Chesselet M-F, Lewis ME (1989) High resolution in situ hybridization histochemistry. *Methods Enzymol* 168: 761-777
- Baudin A, Ozier-Kalogeropoulos O, Denouel A, Lacroute F, Cullin C (1993) A simple and efficient method for direct gene deletion in *Saccharomyces cerevisiae*. *Nucleic Acids Res* 21: 3329-3330
- Beetham PR, Kipp PB, Sawycky XL, Arntzen CJ, May GD (1999) A tool for functional plant genomics: chimeric RNA/DNA oligonucleotides cause in vivo gene-specific mutations. *Proc Natl Acad Sci USA* 96: 8774-8778
- Bertling WM (1995) Gene Targeting. In MA Vega, ed *Gene Targeting*. CRS Press, Inc., pp 1-44
- Bischoff F, Millar AJ, Kay SA, Furuya M (1997) Phytochrome-induced signalling activates *cab::luciferase* gene expression. *Plant J* 12: 839-849
- Blattner FR, Plunkett G, III, Bloch CA, Perna NT, Burland V, Riley M, Collado-Vides J, Glasner JD, Rode CK, Mayhew GF, Gregor J, Davis NW, Kirkpatrick HA, Goeden MA, Rose DJ, Mau B, Shao Y (1997) The complete genome sequence of *Escherichia coli* K-12. *Science* 277: 1453-1474
- Boehringer Mannheim (1995) *The DIG System User's Guide for Filter Hybridization*.
- Borthwick HA, Hendricks SB, Parker MW, Toole EH, Toole VK (1952) A reversible photoreaction controlling seed germination. *Proc Natl Acad Sci USA* 38: 662-666
- Bradford M (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principles of protein-dye binding. *Anal Biochem* 72: 248-254
- Briggs WR, Huala E (1999) Blue-light photoreceptors in higher plants. *Annu Rev Cell Dev Biol* 15:33-62: 33-62
- Brücker G (2003) *Zellbiologische und molekularbiologische Untersuchungen zum Phototropismus in Ceratodon und Physcomitrella* (Arbeitstitel). Dissertation am FB Biologie, Chemie, Pharmazie der Freien Universität Berlin.
- Brücker G, Zeidler M, Kohchi T, Hartmann E, Lamparter T (2000) Microinjection of heme oxygenase genes rescues phytochrome- chromophore-deficient mutants of the moss *Ceratodon purpureus*. *Planta* 210: 529-535
- Choi G, Yi H, Lee J, Kwon YK, Soh MS, Shin B, Luka Z, Hahn TR, Song PS (1999) Phytochrome signalling is mediated through nucleoside diphosphate kinase 2. *Nature* 401: 610-613
- Cokol M, Nair R, ost B (2000) Finding nuclear localization signals. *EMBO Rep* 1: 411-415
- Cole-Strauss A, Yoon K, Xiang Y, Byrne BC, Rice MC, Gryn J, Holloman WK, Kmiec EB (1996) Correction of the mutation responsible for sickle cell anemia by an RNA- DNA oligonucleotide. *Science* 273: 1386-1389
- Conti E, Izaurralde E (2001) Nucleocytoplasmic transport enters the atomic age. *Curr Opin Cell Biol* 13: 310-319
- Cove D, Schild A, Ashton NW, Hartmann E (1978) Genetic and physiological studies of the effect of light on the development of the moss, *Physcomitrella patens*. *Photochem Photobiol* 27: 249-254
- Cove DJ (1992) Regulation of development in the moss, *Physcomitrella patens*. In S Brody, DJ Cove, S Ottolenghi, VEA Russo, eds *Developmental Biology. A molecular genetic approach*. Springer Verlag, Heidelberg, pp 179-193
- Cove DJ, Knight CD, Lamparter T (1997) Mosses as model systems. *TIPS* 2: 99-105

- Cove DJ, Quatrano RS, Hartmann E (1996) The alignment of the axis of asymmetry in regenerating protoplasts of the moss *Ceratodon purpureus* is determined independently of axis polarity. *Development* 122: 371-379
- Croy RRD (1993) Plant Selectable Genes, Reporter Genes and Promoters. In RRD Croy, ed Plant Molecular Biology. Bios Scientific Publishers / Blackwell Scientific Publications, pp 149-182
- Datsenko KA, Wanner BL (2000) One-step inactivation of chromosomal genes in *Escherichia coli* K-12 using PCR products. *Proc Natl Acad Sci USA* 97: 6640-6645
- Davis SJ, Kurepa J, Vierstra RD (1999a) The *Arabidopsis thaliana* HY1 locus, required for phytochrome-chromophore biosynthesis, encodes a protein related to heme oxygenases. *Proc Natl Acad Sci USA* 96: 6541-6546
- Davis SJ, Vener AV, Vierstra RD (1999b) Bacteriophytochromes: phytochrome-like photoreceptors from nonphotosynthetic eubacteria. *Science* 286: 2517-2520
- de Groot MJ, Offringa R, Does MP, Hooykaas PJ, van den Elzen PJ (1992) Mechanisms of intermolecular homologous recombination in plants as studied with single- and double-stranded DNA molecules. *Nucleic Acids Res* 20: 2785-2794
- Deng C, Capecchi MR (1992) Reexamination of gene targeting frequency as a function of the extent of homology between the targeting vector and the target locus. *Mol Cell Biol* 12: 3365-3371
- Dower WJ, Miller JF, Ragsdale CW (1988) High efficiency transformation of *E. coli* by high voltage electroporation. *Nucleic Acids Research* 16: 6145
- Doyle JJ, Doyle JL (1990) Isolation of plant DNA from fresh tissue. *Focus* 12: 13-15
- Duke SO, Lydon J, Becerril JM, Sherman TD, Lehnen LP, Matsumoto H (1991) Protoporphyrinogen oxidase inhibiting herbicides. *Weed Science* 39: 465-473
- Emanuelsson O, Nielsen H, von Heije G (1999) ChloroP, a neural network-based method for predicting chloroplast transit peptides and their cleavage sites. *Protein Sci* 8: 978-984
- Engel PP (1968) The induction of biochemical and morphological mutants in the moss *Physcomitrella patens*. *Amer J Bot* 55: 438-446
- Ermolayeva E, Hohmeyer H, Johannes E, Sanders D (1996) Calcium-dependent membrane depolarisation activated by phytochrome in the moss *Physcomitrella patens*. *Planta* 199: 352-358
- Esch H (1998) Die Rolle des Photorezeptors Phytochrom beim Phototropismus des Laubmooses *Ceratodon purpureus*. Isolierung und Charakterisierung aphototroper Mutanten. Dissertation am Fachbereich Biologie der Freien Universität Berlin.
- Esch H, Hartmann E, Cove D, Wada M, Lamparter T (1999) Phytochrome-controlled phototropism of protonemata of the moss *Ceratodon purpureus*: physiology of the wild type and class 2 p-tr-mutants. *Planta* 209: 290-298
- Etzold H (1965) Der Polarotropismus und Phototropismus der Chloronemen von *Dryopteris filix-mass* (L.) Schott. *Planta* 64: 254-280
- Fankhauser C, Yeh KC, Lagarias JC, Zhang H, Elich TD, Chory J (1999) PKS1, a substrate phosphorylated by phytochrome that modulates light signaling in *Arabidopsis*. *Science* 284: 1539-1541
- Fu H, Girod PA, Doelling JH, van Nocker S, Hochstrasser M, Finley D, Vierstra RD (1999) Structure and functional analysis of the 26S proteasome subunits from plants. *Mol Biol Rep* 26: 137-146
- Fu X, Duc LT, Fontana S, Bong BB, Tinjuangjun P, Sudhakar D, Twyman RM, Christou P, Kohli A (2000) Linear transgene constructs lacking vector backbone sequences generate low-copy-number transgenic plants with simple integration patterns. *Transgenic Res* 9: 11-19
- Fujitani Y, Yamamoto K, Kobayashi I (1995) Dependence of frequency of homologous recombination on the homology length. *Genetics* 140: 797-809
- Gassen G, Sachse GE, Schulte A (1994) Polymerase-Kettenreaktion. Gustav Fischer Verlag; Stuttgart, Jena New York,
- Gassen G, Schimpf G (1999) Gentechnische Methoden. 2. Auflage. Spektrum Akademischer Verlag; Heidelberg, Berlin,
- Giaever G, Chu AM, Ni L, Connelly C, Riles L, Veronneau S, Dow S, Lucau-Danila A, Anderson K, Andre B, Arkin AP, Astromoff A, El Bakkoury M, Bangham R, Benito R, Brachat S, Campanaro S, Curtiss M, Davis K, Deutschbauer A, Entian KD, Flaherty P, Foury F, Garfinkel DJ, Gerstein M, Gotte D, Guldener U, Hegemann JH, Hempel S, Herman Z, Jaramillo DF, Kelly DE, Kelly SL, Kotter P, LaBonte D, Lamb DC, Lan N, Liang H, Liao H, Liu L, Luo C, Lussier M, Mao R, Menard P, Ooi SL, Revuelta JL, Roberts CJ, Rose M, Ross-Macdonald P, Scherens B, Schimmack G, Shafer B, Shoemaker DD, Sookhai-Mahadeo S, Storms RK, Strathern JN, Valle G, Voet M, Volckaert G, Wang CY, Ward TR, Wilhelmy J, Winzeler EA, Yang Y, Yen G, Youngman E, Yu K, Bussey H, Boeke JD, Snyder M, Philippsen P, Davis RW, Johnston M (2002) Functional profiling of the *Saccharomyces cerevisiae* genome. *Nature* 418: 387-391

- Gil P, Kircher S, Adam E, Bury E, Kozma-Bognar L, Schafer E, Nagy F (2000) Photocontrol of subcellular partitioning of phytochrome-B:GFP fusion protein in tobacco seedlings. *Plant J* 22: 135-145
- Girke T, Schmidt H, Zahringer U, Reski R, Heinz E (1998) Identification of a novel delta 6-acyl-group desaturase by targeted gene disruption in *Physcomitrella patens*. *Plant J* 15: 39-48
- Girod PA, Fu H, Zryd JP, Vierstra RD (1999) Multiubiquitin chain binding subunit MCB1 (RPN10) of the 26S proteasome is essential for developmental progression in *Physcomitrella patens*. *Plant Cell* 11: 1457-1472
- Goff SA, Ricke D, Lan TH, Presting G, Wang R, Dunn M, Glazebrook J, Sessions A, Oeller P, Varma H, Hadley D, Hutchison D, Martin C, Katagiri F, Lange BM, Moughamer T, Xia Y, Budworth P, Zhong J, Miguel T, Paszkowski U, Zhang S, Colbert M, Sun WL, Chen L, Cooper B, Park S, Wood TC, Mao L, Quail P, Wing R, Dean R, Yu Y, Zharkikh A, Shen R, Sahasrabudhe S, Thomas A, Cannings R, Gutin A, Pruss D, Reid J, Tavtigian S, Mitchell J, Eldredge G, Scholl T, Miller RM, Bhatnagar S, Adey N, Rubano T, Tusneem N, Robinson R, Feldhaus J, Macalma T, Oliphant A, Briggs S (2002) A draft sequence of the rice genome (*Oryza sativa* L. ssp. japonica). *Science* 296: 92-100
- Grimsley NH, Ashton NW, Cove DJ (1977) The production of somatic hybrids by protoplast fusion in the moss *Physcomitrella patens*. *Mol Gen Genet* 154: 97-100
- Grimsley NH, Grimsley JM, Hartmann E (1981) Fatty acid composition of mutants of the moss *Physcomitrella patens*. *Phytochemistry* 20: 1519-1524
- Halfter U, Morris P-C, Willmitzer L (1992) Gene targeting in *Arabidopsis thaliana*. *Mol Gen Genet* 231: 186-193
- Hallmann A, Rappel A, Sumper M (1997) Gene replacement by homologous recombination in the multicellular green alga *Volvox carteri*. *Proc Natl Acad Sci USA* 94: 7469-7474
- Hanelt S, Braun B, Marx S, Schneider-Poetsch HAW (1992) Phytochrome evolution: a phylogenetic tree with the first complete sequence of phytochrome from a cryptogamic plant (*Selaginella martensii* spring). *Photochem Photobiol* 56: 751-758
- Hanin M, Volrath S, Bogucki A, Briker M, Ward E, Paszkowski J (2001) Gene targeting in *Arabidopsis*. *Plant J* 28: 671-677
- Hartmann E, Jenkins G (1984) Photomorphogenesis of mosses and liverworts. In AF Dyer, JG Duckett, eds *The experimental biology of bryophytes*. Academic Press, London, pp 203-228
- Hartmann E, Klingenberg B, Bauer L (1983) Phytochrome-mediated phototropism in protonemata of *Ceratodon purpureus*. *Photochem Photobiol* 38: 599-603
- Hartmann E, Pfaffmann H (1990) Phosphatidylinositol and phytochrome-mediated phototropism of moss protonemal tip cells. *Plant Biol* 9: 259-275
- Hartmann E, Weber M (1988) Storage of the phytochrome-mediated phototropic stimulus of moss protonemal cells. *Planta* 175: 39-49
- Hasty P, Ramirez-Solis R, Krumlauf R, Bradley A (1991) Introduction of a subtle mutation into the Hox-2.6 locus in embryonic stem cells. *Nature* 350: 243-246
- Haupt W (1959) Die Chloroplastendrehung bei *Mougeotia*. I: Über den quantitativen und qualitativen Lichtbedarf der Schwachlichtbewegung. *Planta* 53: 484-501
- Haupt W (1960) Die Chloroplastendrehung bei *Mougeotia*. II: Die Induktion der Schwachlichtbewegung durch linear polarisiertes Licht. *Planta* 55: 465-479
- Henschel K, Kofuji R, Hasebe M, Saedler H, Munster T, Theissen G (2002) Two Ancient Classes of MIKC-type MADS-box Genes are Present in the Moss *Physcomitrella patens*. *Mol Biol Evol* 19: 801-814
- Hoch JA, Silhavy TJ (1995) *Two-component signal transduction*. ASM Press, Washington DC
- Hofmann AH, Codon AC, Ivascu C, Russo VE, Knight C, Cove D, Schaefer DG, Chakhparonian M, Zryd JP (1999) A specific member of the Cab multigene family can be efficiently targeted and disrupted in the moss *Physcomitrella patens*. *Mol Gen Genet* 261: 92-99
- Hohn B, Puchta H (1999) Gene therapy in plants. *Proc Natl Acad Sci USA* 96: 8321-8323
- Hughes J, Hartmann E (1998) Photomorphogenesis in lower plants. In G Singhal, W Renger, S Sopory, K-D Irrgang, Govindjee, eds *Concepts in Photobiology: Photosynthesis and Photomorphogenesis*. Narosa Publishing, pp 805-837
- Hughes J, Lamparter T, Mittmann F (1996) Cerpu;PHY0;2, a "normal" phytochrome in *Ceratodon* (Accession No. U56698) (PGR 96-067). *Pl Physiol* 112: 446
- Hughes J, Lamparter T, Mittmann F, Hartmann E, Gärtner W, Wilde A, Börner T (1997) A prokaryotic phytochrome. *Nature* 386: 663
- Imaizumi T, Kadota A, Hasebe M, Wada M (2002) Cryptochrome light signals control development to suppress auxin sensitivity in the moss *Physcomitrella patens*. *Plant Cell* 14: 373-386

- Jenkins GI, Cove DJ (1983a) Light requirements for regeneration of protoplasts of the moss *Physcomitrella patens*. *Planta* 157: 39-45
- Jenkins GI, Cove DJ (1983b) Phototropism and polarotropism of primary chloronemata of the moss *Physcomitrella patens*: responses of mutant strains. *Planta* 159: 432-438
- Jenkins GI, Cove DJ (1983c) Phototropism and polarotropism of primary chloronemata of the moss *Physcomitrella patens*: responses of the wild-type. *Planta* 158: 357-364
- Kadota A, Sato Y, Wada M (2000) Intracellular chloroplast photorelocation in the moss *Physcomitrella patens* is mediated by phytochrome as well as by a blue-light receptor. *Planta* 210: 932-937
- Kadota A, Wada M, Furuya M (1982) Phytochrome-mediated phototropism and different dichroic orientation of P_r and P_{fr} in protonemata of the fern *Adiantum capillus-veneris*. *Photochem Photobiol* 35: 533-536
- Kagawa T, Lamparter T, Hartmann E, Wada M (1997) Phytochrome-mediated branch formation in protonemata of the moss *Ceratodon purpureus*. *Journal of Plant Research* 110: 363-370
- Kammerer W, Cove DJ (1996) Genetic analysis of the effects of re-transformation of transgenic lines of the moss *Physcomitrella patens*. *Mol Gen Genet* 250: 380-382
- Kaneko T, Sato S, Kotani H, Tanaka A, Asamizu E, Nakamura Y, Miyajima N, Hirosawa M, Sugiura M, Sasamoto S, Kimura T, Hosouchi T, Matsuno A, Muraki A, Nakazaki N, Naruo K, Okumura S, Shimpo S, Takeuchi C, Wada T, Watanabe A, Yamada M, Yasuda M, Taba S (1996) Sequence analysis of the genome of the unicellular Cyanobacterium *Synechocystis* sp. strain PCC6803. II. Sequence determination of the entire genome and assignment of potential protein-coding regions. *DNA Res* 3: 109-136
- Karchner SJ (1994) Non-Radioactive Nucleic Acid Detection Systems. In *Plant Molecular Biology Manual F3*. pp 1-25
- Kehoe DM, Grossman AR (1994) Complementary chromatic adaptation: photoperception to gene regulation. *Semin Cell Biol* 5: 303-313
- Kehoe DM, Grossman R (1996) Similarity of a chromatic adaptation sensor to phytochrome and ethylene receptors. *Science* 273: 1409-1412
- Kempin SA, Liljegren SJ, Block LM, Rounsley SD, Yanofsky MF, Lam E (1997) Targeted disruption in *Arabidopsis*. *Nature* 389: 802-803
- Kendrick RE, Kronenberg GHM (1994) *Photomorphogenesis in Plants*. Kluwer, Dordrecht
- Kim L, Kircher S, Toth R, Adam E, Schafer E, Nagy F (2000) Light-induced nuclear import of phytochrome-A:GFP fusion proteins is differentially regulated in transgenic tobacco and *Arabidopsis*. *Plant J* 22: 125-133
- Kircher S, Gil P, Kozma-Bognar L, Fejes E, Speth V, Husselstein-Muller T, Bauer D, Adam E, Schafer E, Nagy F (2002) Nucleocytoplasmic partitioning of the plant photoreceptors phytochrome A, B, C, D, and E is regulated differentially by light and exhibits a diurnal rhythm. *Plant Cell* 14: 1541-1555
- Kircher S, Kozma-Bognar L, Kim L, Adam E, Harter K, Schäfer E, Nagy F (1999) Light quality-dependent nuclear import of the plant photoreceptors phytochrome A and B. *Plant Cell* 11: 1445-1456
- Knight CD, Sehgal A, Atwal K, Wallace JC, Cove DJ, Coates D, Quatrano RS, Bahadur S, Stockley PG, Cumming AC (1995) Molecular responses to abscisic acid and stress are conserved between moss and cereals. *Plant J* 7: 499-506
- Kobayashi T, Hisajima S, Stougaard J, Ichikawa H (1995) A conditional negative selection for *Arabidopsis* expressing a bacterial cytosine deaminase gene. *Jpn J Genet* 70: 409-422
- Kohchi T, Mukougawa K, Frankenberg N, Masuda M, Yokota A, Lagarias JC (2001) The *Arabidopsis* hy2 gene encodes phytochromobilin synthase, a ferredoxin-dependent biliverdin reductase. *Plant Cell* 13: 425-436
- Kolukisaoglu HÜ, Braun B, Martin WF, Schneider-Poetsch HAW (1993) Mosses do express conventional, distantly B-type-related phytochromes. *Phytochrome of Physcomitrella patens* (Hedw.). *FEBS* 334: 95-100
- Koprivova A, Meyer AJ, Schween G, Herschbach C, Reski R, Kopriva S (2002) Functional knockout of the adenosine 5' phosphosulfate reductase gene in *Physcomitrella patens* revives an old route of sulfate assimilation. *J Biol Chem*
- Laemmli UK (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685
- Lagarias DM, Wu S-H, Lagarias JC (1995) Atypical phytochrome gene structure in the green alga *Mesotaenium caldariorum*. *Plant Mol Biol* 29: 1127-1142
- Lamparter T, Esch H, Cove D, Hartmann E (1997a) Phytochrome control of phototropism and chlorophyll accumulation in the apical cells of protonemal filaments of wildtype and an aphototropic mutant of the moss *Ceratodon purpureus*. *Plant Cell Physiol* 38: 51-58

- Lamparter T, Esch H, Cove D, Hughes J, Hartmann E (1996) Aphototropic mutants of the moss *Ceratodon purpureus* with spectrally normal and with spectrally dysfunctional phytochrome. *Pl Cell & Environ* 19: 560-568
- Lamparter T, Michael N, Mittmann F, Esteban B (2002) Assembly and spectral properties of phytochrome from *Agrobacterium tumefaciens*. *Proc Nat Acad Sci USA*. 99: 11628-11633
- Lamparter T, Mittmann F, Gärtner W, Börner T, Hartmann E, Hughes J (1997b) Characterization of recombinant phytochrome from the cyanobacterium *Synechocystis*. *Proc Natl Acad Sci USA* 94: 11792-11797
- Lamparter T, Podlowski S, Mittmann F, Hartmann E, Schneider-Poetsch HAW, Hughes J (1995) Phytochrome from protonemal tissue of the moss *Ceratodon purpureus*. *J Pl Physiol* 147: 426-434
- Lee KY, Lund P, Lowe K, Dunsmuir P (1990) Homologous recombination in plant cells after *Agrobacterium*-mediated transformation. *Plant Cell* 2: 415-425
- Lessard P, Decroocq V, Thomas M (1997) Isolation and Analysis of mRNA from Plant Cells: Cloning of cDNAs. In MS Clark, ed *Plant Molecular Biology: a Laboratory Manual*. Springer-Verlag; Berlin, Heidelberg, New York, pp 154-201
- Link AJ, Phillips D, Church GM (1997) Methods for generating precise deletions and insertions in the genome of wild-type *Escherichia coli*: application to open reading frame characterization. *J Bacteriol* 179: 6228-6237
- Marchuk D, Drumm M, Saulino A, Collins FS (1991) Construction of T-vectors, a rapid and general system for direct cloning of unmodified PCR products. *Nucleic Acids Res* 19: 1154
- Markmann-Mulisch U, Hadi MZ, Koepchen K, Alonso JC, Russo VE, Schell J, Reiss B (2002) The organization of *Physcomitrella patens* RAD51 genes is unique among eukaryotic organisms. *Proc Natl Acad Sci USA* 99: 2959-2964
- McElroy D, Blowers AD, Jenes B, Wu R (1991) Construction of expression vectors based on the rice actin 1 (Act1) 5' region for the use in monocot transformation. *Mol Gen Genet* 231: 150-160
- Meiri E, Levitan A, Guo F, Christopher DA, Schaefer D, Zryd JP, Danon A (2002) Characterization of three PDI-like genes in *Physcomitrella patens* and construction of knock-out mutants. *Mol Genet Genomics* 267: 231-240
- Miao Z-H, Lam E (1995) Targeted disruption of the TGA3 locus in *Arabidopsis thaliana*. *Plant J* 7: 359-365
- Mittmann F (1997) Molekularbiologische Untersuchungen zum Phytochromsystem in *Cryptogamae*. Diplomarbeit am Fachbereich Chemie der Freien Universität Berlin.
- Mombaerts P, Clarke AR, Hooper ML, Tonegawa S (1991) Creation of a large genomic deletion at the T-cell antigen receptor beta-subunit locus in mouse embryonic stem cells by gene targeting. *Proc Natl Acad Sci USA* 88: 3084-3087
- Muramoto T, Kohchi T, Yokota A, Hwang I, Goodman HM (1999) The *Arabidopsis* photomorphogenic mutant *hyl* is deficient in phytochrome chromophore biosynthesis as a result of a mutation in a plastid heme oxygenase. *Plant Cell* 11: 335-348
- Murphy KC (1998) Use of bacteriophage lambda recombination functions to promote gene replacement in *Escherichia coli*. *J Bacteriol* 180: 2063-2071
- Nagy F, Kircher S, Schafer E (2001) Intracellular trafficking of photoreceptors during light-induced signal transduction in plants. *J Cell Sci* 114: 475-480
- Neer EJ, Schmidt CJ, Nambudripad R, Smith TF (2002) The ancient regulatory-protein family of WD-repeat proteins. *Nature* 371: 297-300
- Neff MM, Fankhauser C, Chory J (2000) Light: an indicator of time and place. *Genes Dev* 14: 257-271
- Newton CR, Graham A (1997) PCR. 2nd edition. BIOS Scientific Publishers Limited
- Ni M, Tepperman JM, Quail PH (1998) PIF3, a phytochrome-interacting factor necessary for normal photoinduced signal transduction, is a novel basic helix-loop-helix protein. *Cell* 95: 657-667
- Nozue K, Kanegae T, Imaizumi T, Fukuda S, Okamoto H, Yeh KC, Lagarias JC, Wada M (1998) A phytochrome from the fern *Adiantum* with features of the putative photoreceptor NPH1. *Proc Natl Acad Sci USA* 95: 15826-15830
- Offringa R, de Groot MJ, Haagsman HJ, Does MP, van den Elzen PJ, Hooykaas PJ (1990) Extrachromosomal homologous recombination and gene targeting in plant cells after *Agrobacterium* mediated transformation. *EMBO J* 9: 3077-3084
- Ohl S, Offringa R, van der Elzen PJM, Hooykaas PJJ (1994) Gene Replacement in Plants. In J Paszkowski, ed., *Homologous recombination and gene silencing in plants*. Kluwer Academic Publishers, pp 191-217
- Parkinson JS, Kofoid EC (1992) Communication modules in bacterial signaling proteins. *Ann Rev Genet* 26: 71-112

- Parks BM, Quail PH (1991) Phytochrome-deficient *hyl* and *hy2* long hypocotyl mutants of *Arabidopsis* are defective in phytochrome chromophore biosynthesis. *Plant Cell* 3: 1177-1186
- Parks BM, Spalding EP (1999) Sequential and coordinated action of phytochromes A and B during *Arabidopsis* stem growth revealed by kinetic analysis. *Proc Natl Acad Sci USA* 96: 14142-14146
- Pasentsis K, Paulo N, Algarra P, Dittrich P, Thümmler F (1998) Characterization and expression of the phytochrome gene family in the moss *Ceratodon purpureus*. *Plant J* 13: 51-61
- Paszkowski J, Baur M, Bogucki A, Potrykus I (1988) Gene Targeting in Plants. *EMBO J* 7: 4021-4026
- Peterhans A, Schlupmann H, Basse C, Paszkowski J (1990) Intrachromosomal recombination in plants. *EMBO J* 9: 3437-3445
- Pietrzak M, Shillito RD, Hohn T, Potrykus I (1986) Expression in plants of two bacterial antibiotic resistance genes after protoplast transformation with a new plant expression vector. *Nucleic Acids Res* 14: 5857-5868
- Puchta H (1999) Double-strand break-induced recombination between ectopic homologous sequences in somatic plant cells. *Genetics* 152: 1173-1181
- Puchta H (2002) Gene replacement by homologous recombination in plants. *Plant Mol Biol* 48: 173-182
- Puchta H, Hohn B (1996) From centiMorgans to base pairs: homologous recombination in plants. *Trends Plant Sci* 1: 340-348
- Puchta H, Kocher S, Hohn B (1992) Extrachromosomal homologous DNA recombination in plant cells is fast and is not affected by CpG methylation. *Mol Cell Biol* 12: 3372-3379
- Puchta H, Swoboda P, Hohn B (1995) Induction of intrachromosomal recombination in whole plants. *Plant J* 7: 203-210
- Quail PH (1994) Phytochrome genes and their expression. In RE Kendrick, GHM Kronenberg, eds *Photomorphogenesis in plants*. Kluwer, Dordrecht, pp 71-104
- Quail PH (1997) An emerging molecular map of the phytochromes. *Plant Cell Environ* 20: 665
- Ramirez-Solis R, Liu P, Bradley A (1995) Chromosome engineering in mice. *Nature* 378: 720-724
- Repp A (2000) Herstellung und Untersuchung von Phytochrom-Transgenen im Moos *Physcomitrella patens*. Diplomarbeit am Fachbereich Biologie, Chemie und Pharmazie der Freien Universität Berlin.
- Reski R (1998) Development, Genetics and Molecular Biology of Mosses. *Bot Acta* 111: 15
- Richter U, Kiessling J, Hedtke B, Decker E, Reski R, Borner T, Weihe A (2002) Two RpoT genes of *Physcomitrella patens* encode phage-type RNA polymerases with dual targeting to mitochondria and plastids. *Gene* 290: 95-105
- Rogers SO, Bendich AJ (1985) Extraction of DNA from milligram amounts of fresh, herbarium and mummified plant tissues. *Pl Mol Biol* 5: 69-76
- Rothstein RJ (1983) One-Step gene disruption in yeast. *Methods Enzymol* 101: 202-210
- Sakamoto K, Nagatani A (1996) Nuclear localization activity of phytochrome B. *Plant J* 10: 859-868
- Sambrook J, Russell DW (2001) *Molecular Cloning. A Laboratory Manual*. 3rd edition. Cold Spring Harbor Laboratory Press,
- Sanders D, Brownlee C, Harper JF (1999) Communicating with calcium. *Plant Cell* 11: 691-706
- Sanger F, Nicklen S, Coulson AR (1977) DNA Sequencing with Chain-Terminating Inhibitors. *Proc Natl Acad Sci USA* 74: 5467
- Saul MW, Shillito RD, Negrutiu I (1988) Direct DNA Transfer to protoplasts with and without electroporation. In SB Gelvin, RA Schilperoort, eds *Plant molecular biology manual*. Kluwer Academic Publishers, pp 1-16
- Sawahel W, Onde S, Knight C, Cove D (1992) Transfer of foreign DNA into *Physcomitrella patens* protonemal tissue by using the gene gun. *Plant Mol Biol Reporter* 10: 314-315
- Schaefer D (1994) *Molecular Genetic Approaches to the Biology of the Moss Physcomitrella patens*. PhD Thesis, University of Lausanne, Switzerland.
- Schaefer DG (2001) Gene Targeting in *Physcomitrella patens*. *Curr Opin Plant Biol* 4: 143-150
- Schaefer DG (2002) A new moss genetics: Targeted Mutagenesis in *Physcomitrella patens*. *Annu Rev Plant Biol* 53: 477-501
- Schaefer DG, Bisztray G, Zrýd J-P (1994) Genetic transformation of the moss *Physcomitrella patens*. In YPS Bajaj, ed *Biotechnology in Agriculture and Forestry*. Springer Verlag Berlin Heidelberg, pp 349-364
- Schaefer DG, Zrýd J-P (1997) Efficient gene targeting in the moss *Physcomitrella patens*. *Plant J* 11: 1195-1206
- Schaefer DG, Zrýd J-P, Knight CD, Cove DJ (1991) Stable transformation of the moss *Physcomitrella patens*. *Mol Gen Genet* 226: 418-424
- Schneider-Poetsch HAW (1992) Signal transduction by phytochrome: phytochromes have a module related to the transmitter modules of bacterial sensor proteins. *Photochem Photobiol* 56: 839-846

- Schneider-Poetsch HAW, Braun B, Marx S, Schaumburg A (1991) Phytochromes and bacterial sensor proteins are related by structural and functional homologies. Hypothesis on phytochrome-mediated signal- transduction. FEBS 281: 245-249
- Schneider-Poetsch HAW, Kolukisaoglu HÜ, Clapham D, Hughes J, Lamparter T (1998) Non-angiosperm phytochromes and the evolution of vascular plants. *Physiol Plant* 102: 612-622
- Seki M, Shigemoto N, Sugita M, Sugiura M, Koop H-U, Irifune K, Morikawa H (1995) Transient expression of Betaglucuronidase in plastids of various plant cells and tissues delivered by a pneumatic particle gun. *Journal of Plant Research* 108: 235-240
- Sharrock RA, Quail PH (1989) Novel phytochrome sequences in *Arabidopsis thaliana*: structure, evolution, and differential expression of a plant regulatory photoreceptor family. *Genes Dev* 3: 1745-1757
- Shulman MJ, Collins C, Connor A, Read LR, Baker MD (1995) Interchromosomal recombination is suppressed in mammalian somatic cells. *EMBO J* 14: 4102-4107
- Smith H (2000) Phytochromes and light signal perception by plants--an emerging synthesis. *Nature* 407: 585-591
- Smith H, Xu Y, Quail PH (1997) Antagonistic but complementary actions of phytochromes A and B allow seedling de-etiolation. *Plant Physiol* 114: 637-641
- Sopory SK, Munshi M (1998) Protein kinases and phosphatases and their role in cellular signalling in plants. *Cri Rev Plant Sci* 17: 245-318
- Southern EM (1975) Detection of Specific Sequences Among DNA Fragments by Gel Electrophoresis. *J Mol Biol* 98: 517
- Stougaard J (1993) Substrate-dependent negative selection in plants using a bacterial cytosine deaminase gene. *The Plant Journal* 3: 755-761
- Strepp R, Scholz S, Kruse S, Speth V, Reski R (1998) Plant nuclear gene knockout reveals a role in plastid division for the homolog of the bacterial cell division protein FtsZ, an ancestral tubulin. *Proc Natl Acad Sci USA* 95: 4368-4373
- Suhnel J, Hermann G, Dornberger U, Fritzsche H (1997) Computer analysis of phytochrome sequences and reevaluation of the phytochrome secondary structure by Fourier transform infrared spectroscopy. *Biochim Biophys Acta* 1340: 253-267
- The *Arabidopsis* Initiative (2000) Analysis of the genome sequence of the flowering plant *Arabidopsis thaliana*. *Nature* 408: 796-815
- Thümmler F, Dufner M, Kreisl P, Dittrich P (1992) Molecular cloning of a novel phytochrome gene of the moss *Ceratodon purpureus* which encodes a putative light-regulated protein kinase. *Plant Mol Biol* 20: 1003-1017
- Thykjaer T, Finnemann J, Schauser L, Christensen L, Poulsen C, Stougaard J (1997) Gene targeting approaches using positive-negative selection and large flanking regions. *Plant Mol Biol* 35: 523-530
- Vierstra RD (1994) Phytochrome degradation. In RE Kendrick, GHM Kronenberg, eds *Photomorphogenesis in plants*, Ed. 2nd. Kluwer Academic Publishers, pp 141-162
- Wada M, Kadota A (1989) Photomorphogenesis in lower green plants. *Ann Rev Plant Physiol Plant Mol Biol* 40: 169-191
- Weber M, Möller K, Welzeck M, Schorr J (1995) Effect of lipopolysaccharide on transformation efficiency in eucaryotic cells. *Bio/techniques* 19: 930-940
- Whitelam GC, Devlin PF (1997) Roles of different phytochromes in *Arabidopsis* photomorphogenesis. *Plant Cell Environ* 20: 752-775
- Whitelam GC, Patel S, Devlin PF (1998) Phytochromes and photomorphogenesis in *Arabidopsis*. *Philos Trans R Soc Lond B Biol Sci* 353: 1445-1453
- Winands A, Wagner G (1996) Phytochrome of the green alga *Mougeotia*: cDNA sequence, autoregulation and phylogenetic position. *Plant Mol Biol* 32: 589-597
- Wood V, Gwilliam R, Rajandream MA, Lyne M, Lyne R, Stewart A, Sgouros J, Peat N, Hayles J, Baker S, Basham D, Bowman S, Brooks K, Brown D, Brown S, Chillingworth T, Churcher C, Collins M, Connor R, Cronin A, Davis P, Feltwell T, Fraser A, Gentles S, Goble A, Hamlin N, Harris D, Hidalgo J, Hodgson G, Holroyd S, Hornsby T, Howarth S, Huckle EJ, Hunt S, Jagels K, James K, Jones L, Jones M, Leather S, McDonald S, McLean J, Mooney P, Moule S, Mungall K, Murphy L, Niblett D, Odell C, Oliver K, O'Neil S, Pearson D, Quail MA, Rabinowitsch E, Rutherford K, Rutter S, Saunders D, Seeger K, Sharp S, Skelton J, Simmonds M, Squares R, Squares S, Stevens K, Taylor K, Taylor RG, Tivey A, Walsh S, Warren T, Whitehead S, Woodward J, Volckaert G, Aert R, Robben J, Grymonprez B, Weltjens I, Vanstreels E, Rieger M, Schafer M, Muller-Auer S, Gabel C, Fuchs M, Fritzc C, Holzer E, Moestl D, Hilbert H, Borzym K, Langer I, Beck A, Lehrach H, Reinhardt R, Pohl TM, Eger P, Zimmermann W, Wedler H, Wambutt R, Purnelle B, Goffeau A, Cadieu E, Dreano S, Gloux S, Lelaure V, Mottier S, Galibert F, Aves SJ, Xiang Z, Hunt C, Moore

- K, Hurst SM, Lucas M, Rochet M, Gaillardin C, Tallada VA, Garzon A, Thode G, Daga RR, Cruzado L, Jimenez J, Sanchez M, del Rey F, Benito J, Dominguez A, Revuelta JL, Moreno S, Armstrong J, Forsburg SL, Cerrutti L, Lowe T, McCombie WR, Paulsen I, Potashkin J, Shpakovski GV, Ussery D, Barrell BG, Nurse P (2002) The genome sequence of *Schizosaccharomyces pombe*. *Nature* 415: 871-880
- Yeh KC, Lagarias JC (1998) Eukaryotic phytochromes: Light-regulated serine/threonine protein kinases with histidine kinase ancestry. *Proc Natl Acad Sci USA* 95: 13976-13981
- Yeh KC, Wu SH, Murphy JT, Lagarias JC (1997) A cyanobacterial phytochrome two-component light sensory system. *Science* 277: 1505-1508
- Yoon K, Cole-Strauss A, Kmiec EB (1996) Targeted gene correction of episomal DNA in mammalian cells mediated by a chimeric RNA/DNA oligonucleotide. *Proc Natl Acad Sci USA* 93: 2071-2076
- Yu J, Hu S, Wang J, Wong GK, Li S, Liu B, Deng Y, Dai L, Zhou Y, Zhang X, Cao M, Liu J, Sun J, Tang J, Chen Y, Huang X, Lin W, Ye C, Tong W, Cong L, Geng J, Han Y, Li L, Li W, Hu G, Huang X, Li W, Li J, Liu Z, Li L, Liu J, Qi Q, Liu J, Li L, Li T, Wang X, Lu H, Wu T, Zhu M, Ni P, Han H, Dong W, Ren X, Feng X, Cui P, Li X, Wang H, Xu X, Zhai W, Xu Z, Zhang J, He S, Zhang J, Xu J, Zhang K, Zheng X, Dong J, Zeng W, Tao L, Ye J, Tan J, Ren X, Chen X, He J, Liu D, Tian W, Tian C, Xia H, Bao Q, Li G, Gao H, Cao T, Wang J, Zhao W, Li P, Chen W, Wang X, Zhang Y, Hu J, Wang J, Liu S, Yang J, Zhang G, Xiong Y, Li Z, Mao L, Zhou C, Zhu Z, Chen R, Hao B, Zheng W, Chen S, Guo W, Li G, Liu S, Tao M, Wang J, Zhu L, Yuan L, Yang H (2002) A draft sequence of the rice genome (*Oryza sativa* L. ssp. *indica*). *Science* 296: 79-92
- Zank KZ, Zähringer U, Beckmann C, Pohnert G, Boland W, Holtorf H, Reski R, Lerchl J, Heinz E (2002) Cloning and functional characterisation of an enzyme involved in the elongation of Delta6-polyunsaturated fatty acids from the moss *Physcomitrella patens*. *Plant J* 31: 255-268
- Zeidler M (1999) Das Phytochrom CP2 des Mooses *Ceratodon purpureus*: Expression und Charakterisierung. Dissertation, Freie Universität, Berlin
- Zeidler M, Gatz C, Hartmann E, Hughes J (1996) Tetracycline-regulated reporter gene expression in the moss *Physcomitrella patens*. *Pl Mol Biol* 30: 199-205
- Zeidler M, Hartmann E, Hughes J (1999) Transgene expression in the moss *Ceratodon purpureus*. *J Pl Physiol* 154: 641-650
- Zhu T, Peterson DJ, Tagliani L, St Clair G, Baszczyński CL, Bowen B (1999) Targeted manipulation of maize genes in vivo using chimeric RNA/DNA oligonucleotides. *Proc Natl Acad Sci U S A* 96: 8768-8773