

## 6 Literaturverzeichnis

- Akbarian, S., J. J. Kim, S. G. Potkin, et al. (1995). "Gene expression for glutamic acid decarboxylase is reduced without loss of neurons in prefrontal cortex of schizophrenics." Arch Gen Psychiatry **52**(4): 258-66.
- Al-Amin, H. A., C. Shannon Weickert, D. R. Weinberger und B. K. Lipska (2001). "Delayed onset of enhanced MK-801-induced motor hyperactivity after neonatal lesions of the rat ventral hippocampus." Biol Psychiatry **49**(6): 528-39.
- Alkondon, M. und E. X. Albuquerque (2001). "Nicotinic acetylcholine receptor alpha7 and alpha4beta2 subtypes differentially control GABAergic input to CA1 neurons in rat hippocampus." J Neurophysiol **86**(6): 3043-55.
- Amaral, D. G. (1978). "A Golgi study of cell types in the hilar region of the hippocampus in the rat." J Comp Neurol **182**(4 Pt 2): 851-914.
- An, W. F., M. R. Bowlby, M. Betty, et al. (2000). "Modulation of A-type potassium channels by a family of calcium sensors." Nature **403**(6769): 553-6.
- Anwyl, R. (1999). "Metabotropic glutamate receptors: electrophysiological properties and role in plasticity." Brain Res Brain Res Rev **29**(1): 83-120.
- Arnold, S. E. (1999). "Cognition and neuropathology in schizophrenia." Acta Psychiatr Scand Suppl **395**: 41-50.
- Arnold, S. E. (1999). "Neurodevelopmental abnormalities in schizophrenia: insights from neuropathology." Dev Psychopathol **11**(3): 439-56.
- Arthur, D. und E. D. Levin (2002). "Chronic inhibition of alpha4beta2 nicotinic receptors in the ventral hippocampus of rats: impacts on memory and nicotine response." Psychopharmacology (Berl) **160**(2): 140-5.
- Arundine, M. und M. Tymianski (2003). "Molecular mechanisms of calcium-dependent neurodegeneration in excitotoxicity." Cell Calcium **34**(4-5): 325-37.
- Bahring, R., J. Dannenberg, H. C. Peters, T. Leicher, O. Pongs und D. Isbrandt (2001). "Conserved Kv4 N-terminal domain critical for effects of Kv channel-interacting protein 2.2 on channel expression and gating." J Biol Chem **276**(26): 23888-94.
- Bai, J., F. He, S. I. Novikova, et al. (2004). "Abnormalities in the dopamine system in schizophrenia may lie in altered levels of dopamine receptor-interacting proteins." Biol Psychiatry **56**(6): 427-40.
- Baimbridge, K. G., M. R. Celio und J. H. Rogers (1992). "Calcium-binding proteins in the nervous system." Trends Neurosci **15**(8): 303-8.

- Balschun, D., D. Manahan-Vaughan, T. Wagner, T. Behnisch, K. G. Reymann und W. Wetzel (1999). "A specific role for group I mGluRs in hippocampal LTP and hippocampus-dependent spatial learning." Learn Mem **6**(2): 138-52.
- Bashir, Z. I., Z. A. Bortolotto, C. H. Davies, et al. (1993). "Induction of LTP in the hippocampus needs synaptic activation of glutamate metabotropic receptors." Nature **363**(6427): 347-50.
- Baude, A., Z. Nusser, J. D. Roberts, E. Mulvihill, R. A. McIlhinney und P. Somogyi (1993). "The metabotropic glutamate receptor (mGluR1 alpha) is concentrated at perisynaptic membrane of neuronal subpopulations as detected by immunogold reaction." Neuron **11**(4): 771-87.
- Bear, M. F. und R. C. Malenka (1994). "Synaptic plasticity: LTP and LTD." Curr Opin Neurobiol **4**(3): 389-99.
- Beasley, C. L. und G. P. Reynolds (1997). "Parvalbumin-immunoreactive neurons are reduced in the prefrontal cortex of schizophrenics." Schizophr Res **24**(3): 349-55.
- Beasley, C. L., Z. J. Zhang, I. Patten und G. P. Reynolds (2002). "Selective deficits in prefrontal cortical GABAergic neurons in schizophrenia defined by the presence of calcium-binding proteins." Biol Psychiatry **52**(7): 708-15.
- Behnisch, T. und K. G. Reymann (1993). "Co-activation of metabotropic glutamate and N-methyl-D-aspartate receptors is involved in mechanisms of long-term potentiation maintenance in rat hippocampal CA1 neurons." Neuroscience **54**(1): 37-47.
- Benes, F. M. (1999). "Evidence for altered trisynaptic circuitry in schizophrenic hippocampus." Biol Psychiatry **46**(5): 589-99.
- Benes, F. M. und S. Berretta (2001). "GABAergic interneurons: implications for understanding schizophrenia and bipolar disorder." Neuropsychopharmacology **25**(1): 1-27.
- Bennett, M. V., D. E. Pellegrini-Giampietro, J. A. Gorter, E. Aronica, J. A. Connor und R. S. Zukin (1996). "The GluR2 hypothesis: Ca(++)-permeable AMPA receptors in delayed neurodegeneration." Cold Spring Harb Symp Quant Biol **61**: 373-84.
- Bergson, C., R. Levenson, P. S. Goldman-Rakic und M. S. Lidow (2003). "Dopamine receptor-interacting proteins: the Ca(2+) connection in dopamine signaling." Trends Pharmacol Sci **24**(9): 486-92.
- Bernstein, H. G., A. Becker, G. Keilhoff, et al. (2003). "Brain region-specific changes in the expression of calcium sensor proteins after repeated applications of ketamine to rats." Neurosci Lett **339**(2): 95-8.

- Bernstein, H. G., K. H. Braunewell, C. Spilker, et al. (2002). "Hippocampal expression of the calcium sensor protein visinin-like protein-1 in schizophrenia." Neuroreport **13**(4): 393-6.
- Berridge, M. J., M. D. Bootman und H. L. Roderick (2003). "Calcium signalling: dynamics, homeostasis and remodelling." Nat Rev Mol Cell Biol **4**(7): 517-29.
- Bibbig, A., H. J. Faulkner, M. A. Whittington und R. D. Traub (2001). "Self-organized synaptic plasticity contributes to the shaping of gamma and beta oscillations in vitro." J Neurosci **21**(22): 9053-67.
- Bishop, J. R., V. L. Ellingrod, J. Moline und D. Miller (2005). "Association between the polymorphic GRM3 gene and negative symptom improvement during olanzapine treatment." Schizophr Res **77**(2-3): 253-60.
- Blaabjerg, M., A. Baskys, J. Zimmer und M. P. Vawter (2003). "Changes in hippocampal gene expression after neuroprotective activation of group I metabotropic glutamate receptors." Brain Res Mol Brain Res **117**(2): 196-205.
- Blaabjerg, M., B. W. Kristensen, C. Bonde und J. Zimmer (2001). "The metabotropic glutamate receptor agonist 1S,3R-ACPD stimulates and modulates NMDA receptor mediated excitotoxicity in organotypic hippocampal slice cultures." Brain Res **898**(1): 91-104.
- Blackstone, C. und M. Sheng (2002). "Postsynaptic calcium signaling microdomains in neurons." Front Biosci **7**: d872-85.
- Bliss, T. V. und T. Lomo (1973). "Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path." J Physiol **232**(2): 331-56.
- Boekhoff, I., K. H. Braunewell, I. Andreini, H. Breer und E. Gundelfinger (1997). "The calcium-binding protein VILIP in olfactory neurons: regulation of second messenger signaling." Eur J Cell Biol **72**(2): 151-8.
- Bootman, M. D., P. Lipp und M. J. Berridge (2001). "The organisation and functions of local Ca(2+) signals." J Cell Sci **114**(Pt 12): 2213-22.
- Bortolotto, Z. A. und G. L. Collingridge (1992). "Activation of glutamate metabotropic receptors induces long-term potentiation." Eur J Pharmacol **214**(2-3): 297-8.
- Brackmann, M., S. Schuchmann, R. Anand und K. H. Braunewell (2005). "Neuronal Ca<sup>2+</sup> sensor protein VILIP-1 affects cGMP signalling of guanylyl cyclase B by regulating clathrin-dependent receptor recycling in hippocampal neurons." J Cell Sci **118**(Pt 11): 2495-505.
- Brackmann, M., C. Zhao, D. Kuhl, D. Manahan-Vaughan und K. H. Braunewell (2004). "mGluRs regulate the expression of neuronal calcium sensor proteins NCS-1 and VILIP-

- 1 and the immediate early gene *arg3.1/arc* in the hippocampus in vivo." Biochem Biophys Res Commun **322**(3): 1073-9.
- Braunewell, K., P. Riederer, C. Spilker, E. D. Gundelfinger, B. Bogerts und H. G. Bernstein (2001). "Abnormal localization of two neuronal calcium sensor proteins, visinin-like proteins (vilips)-1 and -3, in neocortical brain areas of Alzheimer disease patients." Dement Geriatr Cogn Disord **12**(2): 110-6.
- Braunewell, K. H. (2005). "The darker side of Ca<sup>2+</sup> signaling by neuronal Ca<sup>2+</sup>-sensor proteins: from Alzheimer's disease to cancer." Trends Pharmacol Sci **26**(7): 345-51.
- Braunewell, K. H., M. Brackmann und D. Manahan-Vaughan (2003). "Group I mGlu receptors regulate the expression of the neuronal calcium sensor protein VILIP-1 in vitro and in vivo: implications for mGlu receptor-dependent hippocampal plasticity?" Neuropharmacology **44**(6): 707-15.
- Braunewell, K. H., M. Brackmann, M. Schaupp, C. Spilker, R. Anand und E. D. Gundelfinger (2001). "Intracellular neuronal calcium sensor (NCS) protein VILIP-1 modulates cGMP signalling pathways in transfected neural cells and cerebellar granule neurones." J Neurochem **78**(6): 1277-86.
- Braunewell, K. H. und E. D. Gundelfinger (1999). "Intracellular neuronal calcium sensor proteins: a family of EF-hand calcium-binding proteins in search of a function." Cell Tissue Res **295**(1): 1-12.
- Braunewell, K. H., C. Spilker, T. Behnisch und E. D. Gundelfinger (1997). "The neuronal calcium-sensor protein VILIP modulates cyclic AMP accumulation in stably transfected C6 glioma cells: amino-terminal myristoylation determines functional activity." J Neurochem **68**(5): 2129-39.
- Brody, S. A., F. Conquet und M. A. Geyer (2003). "Disruption of prepulse inhibition in mice lacking mGluR1." Eur J Neurosci **18**(12): 3361-6.
- Bruno, V., I. Ksiazek, G. Battaglia, et al. (2000). "Selective blockade of metabotropic glutamate receptor subtype 5 is neuroprotective." Neuropharmacology **39**(12): 2223-30.
- Buckmaster, P. S. und P. A. Schwartzkroin (1995). "Interneurons and inhibition in the dentate gyrus of the rat in vivo." J Neurosci **15**(1 Pt 2): 774-89.
- Buckmaster, P. S., H. J. Wenzel, D. D. Kunkel und P. A. Schwartzkroin (1996). "Axon arbors and synaptic connections of hippocampal mossy cells in the rat in vivo." J Comp Neurol **366**(2): 271-92.
- Burgoyne, R. D. (2004). "The neuronal calcium-sensor proteins." Biochim Biophys Acta **1742**(1-3): 59-68.

- Burgoyne, R. D. und J. L. Weiss (2001). "The neuronal calcium sensor family of Ca<sup>2+</sup>-binding proteins." Biochem J **353**(Pt 1): 1-12.
- Buxbaum, J. D., E. K. Choi, Y. Luo, et al. (1998). "Calsenilin: a calcium-binding protein that interacts with the presenilins and regulates the levels of a presenilin fragment." Nat Med **4**(10): 1177-81.
- Camodeca, N., N. A. Breakwell, M. J. Rowan und R. Anwyl (1999). "Induction of LTD by activation of group I mGluR in the dentate gyrus in vitro." Neuropharmacology **38**(10): 1597-606.
- Carafoli, E. (2005). "Calcium--a universal carrier of biological signals. Delivered on 3 July 2003 at the Special FEBS Meeting in Brussels." Febs J **272**(5): 1073-89.
- Carrion, A. M., W. A. Link, F. Ledo, B. Mellstrom und J. R. Naranjo (1999). "DREAM is a Ca<sup>2+</sup>-regulated transcriptional repressor." Nature **398**(6722): 80-4.
- Chance, S. A., M. Walker und T. J. Crow (2005). "Reduced density of calbindin-immunoreactive interneurons in the planum temporale in schizophrenia." Brain Res **1046**(1-2): 32-7.
- Chen, C. K., J. Inglese, R. J. Lefkowitz und J. B. Hurley (1995). "Ca(2+)-dependent interaction of recoverin with rhodopsin kinase." J Biol Chem **270**(30): 18060-6.
- Chen, X. L., Z. G. Zhong, S. Yokoyama, et al. (2001). "Overexpression of rat neuronal calcium sensor-1 in rodent NG108-15 cells enhances synapse formation and transmission." J Physiol **532**(Pt 3): 649-59.
- Cheng, H. Y., G. M. Pitcher, S. R. Laviolette, et al. (2002). "DREAM is a critical transcriptional repressor for pain modulation." Cell **108**(1): 31-43.
- Chin, D. und A. R. Means (2000). "Calmodulin: a prototypical calcium sensor." Trends Cell Biol **10**(8): 322-8.
- Claiborne, B. J., D. G. Amaral und W. M. Cowan (1990). "Quantitative, three-dimensional analysis of granule cell dendrites in the rat dentate gyrus." J Comp Neurol **302**(2): 206-19.
- Collingridge, G. L., S. J. Kehl und H. McLennan (1983). "Excitatory amino acids in synaptic transmission in the Schaffer collateral-commissural pathway of the rat hippocampus." J Physiol **334**: 33-46.
- Corringer, P. J., J. Sallette und J. P. Changeux (2006). "Nicotine enhances intracellular nicotinic receptor maturation: A novel mechanism of neural plasticity?" J Physiol Paris **99**(2-3): 162-71.

- Dai, F. F., Y. Zhang, Y. Kang, et al. (2006). "The neuronal Ca<sup>2+</sup>-sensor protein visinin-like-protein-1 (VILIP-1) is expressed in pancreatic islets and regulates insulin secretion." J Biol Chem.
- Dani, J. A., D. Ji und F. M. Zhou (2001). "Synaptic plasticity and nicotine addiction." Neuron **31**(3): 349-52.
- Dargusch, R., D. Piasecki, S. Tan, Y. Liu und D. Schubert (2001). "The role of Bax in glutamate-induced nerve cell death." J Neurochem **76**(1): 295-301.
- Daviss, S. R. und D. A. Lewis (1995). "Local circuit neurons of the prefrontal cortex in schizophrenia: selective increase in the density of calbindin-immunoreactive neurons." Psychiatry Res **59**(1-2): 81-96.
- de Bartolomeis, A., G. Fiore und F. Iasevoli (2005). "Dopamine-glutamate interaction and antipsychotics mechanism of action: implication for new pharmacological strategies in psychosis." Curr Pharm Des **11**(27): 3561-94.
- De Castro, E., S. Nef, H. Fiumelli, S. E. Lenz, S. Kawamura und P. Nef (1995). "Regulation of rhodopsin phosphorylation by a family of neuronal calcium sensors." Biochem Biophys Res Commun **216**(1): 133-40.
- Deutsch, S. I., A. Weizman und U. Heresco-Levy (2005). "A "work in-progress": novel approaches to the treatment of schizophrenia." Isr J Psychiatry Relat Sci **42**(1): 2-4.
- Dirnagl, U., C. Iadecola und M. A. Moskowitz (1999). "Pathobiology of ischaemic stroke: an integrated view." Trends Neurosci **22**(9): 391-7.
- Dixon, G. und C. G. Harper (2004). "No evidence for selective GABAergic interneuron deficits in the anterior thalamic complex of patients with schizophrenia." Prog Neuropsychopharmacol Biol Psychiatry **28**(6): 1045-51.
- Dizhoor, A. M. und J. B. Hurley (1996). "Inactivation of EF-hands makes GCAP-2 (p24) a constitutive activator of photoreceptor guanylyl cyclase by preventing a Ca<sup>2+</sup>-induced "activator-to-inhibitor" transition." J Biol Chem **271**(32): 19346-50.
- Dizhoor, A. M., E. V. Olshevskaya, W. J. Henzel, et al. (1995). "Cloning, sequencing, and expression of a 24-kDa Ca(2+)-binding protein activating photoreceptor guanylyl cyclase." J Biol Chem **270**(42): 25200-6.
- Dizhoor, A. M., S. Ray, S. Kumar, et al. (1991). "Recoverin: a calcium sensitive activator of retinal rod guanylate cyclase." Science **251**(4996): 915-8.
- Domino, E. F., D. Mirzoyan und H. Tsukada (2004). "N-methyl-D-aspartate antagonists as drug models of schizophrenia: a surprising link to tobacco smoking." Prog Neuropsychopharmacol Biol Psychiatry **28**(5): 801-11.

- Donato, R. (1999). "Functional roles of S100 proteins, calcium-binding proteins of the EF-hand type." Biochim Biophys Acta **1450**(3): 191-231.
- Dong, H., C. A. Csernansky, Y. Chu und J. G. Csernansky (2003). "Intracerebroventricular kainic acid administration to neonatal rats alters interneuron development in the hippocampus." Brain Res Dev Brain Res **145**(1): 81-92.
- Dudek, S. M. und M. F. Bear (1992). "Homosynaptic long-term depression in area CA1 of hippocampus and effects of N-methyl-D-aspartate receptor blockade." Proc Natl Acad Sci U S A **89**(10): 4363-7.
- Dun, N. J., S. L. Dun, R. K. Wong und U. Forstermann (1994). "Colocalization of nitric oxide synthase and somatostatin immunoreactivity in rat dentate hilar neurons." Proc Natl Acad Sci U S A **91**(8): 2955-9.
- Dyer, J. R., W. S. Sossin und M. Klein (1996). "Cloning and characterization of aplycalcin and Aplysia neurocalcin, two new members of the calmodulin superfamily of small calcium-binding proteins." J Neurochem **67**(3): 932-42.
- Eastwood, S. L. und P. J. Harrison (2005). "Decreased expression of vesicular glutamate transporter 1 and complexin II mRNAs in schizophrenia: further evidence for a synaptic pathology affecting glutamate neurons." Schizophr Res **73**(2-3): 159-72.
- Egan, M. F., R. E. Straub, T. E. Goldberg, et al. (2004). "Variation in GRM3 affects cognition, prefrontal glutamate, and risk for schizophrenia." Proc Natl Acad Sci U S A **101**(34): 12604-9.
- Egan, M. F. und D. R. Weinberger (1997). "Neurobiology of schizophrenia." Curr Opin Neurobiol **7**(5): 701-7.
- Farah, C. S. und F. C. Reinach (1995). "The troponin complex and regulation of muscle contraction." Faseb J **9**(9): 755-67.
- Farber, N. B., D. F. Wozniak, M. T. Price, et al. (1995). "Age-specific neurotoxicity in the rat associated with NMDA receptor blockade: potential relevance to schizophrenia?" Biol Psychiatry **38**(12): 788-96.
- Fatemi, S. H., J. M. Strydom, J. A. Earle, M. Araghi-Niknam und E. Egan (2005). "GABAergic dysfunction in schizophrenia and mood disorders as reflected by decreased levels of glutamic acid decarboxylase 65 and 67 kDa and Reelin proteins in cerebellum." Schizophr Res **72**(2-3): 109-22.
- Ferraguti, F., P. Cobden, M. Pollard, et al. (2004). "Immunolocalization of metabotropic glutamate receptor 1alpha (mGluR1alpha) in distinct classes of interneuron in the CA1 region of the rat hippocampus." Hippocampus **14**(2): 193-215.

- Ferraguti, F., F. Conquet, C. Corti, P. Grandes, R. Kuhn und T. Knopfel (1998). "Immunohistochemical localization of the mGluR1beta metabotropic glutamate receptor in the adult rodent forebrain: evidence for a differential distribution of mGluR1 splice variants." J Comp Neurol **400**(3): 391-407.
- Frandsen, A., J. Drejer und A. Schousboe (1989). "Direct evidence that excitotoxicity in cultured neurons is mediated via N-methyl-D-aspartate (NMDA) as well as non-NMDA receptors." J Neurochem **53**(1): 297-9.
- Frankle, W. G., J. Lerma und M. Laruelle (2003). "The synaptic hypothesis of schizophrenia." Neuron **39**(2): 205-16.
- Freedman, R., C. E. Adams und S. Leonard (2000). "The alpha7-nicotinic acetylcholine receptor and the pathology of hippocampal interneurons in schizophrenia." J Chem Neuroanat **20**(3-4): 299-306.
- Freund, T. F. und G. Buzsaki (1996). "Interneurons of the hippocampus." Hippocampus **6**(4): 347-470.
- Fujii, Y., H. Shibata, R. Kikuta, et al. (2003). "Positive associations of polymorphisms in the metabotropic glutamate receptor type 3 gene (GRM3) with schizophrenia." Psychiatr Genet **13**(2): 71-6.
- Genin, A., S. Davis, H. Meziane, et al. (2001). "Regulated expression of the neuronal calcium sensor-1 gene during long-term potentiation in the dentate gyrus in vivo." Neuroscience **106**(3): 571-7.
- Gerber, D. J., D. Hall, T. Miyakawa, et al. (2003). "Evidence for association of schizophrenia with genetic variation in the 8p21.3 gene, PPP3CC, encoding the calcineurin gamma subunit." Proc Natl Acad Sci U S A **100**(15): 8993-8. Epub 2003 Jul 8.
- Gierke, P., C. Zhao, M. Brackmann, B. Linke, U. Heinemann und K. H. Brauneis (2004). "Expression analysis of members of the neuronal calcium sensor protein family: combining bioinformatics and Western blot analysis." Biochem Biophys Res Commun **323**(1): 38-43.
- Glantz, L. A., J. H. Gilmore, J. A. Lieberman und L. F. Jarskog (2005). "Apoptotic mechanisms and the synaptic pathology of schizophrenia." Schizophr Res.
- Gomez, M., E. De Castro, E. Guarin, et al. (2001). "Ca<sup>2+</sup> signaling via the neuronal calcium sensor-1 regulates associative learning and memory in *C. elegans*." Neuron **30**(1): 241-8.
- Gorczyca, W. A., M. P. Gray-Keller, P. B. Detwiler und K. Palczewski (1994). "Purification and physiological evaluation of a guanylate cyclase activating protein from retinal rods." Proc Natl Acad Sci U S A **91**(9): 4014-8.



- Gross, M. und R. Kumar (1990). "Physiology and biochemistry of vitamin D-dependent calcium binding proteins." Am J Physiol **259**(2 Pt 2): F195-209.
- Grunze, H. C., D. G. Rainnie, M. E. Hasselmo, et al. (1996). "NMDA-dependent modulation of CA1 local circuit inhibition." J Neurosci **16**(6): 2034-43.
- Guidotti, A., J. Auta, J. M. Davis, et al. (2005). "GABAergic dysfunction in schizophrenia: new treatment strategies on the horizon." Psychopharmacology (Berl) **180**(2): 191-205.
- Gulyas, A. I., N. Hajos und T. F. Freund (1996). "Interneurons containing calretinin are specialized to control other interneurons in the rat hippocampus." J Neurosci **16**(10): 3397-411.
- Gulyas, A. I., K. Toth, P. Danos und T. F. Freund (1991). "Subpopulations of GABAergic neurons containing parvalbumin, calbindin D28k, and cholecystokinin in the rat hippocampus." J Comp Neurol **312**(3): 371-8.
- Guo, W., S. A. Malin, D. C. Johns, A. Jeromin und J. M. Nerbonne (2002). "Modulation of Kv4-encoded K(+) currents in the mammalian myocardium by neuronal calcium sensor-1." J Biol Chem **277**(29): 26436-43.
- Gupta, D. S., R. E. McCullumsmith, M. Beneyto, V. Haroutunian, K. L. Davis und J. H. Meador-Woodruff (2005). "Metabotropic glutamate receptor protein expression in the prefrontal cortex and striatum in schizophrenia." Synapse **57**(3): 123-31.
- Haeseleer, F., I. Sokal, N. Li, et al. (1999). "Molecular characterization of a third member of the guanylyl cyclase-activating protein subfamily." J Biol Chem **274**(10): 6526-35.
- Hamashima, H., T. Tamaru, H. Noguchi, M. Kobayashi und K. Takamatsu (2001). "Immunochemical assessment of neural visinin-like calcium-binding protein 3 expression in rat brain." Neurosci Res **39**(1): 133-43.
- Han, Z. S., E. H. Buhl, Z. Lorinczi und P. Somogyi (1993). "A high degree of spatial selectivity in the axonal and dendritic domains of physiologically identified local-circuit neurons in the dentate gyrus of the rat hippocampus." Eur J Neurosci **5**(5): 395-410.
- Harrison, P. J. (2004). "The hippocampus in schizophrenia: a review of the neuropathological evidence and its pathophysiological implications." Psychopharmacology (Berl) **174**(1): 151-62.
- Harrison, P. J. und S. L. Eastwood (2001). "Neuropathological studies of synaptic connectivity in the hippocampal formation in schizophrenia." Hippocampus **11**(5): 508-19.
- Harrison, P. J. und D. R. Weinberger (2005). "Schizophrenia genes, gene expression, and neuropathology: on the matter of their convergence." Mol Psychiatry **10**(1): 40-68; image 5.

- Heckers, S. (2001). "Neuroimaging studies of the hippocampus in schizophrenia." Hippocampus **11**(5): 520-8.
- Heckers, S. und C. Konradi (2002). "Hippocampal neurons in schizophrenia." J Neural Transm **109**(5-6): 891-905.
- Heckers, S., S. L. Rauch, D. Goff, et al. (1998). "Impaired recruitment of the hippocampus during conscious recollection in schizophrenia." Nat Neurosci **1**(4): 318-23.
- Heckers, S., D. Stone, J. Walsh, J. Shick, P. Koul und F. M. Benes (2002). "Differential hippocampal expression of glutamic acid decarboxylase 65 and 67 messenger RNA in bipolar disorder and schizophrenia." Arch Gen Psychiatry **59**(6): 521-9.
- Hendricks, K. B., B. Q. Wang, E. A. Schnieders und J. Thorner (1999). "Yeast homologue of neuronal frequenin is a regulator of phosphatidylinositol-4-OH kinase." Nat Cell Biol **1**(4): 234-41.
- Heresco-Levy, U. (2005). "Glutamatergic neurotransmission modulators as emerging new drugs for schizophrenia." Expert Opin Emerg Drugs **10**(4): 827-44.
- Hogg, R. C., M. Raggenbass und D. Bertrand (2003). "Nicotinic acetylcholine receptors: from structure to brain function." Rev Physiol Biochem Pharmacol **147**: 1-46.
- Homayoun, H., M. R. Stefani, B. W. Adams, G. D. Tamagan und B. Moghaddam (2004). "Functional Interaction Between NMDA and mGlu5 Receptors: Effects on Working Memory, Instrumental Learning, Motor Behaviors, and Dopamine Release." Neuropsychopharmacology **29**(7): 1259-69.
- Hoyte, L., P. A. Barber, A. M. Buchan und M. D. Hill (2004). "The rise and fall of NMDA antagonists for ischemic stroke." Curr Mol Med **4**(2): 131-6.
- Huber, K. M., M. S. Kayser und M. F. Bear (2000). "Role for rapid dendritic protein synthesis in hippocampal mGluR-dependent long-term depression." Science **288**(5469): 1254-7.
- Humphrey, W. M., H. Dong, C. A. Csernansky und J. G. Csernansky (2002). "Immediate and delayed hippocampal neuronal loss induced by kainic acid during early postnatal development in the rat." Brain Res Dev Brain Res **137**(1): 1-12.
- Hynd, M. R., H. L. Scott und P. R. Dodd (2004). "Glutamate-mediated excitotoxicity and neurodegeneration in Alzheimer's disease." Neurochem Int **45**(5): 583-95.
- Ikura, M. und J. B. Ames (2006). "Genetic polymorphism and protein conformational plasticity in the calmodulin superfamily: two ways to promote multifunctionality." Proc Natl Acad Sci U S A **103**(5): 1159-64.
- Imanishi, Y., L. Yang, I. Sokal, S. Filipek, K. Palczewski und W. Baehr (2004). "Diversity of guanylate cyclase-activating proteins (GCAPs) in teleost fish: characterization of three

- novel GCAPs (GCAP4, GCAP5, GCAP7) from zebrafish (*Danio rerio*) and prediction of eight GCAPs (GCAP1-8) in pufferfish (*Fugu rubripes*)." J Mol Evol **59**(2): 204-17.
- Jarskog, L. F., L. A. Glantz, J. H. Gilmore und J. A. Lieberman (2005). "Apoptotic mechanisms in the pathophysiology of schizophrenia." Prog Neuropsychopharmacol Biol Psychiatry **29**(5): 846-58.
- Jo, D. G., J. Y. Lee, Y. M. Hong, et al. (2004). "Induction of pro-apoptotic calsenilin/DREAM/KChIP3 in Alzheimer's disease and cultured neurons after amyloid-beta exposure." J Neurochem **88**(3): 604-11.
- Job, C. und J. Eberwine (2001). "Identification of sites for exponential translation in living dendrites." Proc Natl Acad Sci U S A **98**(23): 13037-42.
- Kabbani, N., L. Negyessy, R. Lin, P. Goldman-Rakic und R. Levenson (2002). "Interaction with neuronal calcium sensor NCS-1 mediates desensitization of the D2 dopamine receptor." J Neurosci **22**(19): 8476-86.
- Kajimoto, Y., Y. Shirai, H. Mukai, T. Kuno und C. Tanaka (1993). "Molecular cloning of two additional members of the neural visinin-like Ca(2+)-binding protein gene family." J Neurochem **61**(3): 1091-6.
- Kajimoto, Y., O. Shirakawa, T. Kuno, N. Nishino und H. Nakai (1995). "Delayed changes in neural visinin-like calcium-binding protein gene expression caused by acute phencyclidine administration." J Neural Transm Gen Sect **100**(3): 257-62.
- Katona, I., L. Acsady und T. F. Freund (1999). "Postsynaptic targets of somatostatin-immunoreactive interneurons in the rat hippocampus." Neuroscience **88**(1): 37-55.
- Kawamura, S. (1993). "Rhodopsin phosphorylation as a mechanism of cyclic GMP phosphodiesterase regulation by S-modulin." Nature **362**(6423): 855-7.
- Kawamura, S., O. Kuwata, M. Yamada, S. Matsuda, O. Hisatomi und F. Tokunaga (1996). "Photoreceptor protein s26, a cone homologue of S-modulin in frog retina." J Biol Chem **271**(35): 21359-64.
- Kawamura, S., K. Takamatsu und K. Kitamura (1992). "Purification and characterization of S-modulin, a calcium-dependent regulator on cGMP phosphodiesterase in frog rod photoreceptors." Biochem Biophys Res Commun **186**(1): 411-7.
- Kawasaki, H., S. Nakayama und R. H. Kretsinger (1998). "Classification and evolution of EF-hand proteins." Biometals **11**(4): 277-95.
- Keverne, E. B. (1999). "GABA-ergic neurons and the neurobiology of schizophrenia and other psychoses." Brain Res Bull **48**(5): 467-73.

- Kew, J. N. und J. A. Kemp (2005). "Ionotropic and metabotropic glutamate receptor structure and pharmacology." Psychopharmacology (Berl) **179**(1): 4-29.
- Kingston, A. E., J. P. Burnett, N. G. Mayne und D. Lodge (1995). "Pharmacological analysis of 4-carboxyphenylglycine derivatives: comparison of effects on mGluR1 alpha and mGluR5a subtypes." Neuropharmacology **34**(8): 887-94.
- Klenchin, V. A., P. D. Calvert und M. D. Bownds (1995). "Inhibition of rhodopsin kinase by recoverin. Further evidence for a negative feedback system in phototransduction." J Biol Chem **270**(27): 16147-52.
- Koh, P. O., A. S. Undie, N. Kabbani, R. Levenson, P. S. Goldman-Rakic und M. S. Lidow (2003). "Up-regulation of neuronal calcium sensor-1 (NCS-1) in the prefrontal cortex of schizophrenic and bipolar patients." Proc Natl Acad Sci U S A **100**(1): 313-7.
- Konradi, C. und S. Heckers (2003). "Molecular aspects of glutamate dysregulation: implications for schizophrenia and its treatment." Pharmacol Ther **97**(2): 153-79.
- Korhonen, L., I. Hansson, J. P. Kukkonen, et al. (2005). "Hippocalcin protects against caspase-12-induced and age-dependent neuronal degeneration." Mol Cell Neurosci **28**(1): 85-95.
- Kosaka, T., H. Katsumaru, K. Hama, J. Y. Wu und C. W. Heizmann (1987). "GABAergic neurons containing the Ca<sup>2+</sup>-binding protein parvalbumin in the rat hippocampus and dentate gyrus." Brain Res **419**(1-2): 119-30.
- Kosaka, T., J. Y. Wu und R. Benoit (1988). "GABAergic neurons containing somatostatin-like immunoreactivity in the rat hippocampus and dentate gyrus." Exp Brain Res **71**(2): 388-98.
- Kretsinger, R. H. (1980). "Structure and evolution of calcium-modulated proteins." CRC Crit Rev Biochem **8**(2): 119-74.
- Krishnan, A., V. Venkataraman, E. Fik-Rymarkiewicz, T. Duda und R. K. Sharma (2004). "Structural, biochemical, and functional characterization of the calcium sensor neurocalcin delta in the inner retinal neurons and its linkage with the rod outer segment membrane guanylate cyclase transduction system." Biochemistry **43**(10): 2708-23.
- Krnjevic, K. und S. Schwartz (1967). "The action of gamma-aminobutyric acid on cortical neurones." Exp Brain Res **3**(4): 320-36.
- Kumar, V. D., S. Vijay-Kumar, A. Krishnan, T. Duda und R. K. Sharma (1999). "A second calcium regulator of rod outer segment membrane guanylate cyclase, ROS-GC1: neurocalcin." Biochemistry **38**(39): 12614-20.

- Lacaille, J. C. und P. A. Schwartzkroin (1988). "Stratum lacunosum-moleculare interneurons of hippocampal CA1 region. I. Intracellular response characteristics, synaptic responses, and morphology." J Neurosci **8**(4): 1400-10.
- Laemmli, U. K. (1970). "Cleavage of structural proteins during the assembly of the head of bacteriophage T4." Nature **227**(259): 680-5.
- Lapointe, V., F. Morin, S. Ratte, A. Croce, F. Conquet und J. C. Lacaille (2004). "Synapse-specific mGluR1-dependent long-term potentiation in interneurons regulates mouse hippocampal inhibition." J Physiol **555**(Pt 1): 125-35. Epub 2003 Dec 12.
- Laruelle, M., A. Abi-Dargham, C. H. van Dyck, et al. (1996). "Single photon emission computerized tomography imaging of amphetamine-induced dopamine release in drug-free schizophrenic subjects." Proc Natl Acad Sci U S A **93**(17): 9235-40.
- Laruelle, M., W. G. Frankle, R. Narendran, L. S. Kegeles und A. Abi-Dargham (2005). "Mechanism of action of antipsychotic drugs: from dopamine D(2) receptor antagonism to glutamate NMDA facilitation." Clin Ther **27 Suppl A**: S16-24.
- Lea, P. M. t., V. A. Movsesyan und A. I. Faden (2005). "Neuroprotective activity of the mGluR5 antagonists MPEP and MTEP against acute excitotoxicity differs and does not reflect actions at mGluR5 receptors." Br J Pharmacol **145**(4): 527-34.
- Levin, E. D. (2002). "Nicotinic receptor subtypes and cognitive function." J Neurobiol **53**(4): 633-40.
- Lewis, D. A. und P. Levitt (2002). "Schizophrenia as a disorder of neurodevelopment." Annu Rev Neurosci **25**: 409-32. Epub 2002 Mar 22.
- Lewit-Bentley, A. und S. Rety (2000). "EF-hand calcium-binding proteins." Curr Opin Struct Biol **10**(6): 637-43.
- Li, N., R. N. Fariss, K. Zhang, et al. (1998). "Guanylate-cyclase-inhibitory protein is a frog retinal Ca<sup>2+</sup>-binding protein related to mammalian guanylate-cyclase-activating proteins." Eur J Biochem **252**(3): 591-9.
- Lidow, M. S. (2003). "Calcium signaling dysfunction in schizophrenia: a unifying approach." Brain Res Brain Res Rev **43**(1): 70-84.
- Lilliehook, C., O. Bozdagi, J. Yao, et al. (2003). "Altered Abeta formation and long-term potentiation in a calsenilin knock-out." J Neurosci **23**(27): 9097-106.
- Lilliehook, C., S. Chan, E. K. Choi, et al. (2002). "Calsenilin enhances apoptosis by altering endoplasmic reticulum calcium signaling." Mol Cell Neurosci **19**(4): 552-9.

- Lin, L., K. H. Braunewell, E. D. Gundelfinger und R. Anand (2002). "Functional analysis of calcium-binding EF-hand motifs of visinin-like protein-1." Biochem Biophys Res Commun **296**(4): 827-32.
- Lin, L., E. M. Jeanclos, M. Treuil, K. H. Braunewell, E. D. Gundelfinger und R. Anand (2002). "The calcium sensor protein visinin-like protein-1 modulates the surface expression and agonist sensitivity of the alpha 4beta 2 nicotinic acetylcholine receptor." J Biol Chem **277**(44): 41872-8.
- Lipska, B. K., N. D. Halim, P. N. Segal und D. R. Weinberger (2002). "Effects of reversible inactivation of the neonatal ventral hippocampus on behavior in the adult rat." J Neurosci **22**(7): 2835-42.
- Lipska, B. K., N. R. Swerdlow, M. A. Geyer, G. E. Jaskiw, D. L. Braff und D. R. Weinberger (1995). "Neonatal excitotoxic hippocampal damage in rats causes post-pubertal changes in prepulse inhibition of startle and its disruption by apomorphine." Psychopharmacology (Berl) **122**(1): 35-43.
- Lipska, B. K. und D. R. Weinberger (2002). "A neurodevelopmental model of schizophrenia: neonatal disconnection of the hippocampus." Neurotox Res **4**(5-6): 469-475.
- Litschig, S., F. Gasparini, D. Rueegg, et al. (1999). "CPCCOEt, a noncompetitive metabotropic glutamate receptor 1 antagonist, inhibits receptor signaling without affecting glutamate binding." Mol Pharmacol **55**(3): 453-61.
- Liu, W. S. und C. A. Heckman (1998). "The sevenfold way of PKC regulation." Cell Signal **10**(8): 529-42.
- Lohr, J. B. und K. Flynn (1992). "Smoking and schizophrenia." Schizophr Res **8**(2): 93-102.
- Loring, J. F., X. Wen, J. M. Lee, J. Seilhamer und R. Somogyi (2001). "A gene expression profile of Alzheimer's disease." DNA Cell Biol **20**(11): 683-95.
- Lujan, R., J. D. Roberts, R. Shigemoto, H. Ohishi und P. Somogyi (1997). "Differential plasma membrane distribution of metabotropic glutamate receptors mGluR1 alpha, mGluR2 and mGluR5, relative to neurotransmitter release sites." J Chem Neuroanat **13**(4): 219-41.
- Mahloogi, H., A. M. Gonzalez-Guerrico, R. Lopez De Cicco, et al. (2003). "Overexpression of the calcium sensor visinin-like protein-1 leads to a cAMP-mediated decrease of in vivo and in vitro growth and invasiveness of squamous cell carcinoma cells." Cancer Res **63**(16): 4997-5004.
- Mammen, A., P. J. Simpson, A. Nighorn, et al. (2004). "Hippocalcin in the olfactory epithelium: a mediator of second messenger signaling." Biochem Biophys Res Commun **322**(4): 1131-9.

- Manahan-Vaughan, D. und K. G. Reymann (1996). "Metabotropic glutamate receptor subtype agonists facilitate long-term potentiation within a distinct time window in the dentate gyrus in vivo." Neuroscience **74**(3): 723-31.
- Manahan-Vaughan, D. und K. G. Reymann (1997). "Group 1 metabotropic glutamate receptors contribute to slow-onset potentiation in the rat CA1 region in vivo." Neuropharmacology **36**(11-12): 1533-8.
- Marti, S. B., S. Cichon, P. Propping und M. Nothen (2002). "Metabotropic glutamate receptor 3 (GRM3) gene variation is not associated with schizophrenia or bipolar affective disorder in the German population." Am J Med Genet **114**(1): 46-50.
- Martin, L. J., N. A. Al-Abdulla, A. M. Brambrink, J. R. Kirsch, F. E. Sieber und C. Portera-Cailliau (1998). "Neurodegeneration in excitotoxicity, global cerebral ischemia, and target deprivation: A perspective on the contributions of apoptosis and necrosis." Brain Res Bull **46**(4): 281-309.
- Mattson, M. P., P. B. Guthrie und S. B. Kater (1988). "Intracellular messengers in the generation and degeneration of hippocampal neuroarchitecture." J Neurosci Res **21**(2-4): 447-64.
- McDonald, C. und R. M. Murray (2000). "Early and late environmental risk factors for schizophrenia." Brain Res Brain Res Rev **31**(2-3): 130-7.
- Mercer, E. A., L. Korhonen, Y. Skoglosa, P. A. Olsson, J. P. Kukkonen und D. Lindholm (2000). "NAIP interacts with hippocalcin and protects neurons against calcium-induced cell death through caspase-3-dependent and -independent pathways." Embo J **19**(14): 3597-607.
- Middleton, F. A., K. Mirnics, J. N. Pierri, D. A. Lewis und P. Levitt (2002). "Gene expression profiling reveals alterations of specific metabolic pathways in schizophrenia." J Neurosci **22**(7): 2718-29.
- Miettinen, R., A. I. Gulyas, K. G. Baimbridge, D. M. Jacobowitz und T. F. Freund (1992). "Calretinin is present in non-pyramidal cells of the rat hippocampus--II. Co-existence with other calcium binding proteins and GABA." Neuroscience **48**(1): 29-43.
- Miklos, G. L. und R. Maleszka (2004). "Microarray reality checks in the context of a complex disease." Nat Biotechnol **22**(5): 615-21.
- Milner, B. und W. Penfield (1955). "The effect of hippocampal lesions on recent memory." Trans Am Neurol Assoc(80th Meeting): 42-8.
- Mirnics, K., F. A. Middleton, D. A. Lewis und P. Levitt (2001). "Analysis of complex brain disorders with gene expression microarrays: schizophrenia as a disease of the synapse." Trends Neurosci **24**(8): 479-86.

- Miyakawa, T., L. M. Leiter, D. J. Gerber, et al. (2003). "Conditional calcineurin knockout mice exhibit multiple abnormal behaviors related to schizophrenia." Proc Natl Acad Sci U S A **100**(15): 8987-92. Epub 2003 Jul 8.
- Mizukami, K., M. Sasaki, M. Ishikawa, et al. (2000). "Immunohistochemical localization of gamma-aminobutyric acid(B) receptor in the hippocampus of subjects with schizophrenia." Neurosci Lett **283**(2): 101-4.
- Moghaddam, B. (2004). "Targeting metabotropic glutamate receptors for treatment of the cognitive symptoms of schizophrenia." Psychopharmacology **19**: 19.
- Moghaddam, B. und M. E. Jackson (2003). "Glutamatergic animal models of schizophrenia." Ann N Y Acad Sci **1003**: 131-7.
- Mohn, A. R., R. R. Gainetdinov, M. G. Caron und B. H. Koller (1999). "Mice with reduced NMDA receptor expression display behaviors related to schizophrenia." Cell **98**(4): 427-36.
- Monfort, P., M. D. Munoz, E. Kosenko und V. Felipo (2002). "Long-term potentiation in hippocampus involves sequential activation of soluble guanylate cyclase, cGMP-dependent protein kinase, and cGMP-degrading phosphodiesterase." J Neurosci **22**(23): 10116-22.
- Morohashi, Y., N. Hatano, S. Ohya, et al. (2002). "Molecular cloning and characterization of CALP/KChIP4, a novel EF-hand protein interacting with presenilin 2 and voltage-gated potassium channel subunit Kv4." J Biol Chem **277**(17): 14965-75.
- Morris, B. J., S. M. Cochran und J. A. Pratt (2005). "PCP: from pharmacology to modelling schizophrenia." Curr Opin Pharmacol **5**(1): 101-6.
- Movsesyan, V. A., D. M. O'Leary, L. Fan, et al. (2001). "mGluR5 antagonists 2-methyl-6-(phenylethynyl)-pyridine and (E)-2-methyl-6-(2-phenylethenyl)-pyridine reduce traumatic neuronal injury in vitro and in vivo by antagonizing N-methyl-D-aspartate receptors." J Pharmacol Exp Ther **296**(1): 41-7.
- Movsesyan, V. A., B. A. Stoica und A. I. Faden (2004). "MGLuR5 activation reduces beta-amyloid-induced cell death in primary neuronal cultures and attenuates translocation of cytochrome c and apoptosis-inducing factor." J Neurochem **89**(6): 1528-36.
- Nakanishi, S. und M. Masu (1994). "Molecular diversity and functions of glutamate receptors." Annu Rev Biophys Biomol Struct **23**: 319-48.
- Nef, S., H. Fiumelli, E. de Castro, M. B. Raes und P. Nef (1995). "Identification of neuronal calcium sensor (NCS-1) possibly involved in the regulation of receptor phosphorylation." J Recept Signal Transduct Res **15**(1-4): 365-78.



- Nomikos, G. G., B. Schilstrom, B. E. Hildebrand, G. Panagis, J. Grenhoff und T. H. Svensson (2000). "Role of alpha7 nicotinic receptors in nicotine dependence and implications for psychiatric illness." Behav Brain Res **113**(1-2): 97-103.
- Norton, N., H. J. Williams, S. Dwyer, et al. (2005). "No evidence for association between polymorphisms in GRM3 and schizophrenia." BMC Psychiatry **5**(1): 23.
- O'Callaghan, D. W., B. Hasdemir, M. Leighton und R. D. Burgoyne (2003). "Residues within the myristoylation motif determine intracellular targeting of the neuronal Ca<sup>2+</sup> sensor protein KChIP1 to post-ER transport vesicles and traffic of Kv4 K<sup>+</sup> channels." J Cell Sci **116**(Pt 23): 4833-45.
- O'Connor, V., O. El Far, E. Bofill-Cardona, et al. (1999). "Calmodulin dependence of presynaptic metabotropic glutamate receptor signaling." Science **286**(5442): 1180-4.
- Oh, D. Y., C. Yon, K. J. Oh, K. S. Lee und J. S. Han (2005). "Hippocalcin increases phospholipase D2 expression through extracellular signal-regulated kinase activation and lysophosphatidic acid potentiates the hippocalcin-induced phospholipase D2 expression." J Cell Biochem.
- Olafsson, P., H. D. Soares, K. H. Herzog, T. Wang, J. I. Morgan und B. Lu (1997). "The Ca<sup>2+</sup> binding protein, frequenin is a nervous system-specific protein in mouse preferentially localized in neurites." Brain Res Mol Brain Res **44**(1): 73-82.
- O'Leary, D. M., V. Movsesyan, S. Vicini und A. I. Faden (2000). "Selective mGluR5 antagonists MPEP and SIB-1893 decrease NMDA or glutamate-mediated neuronal toxicity through actions that reflect NMDA receptor antagonism." Br J Pharmacol **131**(7): 1429-37.
- Olney, J. W. und N. B. Farber (1995). "Glutamate receptor dysfunction and schizophrenia." Arch Gen Psychiatry **52**(12): 998-1007.
- Olney, J. W., J. Labruyere, G. Wang, D. F. Wozniak, M. T. Price und M. A. Sesma (1991). "NMDA antagonist neurotoxicity: mechanism and prevention." Science **254**(5037): 1515-8.
- Olney, J. W., J. W. Newcomer und N. B. Farber (1999). "NMDA receptor hypofunction model of schizophrenia." J Psychiatr Res **33**(6): 523-33.
- Ottersen, O. P. und A. S. Landsend (1997). "Organization of glutamate receptors at the synapse." Eur J Neurosci **9**(11): 2219-24.
- Owen, M. J. (2005). "Genomic approaches to schizophrenia." Clin Ther **27 Suppl A**: S2-7.
- Palczewski, K., I. Sokal und W. Baehr (2004). "Guanylate cyclase-activating proteins: structure, function, and diversity." Biochem Biophys Res Commun **322**(4): 1123-30.

- Palmer, C. L., W. Lim, P. G. Hastie, et al. (2005). "Hippocampal functions as a calcium sensor in hippocampal LTD." Neuron **47**(4): 487-94.
- Parodi, M., L. Patti, M. Grilli, M. Raiteri und M. Marchi (2006). "Nicotine has a permissive role on the activation of metabotropic glutamate 5 receptors coexisting with nicotinic receptors on rat hippocampal noradrenergic nerve terminals." Neurochem Int **48**(2): 138-43.
- Patkar, A. A., R. Gopalakrishnan, A. Lundy, F. T. Leone, K. M. Certa und S. P. Weinstein (2002). "Relationship between tobacco smoking and positive and negative symptoms in schizophrenia." J Nerv Ment Dis **190**(9): 604-10.
- Pellegrini-Giampietro, D. E. (2003). "The distinct role of mGlu1 receptors in post-ischemic neuronal death." Trends Pharmacol Sci **24**(9): 461-70.
- Perez, Y., F. Morin und J. C. Lacaille (2001). "A hebbian form of long-term potentiation dependent on mGluR1a in hippocampal inhibitory interneurons." Proc Natl Acad Sci U S A **98**(16): 9401-6. Epub 2001 Jul 10.
- Persechini, A., N. D. Moncrief und R. H. Kretsinger (1989). "The EF-hand family of calcium-modulated proteins." Trends Neurosci **12**(11): 462-7.
- Petronis, A. (2004). "The origin of schizophrenia: genetic thesis, epigenetic antithesis, and resolving synthesis." Biol Psychiatry **55**(10): 965-70.
- Petrovic, M., M. Horak, M. Sedlacek und L. Vyklicky, Jr. (2005). "Physiology and pathology of NMDA receptors." Prague Med Rep **106**(2): 113-36.
- Philippov, P. P. (2000). "Phototransduction and calcium." Membr Cell Biol **13**(2): 195-206.
- Pidoplichko, V. I., M. DeBiasi, J. T. Williams und J. A. Dani (1997). "Nicotine activates and desensitizes midbrain dopamine neurons." Nature **390**(6658): 401-4.
- Pietraszek, M., A. Gravius, D. Schafer, T. Weil, D. Trifanova und W. Danysz (2005). "mGluR5, but not mGluR1, antagonist modifies MK-801-induced locomotor activity and deficit of prepulse inhibition." Neuropharmacology **49**(1): 73-85.
- Pongs, O., J. Lindemeier, X. R. Zhu, et al. (1993). "Frequenin--a novel calcium-binding protein that modulates synaptic efficacy in the Drosophila nervous system." Neuron **11**(1): 15-28.
- Rehn, A. E. und S. M. Rees (2005). "Investigating the neurodevelopmental hypothesis of schizophrenia." Clin Exp Pharmacol Physiol **32**(9): 687-96.
- Reynolds, G. P., Z. Abdul-Monim, J. C. Neill und Z. J. Zhang (2004). "Calcium binding protein markers of GABA deficits in schizophrenia--postmortem studies and animal models." Neurotox Res **6**(1): 57-61.

- Reynolds, G. P., C. L. Beasley und Z. J. Zhang (2002). "Understanding the neurotransmitter pathology of schizophrenia: selective deficits of subtypes of cortical GABAergic neurons." J Neural Transm **109**(5-6): 881-9.
- Rizo, J. und T. C. Sudhof (1998). "C2-domains, structure and function of a universal Ca<sup>2+</sup>-binding domain." J Biol Chem **273**(26): 15879-82.
- Rogers, D. C. und A. J. Hunter (1997). "Dissociation of effects of glutamate receptor antagonists on excitotoxic and hypoxic neuronal cell death in a novel rat cortical culture system." Brain Res Bull **44**(2): 131-9.
- Rung, J. P., A. Carlsson, K. Ryden Markinhuhta und M. L. Carlsson (2005). "(+)-MK-801 induced social withdrawal in rats; a model for negative symptoms of schizophrenia." Prog Neuropsychopharmacol Biol Psychiatry **29**(5): 827-32.
- Sacco, K. A., A. Termine, A. Seyal, et al. (2005). "Effects of cigarette smoking on spatial working memory and attentional deficits in schizophrenia: involvement of nicotinic receptor mechanisms." Arch Gen Psychiatry **62**(6): 649-59.
- Saitoh, S., M. Kobayashi, T. Kuroki, T. Noguchi und K. Takamatsu (1995). "The development of neural visinin-like Ca<sup>(2+)</sup>-binding protein 2 immunoreactivity in the rat neocortex and hippocampus." Neurosci Res **23**(4): 383-8.
- Schaad, N. C., E. De Castro, S. Nef, et al. (1996). "Direct modulation of calmodulin targets by the neuronal calcium sensor NCS-1." Proc Natl Acad Sci U S A **93**(17): 9253-8.
- Scharfman, H. E. (1995). "Electrophysiological evidence that dentate hilar mossy cells are excitatory and innervate both granule cells and interneurons." J Neurophysiol **74**(1): 179-94.
- Schnurra, I., H. G. Bernstein, P. Riederer und K. H. Braunevel (2001). "The neuronal calcium sensor protein VILIP-1 is associated with amyloid plaques and extracellular tangles in Alzheimer's disease and promotes cell death and tau phosphorylation in vitro: a link between calcium sensors and Alzheimer's disease?" Neurobiol Dis **8**(5): 900-9.
- Schuman, E. M. und D. V. Madison (1991). "A requirement for the intercellular messenger nitric oxide in long-term potentiation." Science **254**(5037): 1503-6.
- Seaton, B. A. und J. R. Dedman (1998). "Annexins." Biomaterials **11**(4): 399-404.
- Seeburg, P. H. (1993). "The TINS/TiPS Lecture. The molecular biology of mammalian glutamate receptor channels." Trends Neurosci **16**(9): 359-65.
- Seress, L. und C. E. Ribak (1990). "The synaptic connections of basket cell axons in the developing rat hippocampal formation." Exp Brain Res **81**(3): 500-8.

- Sheikh, S. N., S. B. Martin und D. L. Martin (1999). "Regional distribution and relative amounts of glutamate decarboxylase isoforms in rat and mouse brain." Neurochem Int **35**(1): 73-80.
- Shibata, R., H. Misonou, C. R. Campomanes, et al. (2003). "A fundamental role for KChIPs in determining the molecular properties and trafficking of Kv4.2 potassium channels." J Biol Chem **278**(38): 36445-54.
- Shigemoto, R., A. Kinoshita, E. Wada, et al. (1997). "Differential presynaptic localization of metabotropic glutamate receptor subtypes in the rat hippocampus." J Neurosci **17**(19): 7503-22.
- Shih, R. A., P. L. Belmonte und P. P. Zandi (2004). "A review of the evidence from family, twin and adoption studies for a genetic contribution to adult psychiatric disorders." Int Rev Psychiatry **16**(4): 260-83.
- Shimohama, S., M. Chachin, T. Taniguchi, H. Hidaka und J. Kimura (1996). "Changes of neurocalcin, a calcium-binding protein, in the brain of patients with Alzheimer's disease." Brain Res **716**(1-2): 233-6.
- Sik, A., M. Penttonen, A. Ylinen und G. Buzsaki (1995). "Hippocampal CA1 interneurons: an in vivo intracellular labeling study." J Neurosci **15**(10): 6651-65.
- Sippy, T., A. Cruz-Martin, A. Jeromin und F. E. Schweizer (2003). "Acute changes in short-term plasticity at synapses with elevated levels of neuronal calcium sensor-1." Nat Neurosci **6**(10): 1031-8.
- Sloviter, R. S. (1989). "Calcium-binding protein (calbindin-D28k) and parvalbumin immunocytochemistry: localization in the rat hippocampus with specific reference to the selective vulnerability of hippocampal neurons to seizure activity." J Comp Neurol **280**(2): 183-96.
- Soriano, E., R. Nitsch und M. Frotscher (1990). "Axo-axonic chandelier cells in the rat fascia dentata: Golgi-electron microscopy and immunocytochemical studies." J Comp Neurol **293**(1): 1-25.
- Spilker, C., T. Dresbach und K. H. Braunewell (2002). "Reversible translocation and activity-dependent localization of the calcium-myristoyl switch protein VILIP-1 to different membrane compartments in living hippocampal neurons." J Neurosci **22**(17): 7331-9.
- Spilker, C., E. D. Gundelfinger und K. H. Braunewell (2002). "Evidence for different functional properties of the neuronal calcium sensor proteins VILIP-1 and VILIP-3: from subcellular localization to cellular function." Biochim Biophys Acta **1600**(1-2): 118-27.

- Spreafico, F., J. J. Barski, C. Farina und M. Meyer (2001). "Mouse DREAM/calsenilin/KChIP3: gene structure, coding potential, and expression." Mol Cell Neurosci **17**(1): 1-16.
- Strissel, K. J., P. V. Lishko, L. H. Trieu, M. J. Kennedy, J. B. Hurley und V. Y. Arshavsky (2005). "Recoverin undergoes light-dependent intracellular translocation in rod photoreceptors." J Biol Chem **280**(32): 29250-5.
- Sudhof, T. C. und J. Rizo (1996). "Synaptotagmins: C2-domain proteins that regulate membrane traffic." Neuron **17**(3): 379-88.
- Svoboda, K. und Z. F. Mainen (1999). "Synaptic [Ca<sup>2+</sup>]: intracellular stores spill their guts." Neuron **22**(3): 427-30.
- Swanson, L. W., P. E. Sawchenko und W. M. Cowan (1980). "Evidence that the commissural, associational and septal projections of the regio inferior of the hippocampus arise from the same neurons." Brain Res **197**(1): 207-12.
- Teng, D. H., C. K. Chen und J. B. Hurley (1994). "A highly conserved homologue of bovine neurocalcin in *Drosophila melanogaster* is a Ca(2+)-binding protein expressed in neuronal tissues." J Biol Chem **269**(50): 31900-7.
- Tidey, J. W., D. J. Rohsenow, G. B. Kaplan und R. M. Swift (2005). "Cigarette smoking topography in smokers with schizophrenia and matched non-psychiatric controls." Drug Alcohol Depend **80**(2): 259-65.
- Todtenkopf, M. S. und F. M. Benes (1998). "Distribution of glutamate decarboxylase65 immunoreactive puncta on pyramidal and nonpyramidal neurons in hippocampus of schizophrenic brain." Synapse **29**(4): 323-32.
- Tooney, P. A. und L. A. Chahl (2004). "Neurons expressing calcium-binding proteins in the prefrontal cortex in schizophrenia." Prog Neuropsychopharmacol Biol Psychiatry **28**(2): 273-8.
- Toth, K. und T. F. Freund (1992). "Calbindin D28k-containing nonpyramidal cells in the rat hippocampus: their immunoreactivity for GABA and projection to the medial septum." Neuroscience **49**(4): 793-805.
- Towbin, H., T. Staehelin und J. Gordon (1979). "Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications." Proc Natl Acad Sci U S A **76**(9): 4350-4.
- Tsai, V. W., H. L. Scott, R. J. Lewis und P. R. Dodd (2005). "The role of group I metabotropic glutamate receptors in neuronal excitotoxicity in Alzheimer's disease." Neurotox Res **7**(1-2): 125-41.

- Vallejo, Y. F., B. Buisson, D. Bertrand und W. N. Green (2005). "Chronic nicotine exposure upregulates nicotinic receptors by a novel mechanism." J Neurosci **25**(23): 5563-72.
- van Elst, L. T., G. Valerius, M. Buchert, et al. (2005). "Increased prefrontal and hippocampal glutamate concentration in schizophrenia: evidence from a magnetic resonance spectroscopy study." Biol Psychiatry **58**(9): 724-30.
- van Groen, T. und J. M. Wyss (1990). "Extrinsic projections from area CA1 of the rat hippocampus: olfactory, cortical, subcortical, and bilateral hippocampal formation projections." J Comp Neurol **302**(3): 515-28.
- van Hooft, J. A., R. Giuffrida, M. Blatow und H. Monyer (2000). "Differential expression of group I metabotropic glutamate receptors in functionally distinct hippocampal interneurons." J Neurosci **20**(10): 3544-51.
- Volk, D. W., M. C. Austin, J. N. Pierri, A. R. Sampson und D. A. Lewis (2000). "Decreased glutamic acid decarboxylase67 messenger RNA expression in a subset of prefrontal cortical gamma-aminobutyric acid neurons in subjects with schizophrenia." Arch Gen Psychiatry **57**(3): 237-45.
- Walsh, M. P., K. A. Valentine, P. K. Ngai, C. A. Carruthers und M. D. Hollenberg (1984). "Ca<sup>2+</sup>-dependent hydrophobic-interaction chromatography. Isolation of a novel Ca<sup>2+</sup>-binding protein and protein kinase C from bovine brain." Biochem J **224**(1): 117-27.
- Wang, Q., S. Yu, A. Simonyi, G. Y. Sun und A. Y. Sun (2005). "Kainic acid-mediated excitotoxicity as a model for neurodegeneration." Mol Neurobiol **31**(1-3): 3-16.
- Weickert, C. S., T. M. Hyde, B. K. Lipska, M. M. Herman, D. R. Weinberger und J. E. Kleinman (2003). "Reduced brain-derived neurotrophic factor in prefrontal cortex of patients with schizophrenia." Mol Psychiatry **8**(6): 592-610.
- Weickert, C. S. und D. R. Weinberger (1998). "A candidate molecule approach to defining developmental pathology in schizophrenia." Schizophr Bull **24**(2): 303-16.
- Weiler, I. J. und W. T. Greenough (1993). "Metabotropic glutamate receptors trigger postsynaptic protein synthesis." Proc Natl Acad Sci U S A **90**(15): 7168-71.
- Weinberger, D. R. (1987). "Implications of normal brain development for the pathogenesis of schizophrenia." Arch Gen Psychiatry **44**(7): 660-9.
- Weinberger, D. R. (2005). "Genetic mechanisms of psychosis: in vivo and postmortem genomics." Clin Ther **27 Suppl A**: S8-15.
- Weinberger, D. R., M. F. Egan, A. Bertolino, et al. (2001). "Prefrontal neurons and the genetics of schizophrenia." Biol Psychiatry **50**(11): 825-44.

- Weinberger, D. R. und B. K. Lipska (1995). "Cortical maldevelopment, anti-psychotic drugs, and schizophrenia: a search for common ground." Schizophr Res **16**(2): 87-110.
- Weiss, J. L. und R. D. Burgoyne (2001). "Voltage-independent inhibition of P/Q-type Ca<sup>2+</sup> channels in adrenal chromaffin cells via a neuronal Ca<sup>2+</sup> sensor-1-dependent pathway involves Src family tyrosine kinase." J Biol Chem **276**(48): 44804-11.
- Wu, J., M. J. Rowan und R. Anwyl (2004). "Synaptically stimulated induction of group I metabotropic glutamate receptor-dependent long-term depression and depotentiation is inhibited by prior activation of metabotropic glutamate receptors and protein kinase C." Neuroscience **123**(2): 507-14.
- Yamagata, K., K. Goto, C. H. Kuo, H. Kondo und N. Miki (1990). "Visinin: a novel calcium binding protein expressed in retinal cone cells." Neuron **4**(3): 469-76.
- Yap, K. L., J. B. Ames, M. B. Swindells und M. Ikura (1999). "Diversity of conformational states and changes within the EF-hand protein superfamily." Proteins **37**(3): 499-507.
- Yeh, T. H. und H. L. Wang (2005). "Global ischemia downregulates the function of metabotropic glutamate receptor subtype 5 in hippocampal CA1 pyramidal neurons." Mol Cell Neurosci **29**(3): 484-92.
- Zaidi, N. F., O. Berezovska, E. K. Choi, et al. (2002). "Biochemical and immunocytochemical characterization of calsenilin in mouse brain." Neuroscience **114**(1): 247-63.
- Zhang, Z. J. und G. P. Reynolds (2002). "A selective decrease in the relative density of parvalbumin-immunoreactive neurons in the hippocampus in schizophrenia." Schizophr Res **55**(1-2): 1-10.
- Zheng, Z., H. Zhao, G. K. Steinberg und M. A. Yenari (2003). "Cellular and molecular events underlying ischemia-induced neuronal apoptosis." Drug News Perspect **16**(8): 497-503.
- Zhou, F. M., Y. Liang und J. A. Dani (2001). "Endogenous nicotinic cholinergic activity regulates dopamine release in the striatum." Nat Neurosci **4**(12): 1224-9.
- Zozulya, S. und L. Stryer (1992). "Calcium-myristoyl protein switch." Proc Natl Acad Sci U S A **89**(23): 11569-73.