

8 LITERATURVERZEICHNIS

1. **Abrams R (1988)**: Electroconvulsive therapy. New York: Oxford Press
2. **Abrams R, Taylor MA (1987)**: Cognitive dysfunction in melancholia. *Psychol Med* 17: 359-362
3. **Abrams R, Taylor MA, Volavka J (1987)**: ECT-induced EEG asymmetry and therapeutic response in melancholia: Relation to treatment electrode placement. *Am J Psychiatry* 144 (3): 327-329
4. **AMDP (1982)**: Das AMDP-System. Manual zur Dokumentation psychiatrischer Befunde, 4. Auflage. Berlin, Heidelberg, New York: Springer
5. **American Psychiatric Association (1994)**: Diagnostic and statistical manual of mental disorders. 4th edition. DSM-IV. Washington: American Psychiatric Association
6. **Awata S, Konno M, Kawashima R, Suzuki K, Sato T, Matsuoka H, Fukuda H, Sato M (2000)**: Changes in regional cerebral blood flow abnormalities in late-life depression following response to electroconvulsive therapy. *Psychiatr Clin Neurosci* 56: 31-40
7. **Baddeley A (1986)**: Working memory. Oxford: Oxford University Press
8. **Baddeley A (1996)**: The fractionation of working memory. *Proc Natl Acad Sci* 93: 13468-13472
9. **Badgaiyan RD, Posner MI (1998)**: Mapping the cingulate cortex in response selection and monitoring. *Neuroimage* 7: 255-260
10. **Barch DM, Braver TS, Sabb FW, Noll DC (2000)**: Anterior cingulate and the monitoring of response conflict: evidence from an fMRI study of overt verb generation. *J Cogn Neurosci* 12 (2): 298-309
11. **Başar E, Schürmann M, Sakowitz O (2001)**: The selectively distributed theta system: functions. *Int J Psychophysiol*. 39: 197-212.
12. **Bauer H (1984)**: Experimentelle Elektroenzephalographie – Registrierung und Analyse des Elektroenzephalogramms in der physiologischen Psychologie. Bern: Hans Huber
13. **Baumann U, Stieglitz R-D (1983)**: Testmanual zum AMDP-System. Empirische Studien zur Psychopathologie. Berlin, Heidelberg, New York: Springer

14. **Baxter LR, Schwartz JM, Phelps ME, Mazziotta JC, Guze BH, Selin CE, Gerner RH, Sumida RM (1989):** Reduction of prefrontal cortex glucose metabolism common to three types of depression. *Arch Gen Psychiatry* 46: 243-250
15. **Bench CJ, Friston KJ, Brown RG, Scot LC, Frackowiak RSJ, Dolan RJ (1992):** The anatomy of melancholia – focal abnormalities of cerebral blood flow in major depression. *Psychol Med* 22: 607-615
16. **Bench CJ, Frith CD, Grasby PM, Friston KJ, Paulesu E, Frackowiak RSJ, Dolan RJ (1993):** Investigations of the functional anatomy of attention using the Stroop test. *Neuropsychologia* 31: 907-922
17. **Berger H (1929):** Über das Elektrenkephalogramm des Menschen. *Arch Psychiat Nervenkr* 87: 527-570
18. **Bland BH (1986):** The physiology and pharmacology of hippocampal formation theta rhythms. *Progr Neurobiol* 26: 1-54
19. **Botvinick M, Nystrom LE, Fissell K, Carter CS, Cohen JD (1999):** Conflict monitoring versus selection-for-action in anterior cingulate cortex. *Nature* 402: 179-181
20. **Brizer DA, Manning DW (1982):** Delirium induced by poisoning with anticholinergic agents. *Am J Psychiatry* 139 (19): 1343-1344
21. **Burgess PW, Shallice T (1996):** Response suppression, initiation and strategy use following frontal lobe lesions. *Neuropsychologia* 34 (4): 263-273
22. **Bush G, Frazier JA, Rauch SL, Seidmann LJ, Whalen PJ, Jenike MA, Rosen BR, Biedermann J (1999):** Anterior cingulate dysfunction in attention-deficit/hyperactivity disorder revealed by fMRI and the counting Stroop. *Biol Psychiatry* 45: 1542-1552
23. **Bush G, Luu P, Posner MI (2000):** Cognitive and emotional influences in anterior cingulate cortex. *TINS* 4 (6): 215-222
24. **Carter CS, Braver TS, Barch DM, Botvinick MM, Noll D, Cohen JD (1998):** Anterior cingulate cortex, error detection, and the online monitoring of performance. *Science* 280: 747-749
25. **Carter CS, MacDonald AM, Botvinick M, Ross LL, Stenger VA, Noll D, Cohen JD (2000):** Parsing executive processes: Strategic vs. evaluative functions of the anterior cingulate cortex. *Proc Natl Acad Sci* 97 (4): 1944-1948

26. **Carter CS, Mintun M, Nichols T, Cohen JD (1997)**: Anterior cingulate dysfunction and selective attention deficits in schizophrenia: [¹⁵O]H₂O PET study during single-trial Stroop task performance. *Am J Psychiat* 154 (12);: 1670-1675
27. **Cohen RA, Kaplan RF, Moser DJ, Jenkins MA, Wilkinson H (1999)**: Impairments of attention after cingulotomy. *Neurology* 53: 819-824
28. **Cooley JW, Tukey JW (1965)**: An algorithm for the machine calculation of complex Fourier series. *Mathematics of Computation* 90 (19): 297-301
29. **Cronholm B, Molander L (1957)**: Memory disturbances after electroconvulsive therapy: I. Conditions six hours after electroshock treatment. *Acta Psychiat Scand* 32: 280-306
30. **Cronholm B, Molander L (1964)**: Memory disturbances after electroconvulsive therapy: V. Conditions one month after series of treatments. *Acta Psychiat Scand* 40: 212-216
31. **Daniel WF, Crovitz HF (1986)**: Disorientation during electroconvulsive therapy: Technical, theoretical, and neuropsychological Issues. *Annals N Y Acad Sci* 462: 293-306
32. **Daniel WF, Crovitz HF, Weiner RD (1987)**: Neuropsychological aspects of disorientation. *Cortex* 23: 169-187
33. **Daniel WF, Weiner RD, Crovitz HF, Strong GB, Christenbury MM (1983)**: ECT-induced delirium and further ECT: a case report. *Am J Psychiatry* 140: 922-924
34. **Dehaene S, Posner MI, Tucker DM (1994)**: Localization of a neural system for error detection and compensation. *Psychol Sci* 5: 303-305
35. **d'Elia G, Raotma H (1975)**: Is unilateral ECT less effective than bilateral ECT? *Brit J Psychiatry* 126: 83-89
36. **Derbyshire SWG, Vogt BA, Jones AKP (1998)**: Pain and Stroop interference tasks activate separate processing modules in anterior cingulate cortex. *Exp Brain Res* 118: 52-60
37. **Devinsky O, Morrell MJ, Vogt BA (1995)**: The contributions of anterior cingulate cortex to behaviour. *Brain* 118: 279-306
38. **Dolan RJ, Bench CJ, Brown RG, Scott LC, Frackowiak RS (1994)**: Neuropsychological dysfunction in depression: The relationship to regional cerebral blood flow. *Psychol Med* 24: 849-857

39. **Dolan RJ, Fletcher P, Frith CD, Friston KJ, Frackowiak RS, Grasby PM (1995):** Dopaminergic modulation of impaired cognitive activation in the anterior cingulate cortex in schizophrenia. *Nature* 378: 180-182
40. **Doppelmayr M, Klimesch W, Schwaiger J, Auinger P, Winkler Th (1998):** Theta synchronisation in the human EEG and episodic retrieval. *Neurosci Lett* 257: 41-44
41. **Dornbusch RL, Williams M (1974):** Memory and ECT. In: Fink M, Kety S, McGaugh J, Williams TA (Hrsg.): *Psychobiology of convulsive therapy*. Washington, D.C.: V.H. Winston & Sons
42. **Drevets WC (2000):** Neuroimaging studies of mood disorders. *Biol Psychiat* 48: 813-829.
43. **Drevets WC, Price JL, Simpson JR Jr., Todd RD, Reich T, Vannier M, Raichle ME (1997):** Subgenual prefrontal cortex abnormalities in mood disorders. *Nature* 386: 824-827
44. **Duffy JD, Coffey CE (1997):** The neurobiology of depression. In: M.R. Trimble, J.L. Cummings (Hrsg.): *Contemporary behavioural Neurology*. Boston: Butterworth-Heinemann. S. 275-288
45. **Engel GL, Romano J (1944):** Delirium. II: Reversibility of the electroencephalogram with experimental procedures. *Arch Neurol Psychiatry* 51: 378-392
46. **Figiel GS, Coffey CE, Djang WT, Hoffman G, Doraiswamy PM (1990):** Brain magnetic resonance imaging findings in ECT-induced delirium. *J Neuropsychiatry Clin Neurosci* 2: 53-58
47. **Fink M (2000):** The interaction of delirium and seizures. *Seminars Clin Neuropsychiatry* 5: 93-97
48. **Fink M, Bailine S, Petrides G (2001):** Electrode placement and electroconvulsive therapy: A search for the chimera. *Arch Gen Psychiatry* 58: 607-608
49. **Fink M, Johnson L (1982):** Monitoring the duration of electroconvulsive therapy seizures: Cuff and EEG methods compared. *Arch Gen Psychiatry* 39: 1189-1191
50. **Fink M, Kahn RL, Karp E, Pollack M, Green MA, Alan B, Lefkowitz HJ (1961):** Inhalant-induced convulsions. *Arch Gen Psychiatry* 4: 259-266
51. **Folstein MF, Folstein SE, McHugh PR (1975):** "Mini-Mental State" – a practical method for grading the cognitive state of patients for the clinician. *J Psychiatry Res* 12: 189-198

52. **Galynker II, Cai J, Ongseng F, Finestone H, Dutta E, Sersen D (1998):** Hypofrontality and negative symptoms in major depressive disorder. *J Nucl Med* 39: 608-612
53. **Gebhardt R, Pietzcker A, Strauss A, Stoeckel M, Langer C, Freudenthal K (1983):** Skalenbildung im AMDP-System. *Arch Psychiatr Nervenkr* 233: 223-245
54. **Gehring WJ, Goss B, Coles MGH, Meyer DE, Donchin E (1993):** A neural system for error detection and compensation. *Psychol Sci* 4: 385-390
55. **Gibson GE, Peterson C, Sansone J (1981):** Neurotransmitter and carbohydrate metabolism during aging and mild hypoxia. *Neurobiol Aging* 2: 165-172
56. **Greenblatt RE (1994):** Some comments on LORETA. In: In: W. Skrandies (Hrsg.): Source localization: Discussing the inverse problem. *ISBET Newsletter No. 5*: 11-14
57. **Han L, McCusker J, Cole M, Abrahamowicz M, Primeau F, Élie M (2001):** Use of medications with anticholinergic effect predicts clinical severity of delirium symptoms in older medical inpatients. *Arch Intern Med* 161: 1099-1105
58. **Hasselmo ME (1995):** Neuromodulation and cortical function: Modelling the physiological basis of behaviour. *Behav Brain Res* 67: 1-27
59. **Hasselmo ME, Bower JM (1993):** Acetylcholine and memory. *Trends Neurosci* 16: 218-222
60. **Hasse-Sander I, Müller H, Schurig W, Kasper S, Möller HJ (1998):** Auswirkungen der Elektrokrampftherapie auf die kognitiven Funktionen bei therapieresistenten Depressionen. *Nervenarzt* 69: 609-616
61. **Heikman P, Salmelin R, Mäkelä JP, Hari R, Katila H, Kuoppasalmi K (2002):** Relation between frontal 3-7Hz MEG activity and the efficacy of ECT in major depression. *J ECT* 17 (2): 136-140
62. **Helmchen H, Kanowski S, Kunkel H (1967):** Die Altersabhängigkeit der Lokalisation von EEG-Herden. *Arch Psychiatr Nervenkr* 209: 474-483
63. **Herrmann WM, Kubicki S, Kunkel H, Kugler J, Lehmann D, Maurer K, Rappelsberger P, Scheuler W (1989):** Empfehlungen der Deutschen EEG-Gesellschaft für das Mapping von EEG-Parametern (EEG- und EP-Mapping). *Z EEG-EMG* 20: 125-132
64. **Holmes AP, Blair RC, Watson JD, Ford I (1996):** Nonparametric analysis of statistic images from functional mapping experiments. *J Cereb Blood Flow Metab* 16: 7-22

65. **Holroyd CB, Dien J, Coles MG (1998)**: Error-related scalp potentials elicited by hand and foot movements: evidence for an output-independent error-processing system in humans. *Neurosci Lett* 242(2): 65-68
66. **Inouye SK, van Dyck C, Alessi CA, Balkin S, Siegal AP, Horwitz RI (1990)**: Clarifying confusion: The confusion assessment method. A new method for detection of delirium. *Ann Intern Med* 113: 941-948
67. **Isaacs B, Kenny AT (1973)**: The Set Test as an aid to detection of dementia in old people. *Br J Psychiatry* 123: 467-470
68. **Itil T, Fink M (1966)**: Anticholinergic drug-induced delirium: Experimental modification, quantitative EEG and behavioural correlations. *J Nerv Ment Dis* 143: 492-507
69. **Jacobson S, Jerrier H (2000)**: EEG in delirium. *Seminars Clin Neuropsychiatry* 5(2): 86-92
70. **Jacobson SA, Leuchter AF, Walter DO (1993a)**: Conventional and quantitative EEG in the diagnosis of delirium among the elderly. *J Neurol Neurosurg Psychiatry* 56: 153-158
71. **Jacobson SA, Leuchter AF, Walter DO, Weiner H (1993b)**: Serial quantitative EEG among elderly subjects with delirium. *Biol Psychiatry* 34: 135-140
72. **Jasper HH (1958)**: Report of the committee on methods of clinical examination in electroencephalography: The ten twenty electrode system of the international federation. *Electroenceph Clin Neurophysiol* 10: 371-375
73. **Johnson LC, Ulett GA, Johnson M, Sineth K, Sines JO (1960)**: Electroconvulsive therapy (with and without atropine). *Arch Gen Psychiatry* 2: 324-336
74. **Klotz M (1955)**: Serial changes due to electrotherapy. *Dis Nerv Syst* 16: 12-121
75. **Koles ZK (1998)**: Trends in EEG source localization. *Electroenceph Clin Neurophysiol* 106: 127-137
76. **Koponen H, Partanen J, Paakkonen A, Mattila E, Riekkinen PJ (1989)**: EEG spectral analysis in delirium. *J Neurol Neurosurg Psychiatry* 52: 980-985
77. **Kubicki S, Höller L (1980)**: Systematische Einteilung der EEG-Grundrhythmen und -Normvarianten. *EEG-Labor* 2: 32-53

78. **Laidlaw J, Read AE (1961)**: The electroencephalographic diagnosis of manifest and latent ‘delirium’ with particular reference to that complicating hepatic cirrhosis. *J Neurol Neurosurg Psychiatry* 24: 58-70
79. **Leechuy I, Abrams R, Kohlhaas J (1988)**: ECT-induced postictal delirium and electrode placement. *Am J Psychiatry* 145: 880-881
80. **Lerner DM, Rosenstein DL (2000)**: Neuroimaging in delirium and related conditions. *Semin Clin Neuropsychiatry*
81. **Leuchter AF, Jacobson SA (1991)**: Quantitative measurement of brain electrical activity in delirium. *Intl Psychogeriatr* 3: 231-247
82. **Leung H-C, Skudlarski P, Gatenby JC, Peterson BS, Gore JC (2000)**: An event-related functional MRI study of the Stroop colour word interference task. *Cereb Cortex* 10: 552-560
83. **Levkoff SE, Evans DA, Liptzin B, Cleary PD, Lipsitz LA, Wetle TT, Reilly CH, Pilgrim DM, Schor J, Rowe J (1992)**: Delirium. The occurrence and persistence of symptoms among elderly hospitalized patients. *Arch Intern Med* 152 (2): 334-40
84. **Lezak MD (1995)**: Neuropsychological assessment. 3rd edition. New York: Oxford University Press. p 42-44
85. **Lindesay J (1999)**: The concept of delirium. *Dement Geriatr Cogn Disord* 10: 310-314
86. **Lipowski ZJ (1987)**: Delirium (acute confusional states). *JAMA* 258: 1789-1792
87. **Llinás RR (1988)**: The intrinsic electrophysiological properties of mammalian neurons: Insights into central nervous system function. *Science* 242: 1654-1664
88. **Lishman WA (1998)**: Organic psychiatry – the psychological consequences of cerebral disorder. 3rd edition. Oxford: Blackwell Scientific Publications
89. **Lockwood AH (1998)**: Positron emission tomography in the study of hepatic encephalopathy. *Metab Brain Dis* 13: 303-309
90. **Lopes Da Silva F (1993)**: Dynamics of EEGs as signals of neuronal populations: Models and theoretical considerations. In: Niedermeyer E, Lopes Da Silva, F (Hrsg.): *Electroencephalography – basic principles, clinical applications, and related fields*. 3rd edition. Baltimore, Maryland: Williams & Wilkins
91. **MacDonald AW, Cohen JD, Stenger VA, Carter CS (2000)**: Dissociating the role of the dorsolateral prefrontal and anterior cingulate cortex in cognitive control. *Science* 288: 1835-1838

92. **Martinot J-L, Hardy P, Feline A, HuretJ-D, Mazoyer B, Attar-Lavy D, Pappata S, Syrota A (1990)**: Left prefrontal glucose hypometabolism in the depressed state: A confirmation. Am J Psychiatr 147: 1313-1317
93. **Mayberg HS, Brannan SK, Mahurin RK, Jerabek PA, Brickman JS, Tekell JL, Silva JA, McGinnis S, Glass TG, Martin CC, Fox PT (1997)**: Cingulate function in depression: a potential predictor of treatment response. Neuroreport 8: 1057-1061
94. **McCall WV, Rebuissin DM, Weiner RD, Sackeim HA (2000)**: Titrated moderately suprathreshold vs fixed high-dose right unilateral electroconvulsive therapy. Arch Gen Psychiatry 57: 438-444
95. **Mega MS, Cummings JL (1997)**: The cingulate and cingulate syndromes. In: M.R. Trimble, J.L. Cummings (Hrsg.): Contemporary behavioural Neurology. Boston: Butterworth-Heinemann. p 189-214
96. **Mesulam M-M (1998)**: From sensation to cognition. Brain 121: 1013-1052
97. **Mesulam M-M, Nobre AC, Kim Y-H, Parrish TB, Gitelman DR (2001)**: Heterogeneity of cingulate contributions to spatial attention. Neuroimage 13: 1065-1072
98. **Miltner WHR, Braun CH, Coles MGH (1997a)**: Event-related brain potentials following incorrect feedback in a time-production task: evidence for a 'generic' neural system for error-detection. J Cogn Neurosci 9: 787-797
99. **Miltner WHR, Lemke U, Weiss T, Holroyd C, Scheffers MK, Coles MGH (1997b)**: The source of the magnetic equivalent of the error-related negativity. Psychophysiology 34: S65
100. **Morris JC, Heyman A, Mohs RC et al. (1989)**: The Consortium to Establish a Registry for Alzheimer's Disease (CERAD). Part I. Clinical and neuropsychological assessments for Alzheimer's Disease. Neurol 39: 1159-1165
101. **Morse RM, Litin EM (1971)**: The anatomy of a delirium. Am J Psychiatry 128: 111-116
102. **Mosher JC, George JS (1994)**: Comments on LORETA. In: W. Skrandies (Hrsg.): Source localization: Discussing the inverse problem. ISBET Newsletter No. 5: 14-17
103. **Mosovich A, Katzenelbogen S (1948)**: Electroshock therapy, clinical and electroencephalographic studies. J Nerv Ment Dis 107: 517-530

104. **Mulert C, Gallinat J, Pascual-Marqui RD, Dorn H, Frick K, Schlattmann P, Mientus S, Herrmann WM, Winterer G (2001)**: Reduced event-related current density in the anterior cingulate cortex in schizophrenia. *Neuroimage* 13: 589-600
105. **Nordahl TE, Carter CS, Salo RE, Kraft L, Baldo J, Salamat S, Robertson L, Kusubov N (2001)**: Anterior cingulate metabolism correlates with Stroop errors in paranoid schizophrenia patients. *Neuropsychopharmacology* 25 (1): 139-148
106. **Nobler MS, Oquendo MA, Kegeles LS, Malone KM, Campbell C, Sackeim HA, Mann JJ (2001)**: Decreased regional brain metabolism after ECT. *Am J Psychiat* 158: 305-308
107. **Norman DA, Shallice T (1986)**: Attention to action: Willed and automatic control of behaviour. In: M. Davidson, G.E. Schwartz, D. Shapiro (Hrsg.): *Consciousness and self-regulation*, Vol. 4. New York: Plenum Press
108. **Nunez PL (1981)**: Electric fields of the brain: The neurophysics of EEG. New York: Oxford University Press.
109. **Obrecht R, Okhomina FOA, Scott DF (1979)**: Value of EEG in acute confusional states. *J Neurol Neurosurg Psychiatry* 42: 75-77
110. **O'Carroll RE, Hayes PC, Ebmeier KP, Dougall N, Murray C, Best JJ, Bouchier IA, Goodwin GM (1991)**: Regional cerebral blood flow and cognitive function in patients with chronic liver disease. *Lancet* 337: 1250-1253
111. **Ochsner KN, Kosslyn SM, Cosgrove GR, Cassem EH, Price BH, Nierenberg AA, Rauch SL (2001)**: Deficits in visual cognition and attention following bilateral anterior cingulotomy. *Neuropsychologia* 39; 219-230
112. **Pacella BL, Barrera SE, Kalinowsky L (1942)**: Variations in electroencephalogram associated with electric shock therapy of patients with mental disorders. *Arch Neurol Psychiatry* 47: 367-384
113. **Pascual-Marqui RD (1999)**: Review of methods for solving the EEG inverse problem. *Int J Bioelectromagnetism* 1 (1): 75-86
114. **Pascual-Marqui RD, Lehmann D, Koenig T, Kochi K, Merlo MCG, Hell D, Koukkou M (1999)**: Low resolution brain electromagnetic tomography (LORETA) functional imaging in acute, neuroleptic-naïve, first-episode, productive schizophrenia. *Psychiatry Res: Neuroimage* 90: 169-179

115. **Pascual-Marqui RD, Michel CM (1994):** LORETA (Low Resolution Electromagnetic Tomography): New authentic 3D functional images of the brain. In: W. Skrandies (Hrsg.): Source localization: Discussing the inverse problem. ISBET Newsletter 5: 4-8
116. **Pascual-Marqui RD, Michel CM, Lehmann D (1994):** Low Resolution Electromagnetic Tomography: A new method for localizing electrical activity in the brain. Int J Psychophysiol 18: 49-65
117. **Pivik RT, Broughton RJ, Coppola R, Davidson RJ, Fox N, Nuwer MR (1993):** Guidelines for the recording and quantitative analysis of electroencephalographic activity in research contexts. Psychophysiol 30 (6): 547-558
118. **Pizzagalli D, Pascual-Marqui RD, Nitschke JB, Oakes TR, Larson CL, Abercrombie HC, Schaefer SM, Koger JV, Benca RM, Davidson RJ (2001):** Anterior cingulate activity as a predictor of treatment response in major depression: Evidence from Brain Electrical Tomography Analysis. Am J Psychiat 158: 405-415
119. **Posner MI, Dehaene S (1994):** Attentional networks. Trends Neurosci 17: 75-79
120. **Reischies FM, Diefenbacher A (2000):** Neuropsychologie der Verwirrtheitszustände. Fortschritte der Medizin 118 (1): 1-5
121. **Reischies FM, Neu P (2000):** Comorbidity of mild cognitive disorder and depression – a neuropsychological analysis. Eur Arch Psychiatry Clin Neurosci 250: 186-193
122. **Reischies FM, Stieglitz R-D (1990):** Prozentrangverteilungen der Depressionsskalen des AMDP-Systems. Nervenarzt 61: 183-185
123. **Robertsson B, Karlsson I, Styrud E, Gottfries CG (1997):** Confusional State Evaluation (CSE): An instrument for measuring severity of delirium in the elderly. Br J Psychiatry 170: 565-570
124. **Romano J, Engel GL (1944):** Delirium. I: Electroencephalographic data. Arch Neurol Psychiatry 51: 356-377
125. **Romano-Torres M, Borja-Lascurain E, Chao-Rebolledo C, del-Rio-Portilla Y, Corsi-Cabrera M (2002):** Effect of diazepam on EEG power and coherent activity: sex differences. Psychoneuroendocrinology 27 (7): 821-833
126. **Rommelspacher H, Schmidt LG, Helmchen H (1991):** Pathobiochemie und Pharmakotherapie des Alkoholentzugsdelirs. Nervenarzt 62: 649-657

127. **Rosén I, Silfverskiöld P (1987)**: Quantification of EEG changes following electroconvulsive therapy in depression. *Eur Arch Psychiatry Neurol Sci* 236: 209-213
128. **Roth M (1951)**: Changes in the EEG under barbiturate anaesthesia produced by electro-convulsive treatment and their significance for the theory of ECT action. *Electroenceph Clin Neurophysiol* 3: 261-280
129. **Sackeim HA (1992)**: The cognitive effects of electroconvulsive therapy. In: W.H. Moos, E.R. Gamzu, L.J. Thal, M. Dekker (Hrsg.): *Cognitive disorders: Pathophysiology and treatment*. New York: Raven Press. Pp 183-228
130. **Sackeim HA, Luber B, Katzmann GP, Moeller JR, Prudic J, Devanand DP, Nobler MS (1996)**: The effects of electroconvulsive therapy on quantitative electroencephalograms – relationship to clinical outcome. *Arch Gen Psychiatry* 53: 814-824
131. **Sackeim HA, Luber B, Moeller JR, Prudic J, Devanand DP, Nobler MS (2000a)**: Electrophysiological correlates of the adverse cognitive effects of electroconvulsive therapy. *J ECT* 16 (2): 110-120
132. **Sackeim HA, Portnoy S, Neeley P, Steif BL, Decina P, Malitz S (1986)**: Cognitive consequences of low-dosage electroconvulsive therapy. *Ann N Y Acad Sci* 462: 326-340
133. **Sackeim HA, Prohovnik I, Moeller JR, Brown RP, Apter S, Prudic J, Devanand DP, Mekherjee S (1990)**: Regional cerebral blood flow in mood disorders. I. Comparison of major depressives and normal controls at rest. *Arch Gen Psychiatry* 47: 60-70
134. **Sackeim HA, Prudic J, Devanand DP, Kiersky JE, Fitzsimons L, Lisanby SH, Moody BJ, McElhiney MC, Coleman EA (1993)**: Effects of stimulus intensity and electrode placement on the efficacy and cognitive effects of electroconvulsive therapy. *N Engl J Med* 328: 839-84657: 425-434
135. **Sackeim HA, Prudic J, Devanand DP, Nobler MS, Lisanby SH, Peyser S, Fitzsimons L, Moody BJ, Clark J (2000b)**: A prospective, randomised, double-blind comparison of bilateral and right unilateral electroconvulsive therapy at different stimulus intensities. *Arch Gen Psychiatry* 57: 425-434

136. **Sauer H, Lauter H (1987):** Elektrokrampftherapie II. Indikationen, Kontraindikationen und therapeutische Technik der Elektrokrampftherapie. Nervenarzt 58: 210-218
137. **Schaul N, Gloor P, Ball G, Gotman J (1978):** The electromicrophysiology of delta waves induced by systemic atropine. Brain Res 143: 475-486
138. **Scherg M, Berg P (1991):** Use if prior knowledge in brain electromagnetic source analysis. Brain Topogr 4: 143-150
139. **Scoville WB, Milner B (1957):** Loss of recent memory after bilateral hippocampal lesions. J Neurol Neurosurg Psychiatr 20: 11-21
140. **Shallice (1988):** From neuropsychology to mental structure. New York: Cambridge University Press
141. **Silfverskiöld P, Rosén I, Risberg J (1987a):** Effects of electroconvulsive therapy on EEG and cerebral blood flow in depression. Eur Arch Psychiatry Neurol 236: 202-208
142. **Silfverskiöld P, Rosén I, Risberg J, Gustafson L (1987b):** Changes in psychiatric symptoms related to EEG and cerebral blood flow following electroconvulsive therapy. Eur Arch Psychiatry Neurol 236: 195-201
143. **Small IF, Small JG (1968):** Ictus and amnesia. Recent Adv Biol Psychiatry 10: 144-159
144. **Spinelli L, Pascual-Marqui R, Grave de Peralta-Menendez R, Michel PM (1997):** Effect of the number and the configuration of electrodes on distributed source models. Abstract of ISBET '97, p 35
145. **Squire (1982):** The neuropsychology of human memory. Ann Rev Neurosci 5: 241-273
146. **Squire LR (1986):** Memory function as affected by electroconvulsive therapy. Ann NY Acad Sci 462: 307-314
147. **Squire LR, Alvarez P (1995):** Retrograde amnesia and memory consolidation: A neurobiological perspective. Curr Opin Neurobiol 5: 169-177
148. **Squire LR, Chace PM (1975):** Memory functions six to nine months after electroconvulsive therapy. Arch Gen Psychiatry 32: 1557-1564
149. **Squire LR und Zola-Morgan S (1991):** The medial temporal lobe memory system. Science 253: 1380-1386

150. **Steriade M (1993)**: Central core modulation of spontaneous oscillations and sensory transmission in thalamocortical systems. *Curr Opin Neurobiol* 3: 619-625
151. **Steriade M, Gloor P, Llinás RR, Lopes da Silva FH, Mesulam MM (1990)**: Report of IFCN committee on basic mechanisms - basic mechanisms of cerebral rhythmic activities. *Electroenceph Clin Neurophysiol* 76: 481-508
152. **Strömgren LS, Juul-Jensen P (1975)**: EEG in unilateral and bilateral electroconvulsive therapy. *Acta Psychiatr Scand* 51: 340-360
153. **Stroop JR (1935)**: Studies of interference in serial verbal reactions. *J Exp Psychol* 18: 643-662
154. **Sutherland EM, Oliver JE, Knight DR (1969)**: E.E.G., memory and confusion in dominant, non-dominant and bi-temporal E.C.T.. *Br J Psychiatry* 115: 1059-1064
155. **Talairach J, Tournoux P (1988)**: Co-planar stereotaxic atlas of the human brain. Thieme: Stuttgart
156. **Taylor JR, Tomphins R, Demers R, Anderson D (1982)**: Electroconvulsive therapy and memory dysfunction? Is there evidence for prolonged defects? *Biol Psychiatry* 17: 1169-1193
157. **Titterington TM (1985)**: Common structure of smoothing techniques in statistics. *Int Statistical Rev* 53: 141-170
158. **Towle VL, Bolanos J, Suarez D, Tan K, Grzeszczuk R, Levin DN, Cakmur R, Frank SA, Spire JP (1993)**: The spatial location of EEG electrodes: Locating the best-fitting sphere relative to cortical anatomy. *Electroenceph Clin Neurophysiol* 86: 1-6
159. **Trzepacz PT (1994)**: The neuropathogenesis of delirium: A need to focus our research. *Psychosomatics* 35: 374-391
160. **Trzepacz PT (1996)**: Anticholinergic model for delirium. *Semin Clin Neuropsychiatry* 1: 294-303
161. **Trzepacz PT (2000)**: Is there a final common pathway in delirium? Focus on acetylcholine and dopamine. *Semin Clin Neuropsychiatry* 5: 132-148
162. **Trzepacz PT, Baker RW, Greenhouse J (1987)**: A symptom rating scale for delirium. *Psychiatry Res* 23: 89-97
163. **Trzepacz PT, Dew MA (1995)**: Further analyses of the Delirium Rating Scale. *Gen Hosp Psychiatry* 17: 75-79

164. **Trzepacz PT, Sclabassi RJ, Van Thiel DH (1989)**: Delirium: A subcortical phenomenon? *J Neuropsychiatry* 1 (3): 283-290
165. **Vakil E, Grunhaus L, Nagar, Ben-Chaim E, Dolberg OT, Dannon PN, Schreiber S (2000)**: The effect of electroconvulsive therapy (ECT) on implicit memory: skill learning and perceptual priming in patients with major depression. *Neuropsychologia* 38: 1405-1414
166. **Volavka J, Feldstein S, Abrams R, Dornbush R, Fink M (1972)**: EEG and clinical change after bilateral and unilateral electroconvulsive therapy. *Electroenceph Clin Neurophysiol* 32: 631-639
167. **Walzer T, Herrmann M, Wallesch C-W (1996)**: Neuropsychological disorders after coronary bypass surgery. *J Neurol Neurosurg Psychiatry* 62: 644-648.
168. **Watson RT, Heilman KM, Cauthen JC, King FA (1973)**: Neglect after cingulectomy. *Neurology* 23: 1003-1007
169. **Wechsler D (1945)**: A standardised memory scale for clinical use. *J Psychol* 19: 87-95
170. **Weiner RD (1980)**: The persistence of electroconvulsive therapy-induced changes in the electroencephalogram. *J Nerv Ment Dis* 168: 224-228
171. **Weiner RD, Rogers HJ, Davidson JRT, Kahn EM (1986a)**: Effects of electroconvulsive therapy upon brain electrical activity. *Ann N Y Acad Sci* 462: 270-281
172. **Weiner RD, Rogers HJ, Davidson JRT, Squire LR (1986b)**: Effects of stimulus parameters on cognitive side effects. *Ann N Y Acad Sci* 462: 315-325
173. **Welch J, Manschrek T, Redmont D (1994)**: Clozapine-induced seizures and EEG-changes. *J Neuropsychiatry Clin Neurosci* 6 (3): 250-256
174. **World Health Organization (1993)**: Tenth revision of the International Classification of Diseases, chapter V (F): Mental and behavioural disorders. Diagnostic criteria for research. WHO