

8 Literaturverzeichnis

Ackroff, K., Manza, L., Sclafani, A. (1993) The rat's preference for sucrose, polydextrose, and their mixtures

Appetite, 21, pp.: 69-80

Ackroff, K., Sclafani, A. (1991) Flavour preferences conditioned by sugars: rats learn to prefer glucose over fructose

Physiology & Behavior; Vol. 50; pp.: 815-824

Agabio, R., Carai, M., Lobina, C., Pani, M., Reali, R., Bourov, I., Gessa, G. L., Colombo, G. (2000) Dissociation of ethanol and saccharin preference in sP and sNP rats

Alcoholism: Clin. and experim. Research, Vol. 24, No. 1

Almeida OFX., Shippenberg, T. S. (1991) Neurobiology of Opioids

Springer, Berlin Heidelberg New York

Altmann, J., Everitt, B. J., Glautier, S., Markou, A., Nutt, D., Oretti, R., Phillips, G. D., Robbins, T. W. (1996) The biological, social and clinical bases of drug addiction:

commentary and debate

Psychpharmacology 125: 285-345

Amit, Stern (1971) A further investigation of alcohol preference in the laboratory rat induced by hypothalamic stimulation

Psychopharmacologia 21: pp. 317-327

Aravich, P. F., Sclafani, A. (1980) Dietary preference behaviour in rats fed bitter tasting quinine and sucrose octa acetate adulterated diets

Physiology and Behaviour, Vol. 25, pp. 157-160

Aufrère, G., Le Bourhis, B., Beaugé, F. (1997) Ethanol intake after chronic intoxication by inhalation of ethanol vapour in rats: Behavioural Dependence.
Alcohol, Vol. 14 (3): pp. 247-253

Baumgartner, A., Eravci, M., Pinna, G., Hiedra, L., Prengel, H., Brödel, O., Meinhold, H. (1997) Thyroid hormone metabolism in the rat brain in an animal model of “behavioral dependence” on ethanol
Neuroscience Letters 227: pp. 25-28

Bechara, A., Van der Kooy, D., (1985) Opposite motivational effects of endogenous opioids in brain and periphery
Nature 314: p. 533

Becker, H. C., (2000) Animal models of alcohol withdrawal
Alcohol research & health, 24 (2): 105-114

Bice, P. J., Kiefer, S., W. (1990) Taste reactivity in alcohol preferring and nonpreferring rats
Alcoholism: Clin. and Experim. Research, Vol. 14, No. 5

Bickel, W. K., DeGrandpre, R. J., Higgins, S. T. (1995) The behavioral economics of concurrent drug reinforcers: a review and reanalysis of drug self-administration research
Psychopharmacology, 118 (3): 250-259

Bond, N. W., (1978) Shock induced alcohol consumption in rats: role of initial preference
Pharmacol. Biochem. Behav., 9: 39-42

Braida, D., Gori, E., Sala, M., (1994) Relationship between morphine and etonitazene-induced working memory impairment and analgesia
Eur J Pharmacol 1994 Dec 27; 271(2-3): pp. 497-504

Brewster, D. J. (1972) Ethanol preference in strains of rats selectively bred for behavioural characteristics
Annals of the New York Academy of Science, 197: pp. 49-53

Buttelmann, E., France, C.P., Woods, J. H. (1992) Apparent pA₂ analysis on the respiratory depressant effects of alfentanil, etonitazene, ethylketocyclazocine and Mr2033 in rhesus monkeys

J. Pharmacol. Exp. Ther. 264: 145-151

Carlson, K. R. (1989) Taste vs. CNS effects in voluntary oral opiate intake: studies with a novel device and technique

Pharmacol Biochem Behav Oct: pp. 419-423

Carr, K. D. (1996) Feeding, drug abuse, and the sensitization of reward by metabolic need
Neurochem. Res. 21, 1455-1467

Carroll, M. E., France, C. P., Meisch, R. A., (1979). Food deprivation increases oral and intravenous drug intake in rats

Science, Jul 20; 205 (4403): pp. 319-321

Caroll, M. E., France, C. P., Meisch, R. A., (1981) Intravenous self-administration of etonitazene, cocaine and phencyclidine in rats during food deprivation and satiation

J Pharma Exp Therapeutics, Vol. 217, No. 2

Carroll, M., Boe, I. N. (1982) Increased intravenous Drug self-administration during deprivation of other reinforcers

Pharmacology, Biochemistry & Behaviour, Vol. 17: pp. 563-567

Ciccocioppo, R. Angeletti, S., Weiss, F. (2001) Long-lasting resistance to extinction of response reinstatement induced by ethanol-related stimuli; role of genetic ethanol preference
Alcohol Clin Exp Res Oct; Vol. 25 (10): pp. 1414-1419

Clay, M. L. (1963) Condition affecting voluntary alcohol consumption in rats

Quart. Alcohol 25: 36-55

Colombo, G., Agabio, R., Diaz, G., Fà, M., Lobina, C., Reali, R., Gessa, G. L. (1997)

Sardinian Alcohol-preferring rats prefer chocolate and sucrose over ethanol.

Alcohol Vol. 14, No. 6: pp. 611 - 615

Cunningham, C. L., Fidler, T., Hill, K. (2000) Animal models of alcohol's motivational effects

Alcohol research & health 2000, 24 (2): pp. 77-84

Cunningham, C. L., Linakis, J. G. (1980) Paradoxical aversive conditioning with ethanol

Pharmacol., Biochem. And Behav., Vol. 12, pp. 337-341

Cunningham, C. L., Niehus, J. S. (1997) Flavor preference conditioning by oral self-administration of ethanol

Psychopharmacology, 134, pp. 293-302

Deatherage, G. (1971) Effects of housing density on alcohol intake in the rat

Physiology and Behavior, Vol. 9: pp. 55-57

Deutsche Hauptstelle gegen die Suchtgefahren / DHS (1980) Alkoholismus. Eine

Information für Ärzte

Deutscher Ärzte-Verlag

Diamond, I., Gordon, A. S. (1997) Cellular and molecular neuroscience of alcoholism

Physiological reviews 77 (1): pp. 1-20

Die Drogenbeauftragte der Bundesregierung (2003) Drogen- und Suchtbericht April 2003

Bundesministerium für Gesundheit und Soziale Sicherung; 10117 Berlin

http://www.bmgs.bund.de

Edwards, G. Gross, M. M. (1976) Alcohol dependence: provisional description of a clinical syndrome

British Medical Journal 1: pp. 1058- 1061

Elmer, G. I., Mathura, C. B., Goldberg, S. R. (1993) Genetic Factors in Conditioned Tolerance to the Analgesic Effects of Etonitazene
Pharmacology Biochemistry and Behaviour 45: pp 251-253

Emmerson, P. J., Liu, M. R., Woods, J. H., Medzihradsky, F. (1994) Binding affinity and selectivity of opioids at μ , δ and κ receptors in monkey membranes
J. Pharmacol. Exp. Ther. 271: 1630-1637

Eravci, M., Großpietsch, T., Pinna, G., Schulz, O., Kley, S., Bachmann, M., Wolffgramm, J., Götz, E., Heyne, A., Meinhold, H., Baumgartner, A. (1997) Dopamine receptor gene expression in an animal model of “behavioural dependence” on ethanol
Molecular Brain Research 50: pp. 221-229

Eriksson, K. (1973) Ethanol and acetaldehyde metabolism in rat strains genetically selected for their ethanol preference
Biochemical Pharmacology 22: pp. 2283-2292

Estler C.-J. (Hsgb.) (2000) Pharmakologie und Toxikologie
Schattauer Verlag

Farkas, M. E., Dwyer, J. (1984) Nutrition education for alcoholic recovery homes
J Nutrition Education 16: pp. 123-124

Forth, W., Henschler, D., Rummel, W. (Hsgb.) (2001) Allgemeine und spezielle Pharmakologie und Toxikologie
Urban&Fischer-Verlag

France, C. P., Woods, J. H. (1990) Discriminative stimulus effects of opioid agonists in morphinedepend pigeons
J. Pharmacol. Exp. Ther. 254: 626-632

Frey, H.-H., Löscher, W. (2002) Lehrbuch der Pharmakologie und Toxikologie für die Veterinärmedizin
Enke-Verlag

Freye, E. (1995) Opioide in der Medizin
Springer, Berlin Heidelberg New York

Fuller, J. L., Collins, R .L. (1972) Ethanol consumption and preference in mice: a genetic analysis
Annals of the New York Academy of Science 197: pp. 42-48

Garcia, J., Hankins, W. G. (1975) The evolution of bitter and the acquisition of toxiphobia.
In: Olfaction and Taste, edited by D.A. Denton and J. P. Coghlan, New York: Academie Press: pp. 39-47

Ghatan, E., Labounty, L. P., Wyvill, C., Carroll, M. E. (1996) The relationship among saccharin consumption, oral ethanol, and IV cocaine self-administration
Pharmacol. Biochmistry and Behavior, Vol. 53, No. 4, pp.: 919-925

Gillespie, R. J. G., Lucas, C. C. (1958) An unexspected factor affecting the alcohol intake of rats
Can. J. Biochem. Physiol., Vol. 36

Gomez, T. H., Meisch, R. A. (2000) Reinforcing effects of contingently administered subcutaneous injections of etonitazene in rats
Psychopharmacology (Berl.) Dec; 153 (1): pp. 134-138

Goodwin, D. W., Schulsinger, F., Hermansen, L., Guze, S. B., Winokur, G. A. (1973) Alcohol problems in adoptees raised apart from alcoholic biological parents
Archives of General Psychiatry, 12: pp. 239-243

Grant, K. A., Johanson, C. E., Schuster, C. R. (1986) Effect of increased access to ethanol on oral ethanol self-administration by rhesus monkeys
Alcoholism 10:113

Hedlund, L., Wahlström, G. (1998) The effect of diazepam on voluntary ethanol intake in a rat model of alcoholism
Alcohol and Alcoholism, Vol. 33, No. 3, pp.: 207-219

Herz, A. (1993) Opioids I.
Springer, Berlin Heidelberg New York

Herz, A. (1995) Neurobiologische Grundlagen des Suchtgeschehens
Nervenarzt 66: 3-14

Heymann, G.M., Gendel, K., Goodmann, J. (1999) Inelastic demand for alcohol in rats
Psychopharmacology 144: pp. 213 -219

Heyne, A. (1991) Influence of ethanol access and social conditions on development of physical and behavioural dependence in rats
Elsner, N., Penzlin, H.; Synapse. Transmission.Modulation; Thieme Verlag Stuttgart; 454

Heyne, A. (1996) The development of opiate addiction in the rat
Pharmacol Biochem Behav, Jan; 53(1): 11-25

Heyne, A. (2000) Persisting consequences of drug intake: towards a memory of addiction
Pharmacology, Biochemistry and Behavior 53 (1): 11-25

Heyne, A., Wolffgramm, J. (1998) The development of addiction to d-amphetamine in an animal model: same principles as for alcohol and opiate
Psychopharmacology 140: pp. 510-518

Heyser, C. J., Schultheis, G., Koob, G. F. (1997) Increased ethanol self-administration after a period of imposed ethanol deprivation in rats trained in a limited access paradigm
Alcohol Clin Exp Res., Vol. 21, No. 5: pp. 784-791

Höllt, V. (1986) Opioid peptide processing and receptor selectivity
Annu. Rev. Pharmacol. Toxicol. 26: 59-77

Hölter, S. M., Engelmann, M., Kirschke, C., Liebsch, G., Langraf, R., Spanagel, R. (1998) Long-term ethanol self-administration with repeated ethanol deprivation episodes changes ethanol drinking pattern and increases anxiety-related behaviour during ethanol deprivation in rats
Behavioural Pharmacology, Vol. 9, pp. 41-48

Hölter, S. M., Linthorst, A. C. E., Reul, J. M. H. M., Spanagel, R. (2000) Withdrawal symptoms in a long-term model of voluntary alcohol drinking in wistar rats
Pharmacol. Biochem. And Behav., Vol. 6, No. 1, pp. 143-151

Hyytiä, P., Sinclair, J.D. (1993) Oral etonitazene and cocaine consumption by AA, ANA and Wistar rats
Psychopharmacology (Berl) 1993; 111(4): pp. 409-14

Hyytia, P., Schulteis, G., Koob, G. F. (1996) Intravenous heroin and ethanol self-administration by alcohol-preferring AA and alcohol-avoiding ANA rats
Psychopharmacology, Jun; 125(3): pp. 248-54

Iida, S. (1960) Experimental studies on the craving for alcohol
Jap. J. Pharmacol., 10, 15-20

Jellinek, E. M. (1960) The disease concept of alcoholism
Hilhouse press, New Brunswick, N.J.

Kahn, M., Stellar, E. (1960) Alcohol preference in normal and anosmic rats
Journal of Comparative and Physiol. Psychology 53 (6): 571-575

Kampov-Polevoy, A. B., Kasheffskaya, O. P., Sinclair, J. D. (1990) Initial acceptance of ethanol: Gustatory factors and patterns of alcohol drinking.
Alcohol, 7: pp.83-85

Kampov-Polevoy, A. B., Overstreet, D. H., Crosby, R.D., Rezvani, A. H., Janowsky, D. S., Halikas, J. A. (1994) Saccharin-induced polydipsia as a predictor of voluntary alcohol intake in Wistar rats
In: Biological Basis of Individual Sensitivity to psychotropic Drugs, Seredenin, S.B., Longo. V and Gaviragli, G., eds, pp. 293-298. Graffham Press, Edinburgh

Kampov-Polevoy, A. B., Overstreet, D. H., Rezvani, A. H., Janowsky, D. S. (1995) Suppression of ethanol intake in alcohol-preferring rats by prior voluntary saccharin consumption
Pharmacol. Biochemistry and Behavior, Vol. 52, No.1, pp.: 59-64

Kampov-Polevoy, A.B., Garbutt, J. C., Janowsky, D. S. (1999) Association between preference for sweet and excessive alcohol intake: a review of animal and human studies
Alcohol & Alcoholism Vol. 34, pp. 386-395

Karlson, P., Doenecke, D., Fuchs, G., Koolman, J., Schäfer, G. (1988) Kurzes Lehrbuch der Biochemie für Mediziner und Naturwissenschaftler
Georg Thieme Verlag Stuttgart

Katner, S. N., Kerr, T. M., Weiss, F. (1996) Ethanol anticipation enhances dopamine efflux in the nucleus accumbens of alcohol-preferring (P) but not Wistar rats
Behav. Pharmacol., Vol. 7, 669-674

Khavari, K. A., Risner, M. E. (1973) Opiate dependence produced ad libitum drinking of morphine in water, saline and sucrose vehicles
Psychopharmacologia (Berl.) 30: pp. 291-302

Koob, G. F. (2000) Animal models of drug addiction: definitions and validation of animal models
www.acnp.org/g4/GN401000072/CH072.html

Kratz, C. M., Levitsky, D. A. (1978) Post-ingestive effects of quinine on intake of nutritive and non-nutritive substances
Physiology and Behavior Vol. 21: pp. 851-854

Kratz, C. M., Levitsky, D. A., Lustick, S. (1978) Differential effects of quinine and sucrose octa acetate on food intake in the rat
Physiology and Behavior Vol. 20: pp. 665-667

Kulkovsky, P., Zellner, D. A., Hyson, R.L., Riley A. L. (1980) Ethanol consumption of rats in individual, group and colonial housing conditions
Physiological Psychology Vol. 8 (1): pp. 56-60

Kuschinsky, G., Lüllmann, H. (1981) Kurzes Lehrbuch der Pharmakologie und Toxikologie
Georg Thieme Verlag Stuttgart

Lankford, M. F., Roscoe, A. K., Pennington, S. N., Myers, R. D. (1991) Drinking of high concentrations of ethanol versus palatable fluids in alcohol-preferring rats: valid animal model of alcoholism
Alcohol Vol. 8: pp. 293-299

Lê, A. D., Kiiianmaa, K. (1988) Characteristics of ethanol tolerance in alcohol drinking (AA) and alcohol avoiding (ANA) rats
Psychopharmacology 94: pp. 479-483

Linsemann, M. A. (1988) Consumption of alcohol compared to another bitter solution in a limited access drinking paradigm
Alcohol., Vol. 5, pp. 301-303

Macdonall, J. S., Marcuella, H. (1977) Increasing the rate of ethanol consumption in food- and water-satiated rats

Pharmacol Biochem Behav 10: pp. 211- 216

Mansour, A., Khachaturian, H., Lewis, M. E., Akil, H., Watson, S. J. (1987)

Autoradiographic differentiation of mu, delta and kappa opioid receptors in the rat forebrain and midbrain

J. Neuroscience 7: 2445-2464

Marcuella, H. (1989) Predicting the amount of ethanol consumed per bout from schedule of access to ethanol

Animal Learning and Behavior 17: pp. 101 -112

May, T., Juilfs, F., Wolffgramm, J. (1998) Long-lasting effects of chronic mu-opioid intake on the signal transmission via dopamine D1 receptors in the limbic forebrain of drug deprived rats

Neuropharmacology, Aug., 37 (8): pp. 997-1006

May, T., Juilfs, F., Wolffgramm, J. (1999) Effects of etonitazene consumption and abstinence on the signal transmission of mu-opioid receptors in brain membranes of rats

Neurosci Lett, Nov 12; 275(2): pp. 109-112

McMillan, D. E., Leander, J. K. (1976) Schedule-induced oral self-administration of etonitazene

Pharmacol. Biochem. Behav. 4: pp. 137-141

Meisch, R. A. (1982) Animal studies of alcohol intake

Br. J. Psychiatry 141: pp. 113-120

Meisch, R. A. (1995) Oral self-administration of etonitazene in rhesus monkeys: use of fading procedure to establish etonitazene as a reinforcer

Pharmacol. Biochem. Behav., 50 (4): 571-580

Meisch, R. A. (2001) Oral drug self-administration: an overview of laboratory animal studies
Alcohol 24, pp. 117-128

Mello, N. (1972) Behavioral studies of alcoholism

The Biology of Alcoholism; Vol. 2; Physiology and Behavior; ed. by B. Kissin and H. Begleiter; pp. 219-291; Plenum Publishing N.Y.

Mello, N. K., Mendelson, J. H. (1966) Factors affecting alcohol consumption in primates
Psychosomatic Medicine, Vol. XXVIII, No. 4 (Part II)

Mendelson, J. H., Mello, N. K. (1964) Ethanol and whiskey drinking patterns in rats under free-choice and forced-choice conditions

Quart. Alcohol 25: 1-24

Moolten, M. S., Fishman, J. B., Chen, J. C., Carlson, K. R. (1993) Etonitazene: an opioid selective for the mu receptor types

Life Sci 1993, 52 (18): pp. 199-203

Morrow, N. S., Kiefer, S. W., Metzler, C. W. (1993) Gustatory and olfactory contributions to alcohol consumption in rats

Alcohol, Vol. 10, pp. 263-267

Mucha, R. F., Herz, A. (1985) Motivational properties of κ - and μ .opioid receptor agonists studied with place and taste preference conditioning procedure

Psychpharmacol. 86: 274-280

Müller, R. (2001) Untersuchungen über die Induktion von Verhaltensabhängigkeit in Bezug auf Alkohol bei verschiedenen Rattenstämmen

*Dissertation am Fachbereich Veterinärmedizin Freie Universität Berlin
Journal Nr. 2539*

Myers, A. K. (1962) Alcohol choice in Wistar and G4 rats as a function of environmental temperature and alcohol concentration

J Comparative Physiol Psychology 55 (4): pp. 606-609

Myers, R. D. (1963) Alcohol consumption in rats: effects on intracranial injections of ethanol
Science 142: 240-241

Myers, R. D. (1966) Voluntary alcohol consumption in animals: peripheral and intracerebral factors

Animal Behav. and Biology, Vol. 28, No. 4, (part 2)

Myers, R. D., Tytell, M (1972) Volitional consumption of flavored ethanol solution by rats: the effects of pCPA, and the absence of tolerance

Physiol. and Behav., Vol. 8, pp. 403-408

Myers, R. D., Veale, W. L. (1972) The determinants of alcohol preference in animals

The Biology of alcoholism; Vol. 2; Physiology and behaviour; ed. by B. Kissin und H. Begleiter; pp. 131-168; Plenum Publishing N.Y.

Nash, J. F., Maickel, R. P. (1985) Stress-induced consumption of ethanol by rats

Life Sciences, Vol. 37: pp. 757-765

Newman, H.W (1941) Acquired tolerance to ethyl alcohol

Quart. J. Stud. Alc. 2: pp. 453-463

Overstreet, D. H., Kampov-Polevoy, A. B., Rezvani, A. H., Murrelle, L., Halikas, J. A., Janowsky, D. S. (1993) Saccharin intake predicts ethanol intake in genetically heterogeneous rats as well as different rat strains

Alcoholism: Clin. and experim. Research, Vol. 17, No. 2, pp.: 366-369

Parker, L. F., Radow, B. L. (1973) Isolation stress and volitional ethanol consumption in the rat

Physiology and Behavior, Vol. 12: pp. 1-3

Pasternak, G. W. (1993) Pharmacological mechanism of opioid analgesics
Clin. Neuropharmacol. 16: 1-18

Philipps, T. J., Feller, D. J., Crabbe, J. C. (1989) Selected mouse lines, alcohol and behaviour
Experientia 45: pp. 805-807

Pinel, J. P., Huang, E. (1976) Effects of periodic withdrawal on ethanol and saccharin selection in rats
Physiology and Behavior 16: pp. 693-698

Pirk, G. (2002) Induktion von Verhaltensabhängigkeit auf Alkohol und ein Opioid bei Ratten: Applikation der Suchtstoffe in Flüssigkeiten mit süßem Geschmack
Dissertation am Fachbereich Veterinärmedizin Freie Universität Berlin
Journal Nr. 2664

Pschyrembel, Klinisches Wörterbuch (1998)
Walter de Gruyter Verlag Berlin, 258. Auflage

Raynor, K., Kong, H., Chen, Y., Yasuda, K., Yu, L., Bell, G. I., Reisine, T. (1993)
Pharmacological characterization of the cloned μ -, δ - and κ -opioid receptors
Mol. Pharmacol. 45: 330-334

Reisine, T., Law, S. F., Blake, A., Tallent, M. (1996) Molecular mechanism of opiate receptor coupling to G proteins and effector systems
Ann. Ny. Acad. Sci. 780: 168-175

Rockman, G. E., Hall, A., Hong, J., Glavin, G. B. (1986) Unpredictable cold-immobilization stress effects on voluntary ethanol consumption in rats
Life Sci. Vol. 40: pp. 1245-1251

Rodgers, D. A. (1972) Factors underlying differences in alcohol preference of inbred strains of mice.

The Biology of Alcoholism, Vol. 2; Physiol. and Behav.; ed. by B. Kissin u. H. Begleiter; pp. 107-130; Plenum Publishing N. Y.

Römpf, H. (1996) Römpf Lexikon Chemie

Hrsg. v. J. Falbe und M. Regitz, Thieme Stuttgart

Russell, K. E., Stern, M. H. (1973) Sex and strain as factors in voluntary alcohol intake
Physiol. and Behav., Vol. 10, pp. 641-642

Sala, M., Braida, D., Calcaterra, P., Leone, M. P., Gori, E. (1990) Lack of conditioned taste aversion in etonitazene and haloperidol treated rats,

In : New Leads in Opioid Research, Proceeding of Int. Narcotics Research Conf. eds J.M. Van Ree, A.H. Mulder; V.M. Wiegant and T.B. Van Wimersma Greidanus (Excepta medica, Amsterdam p. 133)

Sala, M., Braida, D., Calcaterra, P., Leone, M. P., Gori, E. (1992) Dose-dependant conditioned place preference produced by etonitazene and morphine
Eur. J. Pharmacol., 217 (1): 37-41

Samson, H. H., Pfeffer, A. O., Tolliver, G. A. (1988) Oral ethanol self-administration in rats: Models of alcohol-seeking behavior
Alcohol Clin. Exp. Res. 12: 591-598

Samson, H., Files, F., Brice, G. (1996) Patterns of ethanol consumption in a continuous access situation: the effect of adding a sweetener to ethanol solution
Alcohol: Clin. Exp. Res. Vol. 20, No. 1

Samson, H. H., Falk, J. L. (1974) Alteration of fluid preference in ethanol dependent animals

J. Pharmacol. Exp. Ther., Vol. 190, No.2: pp. 365-376

Samson, H.H., Roehrs, T. A., Tollover, G. A. (1982) Ethanol reinforced responding in the rat: a concurrent analysis using sucrose as alternate choice
Pharmacol. Biochemistry and Behavior, Vol. 17, pp.: 333-339

Schmidt, L. (1986) Alkoholkrankheit und Alkoholmissbrauch:
Definition - Ursachen- Folgen - Behandlung
W. Kohlhammer Druckerei GmbH u. Co.

Sclafani, A., Aravich, P. F., Schwartz, J. (1979) Hypothalamic hyperphagic rats overeat bitter sucrose octa acetate diets but not quinine diets
Physiol. Behav. Vol.: 22: pp. 759-766

Sinclair, J. D., Hyytiä, P., Nurmi, M. (1992) The limited access paradigm: Description of one method
Alcohol, Vol. 9: pp. 441-444

Sinclair, J. D., Lê, A. D., Kiianmaa, K. (1989) The AA and ANA rat lines, selected for differences in voluntary alcohol consumption
Experientia 45: pp. 798-805

Sinclair, J. D., Kampov-Polevoy, A. B., Steward, R., Li, T.-K. (1992) Taste preferences in rat lines selected for low and high alcohol consumption
Alcohol Vol. 9: pp.155-160

Slawecki, C. J., Samson, H. H. (1997) Changes in oral ethanol self-administration patterns resulting from ethanol concentration manipulation
Alcohol: Clin. Exp. Res. Vol. 21, No. 6: pp. 1144-1149

Slawecki, C. J., Samson, H. H. (1998) Exposure to sucrose-quinine solutions does not increase ethanol consumption
Alcohol. Vol.16, No.4: pp. 329-335

Spanagel, R., Hölder, S. M. (1996) Acamprosate and alcohol: Effects on alcohol intake following alcohol deprivation in the rat
Eur. J Pharmacol 305: pp. 39-44

Spanagel, R., Hölder, S. M. (1999) Long-term alcohol self-administration with repeated alcohol deprivation phases: An animal model of alcoholism?
Alcohol and Alcoholism 34: pp. 231-243

Spanagel, R. (2000) Recent animal models of alcoholism
Alcohol Research & Health 2000; 24(2): pp. 124-51

Spanagel, R., Hölder, S. M. (2000) Pharmacological validation of a new animal model of alcoholism
J Neural Transm 2000; 107 (6): pp. 669- 680

Sprague, J. E., Maickel, R. P. (1994) Effects of stress and ebiratide on free-choice ethanol consumption: comparison of Lewis and Sprague-Dawley-rats
Life Sci, Vol. 55, No. 11, pp 873-878

Stewart, R. B., Grupp, L. A. (1981) An investigation of the interaction between the reinforcing properties of food and ethanol using the place preference paradigm
Prog. Neuro-Psychopharmacol., Vol. 5, pp. 609-613

Stewart, R. B., Russel, R. N., Lumeng, L., Li, T.-K., Murphy, J. M. (1994) Consumption of sweet, salty, sour and bitter solutions by selectively bred alcohol preferring and alcohol-nonpreferring lines of rats.
Alcohol Clin. Exp. Res. Vol. 18 No. 2

Suzuki, T., George, F. R., Meisch, R.A. (1988) Differential establishment and maintenance of oral ethanol reinforced behavior in Lewis and Fischer 344 inbred rat strains
Journal of Pharmacol. and Experimant. Therapeutics, Vol. 245, No. 1

Tabakoff, B., Hoffmann, P. (2000) Animal models in alcohol research
Alcohol research & health 2000, 24 (2): pp. 77-84

Täschner, K. L., Wiesbeck, G. A. (1991) Heroinsucht I
DMW 116: 1603-1609

Thamm, B. G. (1994) Mehrzweckwaffe Rauschgift
1. Auflage Verl. Dt. Polizeiliteratur, Hilden/Rhld.

Thomson, R. C., Mansour, A., Akil, H., Watson, S., J. (1993) Cloning and pharmacological characterization of a rat μ -opioid receptor
Neuron 11: 903-913

Tretter, F., Bussello- Spieth, S., Bender, W. (1994) Therapie von Entzugssyndromen
Springer, Berlin Heidelberg New York

Veale, W. L., Myers, R. D. (1969) Increased alcohol preference in rats following repeated exposures to alcohol
Psychopharmacologia 15: pp. 361-372

Walker E. A., Young A. M., (2001) Differential tolerance to antinociceptive effects of mu opioids during repeated treatment with etonitazene, morphine, or buprenorphine in rats
Psychopharmacology (Berl) 2001 Mar 1; 154(2): pp. 131-42

Wayner, M. J., Fraley, S. (1972) Enhancement of the consumption of acclimated sapid solutions following periodic and prolonged withdrawal
Physiol. and Behav., Vol. 9, pp. 463-474

Wayner, M. J., Greenberg, I., Tartaglione, R., Nolley, D., Fraley, S., Cott, A. (1972) A new factor affecting the consumption of ethyl alcohol and other sapid fluids
Physiol. and Behav., Vol.8, pp. 345-362

WHO ICD 10 (2002)

<http://www.who.int/whosis/icd10/>

Wikler, A., Martin, W. R., Pescor, F. T., Eades, C. G. (1963) Factors regulating oral consumption of an opioid (etontazene) by morphine-addicted rats
Psychopharmacologia (Berl.): pp. 55-76

Wilson, A. W., Neill, J. C., Costail, B. (1996) Strain differences in ethanol preference and reinforced behaviour: a comparison of two-bottle choice and operant self-administration paradigm

Behavioural Pharmacology 7: pp. 37-46

Wirbser, D. (2000) Stichwort des Monats: Geschmacksrezeptoren
Laborjournal 05/00, S. 23, LJ-Verlag Herford und Sailer, Freiburg

Wise, R. A. (1972) Voluntary ethanol intake in rats following exposure to ethanol on various schedules

Psychopharmacologia 29: 203-210

Wolffgramm, J. (1990) Free choice ethanol intake of laboratory rats under different social conditions

Psychopharmacology 101: pp. 233-239

Wolffgramm, J. (1991) A rat model of stages of alcoholism

In: Elsner, N., Penzlin, H. (Herausgeber): Synapse-Transmission-Modulation. Thieme-Verlag Stuttgart

Wolffgramm, J., Heyne, A. (1995) From controlled drug intake to loss of control: the irreversible development of drug addiction in the rat.

Behav Brain Res 70: pp. 77-94

World Health Organisation (1965) WHO Expert Committee on Dependence producing Drugs

WHO techn. Rep. Ser. Nr 312, WHO Genf http://www.who.int/substance_abuse/More.html
[30.07.2002]

York, J. L. (1981) The ethanol stimulus in rats with differing ethanol preferences
Psychopharmacol., Vol. 74, pp. 339-343