

6 Literatur

1. International Comitee on Radiation Protection [ICRP]: Publication 60 - Recommendations of the International Comitee on Radiation Protection. Ann ICRP 1991, S. 86
2. Kramer R, Zankl M, Williams G, Drexler G: The calculation of dose from external photon exposures using reference human phantoms and Monte Carlo methods. Part I: The male [ADAM] and female [EVA] adult mathematical phantoms. GSF-Bericht S-885, GSF-Forschungszentrum, München, 1990
3. Hart D, Jones DG, Wall BF: Estimation of effective dose in diagnostic radiology from entrance surface dose and dose-area product measurements. NRPB-R262, HSMO, London, 1994
4. Le Heron JC: Estimation of effective dose to the patient during medical x-ray examinations from measurements of the dose-area product. Phys Med Biol 1992;37:2117-2126
5. Lloyd P, Lowe D, Harty DS, Eyes B: The secondary radiation grid; its effect on fluoroscopic dose-area product during barium enema examinations. Br J Radiol 1998;71:303-306
6. Rudin S, Bednarek DR, Miller JA: Dose reduction during fluoroscopic placement of feeding tubes. Radiology 1991;178:647-651
7. Broadhead DA, Chapple CL, Faulkner K: The impact of digital imaging on patient doses during barium studies. Br J Radiol 1995;68:992-996
8. Faulkner K, Broadhead DA, Harrison RM: Patient dosimetry measurement methods. Applied Radiation and Isotopes 1999;50:113-123
9. Kron T: Thermoluminescence dosimetry and its applications in medicine - Part 2: History and applications. Australas Phys Engin Sci Med 1995;18:1-25
10. Kron T: Thermoluminescence dosimetry and its applications in medicine - Part 1: Physics, Materials and equipment. Australas Phys Engin Sci Med 1994;17:175-199
11. Maglinte DD, Kelvin FM, O'Connor K, Lappas JC, Chernish SM: Current status of small bowel radiography. Abdom Imaging 1996;21:247-257
12. Schober E, Turetschek K, Mostbeck G: Die radiologische Abklärung des Morbus Crohn. Radiologe 1998;38:15-22
13. Maglinte DD, Chernish SM, Kelvin FM, O'Connor KW, Hage JP: Crohn disease of the small intestine: accuracy and relevance of enteroclysis. Radiology 1992;184:541-545

14. Maglinte DD, Balthazar EJ, Kelvin FM, Megibow AJ: The role of radiology in the diagnosis of small-bowel obstruction. *Am J Roentgenol* 1997;168:1171-1180
15. Antes G, Neher M, Hiemeyer V, Burger A: Gastrointestinal bleeding of obscure origin: role of enteroclysis. *Eur Radiol* 1996;6:851-854
16. Moch A, Herlinger H, Kochman ML, Levine MS, Rubesin SE, Laufer I: Enteroclysis in the evaluation of obscure gastrointestinal bleeding. *Am J Roentgenol* 1994;163:1381-1384
17. van den Bosch HC, Tjon A Tham RT, Gooszen AW, Fauquenot-Nollen JM, Lamers CB: Celiac disease: small-bowel enteroclysis findings in adult patients treated with a gluten-free diet. *Radiology* 1996;201:803-808
18. Herlinger H: Enteroclysis in malabsorption: can it influence diagnosis and management? *Radiologe* 1993;33:335-342
19. Maglinte DD, Lappas JC, Kelvin FM, Rex D, Chernish SM: Small bowel radiography: how, when, and why? *Radiology* 1987;163:297-305
20. Cole LG: Artificial dilatation of the duodenum for radiographic examination. *Am J Roentgenol* 1911;3:204, zitiert bei: Bautz W, Schindler G: Vergleichende Röntgenuntersuchung des Dünndarms mit Mono- und Doppelkontrast, *Radiologe* 1983;23:295-303
21. Pesquera GS: A method for the direct visualization of lesions in the small intestine. *Am J Roentgenol* 1929;22:254-257
22. Pansdorf H: Die fraktionierte Dünndarmfüllung und ihre klinische Bedeutung. *RöFo* 1931;56:627-635
23. Pribram BO, Kleiber N: Ein neuer Weg zur röntgenologischen Darstellung des Duodenums (Pneumo-Duodenum). *RöFo* 1927;36:739-744
24. Ghélew B und Mengis O: Mise en évidence de l'intestin grêle par une nouvelle technique radiologique. *Presse Med* 1938;46:444
25. Gershon-Cohen J, Shay H: Barium enteroclysis. A method for the direct immediate examination of the small intestine by single and double contrast techniques. *AJR* 1939;42:456
26. Schatzki R: Small intestine enema. *AJR* 1943;50:743
27. Greenspon EA und Lentino W: Retrograde enterography. A new method for the roentgenologic study of the small bowel. *AJR* 1960;83:909

-
28. Scott-Harden WG, Hamilton HAR, McCall-Smith S: Radiological investigation of the small intestine. *Gut* 1961;2:316
 29. Trickey SE, Halls J, Hodson CJ: A further development of the small bowel enema. *Proc R Soc Med* 1963;1070:38-41
 30. Miller RE: Complete reflux small bowel examination. *Radiology* 1965;84:457-463
 31. Bilbao MK, Frische LH, Dotter CT, Rösch J: Hypotonic Duodenography. *Radiology* 1967;89:438-443
 32. Sellink JL: Examination of the small intestine by means of duodenal intubation. Stenfert Kroese, Leiden 1971
 33. Herlinger H: A modified technique for the double-contrast small bowel enema. *Gastrointest Radiol* 1978;3:201
 34. Klöppel R, Thiele J, Bosse J: CT-Sellink. *RöFo* 1992;156:291-292
 35. Klein HM, Günther RW: Double contrast small bowel follow-through with an acid-resistant effervescent agent. *Invest Radiol* 1993;28:581-585
 36. Shoenut JP, Semelka RC, Silverman R, Yaffe CS, Micflikier AB: Magnetic resonance imaging in inflammatory bowel disease. *J Clin Gastroenterol* 1993;17:73-78
 37. Reiser M, Steudel A, Schüller H: Konventionelle Röntgendiagnostik des Dünndarms, in: Classen M, Siewert JR [Hrsg.]: *Gastroenterologische Diagnostik: Leitsymptome, Entscheidungsprozesse, Differentialdiagnostik*. Schattauer Stuttgart 1993, S. 227-234
 38. Rödl W, Possel HM, Prull A, Wunderlich L: Die Wertigkeit des Dünndarmdoppelkontrasteinlaufes im klinischen Einsatz. *Radiologe* 1986;26:55-65
 39. Davis M: Complications from enteroclysis tube insertion [letter]. *AJR* 1995;164:259-260
 40. Ginaldi S: Small bowel perforation during enteroclysis. *Gastrointest Radiol* 1991;16:29-31
 41. Diner WC: Duodenal perforation during intubation for small bowel enema study. *Radiology* 1988;168:39-41
 42. Maglinte DD, Kelvin FM, Rowe MG, Bender GN, Rouch DM: Small-bowel obstruction: optimizing radiologic investigation and nonsurgical management. *Radiology* 2001;218:39-46

-
43. Bender GN, Maglinte DD, Klöppel VR, Timmons JH: CT enteroclysis: a superfluous diagnostic procedure or valuable when investigating small-bowel disease? *AJR Am J Roentgenol* 1999;172:373-378
 44. Maglinte DD, Gage SN, Harmon BH, Kelvin FM, Hage JP, Chua GT, Ng AC, Graffis RF, Chernish SM: Obstruction of the small intestine: accuracy and role of CT in diagnosis. *Radiology* 1993;188:61-64
 45. Rollandi GA, Curone PF, Biscaldi E, Nardi E, Bonifacino E, Conzi R, Derchi LE: Spiral CT of the abdomen after distention of small bowel loops with transparent enema in patients with Crohn's disease. *Abdom Imaging* 1999;24:544-549
 46. Thiele J, Klöppel R, Schulz HG: CT-Sellink - eine neue Methode der Darmwandbeurteilung. *RöFo* 1993;159:213-217
 47. Umschaden HW, Szolar D, Gasser J, Umschaden M, Haselbach H: Small-bowel disease: comparison of MR enteroclysis images with conventional enteroclysis and surgical findings. *Radiology* 2000;215:717-725
 48. Holzknecht N, Helmberger T, von Ritter C, Gauger J, Faber S, Reiser M: Dünndarm-MRT mit schnellen MR-Sequenzen bei Morbus Crohn nach Enteroklysma mit oralen Eisenpartikeln. *Radiologe* 1998;38:29-36
 49. Regan F, Beall DP, Bohlman ME, Khazan R, Sufi A, Schaefer DC: Fast MR imaging and the detection of small bowel obstruction. *AJR* 1998;170:1465-1469
 50. Schmutz GR, Benko A, Fournier L, Peron JM, Morel E, Chiche L: Small bowel obstruction: role and contribution of sonography. *Eur Radiol* 1997;7:1054-1058
 51. Maglinte DD, Chernish SM, Kelvin FM, O'Connor KW, Hage JP: Crohn disease of the small intestine: accuracy and relevance of enteroclysis. *Radiology* 1992;184:541-545
 52. Maglinte DD, Siegelman ES, Kelvin FM: MR enteroclysis: The future of small bowel imaging? *Radiology* 2000;215:639-641
 53. Mako EK, Mester AR, Tarjan Z, Karlinger K, Toth G: Enteroclysis and spiral CT examination in diagnosis and evaluation of small bowel Crohn's disease. *Eur J Radiol* 2000;35:168-175
 54. Dixon PM, Roulston ME, Nolan DJ: The small bowel enema: a ten year review. *Clin Radiol* 1993;47:46-48
 55. Geiter B, Fuchs HF: Dünndarm-Kontrasteinlauf - Indikationen und Technik. *Deutsches Ärzteblatt* 1977;43:2575-2578

-
56. Trüber E, Fuchs HF: Optimierte Dünndarmdiagnostik als Enteroklysm. Diagnostik 1983;16:20-25
 57. Trüber E, Fuchs HF: Morphologische Dünndarmuntersuchung: exklusive Domäne der Röntgendiagnostik. Therapiewoche 1980;30:3490-3496
 58. Bernstein CN, Boult IF, Greenberg HM, van der Putten W, Duffy G, Grahame GR: A prospective randomized comparison between small bowel enteroclysis and small bowel follow-through in Crohn's disease. Gastroenterology 1997;113:390-398
 59. Warren-Forward HM, Haddaway MJ, Temperton DH, McCall IW: Dose-area product readings for fluoroscopic and plain film examinations, including an analysis of the source of variation for barium enema examinations. Br J Radiol 1998;71:961-967
 60. Ruiz-Cruces R, Ruiz F, Pérez-Martínez M, López J, Tort Ausina I, Díez de los Ríos A: Patient dose from barium procedures. Br J Radiol 2000;73:752-761
 61. Salomonowitz E, Czembirek H, Kletter K, Achter E: Die Strahlenbelastung bei der modifizierten Doppelkontrastuntersuchung des Dünndarms [Teil 2]. RöFo 1980;133:430-433
 62. Thoeni RF, Gould RG: Enteroclysis and small bowel series: Comparison of radiation dose and examination time. Radiology 1991;178:659-662
 63. Ott DJ, Chen YM, Gelfand DW, Van Swearingen F, Munitz HA: Detailed per-oral small bowel examination vs. Enteroclysis. Radiology 1985;155:29-34
 64. Keske U, Hierholzer J, Neumann K, Cordes M, Venz S, Amthauer H, Matschke S, Felix R: Zur Abschätzung der Patientendosis bei radiologischen Untersuchungen. Radiologie 1995;35:162-170
 65. Hart D, Haggett PJ, Boardman P, Nolan DJ, Wall BF: Patient radiation doses from enteroclysis examinations, Br J Radiol 1994;67:997-1000
 66. Alderson SW, Lanzl LH, Rollins M, Spira J: An instrumented phantom system for analog computation of treatment plans. Am J Roentg 1962;87:185-195
 67. Wegener OH: Ganzkörpercomputertomographie. Blackwell Wissenschaft, Berlin 1992, S. 432 f
 68. Kalender WA, Schmidt B, Zankl M, Schmidt M: A PC program for estimating organ dose and effective dose values in computed tomography. Eur Radiol 1999;9:555-562
 69. Panzer W, Zankl M: Die Strahlenexposition des Patienten bei computertomographischen Untersuchungen. Röntgenpraxis 1993;46:15-18

-
- 70. Langkowski JH, Pogoda P, Hess A: Untersuchungen zur Strahlenexposition der CT-Diagnostik mit der Standard- und Spiraltechnik. *RöFo* 1994;161:3-11
 - 71. International Comitee on Radiation Protection [ICRP]: Publication 80 - Radiation dose to patients from radiopharmaceuticals. *Ann ICRP* 28 [1998] 61
 - 72. Lavoie C, Don C: In vivo measurement method of ovarian dose during barium enema examinations. *Br J Radiol* 1997;70:291-295
 - 73. Osei EK, Faulkner K: Fetal doses from radiological examinations. *Br J Radiol* 1999;72:773-780
 - 74. Drexler G, Panzer W, Stieve FE, Widenmann L, Zankl M: Die Bestimmung von Organdosen in der Röntgendiagnostik. 2. Auflage, Hoffmann, Berlin 1993
 - 75. Salomonowitz E, Wittich G, Czembirek H: Ergebnisse der Doppelkontrast-Untersuchung des Dünndarms. *Radiologe* 1983;23:289-294
 - 76. Hippéli R, Grehn S: Untersuchungen zur Intensivdiagnostik des Dünndarms mit der Sondenmethode. *RöFo* 1978;129:713-723
 - 77. Rudin S, Bednarek DR: Minimizing radiation dose to patient and staff during fluoroscopic nasoenteral tube insertions. *Br J Radiol* 1992;65:162-166
 - 78. Marshall NW, Faulkner K, Busch HP, Marsh DM, Pfenning H: A comparison of radiation dose in examination of the abdomen using different radiological imaging techniques. *Br J Radiol* 1994;67:478-484
 - 79. Becker C, Schätzl M, Feist H, Bäuml A, Schöpf UJ, Michalski G, Lechel U, Hengge M, Brüning R, Reiser M: Abschätzung der effektiven Dosis für Routineprotokolle beim konventionellen CT, Elektronenstrahl-CT und bei der Koronarangiographie. *RöFo* 1999;170:99-104
 - 80. Ware DE, Huda W, Mergo PJ, Litwiller AL: Radiation Effective Doses to Patients Undergoing Abdominal CT Examinations. *Radiology* 1999;210:645-650