

## 7. Referenzen

1. Murali-Krishna, K., J.D. Altman, M. Suresh, D.J. Sourdive, A.J. Zajac, J.D. Miller, J. Slansky, and R. Ahmed. 1998. Counting antigen-specific CD8 T cells: a reevaluation of bystander activation during viral infection. *Immunity* 8:177-187.
2. Busch, D.H., I.M. Pilip, S. Vijh, and E.G. Pamer. 1998. Coordinate regulation of complex T cell populations responding to bacterial infection. *Immunity* 8:353-362.
3. Hou, S., L. Hyland, K.W. Ryan, A. Portner, and P.C. Doherty. 1994. Virus-specific CD8<sup>+</sup> T-cell memory determined by clonal burst size. *Nature* 369:652-654.
4. Bousso, P., J.P. Levraud, P. Kourilsky, and J.P. Abastado. 1999. The composition of a primary T cell response is largely determined by the timing of recruitment of individual T cell clones. *J Exp Med* 189:1591-1600.
5. Kaech, S.M., E.J. Wherry, and R. Ahmed. 2002. Effector and memory T-cell differentiation: implications for vaccine development. *Nature Rev Immunol* 2:251-262.
6. Homann, D., L. Teyton, and M.B. Oldstone. 2001. Differential regulation of antiviral T-cell immunity results in stable CD8<sup>+</sup> but declining CD4<sup>+</sup> T-cell memory. *Nat Med* 7:913-919.
7. O'Garra, A. 1998. Cytokines induce the development of functionally heterogeneous T helper cell subsets. *Immunity* 8:275-283.
8. Mosmann, T.R., H. Cherwinski, M.W. Bond, M.A. Giedlin, and R.L. Coffman. 1986. Two types of murine helper T cell clone. I. Definition according to profiles of lymphokine activities and secreted proteins. *J Immunol* 136:2348-2357.
9. Chen, Y., V.K. Kuchroo, J. Inobe, D.A. Hafler, and H.L. Weiner. 1994. Regulatory T cell clones induced by oral tolerance: suppression of autoimmune encephalomyelitis. *Science* 265:1237-1240.
10. Groux, H., A. O'Garra, M. Bigler, M. Rouleau, S. Antonenko, J.E. de Vries, and M.G. Roncarolo. 1997. A CD4<sup>+</sup> T-cell subset inhibits antigen-specific T-cell responses and prevents colitis. *Nature* 389:737-742.
11. Janeway, C.A., P. Travers, M. Walport, and C. D. 1999. Immunobiology. The immune system in health and disease. Elsevier Science Ltd, Garland Publishing.

12. Vella, A.T., S. Dow, T.A. Potter, J. Kappler, and P. Marrack. 1998. Cytokine-induced survival of activated T cells in vitro and in vivo. *Proc Natl Acad Sci U S A* 95:3810-3815.
13. Moore, K.W., R. de Waal Malefyt, R.L. Coffman, and A. O'Garra. 2001. Interleukin-10 and the interleukin-10 receptor. *Annu Rev Immunol* 19:683-765.
14. Gowans, J.L., and E.J. Knight. 1964. The route of recirculation of lymphocytes in the rat. *Proc R Soc Lond Ser B Biol* 159:257-282.
15. Johnston, B., and E.C. Butcher. 2002. Chemokines in rapid leukocyte adhesion triggering and migration. *Semin Immunol* 14:83-92.
16. Butcher, E.C. 1991. Leukocyte-endothelial cell recognition: three (or more) steps to specificity and diversity. *Cell* 67:1033-1036.
17. Granger, D.N., and P. Kubes. 1994. The microcirculation and inflammation: modulation of leukocyte- endothelial cell adhesion. *J Leukoc Biol* 55:662-675.
18. Springer, T.A. 1994. Traffic signals for lymphocyte recirculation and leukocyte emigration: the multistep paradigm. *Cell* 76:301-314.
19. Foxman, E.F., J.J. Campbell, and E.C. Butcher. 1997. Multistep navigation and the combinatorial control of leukocyte chemotaxis. *J Cell Biol* 139:1349-1360.
20. Lawrence, M.B. 1999. Selectin-carbohydrate interactions in shear flow. *Curr Opin Chem Biol* 3:659-664.
21. Vestweber, D., and J.E. Blanks. 1999. Mechanisms that regulate the function of the selectins and their ligands. *Physiol Rev* 79:181-213.
22. Patel, K.D., S.L. Cuvelier, and S. Wiehler. 2002. Selectins: critical mediators of leukocyte recruitment. *Semin Immunol* 14:73-81.
23. Gallatin, W.M., I.L. Weissman, and E.C. Butcher. 1983. A cell-surface molecule involved in organ-specific homing of lymphocytes. *Nature* 304:30-34.
24. Zhao, L., M. Shey, M. Farnsworth, and M.O. Dailey. 2001. Regulation of membrane metalloproteolytic cleavage of L-selectin (CD62L) by the epidermal growth factor domain. *J Biol Chem* 276:30631-30640.
25. Jung, T.M., W.M. Gallatin, I.L. Weissman, and M.O. Dailey. 1988. Down-regulation of homing receptors after T cell activation. *J Immunol* 141:4110-4117.
26. Asa, D., L. Raycroft, L. Ma, P.A. Aeed, P.S. Kaytes, A.P. Elhammer, and J.G. Geng. 1995. The P-selectin glycoprotein ligand functions as a common human leukocyte ligand for P- and E-selectins. *J Biol Chem* 270:11662-11670.

27. Zollner, O., M.C. Lenter, J.E. Blanks, E. Borges, M. Steegmaier, H.G. Zerwes, and D. Vestweber. 1997. L-selectin from human, but not from mouse neutrophils binds directly to E-selectin. *J Cell Biol* 136:707-716.
28. Picker, L.J., T.K. Kishimoto, C.W. Smith, R.A. Warnock, and E.C. Butcher. 1991. ELAM-1 is an adhesion molecule for skin-homing T cells. *Nature* 349:796-799.
29. Berg, E.L., T. Yoshino, L.S. Rott, M.K. Robinson, R.A. Warnock, T.K. Kishimoto, L.J. Picker, and E.C. Butcher. 1991. The cutaneous lymphocyte antigen is a skin lymphocyte homing receptor for the vascular lectin endothelial cell-leukocyte adhesion molecule 1. *J Exp Med* 174:1461-1466.
30. van der Flier, A., and A. Sonnenberg. 2001. Function and interactions of integrins. *Cell Tissue Res* 305:285-298.
31. Chensue, S.W. 2001. Molecular machinations: chemokine signals in host-pathogen interactions. *Clin Microbiol Rev* 14:821-835, table of contents.
32. Keane, M.P., D.A. Arenberg, B.B. Moore, C.L. Addison, and R.M. Strieter. 1998. CXC chemokines and angiogenesis/angiostasis. *Proc Assoc Am Physicians* 110:288-296.
33. Campbell, J.J., and E.C. Butcher. 2000. Chemokines in tissue-specific and microenvironment-specific lymphocyte homing. *Curr Opin Immunol* 12:336-341.
34. Kunkel, E.J., J.J. Campbell, G. Haraldsen, J. Pan, J. Boisvert, A.I. Roberts, E.C. Ebert, M.A. Vierra, S.B. Goodman, M.C. Genovese, A.J. Wardlaw, H.B. Greenberg, C.M. Parker, E.C. Butcher, D.P. Andrew, and W.W. Agace. 2000. Lymphocyte CC chemokine receptor 9 and epithelial thymus-expressed chemokine (TECK) expression distinguish the small intestinal immune compartment: Epithelial expression of tissue-specific chemokines as an organizing principle in regional immunity. *J Exp Med* 192:761-768.
35. Papadakis, K.A., J. Prehn, V. Nelson, L. Cheng, S.W. Binder, P.D. Ponath, D.P. Andrew, and S.R. Targan. 2000. The role of thymus-expressed chemokine and its receptor CCR9 on lymphocytes in the regional specialization of the mucosal immune system. *J Immunol* 165:5069-5076.
36. Zabel, B.A., W.W. Agace, J.J. Campbell, H.M. Heath, D. Parent, A.I. Roberts, E.C. Ebert, N. Kassam, S. Qin, M. Zovko, G.J. LaRosa, L.L. Yang, D. Soler, E.C. Butcher, P.D. Ponath, C.M. Parker, and D.P. Andrew. 1999. Human G protein-coupled receptor GPR-9-6/CC chemokine receptor 9 is selectively expressed on intestinal homing T

- lymphocytes, mucosal lymphocytes, and thymocytes and is required for thymus-expressed chemokine-mediated chemotaxis. *J Exp Med* 190:1241-1256.
37. Zlotnik, A., and O. Yoshie. 2000. Chemokines: a new classification system and their role in immunity. *Immunity* 12:121-127.
  38. Maghazachi, A.A. 1999. Intracellular signalling pathways induced by chemokines in natural killer cells. *Cell Signal* 11:385-390.
  39. Wu, D., G.J. LaRosa, and M.I. Simon. 1993. G protein-coupled signal transduction pathways for interleukin-8. *Science* 261:101-103.
  40. Starke, K. 1992. Grundlagen der Pharmakologie des Nervensystems: Prinzipien der chemischen synaptischen Übertragung. In Allgemeine und spezielle Pharmakologie und Toxikologie. W. Forth, D. Henschler, W. Rummel, and K. Starke, editors. BI Wissenschaftsverlag, Mannheim/Leipzig/Wien/Zürich. 96-104.
  41. Bunemann, M., and M.M. Hosey. 1999. G-protein coupled receptor kinases as modulators of G-protein signalling. *J Physiol* 517:5-23.
  42. Ferguson, S.S., J. Zhang, L.S. Barak, and M.G. Caron. 1998. Molecular mechanisms of G protein-coupled receptor desensitization and resensitization. *Life Sci* 62:1561-1565.
  43. De Vries, L., B. Zheng, T. Fischer, E. Elenko, and M.G. Farquhar. 2000. The regulator of G protein signaling family. *Annu Rev Pharmacol Toxicol* 40:235-271.
  44. New, D.C., and J.T. Wong. 1998. The evidence for G-protein-coupled receptors and heterotrimeric G proteins in protozoa and ancestral metazoa. *Biol Signals Recept* 7:98-108.
  45. Hughes, A.L., and M. Yeager. 1999. Coevolution of the mammalian chemokines and their receptors. *Immunogenetics* 49:115-124.
  46. Najakshin, A.M., L.V. Mechetina, B.Y. Alabyev, and A.V. Taranin. 1999. Identification of an IL-8 homolog in lamprey (*Lampetra fluviatilis*): early evolutionary divergence of chemokines. *Eur J Immunol* 29:375-382.
  47. Murphy, P.M., M. Baggiolini, I.F. Charo, C.A. Hebert, R. Horuk, K. Matsushima, L.H. Miller, J.J. Oppenheim, and C.A. Power. 2000. International union of pharmacology. XXII. Nomenclature for chemokine receptors. *Pharmacol Rev* 52:145-176.
  48. Matloubian, M., A. David, S. Engel, J.E. Ryan, and J.G. Cyster. 2000. A transmembrane CXC chemokine is a ligand for HIV-coreceptor Bonzo. *Nat Immunol* 1:298-304.

49. Wang, W., H. Soto, E.R. Oldham, M.E. Buchanan, B. Homey, D. Catron, N. Jenkins, N.G. Copeland, D.J. Gilbert, N. Nguyen, J. Abrams, D. Kershenovich, K. Smith, T. McClanahan, A.P. Vicari, and A. Zlotnik. 2000. Identification of a novel chemokine (CCL28), which binds CCR10 (GPR2). *J Biol Chem* 275:22313-22323.
50. Sprent, J. 1993. T lymphocytes and the thymus. Raven Press, New York. 75-109 pp.
51. Campbell, J.J., J. Pan, and E.C. Butcher. 1999. Cutting edge: developmental switches in chemokine responses during T cell maturation. *J Immunol* 163:2353-2357.
52. Kim, C.H., L.M. Pelus, J.R. White, and H.E. Broxmeyer. 1998. Differential chemotactic behavior of developing T cells in response to thymic chemokines. *Blood* 91:4434-4443.
53. Nagasawa, T., S. Hirota, K. Tachibana, N. Takakura, S. Nishikawa, Y. Kitamura, N. Yoshida, H. Kikutani, and T. Kishimoto. 1996. Defects of B-cell lymphopoiesis and bone-marrow myelopoiesis in mice lacking the CXC chemokine PBSF/SDF-1. *Nature* 382:635-638.
54. Ma, Q., D. Jones, P.R. Borghesani, R.A. Segal, T. Nagasawa, T. Kishimoto, R.T. Bronson, and T.A. Springer. 1998. Impaired B-lymphopoiesis, myelopoiesis, and derailed cerebellar neuron migration in CXCR4- and SDF-1-deficient mice. *Proc Natl Acad Sci U S A* 95:9448-9453.
55. Tachibana, K., S. Hirota, H. Iizasa, H. Yoshida, K. Kawabata, Y. Kataoka, Y. Kitamura, K. Matsushima, N. Yoshida, S. Nishikawa, T. Kishimoto, and T. Nagasawa. 1998. The chemokine receptor CXCR4 is essential for vascularization of the gastrointestinal tract. *Nature* 393:591-594.
56. Zou, Y.R., A.H. Kottmann, M. Kuroda, I. Taniuchi, and D.R. Littman. 1998. Function of the chemokine receptor CXCR4 in haematopoiesis and in cerebellar development. *Nature* 393:595-599.
57. Cyster, J.G. 2000. Leukocyte migration: scent of the T zone. *Curr Biol* 10:R30-33.
58. Warnock, R.A., J.J. Campbell, M.E. Dorf, A. Matsuzawa, L.M. McEvoy, and E.C. Butcher. 2000. The role of chemokines in the microenvironmental control of T versus B cell arrest in Peyer's patch high endothelial venules. *J Exp Med* 191:77-88.
59. Stein, J.V., A. Rot, Y. Luo, M. Narasimhaswamy, H. Nakano, M.D. Gunn, A. Matsuzawa, E.J. Quackenbush, M.E. Dorf, and U.H. von Andrian. 2000. The CC chemokine thymus-derived chemotactic agent 4 (TCA-4, secondary lymphoid tissue chemokine, 6Ckine, exodus-2) triggers lymphocyte function-associated antigen 1-

- mediated arrest of rolling T lymphocytes in peripheral lymph node high endothelial venules. *J Exp Med* 191:61-76.
60. Campbell, J.J., K.E. Murphy, E.J. Kunkel, C.E. Brightling, D. Soler, Z. Shen, J. Boisvert, H.B. Greenberg, M.A. Vierra, S.B. Goodman, M.C. Genovese, A.J. Wardlaw, E.C. Butcher, and L. Wu. 2001. CCR7 expression and memory T cell diversity in humans. *J Immunol* 166:877-884.
  61. Sallusto, F., D. Lenig, R. Forster, M. Lipp, and A. Lanzavecchia. 1999. Two subsets of memory T lymphocytes with distinct homing potentials and effector functions. *Nature* 401:708-712.
  62. Gunn, M.D., K. Tangemann, C. Tam, J.G. Cyster, S.D. Rosen, and L.T. Williams. 1998. A chemokine expressed in lymphoid high endothelial venules promotes the adhesion and chemotaxis of naive T lymphocytes. *Proc Natl Acad Sci U S A* 95:258-263.
  63. Baekkevold, E.S., T. Yamanaka, R.T. Palframan, H.S. Carlsen, F.P. Reinholt, U.H. von Andrian, P. Brandtzaeg, and G. Haraldsen. 2001. The CCR7 ligand *elc* (CCL19) is transcytosed in high endothelial venules and mediates T cell recruitment. *J Exp Med* 193:1105-1112.
  64. Vassileva, G., H. Soto, A. Zlotnik, H. Nakano, T. Kakiuchi, J.A. Hedrick, and S.A. Lira. 1999. The reduced expression of 6Ckine in the *plt* mouse results from the deletion of one of two 6Ckine genes. *J Exp Med* 190:1183-1188.
  65. Nakano, H., and M.D. Gunn. 2001. Gene duplications at the chemokine locus on mouse chromosome 4: multiple strain-specific haplotypes and the deletion of secondary lymphoid-organ chemokine and EBI-1 ligand chemokine genes in the *plt* mutation. *J Immunol* 166:361-369.
  66. Cyster, J.G. 1999. Chemokines and the homing of dendritic cells to the T cell areas of lymphoid organs. *J Exp Med* 189:447-450.
  67. Saeki, H., A.M. Moore, M.J. Brown, and S.T. Hwang. 1999. Cutting edge: secondary lymphoid-tissue chemokine (SLC) and CC chemokine receptor 7 (CCR7) participate in the emigration pathway of mature dendritic cells from the skin to regional lymph nodes. *J Immunol* 162:2472-2475.
  68. Forster, R., A. Schubel, D. Breitfeld, E. Kremmer, I. Renner-Muller, E. Wolf, and M. Lipp. 1999. CCR7 coordinates the primary immune response by establishing functional microenvironments in secondary lymphoid organs. *Cell* 99:23-33.

69. Gunn, M.D., S. Kyuwa, C. Tam, T. Kakiuchi, A. Matsuzawa, L.T. Williams, and H. Nakano. 1999. Mice lacking expression of secondary lymphoid organ chemokine have defects in lymphocyte homing and dendritic cell localization. *J Exp Med* 189:451-460.
70. Berlin, C., E.L. Berg, M.J. Briskin, D.P. Andrew, P.J. Kilshaw, B. Holzmann, I.L. Weissman, A. Hamann, and E.C. Butcher. 1993. Alpha 4 beta 7 integrin mediates lymphocyte binding to the mucosal vascular addressin MAdCAM-1. *Cell* 74:185-185.
71. Luther, S.A., H.L. Tang, P.L. Hyman, A.G. Farr, and J.G. Cyster. 2000. Coexpression of the chemokines ELC and SLC by T zone stromal cells and deletion of the ELC gene in the *plt/plt* mouse. *Proc Natl Acad Sci U S A* 97:12694-12699.
72. Ngo, V.N., H.L. Tang, and J.G. Cyster. 1998. Epstein-Barr virus-induced molecule 1 ligand chemokine is expressed by dendritic cells in lymphoid tissues and strongly attracts naive T cells and activated B cells. *J Exp Med* 188:181-191.
73. Cyster, J.G. 1999. Chemokines and cell migration in secondary lymphoid organs. *Science* 286:2098-2102.
74. Okada, T., V.N. Ngo, E.H. Ekland, R. Forster, M. Lipp, D.R. Littman, and J.G. Cyster. 2002. Chemokine Requirements for B Cell Entry to Lymph Nodes and Peyer's Patches. *J Exp Med* 196:65-75.
75. Kim, C.H., L. Rott, E.J. Kunkel, M.C. Genovese, D.P. Andrew, L. Wu, and E.C. Butcher. 2001. Rules of chemokine receptor association with T cell polarization in vivo. *J Clin Invest* 108:1331-1339.
76. Randolph, D.A., G. Huang, C.J. Carruthers, L.E. Bromley, and D.D. Chaplin. 1999. The role of CCR7 in TH1 and TH2 cell localization and delivery of B cell help in vivo. *Science* 286:2159-2162.
77. Campbell, D.J., C.H. Kim, and E.C. Butcher. 2001. Separable effector T cell populations specialized for B cell help or tissue inflammation. *Nat Immunol* 2:876-881.
78. Ansel, K.M., V.N. Ngo, P.L. Hyman, S.A. Luther, R. Forster, J.D. Sedgwick, J.L. Browning, M. Lipp, and J.G. Cyster. 2000. A chemokine-driven positive feedback loop organizes lymphoid follicles. *Nature* 406:309-314.
79. Breitfeld, D., L. Ohl, E. Kremmer, J. Ellwart, F. Sallusto, M. Lipp, and R. Forster. 2000. Follicular B helper T cells express CXC chemokine receptor 5, localize to B cell follicles, and support immunoglobulin production. *J Exp Med* 192:1545-1552.

80. Schaerli, P., K. Willimann, A.B. Lang, M. Lipp, P. Loetscher, and B. Moser. 2000. CXC chemokine receptor 5 expression defines follicular homing T cells with B cell helper function. *J Exp Med* 192:1553-1562.
81. Forster, R., T. Emrich, E. Kremmer, and M. Lipp. 1994. Expression of the G-protein-coupled receptor BLR1 defines mature, recirculating B cells and a subset of T-helper memory cells. *Blood* 84:830-840.
82. Kim, C.H., L.S. Rott, I. Clark-Lewis, D.J. Campbell, L. Wu, and E.C. Butcher. 2001. Subspecialization of CXCR5+ T cells: B helper activity is focused in a germinal center-localized subset of CXCR5+ T cells. *J Exp Med* 193:1373-1381.
83. Ansel, K.M., L.J. McHeyzer-Williams, V.N. Ngo, M.G. McHeyzer-Williams, and J.G. Cyster. 1999. In vivo-activated CD4 T cells upregulate CXC chemokine receptor 5 and reprogram their response to lymphoid chemokines. *J Exp Med* 190:1123-1134.
84. Forster, R., A.E. Mattis, E. Kremmer, E. Wolf, G. Brem, and M. Lipp. 1996. A putative chemokine receptor, BLR1, directs B cell migration to defined lymphoid organs and specific anatomic compartments of the spleen. *Cell* 87:1037-1047.
85. Schaerli, P., P. Loetscher, and B. Moser. 2001. Cutting edge: induction of follicular homing precedes effector Th cell development. *J Immunol* 167:6082-6086.
86. Yoshinaga, S.K., J.S. Whoriskey, S.D. Khare, U. Sarmiento, J. Guo, T. Horan, G. Shih, M. Zhang, M.A. Coccia, T. Kohno, A. Tafuri-Bladt, D. Brankow, P. Campbell, D. Chang, L. Chiu, T. Dai, G. Duncan, G.S. Elliott, A. Hui, S.M. McCabe, S. Scully, A. Shahinian, C.L. Shaklee, G. Van, T.W. Mak, and et al. 1999. T-cell co-stimulation through B7RP-1 and ICOS. *Nature* 402:827-832.
87. Coyle, A.J., S. Lehar, C. Lloyd, J. Tian, T. Delaney, S. Manning, T. Nguyen, T. Burwell, H. Schneider, J.A. Gonzalo, M. Gosselin, L.R. Owen, C.E. Rudd, and J.C. Gutierrez-Ramos. 2000. The CD28-related molecule ICOS is required for effective T cell- dependent immune responses. *Immunity* 13:95-105.
88. Kopf, M., A.J. Coyle, N. Schmitz, M. Barner, A. Oxenius, A. Gallimore, J.C. Gutierrez-Ramos, and M.F. Bachmann. 2000. Inducible costimulator protein (ICOS) controls T helper cell subset polarization after virus and parasite infection. *J Exp Med* 192:53-61.
89. Reif, K., E.H. Ekland, L. Ohl, H. Nakano, M. Lipp, R. Forster, and J.G. Cyster. 2002. Balanced responsiveness to chemoattractants from adjacent zones determines B-cell position. *Nature* 416:94-99.



90. Tarlinton, D. 1998. Germinal centers: form and function. *Curr Opin Immunol* 10:245-251.
91. Luster, A.D. 2002. The role of chemokines in linking innate and adaptive immunity. *Curr Opin Immunol* 14:129-135.
92. Cahill, R.N., D.C. Poskitt, D.C. Frost, and Z. Trnka. 1977. Two distinct pools of recirculating T lymphocytes: migratory characteristics of nodal and intestinal T lymphocytes. *J Exp Med* 145:420-428.
93. McDermott, M.R., and J. Bienenstock. 1979. Evidence for a common mucosal immunologic system. I. Migration of B immunoblasts into intestinal, respiratory, and genital tissues. *J Immunol* 122:1892-1898.
94. Picker, L.J., S.A. Michie, L.S. Rott, and E.C. Butcher. 1990. A unique phenotype of skin-associated lymphocytes in humans. Preferential expression of the HECA-452 epitope by benign and malignant T cells at cutaneous sites. *Am J Pathol* 136:1053-1068.
95. Campbell, J.J., G. Haraldsen, J. Pan, J. Rottman, S. Qin, P. Ponath, D.P. Andrew, R. Warnke, N. Ruffing, N. Kassam, L. Wu, and E.C. Butcher. 1999. The chemokine receptor CCR4 in vascular recognition by cutaneous but not intestinal memory T cells. *Nature* 400:776-780.
96. Reiss, Y., A.E. Proudfoot, C.A. Power, J.J. Campbell, and E.C. Butcher. 2001. CC chemokine receptor (CCR)4 and the CCR10 ligand cutaneous T cell-attracting chemokine (CTACK) in lymphocyte trafficking to inflamed skin. *J Exp Med* 194:1541-1547.
97. Morales, J., B. Homey, A.P. Vicari, S. Hudak, E. Oldham, J. Hedrick, R. Orozco, N.G. Copeland, N.A. Jenkins, L.M. McEvoy, and A. Zlotnik. 1999. CTACK, a skin-associated chemokine that preferentially attracts skin-homing memory T cells. *Proc Natl Acad Sci U S A* 96:14470-14475.
98. Butcher, E.C., M. Williams, K. Youngman, L. Rott, and M. Briskin. 1999. Lymphocyte trafficking and regional immunity. *Adv Immunol* 72:209-253.
99. Austrup, F., D. Vestweber, E. Borges, M. Lohning, R. Brauer, U. Herz, H. Renz, R. Hallmann, A. Scheffold, A. Radbruch, and A. Hamann. 1997. P- and E-selectin mediate recruitment of T-helper-1 but not T-helper-2 cells into inflamed tissues. *Nature* 385:81-83.
100. Bonecchi, R., G. Bianchi, P.P. Bordignon, D. D'Ambrosio, R. Lang, A. Borsatti, S. Sozzani, P. Allavena, P.A. Gray, A. Mantovani, and F. Sinigaglia. 1998. Differential

- expression of chemokine receptors and chemotactic responsiveness of type 1 T helper cells (Th1s) and Th2s. *J Exp Med* 187:129-134.
101. Siveke, J.T., and A. Hamann. 1998. T helper 1 and T helper 2 cells respond differentially to chemokines. *J Immunol* 160:550-554.
  102. Loetscher, P., M. Uguccioni, L. Bordoli, M. Baggiolini, B. Moser, C. Chizzolini, and J.M. Dayer. 1998. CCR5 is characteristic of Th1 lymphocytes. *Nature* 391:344-345.
  103. Sallusto, F., D. Lenig, C.R. Mackay, and A. Lanzavecchia. 1998. Flexible programs of chemokine receptor expression on human polarized T helper 1 and 2 lymphocytes. *J Exp Med* 187:875-883.
  104. Uguccioni, M., C.R. Mackay, B. Ochensberger, P. Loetscher, S. Rhis, G.J. LaRosa, P. Rao, P.D. Ponath, M. Baggiolini, and C.A. Dahinden. 1997. High expression of the chemokine receptor CCR3 in human blood basophils. Role in activation by eotaxin, MCP-4, and other chemokines. *J Clin Invest* 100:1137-1143.
  105. Sallusto, F., C.R. Mackay, and A. Lanzavecchia. 1997. Selective expression of the eotaxin receptor CCR3 by human T helper 2 cells. *Science* 277:2005-2007.
  106. Zingoni, A., H. Soto, J.A. Hedrick, A. Stoppacciaro, C.T. Storlazzi, F. Sinigaglia, D. D'Ambrosio, A. O'Garra, D. Robinson, M. Rocchi, A. Santoni, A. Zlotnik, and M. Napolitano. 1998. The chemokine receptor CCR8 is preferentially expressed in Th2 but not Th1 cells. *J Immunol* 161:547-551.
  107. D'Ambrosio, D., A. Iellem, R. Bonecchi, D. Mazzeo, S. Sozzani, A. Mantovani, and F. Sinigaglia. 1998. Selective up-regulation of chemokine receptors CCR4 and CCR8 upon activation of polarized human type 2 Th cells. *J Immunol* 161:5111-5115.
  108. Jourdan, P., C. Abbal, N. Noraz, T. Hori, T. Uchiyama, J.P. Vendrell, J. Bousquet, N. Taylor, J. Pene, H. Yssel, and N. Nora. 1998. IL-4 induces functional cell-surface expression of CXCR4 on human T cells. *J Immunol* 160:4153-4157.
  109. Sebastiani, S., P. Allavena, C. Albanesi, F. Nasorri, G. Bianchi, C. Traidl, S. Sozzani, G. Girolomoni, and A. Cavani. 2001. Chemokine receptor expression and function in CD4<sup>+</sup> T lymphocytes with regulatory activity. *J Immunol* 166:996-1002.
  110. Luster, A.D., and J.V. Ravetch. 1987. Biochemical characterization of a gamma interferon-inducible cytokine (IP-10). *J Exp Med* 166:1084-1097.
  111. Farber, J.M. 1997. Mig and IP-10: CXC chemokines that target lymphocytes. *J Leukoc Biol* 61:246-257.
  112. Cole, K.E., C.A. Strick, T.J. Paradis, K.T. Ogborne, M. Loetscher, R.P. Gladue, W. Lin, J.G. Boyd, B. Moser, D.E. Wood, B.G. Sahagan, and K. Neote. 1998. Interferon-

- inducible T cell alpha chemoattractant (I-TAC): a novel non- ELR CXC chemokine with potent activity on activated T cells through selective high affinity binding to CXCR3. *J Exp Med* 187:2009-2021.
113. Mathew, A., J.A. MacLean, E. DeHaan, A.M. Tager, F.H. Green, and A.D. Luster. 2001. Signal transducer and activator of transcription 6 controls chemokine production and T helper cell type 2 cell trafficking in allergic pulmonary inflammation. *J Exp Med* 193:1087-1096.
  114. Wilson, S.D., P.R. Burd, P.R. Billings, C.A. Martin, and M.E. Dorf. 1988. The expression and regulation of a potential lymphokine gene (TCA3) in CD4 and CD8 T cell clones. *J Immunol* 141:1563-1570.
  115. Dorner, B.G., A. Scheffold, M.S. Rolph, M.B. Huser, S.H. Kaufmann, A. Radbruch, I.E. Flesch, and R.A. Kroccek. 2002. MIP-1alpha, MIP-1beta, RANTES, and ATAC/lymphotactin function together with IFN-gamma as type 1 cytokines. *Proc Natl Acad Sci U S A* 99:6181-6186.
  116. Zhang, S., N.W. Lukacs, V.A. Lawless, S.L. Kunkel, and M.H. Kaplan. 2000. Cutting edge: differential expression of chemokines in Th1 and Th2 cells is dependent on Stat6 but not Stat4. *J Immunol* 165:10-14.
  117. Luther, S.A., and J.G. Cyster. 2001. Chemokines as regulators of T cell differentiation. *Nat Immunol* 2:102-107.
  118. Sallusto, F., E. Kremmer, B. Palermo, A. Hoy, P. Ponath, S. Qin, R. Forster, M. Lipp, and A. Lanzavecchia. 1999. Switch in chemokine receptor expression upon TCR stimulation reveals novel homing potential for recently activated T cells. *Eur J Immunol* 29:2037-2045.
  119. Campbell, J.J., C.E. Brightling, F.A. Symon, S. Qin, K.E. Murphy, M. Hodge, D.P. Andrew, L. Wu, E.C. Butcher, and A.J. Wardlaw. 2001. Expression of chemokine receptors by lung T cells from normal and asthmatic subjects. *J Immunol* 166:2842-2848.
  120. Kim, C.H., E.J. Kunkel, J. Boisvert, B. Johnston, J.J. Campbell, M.C. Genovese, H.B. Greenberg, and E.C. Butcher. 2001. Bonzo/CXCR6 expression defines type 1-polarized T-cell subsets with extralymphoid tissue homing potential. *J Clin Invest* 107:595-601.
  121. Andrew, D.P., M.S. Chang, J. McNinch, S.T. Wathen, M. Rihaneck, J. Tseng, J.P. Spellberg, and C.G. Elias, 3rd. 1998. STCP-1 (MDC) CC chemokine acts specifically

- on chronically activated Th2 lymphocytes and is produced by monocytes on stimulation with Th2 cytokines IL-4 and IL-13. *J Immunol* 161:5027-5038.
122. Nanki, T., and P.E. Lipsky. 2000. Lack of correlation between chemokine receptor and T(h)1/T(h)2 cytokine expression by individual memory T cells. *Int Immunol* 12:1659-1667.
  123. Yamamoto, J., Y. Adachi, Y. Onoue, Y.S. Adachi, Y. Okabe, T. Itazawa, M. Toyoda, T. Seki, M. Morohashi, K. Matsushima, and T. Miyawaki. 2000. Differential expression of the chemokine receptors by the Th1- and Th2- type effector populations within circulating CD4+ T cells. *J Leukoc Biol* 68:568-574.
  124. Annunziato, F., L. Cosmi, G. Galli, C. Beltrame, P. Romagnani, R. Manetti, S. Romagnani, and E. Maggi. 1999. Assessment of chemokine receptor expression by human Th1 and Th2 cells in vitro and in vivo. *J Leukoc Biol* 65:691-699.
  125. Godessart, N., and S.L. Kunkel. 2001. Chemokines in autoimmune disease. *Curr Opin Immunol* 13:670-675.
  126. Nanki, T., K. Hayashida, H.S. El-Gabalawy, S. Suson, K. Shi, H.J. Girschick, S. Yavuz, and P.E. Lipsky. 2000. Stromal cell-derived factor-1-CXC chemokine receptor 4 interactions play a central role in CD4+ T cell accumulation in rheumatoid arthritis synovium. *J Immunol* 165:6590-6598.
  127. Lukacs, N.W. 2001. Role of chemokines in the pathogenesis of asthma. *Nature Rev Immunol* 1:108-116.
  128. Homey, B., A. Muller, and A. Zlotnik. 2002. Chemokines: agents for the immunotherapy of cancer? *Nature Rev Immunol* 2:175-184.
  129. Muller, A., B. Homey, H. Soto, N. Ge, D. Catron, M.E. Buchanan, T. McClanahan, E. Murphy, W. Yuan, S.N. Wagner, J.L. Barrera, A. Mohar, E. Verastegui, and A. Zlotnik. 2001. Involvement of chemokine receptors in breast cancer metastasis. *Nature* 410:50-56.
  130. Murphy, P.M. 2001. Chemokines and the molecular basis of cancer metastasis. *N Engl J Med* 345:833-835.
  131. Berger, E.A. 1997. HIV entry and tropism: the chemokine receptor connection. *Aids* 11:S3-16.
  132. Samson, M., F. Libert, B.J. Doranz, J. Rucker, C. Liesnard, C.M. Farber, S. Saragosti, C. Lapoumeroulie, J. Cognaux, C. Forceille, G. Muyldermans, C. Verhofstede, G. Burtonboy, M. Georges, T. Imai, S. Rana, Y. Yi, R.J. Smyth, R.G. Collman, R.W. Doms, G. Vassart, and M. Parmentier. 1996. Resistance to HIV-1 infection in

- caucasian individuals bearing mutant alleles of the CCR-5 chemokine receptor gene. *Nature* 382:722-725.
133. Proudfoot, A.E. 2002. Chemokine receptors: multifaceted therapeutic targets. *Nature Rev Immunol* 2:106-115.
  134. Lieberam, I., and I. Forster. 1999. The murine beta-chemokine TARC is expressed by subsets of dendritic cells and attracts primed CD4<sup>+</sup> T cells. *Eur J Immunol* 29:2684-2694.
  135. Campbell, J.J., E.P. Bowman, K. Murphy, K.R. Youngman, M.A. Siani, D.A. Thompson, L. Wu, A. Zlotnik, and E.C. Butcher. 1998. 6-C-kine (SLC), a lymphocyte adhesion-triggering chemokine expressed by high endothelium, is an agonist for the MIP-3beta receptor CCR7. *J Cell Biol* 141:1053-1059.
  136. Bardi, G., M. Lipp, M. Baggiolini, and P. Loetscher. 2001. The T cell chemokine receptor CCR7 is internalized on stimulation with ELC, but not with SLC. *Eur J Immunol* 31:3291-3297.
  137. Willimann, K., D.F. Legler, M. Loetscher, R.S. Roos, M.B. Delgado, I. Clark-Lewis, M. Baggiolini, and B. Moser. 1998. The chemokine SLC is expressed in T cell areas of lymph nodes and mucosal lymphoid tissues and attracts activated T cells via CCR7. *Eur J Immunol* 28:2025-2034.
  138. Yoshida, R., M. Nagira, T. Imai, M. Baba, S. Takagi, Y. Tabira, J. Akagi, H. Nomiyama, and O. Yoshie. 1998. EBI1-ligand chemokine (ELC) attracts a broad spectrum of lymphocytes: activated T cells strongly up-regulate CCR7 and efficiently migrate toward ELC. *Int Immunol* 10:901-910.
  139. Birkeland, M.L., P. Johnson, I.S. Trowbridge, and E. Pure. 1989. Changes in CD45 isoform expression accompany antigen-induced murine T- cell activation. *Proc Natl Acad Sci U S A* 86:6734-6738.
  140. Yokoyama, W.M., S.R. Maxfield, and E.M. Shevach. 1989. Very early (VEA) and very late (VLA) activation antigens have distinct functions in T lymphocyte activation. *Immunol Rev* 109:153-176.
  141. Hargreaves, D.C., P.L. Hyman, T.T. Lu, V.N. Ngo, A. Bidgol, G. Suzuki, Y.R. Zou, D.R. Littman, and J.G. Cyster. 2001. A coordinated change in chemokine responsiveness guides plasma cell movements. *J Exp Med* 194:45-56.
  142. Hamann, A., K. Klugewitz, F. Austrup, and D. Jablonski-Westrich. 2000. Activation induces rapid and profound alterations in the trafficking of T cells. *Eur J Immunol* 30:3207-3218.

143. Chao, C.C., R. Jensen, and M.O. Dailey. 1997. Mechanisms of L-selectin regulation by activated T cells. *J Immunol* 159:1686-1694.
144. Reinhardt, R.L., A. Khoruts, R. Merica, T. Zell, and M.K. Jenkins. 2001. Visualizing the generation of memory CD4 T cells in the whole body. *Nature* 410:101-105.
145. Masopust, D., V. Vezys, A.L. Marzo, and L. Lefrancois. 2001. Preferential localization of effector memory cells in nonlymphoid tissue. *Science* 291:2413-2417.
146. Mackay, C.R., W.L. Marston, and L. Dudler. 1990. Naive and memory T cells show distinct pathways of lymphocyte recirculation. *J Exp Med* 171:801-817.
147. Phillips, R., and A. Ager. 2002. Activation of pertussis toxin-sensitive CXCL12 (SDF-1) receptors mediates transendothelial migration of T lymphocytes across lymph node high endothelial cells. *Eur J Immunol* 32:837-847.
148. Kanof, M.E., and S.P. James. 1988. Leu-8 antigen expression is diminished during cell activation but does not correlate with effector function of activated T lymphocytes. *J Immunol* 140:3701-3706.
149. London, C.A., V.L. Perez, and A.K. Abbas. 1999. Functional characteristics and survival requirements of memory CD4<sup>+</sup> T lymphocytes in vivo. *J Immunol* 162:766-773.
150. Champagne, P., G.S. Ogg, A.S. King, C. Knabenhans, K. Ellefsen, M. Nobile, V. Appay, G.P. Rizzardi, S. Fleury, M. Lipp, R. Forster, S. Rowland-Jones, R.P. Sekaly, A.J. McMichael, and G. Pantaleo. 2001. Skewed maturation of memory HIV-specific CD8 T lymphocytes. *Nature* 410:106-111.
151. Unsoeld, H., S. Krautwald, D. Voehringer, U. Kunzendorf, and H. Pircher. 2002. Cutting Edge: CCR7(+) and CCR7(-) Memory T Cells Do Not Differ in Immediate Effector Cell Function. *J Immunol* 169:638-641.
152. Soto, H., W. Wang, R.M. Strieter, N.G. Copeland, D.J. Gilbert, N.A. Jenkins, J. Hedrick, and A. Zlotnik. 1998. The CC chemokine 6Ckine binds the CXC chemokine receptor CXCR3. *Proc Natl Acad Sci U S A* 95:8205-8210.
153. Jenh, C.H., M.A. Cox, H. Kaminski, M. Zhang, H. Byrnes, J. Fine, D. Lundell, C.C. Chou, S.K. Narula, and P.J. Zavodny. 1999. Cutting edge: species specificity of the CC chemokine 6Ckine signaling through the CXC chemokine receptor CXCR3: human 6Ckine is not a ligand for the human or mouse CXCR3 receptors. *J Immunol* 162:3765-3769.
154. Gosling, J., D.J. Dairaghi, Y. Wang, M. Hanley, D. Talbot, Z. Miao, and T.J. Schall. 2000. Cutting edge: identification of a novel chemokine receptor that binds dendritic

- cell- and T cell-active chemokines including ELC, SLC, and TECK. *J Immunol* 164:2851-2856.
155. Townson, J.R., and R.J. Nibbs. 2002. Characterization of mouse CCX-CKR, a receptor for the lymphocyte- attracting chemokines TECK/mCCL25, SLC/mCCL21 and MIP-3beta/mCCL19: comparison to human CCX-CKR. *Eur J Immunol* 32:1230-1241.
  156. Chvatchko, Y., A.J. Hoogewerf, A. Meyer, S. Alouani, P. Juillard, R. Buser, F. Conquet, A.E. Proudfoot, T.N. Wells, and C.A. Power. 2000. A key role for CC chemokine receptor 4 in lipopolysaccharide-induced endotoxic shock. *J Exp Med* 191:1755-1764.
  157. Bleul, C.C., J.L. Schultze, and T.A. Springer. 1998. B lymphocyte chemotaxis regulated in association with microanatomic localization, differentiation state, and B cell receptor engagement. *J Exp Med* 187:753-762.
  158. Fedyk, E.R., D.H. Ryyan, I. Ritterman, and T.A. Springer. 1999. Maturation decreases responsiveness of human bone marrow B lineage cells to stromal-derived factor 1 (SDF-1). *J Leukoc Biol* 66:667-673.
  159. Shen, H., T. Cheng, I. Olszak, E. Garcia-Zepeda, Z. Lu, S. Herrmann, R. Fallon, A.D. Luster, and D.T. Scadden. 2001. CXCR-4 desensitization is associated with tissue localization of hemopoietic progenitor cells. *J Immunol* 166:5027-5033.
  160. Buckley, C.D., N. Amft, P.F. Bradfield, D. Pilling, E. Ross, F. Arenzana-Seisdedos, A. Amara, S.J. Curnow, J.M. Lord, D. Scheel-Toellner, and M. Salmon. 2000. Persistent induction of the chemokine receptor CXCR4 by TGF-beta 1 on synovial T cells contributes to their accumulation within the rheumatoid synovium. *J Immunol* 165:3423-3429.
  161. Gonzalo, J.A., C.M. Lloyd, A. Peled, T. Delaney, A.J. Coyle, and J.C. Gutierrez-Ramos. 2000. Critical involvement of the chemotactic axis CXCR4/stromal cell-derived factor-1 alpha in the inflammatory component of allergic airway disease. *J Immunol* 165:499-508.
  162. Matthys, P., S. Hatse, K. Vermeire, A. Wuyts, G. Bridger, G.W. Henson, E. De Clercq, A. Billiau, and D. Schols. 2001. AMD3100, a potent and specific antagonist of the stromal cell-derived factor-1 chemokine receptor CXCR4, inhibits autoimmune joint inflammation in IFN-gamma receptor-deficient mice. *J Immunol* 167:4686-4692.
  163. Shi, K., K. Hayashida, M. Kaneko, J. Hashimoto, T. Tomita, P.E. Lipsky, H. Yoshikawa, and T. Ochi. 2001. Lymphoid chemokine B cell-attracting chemokine-1

- (CXCL13) is expressed in germinal center of ectopic lymphoid follicles within the synovium of chronic arthritis patients. *J Immunol* 166:650-655.
164. Hjelmstrom, P., J. Fjell, T. Nakagawa, R. Sacca, C.A. Cuff, and N.H. Ruddle. 2000. Lymphoid tissue homing chemokines are expressed in chronic inflammation. *Am J Pathol* 156:1133-1138.
165. Xanthou, G., M. Polihronis, A.G. Tzioufas, S. Paikos, P. Sideras, and H.M. Moutsopoulos. 2001. "Lymphoid" chemokine messenger RNA expression by epithelial cells in the chronic inflammatory lesion of the salivary glands of Sjogren's syndrome patients: possible participation in lymphoid structure formation. *Arthritis Rheum* 44:408-418.
166. Reape, T.J., K. Rayner, C.D. Manning, A.N. Gee, M.S. Barnette, K.G. Burnand, and P.H. Groot. 1999. Expression and cellular localization of the CC chemokines PARC and ELC in human atherosclerotic plaques. *Am J Pathol* 154:365-374.
167. Biber, K., A. Sauter, N. Brouwer, S.C. Copray, and H.W. Boddeke. 2001. Ischemia-induced neuronal expression of the microglia attracting chemokine Secondary Lymphoid-tissue Chemokine (SLC). *Glia* 34:121-133.
168. Itakura, M., A. Tokuda, H. Kimura, S. Nagai, H. Yoneyama, N. Onai, S. Ishikawa, T. Kuriyama, and K. Matsushima. 2001. Blockade of secondary lymphoid tissue chemokine exacerbates *Propionibacterium acnes*-induced acute lung inflammation. *J Immunol* 166:2071-2079.
169. Janatpour, M.J., S. Hudak, M. Sathe, J.D. Sedgwick, and L.M. McEvoy. 2001. Tumor necrosis factor-dependent segmental control of MIG expression by high endothelial venules in inflamed lymph nodes regulates monocyte recruitment. *J Exp Med* 194:1375-1384.
170. Palframan, R.T., S. Jung, G. Cheng, W. Weninger, Y. Luo, M. Dorf, D.R. Littman, B.J. Rollins, H. Zweerink, A. Rot, and U.H. von Andrian. 2001. Inflammatory chemokine transport and presentation in HEV: a remote control mechanism for monocyte recruitment to lymph nodes in inflamed tissues. *J Exp Med* 194:1361-1373.
171. Colantonio, L., H. Recalde, F. Sinigaglia, and D. D'Ambrosio. 2002. Modulation of chemokine receptor expression and chemotactic responsiveness during differentiation of human naive T cells into Th1 or Th2 cells. *Eur J Immunol* 32:1264-1273.
172. Nanki, T., and P.E. Lipsky. 2000. Cutting edge: stromal cell-derived factor-1 is a costimulator for CD4<sup>+</sup> T cell activation. *J Immunol* 164:5010-5014.



173. Suzuki, Y., M. Rahman, and H. Mitsuya. 2001. Diverse transcriptional response of CD4(+) T cells to stromal cell-derived factor (SDF)-1: cell survival promotion and priming effects of SDF-1 on CD4(+) T cells. *J Immunol* 167:3064-3073.
174. Andrew, D.P., N. Ruffing, C.H. Kim, W. Miao, H. Heath, Y. Li, K. Murphy, J.J. Campbell, E.C. Butcher, and L. Wu. 2001. C-C chemokine receptor 4 expression defines a major subset of circulating nonintestinal memory T cells of both Th1 and Th2 potential. *J Immunol* 166:103-111.
175. Schaniel, C., F. Sallusto, C. Ruedl, P. Sideras, F. Melchers, and A.G. Rolink. 1999. Three chemokines with potential functions in T lymphocyte-independent and -dependent B lymphocyte stimulation. *Eur J Immunol* 29:2934-2947.
176. Sekiya, T., M. Miyamasu, M. Imanishi, H. Yamada, T. Nakajima, M. Yamaguchi, T. Fujisawa, R. Pawankar, Y. Sano, K. Ohta, A. Ishii, Y. Morita, K. Yamamoto, K. Matsushima, O. Yoshie, and K. Hirai. 2000. Inducible expression of a Th2-type CC chemokine thymus- and activation- regulated chemokine by human bronchial epithelial cells. *J Immunol* 165:2205-2213.
177. Romagnani, S. 2001. T-cell responses in allergy and asthma. *Curr Opin Allergy Clin Immunol* 1:73-78.
178. Panina-Bordignon, P., A. Papi, M. Mariani, P. Di Lucia, G. Casoni, C. Bellettato, C. Buonsanti, D. Miotto, C. Mapp, A. Villa, G. Arrigoni, L.M. Fabbri, and F. Sinigaglia. 2001. The C-C chemokine receptors CCR4 and CCR8 identify airway T cells of allergen-challenged atopic asthmatics. *J Clin Invest* 107:1357-1364.
179. Godiska, R., D. Chantry, C.J. Raport, S. Sozzani, P. Allavena, D. Leviten, A. Mantovani, and P.W. Gray. 1997. Human macrophage-derived chemokine (MDC), a novel chemoattractant for monocytes, monocyte-derived dendritic cells, and natural killer cells. *J Exp Med* 185:1595-1604.
180. Chang, M., J. McNinch, C. Elias, 3rd, C.L. Manthey, D. Grosshans, T. Meng, T. Boone, and D.P. Andrew. 1997. Molecular cloning and functional characterization of a novel CC chemokine, stimulated T cell chemotactic protein (STCP-1) that specifically acts on activated T lymphocytes. *J Biol Chem* 272:25229-25237.
181. Vulcano, M., C. Albanesi, A. Stoppacciaro, R. Bagnati, G. D'Amico, S. Struyf, P. Transidico, R. Bonecchi, A. Del Prete, P. Allavena, L.P. Ruco, C. Chiabrand, G. Girolomoni, A. Mantovani, and S. Sozzani. 2001. Dendritic cells as a major source of macrophage-derived chemokine/CCL22 in vitro and in vivo. *Eur J Immunol* 31:812-822.

182. Schaniel, C., E. Pardali, F. Sallusto, M. Speletas, C. Ruedl, T. Shimizu, T. Seidl, J. Andersson, F. Melchers, A.G. Rolink, and P. Sideras. 1998. Activated murine B lymphocytes and dendritic cells produce a novel CC chemokine which acts selectively on activated T cells. *J Exp Med* 188:451-463.
183. Wu, M., H. Fang, and S.T. Hwang. 2001. Cutting edge: CCR4 mediates antigen-primed T cell binding to activated dendritic cells. *J Immunol* 167:4791-4795.
184. Qin, S., J.B. Rottman, P. Myers, N. Kassam, M. Weinblatt, M. Loetscher, A.E. Koch, B. Moser, and C.R. Mackay. 1998. The chemokine receptors CXCR3 and CCR5 mark subsets of T cells associated with certain inflammatory reactions. *J Clin Invest* 101:746-754.
185. Mack, M., J. Cihak, C. Simonis, B. Luckow, A.E. Proudfoot, J. Plachy, H. Bruhl, M. Frink, H.J. Anders, V. Vielhauer, J. Pfirstinger, M. Stangassinger, and D. Schlondorff. 2001. Expression and characterization of the chemokine receptors CCR2 and CCR5 in mice. *J Immunol* 166:4697-4704.
186. Wang, J., E. Guan, G. Roderiquez, and M.A. Norcross. 1999. Inhibition of CCR5 expression by IL-12 through induction of beta- chemokines in human T lymphocytes. *J Immunol* 163:5763-5769.
187. Veazey, R.S., P.A. Marx, and A.A. Lackner. 2001. The mucosal immune system: primary target for HIV infection and AIDS. *Trends Immunol* 22:626-633.
188. Veazey, R.S., K.G. Mansfield, I.C. Tham, A.C. Carville, D.E. Shvetz, A.E. Forand, and A.A. Lackner. 2000. Dynamics of CCR5 expression by CD4(+) T cells in lymphoid tissues during simian immunodeficiency virus infection. *J Virol* 74:11001-11007.
189. Romagnani, P., A. De Paulis, C. Beltrame, F. Annunziato, V. Dente, E. Maggi, S. Romagnani, and G. Marone. 1999. Tryptase-chymase double-positive human mast cells express the eotaxin receptor CCR3 and are attracted by CCR3-binding chemokines. *Am J Pathol* 155:1195-1204.