

Bibliography

- [1] *Amira 3.1 - User s Guide and Reference Manual – including AmiraDev and AmiraVR Manual*. <http://amira.zib.de/Amira31-manual.pdf>, Konrad-Zuse-Zentrum für Informationstechnik Berlin (ZIB) and Mercury Computer Systems - TGS Group, 2003.
- [2] T. Abel, G. Bryan, and M. L. Norman. The formation of the first star in the universe. *Science*, 295, issue 5552:93–98, 2002.
- [3] A. S. Almgren, J. B. Bell, P. Colella, L. Howell, and M. Welcome. A high-resolution adaptive projection method for regional atmospheric modeling. In *Proceedings of the NGEMCOM Conference, Bay City, MI.*, 1995.
- [4] A. S. Almgren, J. B. Bell, P. Colella, and T. Marthaler. A Cartesian grid projection method for the incompressible Euler equations in complex geometries. *SIAM Journal on Scientific Computing*, 18(5):1289–1309, 1997.
- [5] W. Aref and H. Samet. An algorithm for perspective viewing of objects represented by octrees. *Computer Graphics Forum*, 14(1):59–66, 1995.
- [6] I. Babuska and W. C. Rheinboldt. Error estimates for adaptive finite element computations. *SIAM J. Numer. Anal.*, 15:736–754, 1978.
- [7] E. Bänsch. Local mesh refinement in 2 and 3 dimensions. *Impact of Comp. in Sci. and Eng.*, pages 181–191, 1991.
- [8] B. Bargaen and P. Donnelly. *Inside DirectX*. Microsoft corporation, 1998.
- [9] M. J. Berger and P. Collela. Local adaptive mesh refinement for shock hydrodynamics. *J. Computational Physics*, 82(1):64–84, 1989.
- [10] M. J. Berger and J. Olinger. Adaptive mesh refinement for hyperbolic partial equations. *Journal of Computational Physics*, 53:484–512, 1984.
- [11] M. J. Berger and I. Rigoutsos. An algorithm for point clustering and grid generation. *IEEE Transactions on Systems, Man and Cybernetics*, 21(5), 1991.

- [12] G. Berti. *Generic Software Components for Scientific Computing*. PhD thesis, Faculty of mathematics, computer science and natural science; BTU Cottbus, Germany, 2000.
- [13] G. Berti. A generic toolbox for the grid craftsman. In W. Hackbusch and U. Langer, editors, *Proceedings of the 17th GAMM Seminar on Construction of Grid Generation Algorithms*, 2001.
- [14] J. Bloomenthal. An implicit surface polygonizer. In P. Heckbert, editor, *Graphics Gems IV*, pages 324–349. Academic Press, Boston, 1994.
- [15] I. Boada, I. Navazo, and R. Scopigno. Multiresolution volume visualization with a texture-based octree. *The Visual Computer*, 17(3):185–197, 2001.
- [16] G. L. Bryan. Fluids in the universe: Adaptive mesh refinement in cosmology. *Computing in Science and Engineering*, 1(2):46–53, 1999.
- [17] G. L. Bryan, T. Abel, and M. L. Norman. Achieving extreme resolution in numerical cosmology using adaptive mesh refinement: Resolving primordial star formation. In *Proc. of Supercomputing 2001*, 2001.
- [18] B. Cabral, N. Cam, and J. Foran. Accelerated volume rendering and tomographic reconstruction using texture mapping hardware. In A. Kaufman and W. Krueger, editors, *1994 Symposium on Volume Visualization*, pages 91–98, 1994.
- [19] S. Chandrasekhar. *Radiative Transfer*. Oxford University Press, 1950.
- [20] E. H. Chi. A taxonomy of visualization techniques using the data state reference model. In *INFOVIS*, pages 69–76, 2000.
- [21] Y.-J. Chiang and C. T. Silva. I/O optimal isosurface extraction. In R. Yagel and H. Hagen, editors, *IEEE Visualization '97*, pages 293–300, 1997.
- [22] Y.-J. Chiang, C. T. Silva, and W. J. Schroeder. Interactive out-of-core isosurface extraction. In D. Ebert, H. Hagen, and H. Rushmeier, editors, *IEEE Visualization '98*, pages 167–174, 1998.
- [23] D. Cohen and Z. Sheffer. Proximity clouds: An acceleration technique for 3D grid traversal. *The Visual Computer*, 11:27–38, 1994.
- [24] J. M. Danskin and P. Hanrahan. Fast algorithms for volume ray tracing. In *Workshop on Volume Visualization*, pages 91–98, Oct. 1992.
- [25] P. Deuffhard and A. Hohmann. *Numerical Analysis in Modern Scientific Computing: An Introduction*. Springer Series: Texts in Applied Mathematics, vol. 43, 2003.
- [26] H. Edelsbrunner. *Geometry and Topology for Mesh Generation*. Cambridge University Press, 2001.

- [27] K. Engel, M. Kraus, and T. Ertl. High-quality pre-integrated volume rendering using hardware-accelerated pixel shading. In *Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on Graphics hardware*, pages 9–16, 2001.
- [28] D. Fang, G. Weber, H. Childs, E. Brugger, B. Hamann, and K. Joy. Extracting geometrically continuous isosurfaces from adaptive mesh refinement data. In *Proceedings of 2004 Hawaii International Conference on Computer Sciences*, pages 216–224, 2004.
- [29] S. Fang, R. Srinivasan, S. Huang, and R. Raghavan. Deformable volume rendering by 3D texture mapping and octree encoding. In R. Yagel and G. M. Nielson, editors, *IEEE Visualization '96*, pages 73–80. IEEE, 1996.
- [30] U. Fayyad, G. G. Grinstein, and A. Wierse. *Information Visualization in Data Mining and Knowledge Design*. Morgan Kaufmann Publishers, 2002.
- [31] T. Happe, K. Polthier, M. Rumpf, and M. Wierse. Visualizing data from time-dependent adaptive simulations. In *Proceedings of the Workshop on 'Visualization - Dynamics and Complexity'*, 1995.
- [32] H.-C. Hege, T. Höller, and D. Stalling. Volume rendering - mathematical models and algorithmic aspects. *ZIB Report 93-07*, 1995.
- [33] S. Hill and J. C. Roberts. Surface models and the resolution of N-Dimensional cell ambiguity. In A. W. Paeth, editor, *Graphics Gems V*, pages 98–106. Academic Press, May 1995.
- [34] T. J. Jankun-Kelly, O. Kreylos, J. M. Shalf, K.-L. Ma, B. Hamann, K. I. Joy, and E. W. Bethel. Deploying web-based visual exploration tools on the grid. *IEEE Computer Graphics and Applications*, 23(2):40–50, 2003.
- [35] G. Ji, H.-W. Shen, and J. Gao. Interactive exploration of remote isosurfaces with point-based non-photorealistic rendering. In *Joint Eurographics - TCVG Symposium on Visualization*, 2003.
- [36] D. S. Johnson, E. G. Coffman, Jr., M. R. Garey, and R. E. Tarjan. Performance bounds for level-oriented two dimensional packing algorithms. *SIAM Journal on Computing*, 9:808–826, 1980.
- [37] R. Kähler, D. Cox, R. Patterson, S. Levy, H.-C. Hege, and T. Abel. Rendering the First Star in the Universe - A Case Study. In R. Moorhead, M. Gross, and K. I. Joy, editors, *Proceedings of IEEE Visualization*, pages 537–540. IEEE Computer Society Press, 2002.
- [38] R. Kähler and H.-C. Hege. Texture-based Volume Rendering of Adaptive Mesh Refinement Data. *The Visual Computer*, 18(8):481–492, 2002.

- [39] R. Kähler, M. Simon, and H.-C. Hege. Fast Volume Rendering of Sparse Datasets using Adaptive Mesh Refinement. *IEEE Transactions on Visualization and Computer Graphics*, 9(3):341–351, 2003.
- [40] J. Kniss, G. Kindlmann, and C. Hansen. Interactive volume rendering using multi-dimensional transfer functions and direct manipulation widgets. In *Proceedings of IEEE Visualization 2001*, pages 255–262. IEEE Computer Society Press, 2001.
- [41] J. Kniss, S. Premoze, C. Hansen, and D. Ebert. Interactive translucent volume rendering and procedural modeling. In *Proceedings of IEEE Visualization 2002*, pages 109–116. IEEE Computer Society Press, 2002.
- [42] L. P. Kobbelt, M. Botsch, U. Schwanecke, and H.-P. Seidel. Feature-sensitive surface extraction from volume data. In E. Fiume, editor, *SIGGRAPH 2001, Computer Graphics Proceedings*, pages 57–66. ACM Press / ACM SIGGRAPH, 2001.
- [43] P. Lacroute and M. Levoy. Fast volume rendering using a shear-warp factorization of the viewing transformation. *Computer Graphics*, 28(Annual Conference Series):451–458, 1994.
- [44] E. C. LaMar, B. Hamann, and K. I. Joy. Multiresolution techniques for interactive texture-based volume visualization. In D. Ebert, M. Gross, and B. Hamann, editors, *IEEE Visualization '99*, pages 355–362, San Francisco, 1999. IEEE.
- [45] D. Laur and P. Hanrahan. Hierarchical splatting: A progressive refinement algorithm for volume rendering. *Computer Graphics (Proceedings of SIGGRAPH 91)*, 25(4):285–288, July 1991. Held in Las Vegas, Nevada.
- [46] C. H. Lee and K. H. Park. Fast volume rendering using adaptive block subdivision. *Pacific Graphics '97*, Oct. 1997. Held in Seoul, Korea.
- [47] M. Levoy. Efficient ray tracing of volume data. *ACM Transactions on Graphics*, 9(3):245–261, July 1990.
- [48] K. Li and K.-H. Cheng. On three-dimensional packing. *SIAM Journal on Computing*, 19(5):847–867, 1990.
- [49] S. L. Liebling. The singularity threshold of the nonlinear sigma model using 3D adaptive mesh refinement. *Class.Quant.Grav.*, 21(3995), 2004.
- [50] Y. Livnat and C. Hansen. View dependent isosurface extraction. In D. Ebert, H. Hagen, and H. Rushmeier, editors, *IEEE Visualization '98*, pages 175–180, 1998.
- [51] Y. Livnat, H.-W. Shen, and C. R. Johnson. A near optimal isosurface extraction algorithm using the span space. *IEEE Transactions on Visualization and Computer Graphics*, 2(1):73–84, 1996.

- [52] Y. Livnat and X. Tricoche. Interactive point-based isosurface extraction. In H. Rushmeier, G. Turk, and J. J. van Wijk, editors, *IEEE Visualization '04*, pages 457–464. IEEE, 2004.
- [53] W. E. Lorensen and H. E. Cline. A high resolution 3D surface construction algorithm. *Computer Graphics*, 21(4):163–169, 1987.
- [54] K.-L. Ma. Parallel rendering of 3D AMR data on the SGI/Cray T3E. *Proc. 7th Symposium on Frontiers of Massively Parallel Computation*, pages 138–145, 1999.
- [55] P. MacNeice, K. M. Olson, C. Mobarra, R. de Fainchtein, and C. Packer. PARAMESH: A parallel adaptive mesh refinement community toolkit. *Computer Physics Communications*, 126:330–354, 2000.
- [56] N. Max. Optical models for direct volume rendering. *IEEE Transactions on Visualization and Computer Graphics*, 1(2):99–108, 1995.
- [57] N. L. Max. Sorting for polyhedron composition. In H. Hagen, H. Müller, G. M. Nielson: *Focus on Scientific Visualization*, Springer Verlag, pages 259–268, 1993.
- [58] D. Moore and J. Warren. Mesh displacement: An improved contouring methods for trivariate data. Technical Report COMP TR91-166, P.Ø. Box 1892, Houston, TX 77251-1892, 1991.
- [59] G. M. Nielson and B. Hamann. The asymptotic decider: Resolving the ambiguity in marching cubes. *Proceedings of IEEE Visualization '91*, pages 29–38, 1991.
- [60] M. Norman, J. Shalf, S. Levy, and G. Daues. Diving deep: Data-management and visualization strategies for adaptive mesh refinement simulations. *Computing in Science and Engineering*, 1(4):22–32, 1999.
- [61] K. Novins and J. Arvo. Controlled precision volume integration. In *Proceeding of the 1992 Workshop on Volume Visualization*, pages 83–89, 1992.
- [62] K. Novins, J. Arvo, and D. Salesin. Adaptive error bracketing for controlled-precision volume rendering. Technical Report Technical Report TR92-1312, Cornell University, Department of Computer Science, Ithaca, New York, 1992.
- [63] U. Nowak. Adaptive Linienmethoden für nichtlineare parabolische Systeme in einer Raumdimension. *Zuse Institute Berlin, Technical Report TR 93-14*, 1993.
- [64] H. Nyquist. Certain topics in telegraph transmission theory. *Trans. AIEE, Vol. 47*, pages 617–644, 1928.
- [65] B. W. O’Shea, G. Bryan, J. Bordner, M. L. Norman, T. Abel, R. Harkness, and A. Kritsuk. Introducing Enzo, an AMR Cosmology Application. *ArXiv Astrophysics e-prints*, Mar. 2004.

- [66] S. Park, C. L. Bajaj, and V. Siddavanahalli. Case study: Interactive rendering of adaptive mesh refinement data. In R. Moorhead, M. Gross, and K. I. Joy, editors, *Proceedings of IEEE Visualization*, pages 521–524. IEEE Computer Society Press, 2002.
- [67] H. Pfister, J. Hardenbergh, J. Knittel, H. Lauer, and L. Seiler. The volumepro real-time ray-casting system. In A. Rockwood, editor, *Siggraph 1999, Computer Graphics Proceedings*, pages 251–260, Los Angeles, 1999. Addison Wesley Longman.
- [68] K. Polthier and M. Rumpf. A concept for time-dependent processes. In M. Göbel, H. Müller, and B. Urban, editors, *Visualization in Scientific Computing*, pages 137–153. Springer Verlag, Berlin, Heidelberg, New York, 1994.
- [69] F. P. Preparata and M. I. Shamos. *Computational Geometry*. Springer-Verlag, 1985.
- [70] C. Rezk-Salama, K. Engel, M. Bauer, G. Greiner, and T. Ertl. Interactive volume rendering on standard PC graphics hardware using multi-textures and multi-stage rasterization. pages 109–118.
- [71] M. C. Rivara. Mesh refinement process based on the generalized bisection of simplices. *SIAM Journal of Numerical Analysis*, 21:604–613, 1984.
- [72] P. Sabella. A rendering algorithm for visualizing 3D scalar fields. *Computer Graphics*, 22(4):51–58, 1988.
- [73] H. Samet. *Application of Spatial Data Structures*. Addison-Wesley, 1989.
- [74] T. Schmidt and R. Rühle. On-line visualization of arbitrary unstructured, adaptive grids. In *Proceedings of Sixth Eurographics Workshop on Visualization in Scientific Computing*, pages 25–34. Springer, 1995.
- [75] E. Schnetter, S. H. Hawley, and I. Hawke. Evolutions in 3D numerical relativity using fixed mesh refinement. *Class. Quantum Grav.*, 21(6):1465–1488, 2004.
- [76] M. Segal and K. Akely. *The OpenGL Graphics System (Version 1.3)*. <http://www.opengl.org/developers/documentation>, 2001.
- [77] C. E. Shannon. Communication in the presence of noise. *Proc. Institute of Radio Engineers*, Vol. 37, No. 1, pages 10–21, 1949.
- [78] R. Shekhar, E. Fayyad, R. Yagel, and J. F. Cornhill. Octree-based decimation of marching cubes surfaces. In *IEEE Visualization*, pages 335–342, 1996.
- [79] H.-W. Shen, L.-J. Chiang, and K.-L. Ma. A fast volume rendering algorithm for time-varying fields using a time-space partitioning (TSP) tree. In D. Ebert, M. Gross, and B. Hamann, editors, *IEEE Visualization '99*, pages 371–378, San Francisco, 1999.

- [80] H.-W. Shen, D. Ellsworth, and L.-J. Chiang. Accelerating time-varying hardware volume rendering using TSP trees and color-based error metrics. In *Visualization and Graphics Symposium 2000*, pages 119–128, Salt Lake City, UT, 2000.
- [81] R. Shu, C. Zhou, and M. Kankanhalli. Adaptive marching cubes. *The Visual Computer*, 11(4):202–217, 1995.
- [82] D. Stalling, M. Westerhoff, and H.-C. Hege. Amira: A highly interactive system for visual data analysis. In C. D. Hansen and C. R. Johnson, editors, *The Visualization Handbook*, pages 749–767. Elsevier, 2005.
- [83] J. D. M. Stuart K. Card and B. Shneiderman. *Readings in Information Visualization—Using Vision to Think. Series in Interactive Technologies*. Morgan Kaufmann Publishers, 1999.
- [84] K. R. Subramanian and D. S. Fussell. Applying space subdivision techniques to volume rendering. *IEEE Visualization '90*, pages 150–159, 1990.
- [85] M. Thiébaux. Virtual director: Steering scientific visualization with virtual camera choreography. Master's thesis, Electronic Visualization Laboratory (EVL)/University of Illinois at Chicago (UIC), 1997.
- [86] X. Tong, W. Wang, W. Tsang, and Z. Tang. Efficiently rendering large volume data using texture mapping hardware. *Joint EUROGRAPHICS - IEEE TCVG Symposium on Visualization*, May 1999. Held in Vienna, Austria.
- [87] M. K. Tory and T. Möller. Rethinking visualization: A high-level taxonomy. *Proceedings of IEEE Symposium on Information Visualization 2004 (InfoVis04)*, pages 151–158, 2004.
- [88] C. Ware. *Information Visualization: Perception for Design*. Morgan Kaufmann Publishers, 2000.
- [89] G. H. Weber, O. Kreylos, T. J. Ligocki, J. M. Shalf, H. Hagen, B. Hamann, and K. I. Joy. Extraction of crack-free isosurfaces from adaptive mesh refinement data. In *Data Visualization 2001 (Proceedings of VisSym '01)*, pages 25–34, 2001.
- [90] G. H. Weber, O. Kreylos, T. J. Ligocki, J. M. Shalf, H. Hagen, B. Hamann, and K. I. Joy. High-quality volume rendering of adaptive mesh refinement data. In *Proceedings of Vision, Modeling, and Visualization 2001*, pages 121–128, Stuttgart, Germany, 2001.
- [91] G. H. Weber, M. Ohler, O. Kreylos, J. M. Shalf, E. W. Bethel, B. Hamann, and G. Scheuermann. Parallel Cell Projection Rendering of Adaptive Mesh Refinement Data. In A. Koning, R. Machiraju, and C. T. Silva, editors, *Proceedings of IEEE Symposium on Parallel and Large-Data Visualization and Graphics*, pages 51–60. IEEE Computer Society Press, 2004.

- [92] M. Weiler, R. Westermann, C. Hansen, K. Zimmerman, and T. Ertl. Level-of-detail volume rendering via 3D textures. In *IEEE Volume Visualization and Graphics Symposium 2000*, pages 7–13, 1994.
- [93] R. Westermann and T. Ertl. Efficiently using graphics hardware in volume rendering applications. *Proceedings of SIGGRAPH 1998*, pages 169–177, 1998.
- [94] R. Westermann, L. Kobbelt, and T. Ertl. Real-time exploration of regular volume data by adaptive reconstruction of isosurfaces. *The Visual Computer*, 15(2):100–111, 1999.
- [95] L. A. Westover. Footprint evaluation for volume rendering. *Computer Graphics*, 24(4):367–376, 1990.
- [96] J. Wilhelms and A. V. Gelder. A coherent projection approach for direct volume rendering. *Proceedings of SIGGRAPH*, 25(4):275–284, 1991.
- [97] O. Wilson, A. VanGelder, and J. Wilhelms. Direct volume rendering via 3D textures. Technical Report UCSC-CRL-94-19, University of Santa Cruz, 1994.
- [98] O. C. Zienkiewicz and R. L. Taylor. *The Finite Element Method*. McGraw-Hill Book Company, 1967.
- [99] K. Zuiderveld, A. Koning, and M. Viergever. Acceleration of ray-casting using 3D distance transforms. In *Visualization in Biomedical Computing, Proceedings of VBC'92*, pages 324–335. SPIE, 1992.