

## 7 Literatures

- Abumrad, N., Coburn, C., and Ibrahimi, A. (1999). Membrane proteins implicated in long-chain fatty acid uptake by mammalian cells: CD36, FATP and FABPm. *Biochim Biophys Acta* 1441, 4-13.
- Abumrad, N. A., el-Maghrabi, M. R., Amri, E. Z., Lopez, E., and Grimaldi, P. A. (1993). Cloning of a rat adipocyte membrane protein implicated in binding or transport of long-chain fatty acids that is induced during preadipocyte differentiation. Homology with human CD36. *J Biol Chem* 268, 17665-17668.
- Aitman, T. J., Cooper, L. D., Norsworthy, P. J., Wahid, F. N., Gray, J. K., Curtis, B. R., McKeigue, P. M., Kwiatkowski, D., Greenwood, B. M., Snow, R. W., *et al.* (2000). Malaria susceptibility and CD36 mutation. *Nature* 405, 1015-1016.
- Aitman, T. J., Glazier, A. M., Wallace, C. A., Cooper, L. D., Norsworthy, P. J., Wahid, F. N., Al-Majali, K. M., Trembling, P. M., Mann, C. J., Shoulders, C. C., *et al.* (1999). Identification of Cd36 (Fat) as an insulin-resistance gene causing defective fatty acid and glucose metabolism in hypertensive rats. *Nat Genet* 21, 76-83.
- Anderson, K. M., Eckhart, A. D., Willette, R. N., and Koch, W. J. (1999). The myocardial beta-adrenergic system in spontaneously hypertensive heart failure (SHHF) rats. *Hypertension* 33, 402-407.
- Arber, S., and Caroni, P. (1996). Specificity of single LIM motifs in targeting and LIM/LIM interactions in situ. *Genes Dev* 10, 289-300.
- Asch, A. S., Liu, I., Briccetti, F. M., Barnwell, J. W., Kwakye-Berko, F., Dokun, A., Goldberger, J., and Pernambuco, M. (1993). Analysis of CD36 binding domains: ligand specificity controlled by dephosphorylation of an ectodomain. *Science* 262, 1436-1440.
- Baldwin, D., Crane, V., and Rice, D. (1999). A comparison of gel-based, nylon filter and microarray techniques to detect differential RNA expression in plants. *Curr Opin Plant Biol* 2, 96-103.
- Barger, P. M., Browning, A. C., Garner, A. N., and Kelly, D. P. (2001). p38 mitogen-activated protein kinase activates peroxisome proliferator-activated receptor alpha: a potential role in the cardiac metabolic stress response. *J Biol Chem* 276, 44495-44501.
- Barrans, J. D., Allen, P. D., Stamatiou, D., Dzau, V. J., and Liew, C. C. (2002). Global gene expression profiling of end-stage dilated cardiomyopathy using a human cardiovascular-based cDNA microarray. *Am J Pathol* 160, 2035-2043.
- Barrans, J. D., Stamatiou, D., and Liew, C. (2001). Construction of a human cardiovascular cDNA microarray: portrait of the failing heart. *Biochem Biophys Res Commun* 280, 964-969.
- Bergman, M. R., Kao, R. H., McCune, S. A., and Holycross, B. J. (1999). Myocardial tumor necrosis factor-alpha secretion in hypertensive and heart failure-prone rats. *Am J Physiol* 277, H543-550.
- Binas, B., Danneberg, H., McWhir, J., Mullins, L., and Clark, A. J. (1999). Requirement for the heart-type fatty acid binding protein in cardiac fatty acid utilization. *Faseb J* 13, 805-812.
- Bonen, A., Luiken, J. J., Arumugam, Y., Glatz, J. F., and Tandon, N. N. (2000). Acute regulation of fatty acid uptake involves the cellular redistribution of fatty acid translocase. *J Biol Chem* 275, 14501-14508.
- Bonne, G., Carrier, L., Richard, P., Hainque, B., and Schwartz, K. (1998). Familial hypertrophic cardiomyopathy: from mutations to functional defects. *Circ Res* 83, 580-593.
- Brinkmann, J. F., Abumrad, N. A., Ibrahimi, A., van der Vusse, G. J., and Glatz, J. F. (2002). New insights into long-chain fatty acid uptake by heart muscle: a crucial role for fatty acid translocase/CD36. *Biochem J* 367, 561-570.

- Busk, P. K., Bartkova, J., Strom, C. C., Wulf-Andersen, L., Hinrichsen, R., Christoffersen, T. E. H., Latella, L., Bartek, J., Haunso, S., and Sheikh, S. P. (2002). Involvement of cyclin D activity in left ventricle hypertrophy in vivo and in vitro. *Cardiovascular Research* 56, 64-75.
- Busk, P. K., and Hinrichsen, R. (2003). Cyclin D in left ventricle hypertrophy. *Cell Cycle* 2, 91-95.
- Busk, P. K., Wulf-Andersen, L., Strom, C. C., Enevoldsen, M., Thirstrup, K., Haunso, S., and Sheikh, S. S. (2003). Multiprotein bridging factor 1 cooperates with c-jun and is necessary for cardiac hypertrophy in vitro. *Exp Cell Res* 286, 102-114.
- Carrier, L., Hengstenberg, C., Beckmann, J. S., Guicheney, P., Dufour, C., Bercovici, J., Dausse, E., Berebbi-Bertrand, I., Wisnewsky, C., Pulvenis, D., and et al. (1993). Mapping of a novel gene for familial hypertrophic cardiomyopathy to chromosome 11. *Nat Genet* 4, 311-313.
- Cha, B. S., Ciaraldi, T. P., Carter, L., Nikoulina, S. E., Mudaliar, S., Mukherjee, R., Paterniti, J. R., Jr., and Henry, R. R. (2001). Peroxisome proliferator-activated receptor (PPAR) gamma and retinoid X receptor (RXR) agonists have complementary effects on glucose and lipid metabolism in human skeletal muscle. *Diabetologia* 44, 444-452.
- Champion, H. C., Skaf, M. W., and Hare, J. M. (2003). Role of nitric oxide in the pathophysiology of heart failure. *Heart Fail Rev* 8, 35-46.
- Chen, H., Liu, J., Merrick, B. A., and Waalkes, M. P. (2001). Genetic events associated with arsenic-induced malignant transformation: applications of cDNA microarray technology. *Mol Carcinog* 30, 79-87.
- Christe, M. E., and Rodgers, R. L. (1994). Altered glucose and fatty acid oxidation in hearts of the spontaneously hypertensive rat. *J Mol Cell Cardiol* 26, 1371-1375.
- Coburn, C. T., Knapp, F. F., Jr., Febbraio, M., Beets, A. L., Silverstein, R. L., and Abumrad, N. A. (2000). Defective uptake and utilization of long chain fatty acids in muscle and adipose tissues of CD36 knockout mice. *J Biol Chem* 275, 32523-32529.
- Codd, M. B., Sugrue, D. D., Gersh, B. J., and Melton, L. J., 3rd (1989). Epidemiology of idiopathic dilated and hypertrophic cardiomyopathy. A population-based study in Olmsted County, Minnesota, 1975-1984. *Circulation* 80, 564-572.
- Collison, M., Glazier, A. M., Graham, D., Morton, J. J., Dominiczak, M. H., Aitman, T. J., Connell, J. M., Gould, G. W., and Dominiczak, A. F. (2000). Cd36 and molecular mechanisms of insulin resistance in the stroke-prone spontaneously hypertensive rat. *Diabetes* 49, 2222-2226.
- Cowie, M. R., and Mendez, G. F. (2002). BNP and congestive heart failure. *Prog Cardiovasc Dis* 44, 293-321.
- Curtis, B. R., and Aster, R. H. (1996). Incidence of the Nak(a)-negative platelet phenotype in African Americans is similar to that of Asians. *Transfusion* 36, 331-334.
- Davies, M. J. (2000). The cardiomyopathies: an overview. *Heart* 83, 469-474.
- den Boer, M. E., Dionisi-Vici, C., Chakrapani, A., van Thuijl, A. O., Wanders, R. J., and Wijburg, F. A. (2003). Mitochondrial trifunctional protein deficiency: a severe fatty acid oxidation disorder with cardiac and neurologic involvement. *J Pediatr* 142, 684-689.
- Depre, C., Shipley, G. L., Chen, W., Han, Q., Doenst, T., Moore, M. L., Stepkowski, S., Davies, P. J., and Taegtmeier, H. (1998). Unloaded heart in vivo replicates fetal gene expression of cardiac hypertrophy. *Nat Med* 4, 1269-1275.
- Doggrell, S. A., and Brown, L. (1998). Rat models of hypertension, cardiac hypertrophy and failure. *Cardiovasc Res* 39, 89-105.
- Donahue, M., Kraus, W., and Granger, C. (2002). Genetics in heart failure: practical incorporation of this new biologic dimension. *Am Heart J* 144, 938-940.

- Dunn, A. R., and Sambrook, J. (1980). Mapping viral mRNAs by sandwich hybridization. *Methods Enzymol* 65, 468-478.
- Fatkin, D., McConnell, B. K., Mudd, J. O., Semsarian, C., Moskowitz, I. G., Schoen, F. J., Giewat, M., Seidman, C. E., and Seidman, J. G. (2000). An abnormal Ca<sup>2+</sup> response in mutant sarcomere protein-mediated familial hypertrophic cardiomyopathy. *J Clin Invest* 106, 1351-1359.
- Febbraio, M., Abumrad, N. A., Hajjar, D. P., Sharma, K., Cheng, W., Pearce, S. F., and Silverstein, R. L. (1999). A null mutation in murine CD36 reveals an important role in fatty acid and lipoprotein metabolism. *J Biol Chem* 274, 19055-19062.
- Febbraio, M., Hajjar, D. P., and Silverstein, R. L. (2001). CD36: a class B scavenger receptor involved in angiogenesis, atherosclerosis, inflammation, and lipid metabolism. *J Clin Invest* 108, 785-791.
- Feinberg, A. P., and Vogelstein, B. (1984). "A technique for radiolabeling DNA restriction endonuclease fragments to high specific activity". Addendum. *Anal Biochem* 137, 266-267.
- Fowler, J. S., Logan, J., Wang, G. J., Franceschi, D., Volkow, N. D., Telang, F., Pappas, N., Ferrieri, R., Shea, C., Garza, V., *et al.* (2003). Monoamine oxidase A imaging in peripheral organs in healthy human subjects. *Synapse* 49, 178-187.
- Friddle, C. J., Koga, T., Rubin, E. M., and Bristow, J. (2000). Expression profiling reveals distinct sets of genes altered during induction and regression of cardiac hypertrophy. *Proc Natl Acad Sci U S A* 97, 6745-6750.
- Fukuchi, K., Nozaki, S., Yoshizumi, T., Hasegawa, S., Uehara, T., Nakagawa, T., Kobayashi, T., Tomiyama, Y., Yamashita, S., Matsuzawa, Y., and Nishimura, T. (1999). Enhanced myocardial glucose use in patients with a deficiency in long-chain fatty acid transport (CD36 deficiency). *J Nucl Med* 40, 239-243.
- Gerdes, A. M., Onodera, T., Wang, X., and McCune, S. A. (1996). Myocyte remodeling during the progression to failure in rats with hypertension. *Hypertension* 28, 609-614.
- Glazier, A. M., Scott, J., and Aitman, T. J. (2002). Molecular basis of the Cd36 chromosomal deletion underlying SHR defects in insulin action and fatty acid metabolism. *Mamm Genome* 13, 108-113.
- Gonzalez-Barroso, M. M., Fleury, C., Bouillaud, F., Nicholls, D. G., and Rial, E. (1998). The uncoupling protein UCP1 does not increase the proton conductance of the inner mitochondrial membrane by functioning as a fatty acid anion transporter. *J Biol Chem* 273, 15528-15532.
- Gotoda, T., Iizuka, Y., Kato, N., Osuga, J., Bihoreau, M. T., Murakami, T., Yamori, Y., Shimano, H., Ishibashi, S., and Yamada, N. (1999). Absence of Cd36 mutation in the original spontaneously hypertensive rats with insulin resistance. *Nat Genet* 22, 226-228.
- Greenwalt, D. E., Lipsky, R. H., Ockenhouse, C. F., Ikeda, H., Tandon, N. N., and Jamieson, G. A. (1992). Membrane glycoprotein CD36: a review of its roles in adherence, signal transduction, and transfusion medicine. *Blood* 80, 1105-1115.
- Greenwalt, D. E., Scheck, S. H., and Rhinehart-Jones, T. (1995). Heart CD36 expression is increased in murine models of diabetes and in mice fed a high fat diet. *J Clin Invest* 96, 1382-1388.
- Griffin, E., Re, A., Hamel, N., Fu, C., Bush, H., McCaffrey, T., and Asch, A. S. (2001). A link between diabetes and atherosclerosis: Glucose regulates expression of CD36 at the level of translation. *Nat Med* 7, 840-846.
- Grunig, E., Tasman, J. A., Kucherer, H., Franz, W., Kubler, W., and Katus, H. A. (1998). Frequency and phenotypes of familial dilated cardiomyopathy. *J Am Coll Cardiol* 31, 186-194.
- Haas, G. J., McCune, S. A., Brown, D. M., and Cody, R. J. (1995). Echocardiographic characterization of left ventricular adaptation in a genetically determined heart failure rat model. *Am Heart J* 130, 806-811.
- Hajri, T., Ibrahimi, A., Coburn, C. T., Knapp, F. F., Jr., Kurtz, T., Pravenec, M., and Abumrad, N. A. (2001). Defective fatty acid uptake in the spontaneously hypertensive rat is a primary determinant of altered glucose metabolism, hyperinsulinemia, and myocardial hypertrophy. *J Biol Chem* 276, 23661-23666.

- Harmon, C. M., and Abumrad, N. A. (1993). Binding of sulfosuccinimidyl fatty acids to adipocyte membrane proteins: isolation and amino-terminal sequence of an 88-kD protein implicated in transport of long-chain fatty acids. *J Membr Biol* *133*, 43-49.
- Hasegawa, K., Iwai-Kanai, E., and Sasayama, S. (2001). Neurohormonal regulation of myocardial cell apoptosis during the development of heart failure. *J Cell Physiol* *186*, 11-18.
- Heydemann, A., Wheeler, M. T., and McNally, E. M. (2001). Cardiomyopathy in animal models of muscular dystrophy. *Curr Opin Cardiol* *16*, 211-217.
- Hughes, T. R., and Shoemaker, D. D. (2001). DNA microarrays for expression profiling. *Curr Opin Chem Biol* *5*, 21-25.
- Huss, J. M., Levy, F. H., and Kelly, D. P. (2001). Hypoxia inhibits the peroxisome proliferator-activated receptor alpha/retinoid X receptor gene regulatory pathway in cardiac myocytes: a mechanism for O<sub>2</sub>-dependent modulation of mitochondrial fatty acid oxidation. *J Biol Chem* *276*, 27605-27612.
- Hwang, D. M., Dempsey, A. A., Lee, C. Y., and Liew, C. C. (2000). Identification of differentially expressed genes in cardiac hypertrophy by analysis of expressed sequence tags. *Genomics* *66*, 1-14.
- Hwang, J. J., Allen, P. D., Tseng, G. C., Lam, C. W., Fananapazir, L., Dzau, V. J., and Liew, C. C. (2002). Microarray gene expression profiles in dilated and hypertrophic cardiomyopathic end-stage heart failure. *Physiol Genomics* *10*, 31-44.
- Ibrahimi, A., Bonen, A., Blinn, W. D., Hajri, T., Li, X., Zhong, K., Cameron, R., and Abumrad, N. A. (1999). Muscle-specific overexpression of FAT/CD36 enhances fatty acid oxidation by contracting muscle, reduces plasma triglycerides and fatty acids, and increases plasma glucose and insulin. *J Biol Chem* *274*, 26761-26766.
- Jarcho, J. A., McKenna, W., Pare, J. A., Solomon, S. D., Holcombe, R. F., Dickie, S., Levi, T., Donis-Keller, H., Seidman, J. G., and Seidman, C. E. (1989). Mapping a gene for familial hypertrophic cardiomyopathy to chromosome 14q1. *N Engl J Med* *321*, 1372-1378.
- Johnson, M. L., Perry, S. W., Ely, D. L., and Turner, M. E. (1993). Inconsistent divergence of mitochondrial DNA in the spontaneously hypertensive rat. *Hypertension* *21*, 1066-1070.
- Kang, P. M., and Izumo, S. (2003). Apoptosis in heart: basic mechanisms and implications in cardiovascular diseases. *Trends Mol Med* *9*, 177-182.
- Kaprielian, R. R., Stevenson, S., Rothery, S. M., Cullen, M. J., and Severs, N. J. (2000). Distinct patterns of dystrophin organization in myocyte sarcolemma and transverse tubules of normal and diseased human myocardium. *Circulation* *101*, 2586-2594.
- Kashiwagi, H., Tomiyama, Y., Kosugi, S., Shiraga, M., Lipsky, R. H., Nagao, N., Kanakura, Y., Kurata, Y., and Matsuzawa, Y. (1995). Family studies of type II CD36 deficient subjects: linkage of a CD36 allele to a platelet-specific mRNA expression defect(s) causing type II CD36 deficiency. *Thromb Haemost* *74*, 758-763.
- Kashiwagi, H., Tomiyama, Y., Nozaki, S., Kiyoi, T., Tadokoro, S., Matsumoto, K., Honda, S., Kosugi, S., Kurata, Y., and Matsuzawa, Y. (2001). Analyses of genetic abnormalities in type I CD36 deficiency in Japan: identification and cell biological characterization of two novel mutations that cause CD36 deficiency in man. *Hum Genet* *108*, 459-466.
- Kelly, D. P., and Strauss, A. W. (1994). Inherited cardiomyopathies. *N Engl J Med* *330*, 913-919.
- Kimura, A., Harada, H., Park, J. E., Nishi, H., Satoh, M., Takahashi, M., Hiroi, S., Sasaoka, T., Ohbuchi, N., Nakamura, T., *et al.* (1997). Mutations in the cardiac troponin I gene associated with hypertrophic cardiomyopathy. *Nat Genet* *16*, 379-382.
- Kliwer, S. A., Umesono, K., Noonan, D. J., Heyman, R. A., and Evans, R. M. (1992). Convergence of 9-cis retinoic acid and peroxisome proliferator signalling pathways through heterodimer formation of their receptors. *Nature* *358*, 771-774.

- Komajda, M., Charron, P., and Tesson, F. (1999). Genetic aspects of heart failure. *Eur J Heart Fail* *1*, 121-126.
- Kozian, D. H., and Kirschbaum, B. J. (1999). Comparative gene-expression analysis. *Trends Biotechnol* *17*, 73-78.
- Kruglyak, L., and Lander, E. S. (1995). A nonparametric approach for mapping quantitative trait loci. *Genetics* *139*, 1421-1428.
- Lander, E., and Kruglyak, L. (1995). Genetic dissection of complex traits: guidelines for interpreting and reporting linkage results. *Nat Genet* *11*, 241-247.
- Lander, E. S., Green, P., Abrahamson, J., Barlow, A., Daly, M. J., Lincoln, S. E., and Newburg, L. (1987). MAPMAKER: an interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* *1*, 174-181.
- Ledesma, A., de Lacoba, M. G., and Rial, E. (2002). The mitochondrial uncoupling proteins. *Genome Biol* *3*, REVIEWS3015.
- Li, Y. Y., Kadokami, T., Wang, P., McTiernan, C. F., and Feldman, A. M. (2002). MMP inhibition modulates TNF-alpha transgenic mouse phenotype early in the development of heart failure. *Am J Physiol Heart Circ Physiol* *282*, H983-989.
- Lips, D. J., deWindt, L. J., van Kraaij, D. J., and Doevendans, P. A. (2003). Molecular determinants of myocardial hypertrophy and failure: alternative pathways for beneficial and maladaptive hypertrophy. *Eur Heart J* *24*, 883-896.
- Luiken, J. J., Schaap, F. G., van Nieuwenhoven, F. A., van der Vusse, G. J., Bonen, A., and Glatz, J. F. (1999). Cellular fatty acid transport in heart and skeletal muscle as facilitated by proteins. *Lipids* *34 Suppl*, S169-175.
- MacLellan, W. R., and Schneider, M. D. (1997). Death by Design : Programmed Cell Death in Cardiovascular Biology and Disease. *Circ Res* *81*, 137-144.
- Marin, J., Marin, E., Gutierrez-Iniguez, M. A., Avendano, C., and Rodriguez-Martinez, M. A. (2000). Mechanisms involved in the hemodynamic alterations in congestive heart failure as a basis for a rational pharmacological treatment. *Pharmacology & Therapeutics* *88*, 15-31.
- Marin-Garcia, J., and Goldenthal, M. J. (2002). Fatty acid metabolism in cardiac failure: biochemical, genetic and cellular analysis. *Cardiovasc Res* *54*, 516-527.
- Maron, B. J. (1997). Hypertrophic cardiomyopathy. *Lancet* *350*, 127-133.
- Maron, B. J., Gardin, J. M., Flack, J. M., Gidding, S. S., Kurosaki, T. T., and Bild, D. E. (1995). Prevalence of hypertrophic cardiomyopathy in a general population of young adults. Echocardiographic analysis of 4111 subjects in the CARDIA Study. Coronary Artery Risk Development in (Young) Adults. *Circulation* *92*, 785-789.
- Mogensen, J., Klausen, I. C., Pedersen, A. K., Egeblad, H., Bross, P., Kruse, T. A., Gregersen, N., Hansen, P. S., Baandrup, U., and Borglum, A. D. (1999). Alpha-cardiac actin is a novel disease gene in familial hypertrophic cardiomyopathy. *J Clin Invest* *103*, R39-43.
- Monkawa, T., Hiromura, K., Wolf, G., and Shankland, S. J. (2002). The Hypertrophic Effect of Transforming Growth Factor- $\beta$  is Reduced in the Absence of Cyclin-Dependent Kinase-Inhibitors p21 and p27. *J Am Soc Nephrol* *13*, 1172-1178.
- Morano, I. (1999). Tuning the human heart molecular motors by myosin light chains. *J Mol Med* *77*, 544-555.
- Murray, C. J., and Lopez, A. D. (1997). Global mortality, disability, and the contribution of risk factors: Global Burden of Disease Study. *Lancet* *349*, 1436-1442.
- Narula, J., Kolodgie, F. D., and Virmani, R. (2000). Apoptosis and cardiomyopathy. *Curr Opin Cardiol* *15*, 183-188.

- Nicholson, A. C., Febbraio, M., Han, J., Silverstein, R. L., and Hajjar, D. P. (2000). CD36 in atherosclerosis. The role of a class B macrophage scavenger receptor. *Ann N Y Acad Sci* 902, 128-131; discussion 131-123.
- Olson, T. M., Michels, V. V., Thibodeau, S. N., Tai, Y. S., and Keating, M. T. (1998). Actin mutations in dilated cardiomyopathy, a heritable form of heart failure. *Science* 280, 750-752.
- Orii, K. O., Saito-Ohara, F., Ikeuchi, T., Orii, T., Kondo, N., Aoyama, T., and Hashimoto, T. (1997). Assignment of the gene for very-long-chain acyl-CoA dehydrogenase (Acadv1) to mouse chromosome band 11B2-B5 by in situ hybridization. *Cytogenet Cell Genet* 78, 25-26.
- Paulus, W. J. (1999). How are cytokines activated in heart failure? *Eur J Heart Fail* 1, 309-312.
- Poetter, K., Jiang, H., Hassanzadeh, S., Master, S. R., Chang, A., Dalakas, M. C., Rayment, I., Sellers, J. R., Fananapazir, L., and Epstein, N. D. (1996). Mutations in either the essential or regulatory light chains of myosin are associated with a rare myopathy in human heart and skeletal muscle. *Nat Genet* 13, 63-69.
- Pravenec, M., Landa, V., Zidek, V., Musilova, A., Kren, V., Kazdova, L., Aitman, T. J., Glazier, A. M., Ibrahim, A., Abumrad, N. A., *et al.* (2001). Transgenic rescue of defective Cd36 ameliorates insulin resistance in spontaneously hypertensive rats. *Nat Genet* 27, 156-158.
- Pravenec, M., Zidek, V., Simakova, M., Kren, V., Krenova, D., Horky, K., Jachymova, M., Mikova, B., Kazdova, L., Aitman, T. J., *et al.* (1999). Genetics of Cd36 and the clustering of multiple cardiovascular risk factors in spontaneous hypertension. *J Clin Invest* 103, 1651-1657.
- Raasch, W., Bartels, T., Gieselberg, A., Dendorfer, A., and Dominiak, P. (2002). Angiotensin I-converting enzyme inhibition increases cardiac catecholamine content and reduces monoamine oxidase activity via an angiotensin type 1 receptor-mediated mechanism. *J Pharmacol Exp Ther* 300, 428-434.
- Rial, E., and Gonzalez-Barroso, M. M. (2001). Physiological regulation of the transport activity in the uncoupling proteins UCP1 and UCP2. *Biochim Biophys Acta* 1504, 70-81.
- Ritter, O., Luther, H. P., Haase, H., Baltas, L. G., Baumann, G., Schulte, H. D., and Morano, I. (1999). Expression of atrial myosin light chains but not alpha-myosin heavy chains is correlated in vivo with increased ventricular function in patients with hypertrophic obstructive cardiomyopathy. *J Mol Med* 77, 677-685.
- Rowley, D. R., Dang, T. D., Larsen, M., Gerdes, M. J., McBride, L., and Lu, B. (1995). Purification of a novel protein (ps20) from urogenital sinus mesenchymal cells with growth inhibitory properties in vitro. *J Biol Chem* 270, 22058-22065.
- Ruiz-Lozano, P., Smith, S. M., Perkins, G., Kubalak, S. W., Boss, G. R., Sucov, H. M., Evans, R. M., and Chien, K. R. (1998). Energy deprivation and a deficiency in downstream metabolic target genes during the onset of embryonic heart failure in RXRalpha<sup>-/-</sup> embryos. *Development* 125, 533-544.
- Sabbah, H. N. (2000). Apoptotic cell death in heart failure. *Cardiovascular Research* 45, 704-712.
- Sack, M. N., Rader, T. A., Park, S., Bastin, J., McCune, S. A., and Kelly, D. P. (1996). Fatty acid oxidation enzyme gene expression is downregulated in the failing heart. *Circulation* 94, 2837-2842.
- Sadoshima, J., and Izumo, S. (1997). Tyrosine kinases mediation of c-fos expression by cell swelling in cardiac myocytes. *Heart Vessels Suppl* 12, 194-197.
- Sano, M., Abdellatif, M., Oh, H., Xie, M., Bagella, L., Giordano, A., Michael, L. H., DeMayo, F. J., and Schneider, M. D. (2002). Activation and function of cyclin T-Cdk9 (positive transcription elongation factor-b) in cardiac muscle-cell hypertrophy. *Nat Med* 8, 1310-1317.
- Satoh, M., Takahashi, M., Sakamoto, T., Hiroe, M., Marumo, F., and Kimura, A. (1999). Structural analysis of the titin gene in hypertrophic cardiomyopathy: identification of a novel disease gene. *Biochem Biophys Res Commun* 262, 411-417.
- Schaffer, J. E., and Lodish, H. F. (1994). Expression cloning and characterization of a novel adipocyte long chain fatty acid transport protein. *Cell* 79, 427-436.

- Schaub, M. C., Hefti, M. A., Zuellig, R. A., and Morano, I. (1998). Modulation of contractility in human cardiac hypertrophy by myosin essential light chain isoforms. *Cardiovasc Res* 37, 381-404.
- Schwartz, K., Chassagne, C., and Boheler, K. R. (1993). The molecular biology of heart failure. *J Am Coll Cardiol* 22, 30A-33A.
- Seidman, J. G., and Seidman, C. (2001). The genetic basis for cardiomyopathy: from mutation identification to mechanistic paradigms. *Cell* 104, 557-567.
- St Lezin, E., Simonet, L., Pravenec, M., and Kurtz, T. W. (1992). Hypertensive strains and normotensive 'control' strains. How closely are they related? *Hypertension* 19, 419-424.
- Steenbergen, C., Afshari, C. A., Petranka, J. G., Collins, J., Martin, K., Bennett, L., Haugen, A., Bushel, P., and Murphy, E. (2003). Alterations in apoptotic signaling in human idiopathic cardiomyopathic hearts in failure. *Am J Physiol Heart Circ Physiol* 284, H268-276.
- Steinberg, G. R., Dyck, D. J., Calles-Escandon, J., Tandon, N. N., Luiken, J. J., Glatz, J. F., and Bonen, A. (2002). Chronic leptin administration decreases fatty acid uptake and fatty acid transporters in rat skeletal muscle. *J Biol Chem* 277, 8854-8860.
- Strauss, A. W., Powell, C. K., Hale, D. E., Anderson, M. M., Ahuja, A., Brackett, J. C., and Sims, H. F. (1995). Molecular basis of human mitochondrial very-long-chain acyl-CoA dehydrogenase deficiency causing cardiomyopathy and sudden death in childhood. *Proc Natl Acad Sci U S A* 92, 10496-10500.
- Sutsch, G., Brunner, U. T., von Schulthess, C., Hirzel, H. O., Hess, O. M., Turina, M., Kraysenbuehl, H. P., and Schaub, M. C. (1992). Hemodynamic performance and myosin light chain-1 expression of the hypertrophied left ventricle in aortic valve disease before and after valve replacement. *Circ Res* 70, 1035-1043.
- Tamamori-Adachi, M., Ito, H., Nobori, K., Hayashida, K., Kawauchi, J., Adachi, S., Ikeda, M.-A., and Kitajima, S. (2002). Expression of cyclin D1 and CDK4 causes hypertrophic growth of cardiomyocytes in culture: a possible implication for cardiac hypertrophy. *Biochemical and Biophysical Research Communications* 296, 274-280.
- Tamura, T., Onodera, T., Said, S., and Gerdes, A. M. (1998). Correlation of myocyte lengthening to chamber dilation in the spontaneously hypertensive heart failure (SHHF) rat. *J Mol Cell Cardiol* 30, 2175-2181.
- Tan, F. L., Moravec, C. S., Li, J., Apperson-Hansen, C., McCarthy, P. M., Young, J. B., and Bond, M. (2002). The gene expression fingerprint of human heart failure. *Proc Natl Acad Sci U S A* 99, 11387-11392.
- Tanaka, K., Yokota, I., Coates, P. M., Strauss, A. W., Kelly, D. P., Zhang, Z., Gregersen, N., Andresen, B. S., Matsubara, Y., Curtis, D., and et al. (1992). Mutations in the medium chain acyl-CoA dehydrogenase (MCAD) gene. *Hum Mutat* 1, 271-279.
- Tanaka, T., Nakata, T., Oka, T., Ogawa, T., Okamoto, F., Kusaka, Y., Sohmiya, K., Shimamoto, K., and Itakura, K. (2001). Defect in human myocardial long-chain fatty acid uptake is caused by FAT/CD36 mutations. *J Lipid Res* 42, 751-759.
- Tao, N., Wagner, S. J., and Lublin, D. M. (1996). CD36 is palmitoylated on both N- and C-terminal cytoplasmic tails. *J Biol Chem* 271, 22315-22320.
- Taroni, F., Verderio, E., Garavaglia, B., Fiorucci, S., Finocchiaro, G., Uziel, G., and DiDonato, S. (1992). Biochemical and molecular studies of carnitine palmitoyltransferase II deficiency with hepatocardiomyopathic presentation. *Prog Clin Biol Res* 375, 521-531.
- Teboul, L., Febbraio, M., Gaillard, D., Amri, E. Z., Silverstein, R., and Grimaldi, P. A. (2001). Structural and functional characterization of the mouse fatty acid translocase promoter: activation during adipose differentiation. *Biochem J* 360, 305-312.
- Thierfelder, L., MacRae, C., Watkins, H., Tomfohrde, J., Williams, M., McKenna, W., Bohm, K., Noeske, G., Schlepper, M., Bowcock, A., and et al. (1993). A familial hypertrophic cardiomyopathy locus maps to chromosome 15q2. *Proc Natl Acad Sci U S A* 90, 6270-6274.

- Towbin, J. A., and Bowles, N. E. (2002). The failing heart. *Nature* 415, 227-233.
- Towbin, J. A., Hejtmancik, J. F., Brink, P., Gelb, B., Zhu, X. M., Chamberlain, J. S., McCabe, E. R., and Swift, M. (1993). X-linked dilated cardiomyopathy. Molecular genetic evidence of linkage to the Duchenne muscular dystrophy (dystrophin) gene at the Xp21 locus. *Circulation* 87, 1854-1865.
- Tyagi, S. C., Kumar, S., Voelker, D. J., Reddy, H. K., Janicki, J. S., and Curtis, J. J. (1996). Differential gene expression of extracellular matrix components in dilated cardiomyopathy. *J Cell Biochem* 63, 185-198.
- Vara, D., Bicknell, K. A., Coxon, C. H., and Brooks, G. (2003). Inhibition of E2F Abrogates the Development of Cardiac Myocyte Hypertrophy. *J Biol Chem* 278, 21388-21394.
- Vlahos, C. J., McDowell, S. A., and Clerk, A. (2003). Kinases as therapeutic targets for heart failure. *Nat Rev Drug Discov* 2, 99-113.
- Watkins, H., MacRae, C., Thierfelder, L., Chou, Y. H., Frenneaux, M., McKenna, W., Seidman, J. G., and Seidman, C. E. (1993). A disease locus for familial hypertrophic cardiomyopathy maps to chromosome 1q3. *Nat Genet* 3, 333-337.
- Wodicka, L., Dong, H., Mittmann, M., Ho, M. H., and Lockhart, D. J. (1997). Genome-wide expression monitoring in *Saccharomyces cerevisiae*. *Nat Biotechnol* 15, 1359-1367.
- Wu, P., Blair, P. V., Sato, J., Jaskiewicz, J., Popov, K. M., and Harris, R. A. (2000). Starvation increases the amount of pyruvate dehydrogenase kinase in several mammalian tissues. *Arch Biochem Biophys* 381, 1-7.
- Wu, Y., Bell, S. P., Trombitas, K., Witt, C. C., Labeit, S., LeWinter, M. M., and Granzier, H. (2002). Changes in titin isoform expression in pacing-induced cardiac failure give rise to increased passive muscle stiffness. *Circulation* 106, 1384-1389.
- Yang, J., Moravec, C. S., Sussman, M. A., DiPaola, N. R., Fu, D., Hawthorn, L., Mitchell, C. A., Young, J. B., Francis, G. S., McCarthy, P. M., and Bond, M. (2000). Decreased SLIM1 expression and increased gelsolin expression in failing human hearts measured by high-density oligonucleotide arrays. *Circulation* 102, 3046-3052.
- Yet, S. F., Folta, S. C., Jain, M. K., Hsieh, C. M., Maemura, K., Layne, M. D., Zhang, D., Marria, P. B., Yoshizumi, M., Chin, M. T., *et al.* (1998). Molecular cloning, characterization, and promoter analysis of the mouse Crp2/SmLim gene. Preferential expression of its promoter in the vascular smooth muscle cells of transgenic mice. *J Biol Chem* 273, 10530-10537.
- Yin, G., Yan, C., and Berk, B. C. (2003). Angiotensin II signaling pathways mediated by tyrosine kinases. *The International Journal of Biochemistry & Cell Biology* 35, 780-783.
- Yun, J., Zuscik, M. J., Gonzalez-Cabrera, P., McCune, D. F., Ross, S. A., Gaivin, R., Piascik, M. T., and Perez, D. M. (2003). Gene expression profiling of alpha(1b)-adrenergic receptor-induced cardiac hypertrophy by oligonucleotide arrays. *Cardiovasc Res* 57, 443-455.