

6 Literaturverzeichnis:

- AFGHANI, B. und STUTMAN, H. R.: Polymerase chain reaction for diagnosis of M. tuberculosis: Comparison of simple boiling and a conventional method for DNA extraction. Biochem. Mol. Med. 57, 14- 18 (1996)
- AMUNDSEN, S. K. und NEVILLE, M. E.: Comparison of three procedures for isolating DNA from bacteria. Microbios. 24, 29- 39 (1979)
- ASCOLI, A.: Die Präzipitindiagnose bei Milzbrand. Zbl. Bakt. I. Abt. Orig. 58, 63- 70 (1911)
- ASH, C., FARROW, J. A. E., DORSCH, M., STACKEBRANDT, E. und COLLINS, M. D.: Comparative analysis of *Bacillus anthracis*, *Bacillus cereus* and related species on the basis of reverse transcriptase sequencing of 16S rRNA. Int. J. Syst. Bact. 41, 343- 346 (1991)
- ASH, C. und COLLINS, M. D.: Comparative analysis of 23S ribosomal RNA gene sequences of *Bacillus anthracis* and emetic *Bacillus cereus* determined by PCR- direct sequencing. FEMS Microbiol. Lett. 94, 75- 80 (1992)
- BAILIE, W. E. und STOWE, E. C.: Simplified test for identification of *Bacillus anthracis*. Proc. Abs. Ann. Meet. ASM 48 (1977)
- BAILLIE, L. W. J., JONES, N. M., TURNBULL, P. C. B. and MANCHEE, R. J.: Evaluation of the Biolog system for the identification of *Bacillus anthracis*. Lett. Appl. Microbiol. 20, 209- 211 (1994)
- BANERJEE, S. K., MAKDISI, W. F., WESTON, A. P., MITCHELL, S. M. und CAMPBELL, D. R.: Microwave- based DNA extraction from paraffin- embedded tissue for PCR amplification. Biotechn. 18(5), 768- 773 (1995)
- BECK, T.: Mikrobiologie des Bodens. Bayerischer Landwirtschaftsverlag München, pp. 100- 101 (1968)
- BEJ, A. K., MAHBUBANI, M. H., DICESARE, J. L. und ATLAS, R. M.: Polymerase chain reaction- gene probe detection of microorganisms by using filter- concentrated samples. Appl. Environ. Microbiol. 57, 3529- 3534 (1991)
- BELLAMI, A. R. und RALPH, R. V.: Recovery and purification of nucleic acids by means of öcetyltrimethylammoniumbromide. In: GROSSMAN, L. und MOLDAVE, K., Methods Enzymol. 12B, 156- 160 (1968)
- BERGER, S. L. und KIMMEL, A. R.: GUIDE to molecular cloning techniques. Methods Enzymol. 152, 33- 41 (1987)
- BERNAL, M., BAQUERO- MEZENCE, M. I., PROVOST, F., LAURENT, F., MARTINEZ- MACHIN, G. und BOIRON, P.: A one- step *Candida albicans* DNA extraction method using „Chelex® 100 Resin“ suitable for DNA amplification (PCR). J. Mycol. Med. 7, 53- 54 (1997)

BESSESEN, M. T., LUO, Q., ROTBART, H. A., BLASER, M. J. und ELLISON, R. T.: Detection of *Listeria monocytogenes* by using the polymerase chain reaction. Appl. Environ. Microbiol. 56, 2930-2932 (1990)

BETZL, D., LUDWIG, W. und SCHLEIFER, K. H.: Identification of *Lactococci* and *Enterococci* by colony hybridization with 23S rRNA- targeted oligonucleotide probes. Appl. Environ. Microbiol. 56, 2927- 2929

BEYER, W., GLÖCKNER, P., OTTO, J. und BÖHM, R.: A nested PCR method for the detection of *Bacillus anthracis* in environmental samples collected from former tannery sites. Microbiol. Res. 150, 179-186 (1995)

BEYER, W.: pers. Mitteilung (1996)

BIRNBOIM, H. C. und DOLY, J.: A rapid extraction procedure for screening recombinant plasmid DNA. Nucl. Acids Res. 7, 1513- 1523 (1979)

BLANCHARD, M. M. und NOWOTNY, V.: High- throughput rapid Yeast DNA extraction. Genet. Anal., Techn. Appl. (GATA) 11(1), 7- 11 (1994)

BLUMENSTOCK, I.: *Bacillus coagulans* HAMMER 1915 und andere thermophile oder mesophile, säuretolerante *Bacillus*- Arten- eine taxonomische Untersuchung-. Diss. Göttingen (1984)

BÖHM, R.: Untersuchungen über einen fluoreszenzserologischen Schnellnachweis von *Bacillus anthracis* durch Anwendung der Mikrokulturtechnik auf nicht fluoreszierenden Membranfiltern. Vet. med. Diss., Gießen (1972)

BÖHM, R. und STRAUCH, D.: Ein fluoreszenzserologischer Mikrokulturnachweis von *Bacillus anthracis* auf Membranfiltern als Sporenschnellnachweis. Wien tierärztl. Mschr. 60, 327- 332 (1973)

BÖHM, R.: Sample preparation technique for the analysis of vegetative bacteria cells genus *Bacillus* with the Laser Microprobe Mass Analyzer (LAMMA). Fresenius Z. Anal. Chem. 308, 258- 259 (1981)

BÖHM, R.: *Bacillus anthracis*. In: BLOBEL, H. und SCHLIESER, T., Handbuch der bakteriellen Infektionen bei Tieren, Bd. 5, pp. 17- 90, Gustav Fischer Verlag Stuttgart (1985)

BÖHM, R.: Schnelle und automatisierbare Diagnosemethoden für *Bacillus anthracis* als Testkeim bei Untersuchungen zur Umwelthygiene. Paul Parey Verlag, Berlin (1988)

BOLLET, C. M. J., GEVAUDAN, X., DE LAMBALLERIE, C., ZANDOTTI, C. und DE MICCO, P.: A simple method for the isolation of chromosomal DNA from gram positive or acid- fast bacteria. Nucl. Acids Res. 19, 1955 (1991)

BONDE, C. J. und JACKSON, D. K.: DNA- base ratios of *Bacillus* strains related to numerical and classical taxonomy. J. Gen. Microbiol. 69, 7 (1971)

BOURQUE, S. N., VALERO, J. R., LAVOIE, M. C. und LEVESQUE, C.: Comparative analysis of the 16S to 13S ribosomal intergenic spacer sequences of *Bacillus thuringiensis*

strain and subspecies and of closely related species. *Appl. Environ. Microbiol.* 61, 1623- 1626 (1995)

BRAGG, T. S. und ROBERTSON, D. L.: Nucleotide sequence of the lethal factor gene from *Bacillus anthracis*. *Gene* 81, 45- 54 (1989)

BROWN, E. R. und CHERRY, W. B.: Specific identification of *Bacillus anthracis* by means of a variant bacteriophage. *J. Infect. Dis.* 96, 34- 39 (1955)

BRÜCKLER, J. und BLOBEL, H.: Serologische Methoden. In: BLOBEL, H. und SCHLIESER, T. *Handbuch der bakteriellen Infektionen bei Tieren* 1, 305- 345, Gustav Fischer Verlag, Jena (1979)

BRUNO, J. G. und YU, H.: Immunomagnetic- Electrochemiluminescent detection of *Bacillus anthracis* spores in soil matrices. *Appl. Environm. Microbiol.* 62(9), 3474- 3476 (1996)

BUCKLAND, R. M.: Strong signals from Streptavidin- biotin. *Nature* 320, 557- 558

BUHARIWALLA, H., GREAVES, S., MAGRATH, R. und MITHEN, R.: Development of specific PCR primers for the amplification of polymorphic DNA from obligate root pathogen Plasmodiophora brassicae. *Physiol. Mol. Plant Pathol.* 47, 83- 94 (1995)

CANO, R. J., RASMUSSEN, S. R., FRAGA, G. S. und PALOMARES, J. C.: Fluorescent detection - polymerase chain reaction (FD-PCR) assay on microwell plates as a screening test for salmonellas. *J. of Appl. Bacteriol.* 75, 247- 253 (1993)

CARL, M., HAWKINS, R., COULSON, N., LOWE, J., ROBERTSON, D. L., NELSON, W. M., TITBALL, R. W. und WOODY, J. N.: Detection of Spores of *Bacillus anthracis* using the Polymerase Chain Reaction. *J. of Inf. Dis.* 165, 1145- 1148 (1992)

CARLSON, C. R. und KOLSTO, A.- B.: A complete physical map of *Bacillus thuringiensis* chromosome. *J. Bact.* 175, 1053- 1060 (1993)

CERE, N., HUMBERT, J. F., LICOIS, D., CORVIONE, M., AFANASSIEFF, M. und CHANTELOUP, N.: A new approach for the identification and the diagnosis of *Eimeria media* in Parasite of Rabbit. *Exp. Parasitol.* 82, 132- 138 (1996)

CHAIET, L. und WOLF, F.J.: The properties of streptavidin, a biotin- binding protein produced by Streptomyces. *Arch. Biochem. Biophys.* 106, 1- 5 (1964)

CHERRY, W. B. und FREEMAN, E. M.: Staining bacterial smears with fluorescent antibody. The rapid identification of *Bacillus anthracis* in culture and in human and murine tissues. *Zbl. Bakt. I. Abt. Orig.* 175, 582- 604 (1959)

CHEVRIER, D., POPOFF, M.Y., DION, M.P., HERMANT, D. und GUESDON, J. - L.: Rapid detection of Salmonella subspecies 1 by PCR combined with non- radioactive hybridisation using covalently immobilised oligonucleotide on a microplate. *FEMS Immunol. and Med. Microbiol.* 10, 245- 252 (1995)

CHEYROU, A., C. GUYOMARCH, C., JASSERAND, P. und BLOUIN, P.: Improved detection of HBV by PCR after microwave treatment of serum. *Nucl. Acids Res.* 19, 4006 (1991)

CIMINO, G. D., METCHETTE, K., ISAACS, S. T. und ZHU, Y. S.: More false- positive problems. *Nature* 345, 773- 774 (1990)

CLAUS, D. und BERKELEY, C. W.: Genus *Bacillus* COHN 1872,174 In: BERGEY'S Manual of Systematic Bacteriology 2, 1105- 1135, Willians and Wilkins Co., Baltimore (1986)

COLE, H. B., EZZEL, W. B., KELLER, K. F. und DOYLE, R. J.: Differentiation of *Bacillus anthracis* and other *Bacillus* species by lectins. *J. Clin. Microbiol.* 49, 48- 53 (1984)

CONE, R. W. und FAIRFAX, M. R.: Protocol for ultraviolet irradiation of surfaces to reduce PCR contamination. *PCR Methods and Appl.*, 15- 17 (1993)

CONKLIN, M.: Mercurochrome as a bacteriological stain. *J. Bact.* 7, 30 (1934)

DAVID, B. P., PRABHAKAR, T. G., RAO, C. V. und VENKATESAN, R. A.: Rapid detection of capsulating virulent anthrax bacilli. *Ind. J. Anim. Sci.* 62, 1011- 1014 (1993)

DAVIS, L. G., DIBNER, M. D. und BATTEY, J. F.: Basic methods in molecular biology. Elsevier Sci. Publish., New York, 42- 50 (1986)

DE BALOUGH, K., BBALO, G. C., BÖHM, R., CHIZYUKA, H.G. B., KIGAN, B., KOMBA, G. L., MUYOYETA, P. M., TUCHILI, L. M., TURNBULL, P. C. B., DE VOS, V. und ROBERTS, D. H.: Anthrax control and research, with special references to national programme development in Africa: Memorandum fram aWHO meeting. *Bull. WHO* 72(1), 13- 22 (1994)

DE VOS, V.: The ecology of anthrax in the Kruger National Park, South Africa. Proceedings of the International Workshop on Anthrax (1989), 28

DELACOURT, C., POVEDA, J.- D., CHUREAU, N. B., MAHUT, B., BLIC, J. SCHEINMANN, P. und GARRIGUE, G.: Use of polymerase chain reaction for improved diagnosis of tuberculosis in children. *J. pediatrics* 126(5), 703- 709 (1995)

DENEER, H. G. und BOYCHUK, J.: Species- specific detection of *Listeria monocytogenes* by DNA amplification. *Appl. Environ. Microbiol.* 57, 606- 609 (1991)

DOGANAY, M.: Human Anthrax in Turkey. In: TURNBULL, P. C. B., International Workshop on Anthrax, 24 (1995)

DOWDLE, W. F. und HANSEN, P. A.: A phage- fluorescent antiphage staining system for *Bacillus anthracis*. *J. Infect. Dis.* 108, 125- 135 (1961)

DRAGON, D. C. und RENNIE, R. P.: The ecology of anthrax spores: Tough but not invincible. *Can. Vet. J.* 36, 295- 301 (1995)

DUGUID, J. P.: The demonstration of bacterial capsules and slime. *J. Path. Bact.* 63, 673- 685 (1951)

DYNAL Isolation of PCR- ready DNA from plants, bacteria, algae, fungi and vertebrates using the Dynabeads DNA direct TMKit. Dynal technical tips *Salisbury Med. Bull.* 68, Special Suppl., 19- 23 (1990)

EHRHARDT, A., SCHAEFER, S., ATHANASSIOU, N., KANN, M. und GEHRLICH, W., H.: Quantitative assay of PCR- amplified Hepatitis B virus DNA using a peroxidase- labelled probe and enhanced chemiluminescence. *J. Clin. Microbiol.* 34(8), 1885- 1891 (1996)

EHRLICH, H. A, GELFAND, D. und SNINSKY, J. J.: Recent advances in the polymerase chain reaction. *Science* 252, 1643- 1651 (1991)

ERB, R. W. und WAGNER- DÖBLER, I.: Detection of polychlorinated biphenyl degradation genes in pollutes sediments by direct DNA extraction and polymerase chain reaction. *Appl. Environ. Microbiol.* 59(12), 4065- 4073 (1993)

ESCUYER, V., DUFLOT, E., SEZER, O., DANCHIN, A. und MOCK, M.: Structural homology between virulence- associated bacterial adenylate cyclases. *Gene* 71, 293- 298 (1988)

ETIENNE- TOUMELIN, I., SIRARD, J.- C., DUFLOT, E., MOCK, M. und FOUET, A.: Characterization of the *Bacillus anthracis* S- Layer: Cloning and Sequencing of the Structural Gene. 117 (3), 614- 620 (1995)

EZAKI, T und SUZUKI, S.: Achromopeptidase for lysis of anaerobic gram- positive cocci. *J. Clin. Microbio.* 16, 844- 846 (1982)

EZZEL, J. W., ABSHIRE, T. G., LITTLE, S., LIDGERING, B. C. und BROWN, C.: Identification of *Bacillus anthracis* by using monoclonal antibody to cell wall galactose- N-acetylglucosamine polysaccharide. *J. Clin. Microbiol.* 28, 223- 231 (1990)

FAHMY, F., FLOSSDORF, J. und CLAUS, D.: The DNA base composition of the type strain of genus *Bacillus*. *Syst. Appl. Microbiol.* 6, 60- 65 (1985)

FAN, J., NANKI, T., MIYASAKA, N. und KOHSAKA, H.: Double- negative BV8S3 T Cells expanded in MRL lpr/lpr lymph nodes conserve TCRBJ gene usage of single- positive BV8S3 T cells. *Microbiol. Immunol.* 41(3), 253- 260 (1997)

FANGAN, B. M., STEDJE, B. STABBETORP, O. E., JENSEN, E. S. und JAKOBSEN, K. S.: A general approach for PCR- amplification and sequencing of chloroplast DNA from crude vascular plant and algal tissue. *Biotech.* 16, 484- 494 (1994)

FEELEY, J. C. und PATTON, C. M.: *Bacillus*. In: Manual of ,Clinical Microbiology, Washington 3, 145- 149 (1980)

FESTL, H., LUDWIG, W. und SCHLEIFER, K. H.: DNA hybridization probe for the PSEUDOMONAS fluorescens group. *Appl. Environ. Microbiol.* 52, 1190- 1194 (1986)

FLUIT, A. C., TORENSMA, R., VISSER, M. J. C., AARSMANN, C. J. M., POPPELIER, M. J. J. G., KELLER, B. H. I., KLAPWIJK, P. und VERHOEF, J.: Detection of *Listeria monocytogenes* in cheese with magnetic immuno polymerase chain reaction assay. Appl. Environ. Microbiol. 59, 1289- 1293 (1993)

FRATAMICA, P. M.; SCHULTZ, F. J. und BUCHANAN, R. L.: Rapid isolation of *Escherichia coli* O157:H7 from enrichment cultures of food using an immunomagnetic separation method. Food Microbiol. 9, 105- 113 (1992)

GIBELLINI, D., ZERBINI, M., MUSIANI, M., VENTUROLI, S., GENTILOMI, G. und LA PLACA, M.: Microplate capture hybridization of amplified parvovirus B19 DNA- Fragment labelled with Digoxigenin. Mol. and Cell. Probes 7, 453- 458, (1993)

GLÖCKNER, P.: Vet. med. Diss. Gießen (1996)

GOLBANG, N., BURNIE, J. P., KLAPPER, P. E., BOSTOCK, A. und WILLIAMSON, P.: Sensitive and universal method for microbial DNA extraction from blood products. J. Clin. Pathol., 861- 863 (1996)

GOODWIN, D. C. und LEE, S. B.: Microwave miniprep of total genomic DNA from fungi, plants, protists and animals for PCR. Biotech. 15, 438- 444 (1993)

GRAHAM, K., KELLER, K., EZZEL, J. und DOYLE, R.: Enzyme- linked lektinsorbent assay (ELLA) for detecting *Bacillus anthracis*. Eur. J. Clin. Microbiol. 3, 210- 212 (1984)

GRAIG, A.G., NIZETIC, D. und LEHRACH, H.: Labelling oligonucleotides to high specific activity. Nucl. acid res. 17 (12), 4605- 4609 (1989)

GRUNSTEIN, M. und HOGNESS, D. S.: Colony hybridization: a method for the isolation of cloned DNAs that contain a specific gene. Proc. Natl. Acad. Sci. USA 72, 3961- 3965 (1975)

HANSEN, J. N.: Isolation of higher molecular weight DNA from *Bacillus cereus* T using proteinase K. Preparative Biochemistry 4, 473- 488 (1974)

HAQQI, T.M., SARKAR, G., DAVID, C.S. und SOMMER, S.S.: Specific amplification with PCR of a refractory segment of genomic DNA. Nucl. Acid Res. 16, 11844 (1988)

HAWKINS, T. L., O'CONNOR- MORIN, T., ROY, A. und SANTILLAN, C.: DNA purification and isolation using a solid- phase. Nucl. Acids Res. 22(21), 4543- 4544 (1994)

HEATH, L. S., SLOAN, G. L. und HEATH, H. E.: A simple and generally applicable procedure for releasing DNA from bacterial cells Appl. Environ. Microbiol. 51, 1138- 1140 (1986)

HENDERSON, DUGGLEBY, C. J. und TURNBALL, P. C. B.: Differentiation of *Bacillus anthracis* from Other *Bacillus cereus* Group Bacteria with the PCR. Int. J. of Systematic Bacteriol. 44, No. 1, 99- 105 (1994)

HIGUCHI, R.: Simple and rapid preparation of samples for PCR. In: EHRLICH, H. A., PCR Technology, Principles and Applications for DNA Amplification. Stockton Press, New York, 31- 38 (1989)

HILL, E. B., WAYNE, L. G. und GROSS, W. M.: Purification of mycobacterial deoxyribonucleic acid. J. Bact. 112, 1033- 1039 (1972)

HONDO, R., ITO S., und INOUYE, S.: Titration of Varicella- Zoster Virus DNA in Throat swabs from Varicella Patients by combined use of PCR and microplate hybridization. Jpn. J. Med. Sci. Biol. 48, 249- 255 (1995)

HUGH- JONES, M. E.: World Situation 1993/1994. In: TURNBULL, P. C. B., International Workshop on Anthrax, 15- 16 (1995)

HUGH- JONES, M.: 1996 global anthrax report. Proceedings of the International Workshop on Anthrax, 1 (1998)

HUNG, T., MAK, K. und FONG, K.: A specific enhancer for polymerase chain reaction. Nucl. Acid Res. 18, 4953 (1990)

HUSS, V. A. R.: Untersuchungen zur spektrophotometrischen Bestimmung von Desoxyribonukleinsäure- Homologien am Beispiel der Gattungen *Peptococcus* und *Peptostreptococcus*. Diss. München (TU) (1983)

HUTSON, R. A. und DUGGLEBY, C. J.: DNA probes for anthrax detection. Salisbury Medical Bulletin 68, 27- 28 (1990)

HUTSON, R.A., DUGGLEBY, C.J., LOWE, J.R., MANCHEE R.J. und TURNBULL, P.C.B.: The development and assessment of DNA and oligonucleotide probes for the specific detection of *Bacillus anthracis*. J. of Appl. Bacteriol. 75, 463- 472 (1993)

IBELGAUFTS, H.: Gentechnologie von A bis Z. Studienausgabe. VCH New York Basel Cambridge (1990)

IBRAHIM, A., LIESACK, W., PIKE, S. und STACKEBRANDT, E.: The polymerase chain reaction: an epidemiological tool to differentiate between two clusters of pathogenic *Yersinia enterocolitica* strains. FEMS Microbiol Lett. 97, 63- 66 (1992)

INNIS, M, MYAMBO, K. B., GELFAND, D. H. und BROW, M. A. D.: DNA sequencing with *Thermus aquaticus* DNA polymerase and direct sequencing of polymerase chain reaction amplified probes. PROC. Natl. Acad. Sci. USA 85, 9436 (1988)

INOUE, S. und HONDO, R.: Microplate hybridization of amplified viral DNA segment. J. of Clin. Microbiol. 28, 1469- 1472

IRWIN, M. H., MOFFATT, R. J. und PINKERT, C. A.: Identification of transgenic mice by PCR analysis of saliva. Natur Biotechn. 14, 1146- 1148 (1996)

JAGOW, J. und HILL, W.: Enumeration by DNA colony hybridization of virulen *Yersinia enterocolitica* colonies in arificial contaminated food. Appl. Environ. Microbiol. 51, 441- 443

JEFFREYS, A. J., WILSON, V., NEUMANN, R. und KEYTE, J.: Amplification of human minisatellites by polymerase chain reaction: toward DNA fingerprinting of single cells. Nucl. Acid Res. 16, 10953 (1988)

JENSEN, J. und KLEEMEYER, H.: Die bakterielle Differentialdiagnose des Anthrax mittels eines neuen spezifischen Tests („Perlschnurtest“). Zbl. Bakt. I Abt. Orig. 159, 494- 500 (1953)

JOHNS, M., HARRINGTON, L., TITBALL, R. W. und LESLIE, D. L.: Improved methods for the detection of *Bacillus anthracis* spores by the polymerase chain reaction. Letters in Appl. Microbiol. 18, 236- 238 (1994)

JOHNSON, J. L.: Genetic characterization. In: GERHARDT, P. Manual of methods for general bacteriology, 450- 472, American Society for Microbiology, Washington (1981)

JOHNSON, J. L.: DNA reassociation and RNA hybridization of bacterial nucleic acids. In: Methods in Microbiology 18, 33-74, Academic Press, London (1985)

JONAS, D., ROSENBAUM, A., WEYRICH, S. und BHAKDI, S.: Enzyme- linked immunoassay for detection of PCR- amplified DNA of *Legionellae* in bronchoalveolar fluid. J. of Clin. Microbiol. 33, 1247- 1252 (1995)

JONES, C. L., SPRECHER, C. J. und SCHUMM, J. W.: An oligonucleotide probe to assay lysis and DNA hybridization of a diverse set of bacteria. Anal. Biochem. 181, 23- 27 (1989)

JOSEPHSON, K. L., PILLAI, S. D., WAY, J., GERBA, C. P. und PEPPER, I. L.: Fecal coliforms in soil detected by polymerase chain reaction and DNA- DNA hybridizations. SOIL Sci. Soc. Am. J. 55, 1326- 1332 (1991)

JOSHI, D. D.: Anthrax situation in South Asian countries in general an Nepal in particular 1997. Proceedings of the International Workshop on Anthrax, 91 (1998)

JOWATNY, R., KATO, N., KATO, H., KUNITOMO, W. und KAZUE, U.: Detection of *Bacteroides fragilis* in clinical specimens by polymerase chain reaction amplification of the neuraminidase gene. Curr. Microbiol. 31, 215- 219 (1995)

KALICH, J.: Phagozytose von Tetanus- Sporen. Zbl. Vet. Med. 4, 431- 446 (1957)

KANEKO, T., NOZAKI, R. und AIZAWA, K.: Desoxyribonucleic acid relatedness between *Bacillus anthracis*, *Bacillus cereus* und *Bacillus thuringiensis*. Microbiol. Immunol. 22, 639- 641 (1978)

KANEKO, S., FEINSTONE, S.M. und MILLER, R.H.: Rapid and sensitive method for the detection of serum hepatitis B virus DNA using the polymerase chain rection technique. J. Clin. Microbiol. 27, 1930- 1933 (1989)

KANG, J., HEIN, F., SCHAFFRATH, N. und WELSTERS, S.: Rapid isolaton of mycobacterial DNA using QIAamp. Quiagen News Issue 1, 14- 15 (1996)

KAPPERUD, G., VARBUND, T., SKJERVEW, E., HORNES, E. und MICHAELSEN, T. E.: Detection of pathogenic *Yersinia enterocolitica* in foods and water by immunomagnetic separation, nested polymerase chain reactions, and colorimetric detection of amplified DNA. Appl. Environ. Microbiol. 59, 2938- 2944 (1993)

KELLER, G. H., HUANG, D.- P., SHIH, W.- K. und MANAK, M.: Detection of *Hepatitis B Virus* DNA in serum by polymerase chain reaction amplification and microtiter sandwich hybridization. J. Clin. Microbiol. 28 (6), 1411- 1416 (1990)

KENNEDY, K. E., DASKALAKIS, S. A., DAVIES, L. und ZWADYK, P.: Non- isotopic hybridization assays for bacterial DNA samples. Mol Cell. Probe 3, 167- 177 (1989)

KESSLER, H. H., PIERER, K., WEBER, B., SAKRAUSKI, A., SANTNER, B., STUENZNER, D., GERGELY, E. und MARTH, E.: Detection of *Herpes Simplex Virus* DNA from cerebrospinal fluid by PCR an a rapid, nonradioactive hybridization technique. J. Clin. Microbiol. 32(8), 1881- 1886 (1994)

KESSLER, H. H., DODGE, D. E., PIERER, K., YOUNG, K. K. Y., LIAO, Y., SANTNER, B. I., EBER, E., ROEGER, M. G., STUENZNER, D., SIXL- VOIGT, B. und MARTH, E.: Rapid detection of *Mycoplasma pneumoniae* by an assay based on PCR and probe hybridization in a nonradioactive microwell plate format. J. of Clin. Microbiol. 35 (6), 1592- 1594 (1997)

KHOSAKA, H., CARSON, D. A., RASSENTI, L. Z., OLLIER, W. E. R., CHEN, P. P., KIPPS, T. J. und MIYASAKA, N.: The human immunoglobulin V_H gene repertoire is genetically controlled and unaltered by chronic autoimmune stimulation. J. Clin. Invest. 98 (12), 2794- 2800 (1996)

KIELWEIN, G.: Ein Vorschlag zur praktischen Differenzierung des *Bacillus anthracis* durch den Phagentest. Tierärztl. Umschau 12, 183- 186 (1957)

KIRBY, K. S., FOX- CARTER, E. und GUEST, M.: Isolation of DNA and rRNA from bacteria. Biochem. J. 104, 258- 262 (1967)

KLEINE- ALBERS, C.: Nachweis von *Bacillus anthracis*- Schutzantigen mittels Enzyme- Immunoassay (EIA) unter Verwendung von polyklonalen sowie monoklonalen Antikörpern. Vet. med. Diss., Gießen (1988)

KNISELY, R. F.: Selective medium for *Bacillus anthracis*. J. Bacteriol. 92, 784- 786 (1966)

KOCH, W. H., PAYNE, W. L., WENTZ, B. A. und CEBULA, T. A.: Rapid poymersase chain reaction method for detection of *Vibrio cholerae* in foods. Appl. Environ. Microbiol. 59, 556- 560 (1993)

KOHLBRECHER, D. EISERMANN, R. und HENGSTENBERG, W.: Rapid isolation and efficient purification of bacterial genomic DNA for PCR amplification. Amplifications 4, 30 (1990)

KOIDE, M., SAITO, A., KUSANO, N. und HIGA, F.: Detection of *Legionella* spp. in cooling tower water by polymerase chain reaction method. Appl. Environ. Microbiol. 59, 1943- 1946 (1993)

KOLSTO, A.- B., GRONSTAD, A. und OPPEGAARD, H.: Physical map of the *Bacillus cereus* chromosome. J. Bact. 172, 3821- 3825 (1990)

KOSHIMIZU , K. OGATA, M. und ISHIDA, K.: Penicillin- resistant anthrax bacilli isolated from a dead dairy cow. J. Jap. Vet. med. Ass. 25, 184- 189 (1972)

KOSHIMIZU, K., OGATA, M. und ISHIDA, K.: Penicillin resistant anthrax bacilli isolated from a dead dairy cow. J. Jap. Vet. Med. Ass. 25, 184- 189 (1972)

KOSKINIEMI, M., MANNONEN, L., KALLIO, A. und VAHERI, A.: Luminometric microplate hybridization for detection of varicella- zoster virus PCR product from cerebrospinal fluid. J. Virol. Methods 63, 71- 79 (1997)

KOX, L. F. F., NOORDHOEK, G. T., KUNAKORN, M., MULDER, S., STERRENBURG, M. und KOLK, A. H. J.: Microwell hybridization assay for detection of PCR products from *Mycobacterium tuberculosis* complex and the recombinant *Mycobacterium smegmatis* strain 1008 used as an internal control. J. of Clin. Microbiol. 34 (9), 2117- 2120 (1996)

KOX, L. F. F., RHIENTONG, D., MEDO MIRANDA, A., UDOMSANTISUK, N., ELLIS, K., VAN LEEUWEN, J., VAN HEUSTEN, S., KUIJPER, S. und KOLK, A. H.: A more reliable PCR for detection of *Mycobacterium tuberculosis* in clinical samples. J. Clin. Microbiol. 32 (3), 672- 678 (1994)

KREADER, C.: Relief of amplification inhibition in PCR with bovine serum albumin or T4 Gene 32 Protein. Appl. Environ. Microbiol. 62(3), 1102- 1106 (1996)

KWAGA, J., IVERSEN, J. O. und MISRA, V.: Detection of pathogenic *Yersinia enterocolitica* by polymerase chain reaction an Digoxigenin- labelled polynucleotide probes. J. Clin. Microbiol. 30, 2668- 2673 (1992)

KWOK, S. und HIGUCHI, R.: Avoiding false positives with PCR. Nature 339 (18), 237- 238 (1989)

LAFORCE, F. M.: Anthrax. Clin. Infect. Dis. 19, 1009- 1014 (1994)

LAGE, A. P., FAUCONNIER, A., BURETTE, A., GULPCZYNSKI, Y., BOLLEN, A. und GODFROID, E.: Rapid colorimetric hybridization assay for detecting amplified *Helicobacter pylori* DNA in gastric specimen. J. Clin. Microbiol. 34 (3), 530- 533 (1996)

LANDGRAF, A., RECKMANN, B. und PINGOUD, A.: Direct analysis of polymerase chain reaction products using enzyme- linked immunosorbent assay techniques. Ana. Biochem. 198, 86- 91 (1991)

LANTZ, P.- G., HAHN- HÄGERDAL, B. und RADSTROM, P.: Sample preparation methods in PCR- based detection of food pathogens. Trends in Food Sci & Techn 5, 384- 389 (1994a)

LANTZ, P.- G., TJERNFELD, F., BORCH, E., HAHN- HÄGERDAL, B. und RADSTRÖM, P.: Enhanced sensitivity in PCR detection of *Listeria monocytogenes* in soft cheese through use of an aqueous two- phase system as a sample preparation method. Appl. Environ. Microbiol. 60(9), 3416- 3418 (1994b)

LANTZ, P.- G., MATSSON, M., WADSTRÖM, T. und RADSTRÖM, P.: Removal of PCR inhibitors from human faecal samples through the use of an aqueous two- phase system for sample preparation prior to PCR. *J. Microbiol. Meth.* 28, 159- 167 (1997)

LEAR, W., MCDONNELL, M., KASHYAK, S. und BOER, P. H.: Random primer p (dN)6-Digoxigenin labeling for quantitation of mRNA by Q- RT- PCR and ELISA. *Biotech.* 18 (1), 78- 84 (1995)

LEDNICKY, J. A. und BUTEL, J. S.: A coupled PCR restriction digest method for the detection and analysis of the SV40 regulatory region in infected- cell lysates and clinical samples. *J. Virol. Methods* 64, 1- 9 (1997)

LEPPLA, S. H., ROBERTSON, D. L., WELKOS, S. L., SMITH, L.- A. und VODKIN, M. H.: Cloning and analysis of genes for anthrax toxin components, 275- 278, In: FALMAGNE, P., ALOUF, J. E., FEHRENBACH, F. J., JELJASZEWCZ, J., THELESTAM, M.: *Bacterial protein toxins*, Gustav Fischer Verlag Stuttgart (1986)

LEWINGTON, J., GREENAWAY, S. P. und SPILLANE, B. J.: Rapid small scale preparation of bacterial genomic DNA, suitable for cloning and hybridization analysis. *Letters Appl. Microbiol.* 5, 51- 53 (1987)

LING, M. MERANTW, F. und ROBINSON, B. H.: A rapid and reliable DNA preparation method for screening a large number of yeast clones by polymerase chain reaction. *Nucl. Acids Res.* 23, 4924- 4925 (1995)

LOGAN, N. A., CARMAN, J. A., MELLING, J. und BERKELEY, R. C. W.: Identification of *Bacillus anthracis* by Api- tests. *J. Med. Microbiol.* 20, 75- 85 (1985)

LONGO, M.C., BERNINGER M.S. und HARTLEY, J.L.: Use of Uracil- DNA Glycosylase to control carry- over contamination in polymerase chain reactions. *Gene* 93, 125- 128 (1990)

LUK, J. M., KONGMUANG, U., TSANG, R. S. W. und LINDBERG, A. A.: An enzyme-linked immunosorbent assay to detect PCR products of the rfbS gene from serogroup D salmonellae: a rapid screening prototype. *J. Clin. Microbiol.* 35 (3), 714- 718 (1997)

LÜNEBERG, E., JENSEN, J. S. und FROSCH, M.: Detection of *Mykoplasma pneumoniae* by polymerase chain reaction and nonradioactive hybridization in microtiter plates. *J. of Clin. Microbiol.* 31 (5), 1088- 1094 (1993)

LUNGU, O., SUN, X. W., WRIGHT, T. C., FERENCZY, A., RICHART, R. M. und SILVERSTEIN, S.: A polymerase chain reaction- enzyme- linked immunosorbent assay method for detecting human papillomavirus in cervical carcinomas and high- grade cervical cancer precursors. *Obstr. and Gynecol.* 85 (3), 337- 342 (1995)

M'FADYEAN, J.: A peculiar staining reaction of the blood of animals died of anthrax. *J. Comp. Path.* 16, 35- 40 (1903)

MACK, A.: Kits and other new developments streamline DNA purification process. *The Scientist*, 17-18 (1996)

MAKINO, S., SASAKAWA, C., KAMATA, K., KURATA, T. und YOSHIKAWA, M.: A genetic determinant required for continuous reinfection of adjacent cells on large plasmid in *S. flexneri* 2a. *Cell* 46, 551- 555 (1986)

MAKINO, S., UCHIDA, J., TERAKADO, N., SASAKAWA, C. und YOSHIKAWA, M.: Molecular characterization and protein analysis of the cap region, which is essential for encapsulation in *Bacillus anthracis*. *J. Bact.* 171, 722- 730 (1989)

MAKINO, S.- I., IINUMA- OKADA, Y., MARUYAMA, T., EZAKI, T., SASAKAWA, C. und YOSHIKAWA, M.: Direct Detection of *Bacillus anthracis* DNA in Animals by Polymerase Chain Reaction. *J. Clin. Microbiol.* 31 (3), 547- 551 (1993)

MANCHEE, R. J., BROSTER, M. G., ANDERSON, I. S., HENSTRIDGE, R. M., STAGG, A. J.: *Bacillus anthracis* on Gruinard Island. *Nature* 294, 254- 255 (1981)

MANIATIS, T., SAMBROOK, J. und FRITSCH, E. F.: Molecular cloning, A laboratory manual, Cold Spring Harbor Laboratory Press (1989)

MANSY, F., HOYOIS, B., DE VOS, M.-J., ELSEN, A., BOLLEN, A. und GODFROID, E.: Colorimetric Solid- Phase Capture Hybridization Assay for Detection of Amplified *Borrelia burgdorferi* DNA. *Biotechniques* 21, 122- 125 (1996)

MARKO, A. M. und BUTLER, G. C.: The isolation of sodium desoxyribonucleate with sodium dodecyl sulfate. *J. Biol. Chem.* 190, 165- 176 (1951)

MARMUR, J.: A procedure for the isolation of deoxyribonucleic acid from microorganisms. *J. Mol. Biol.* 3, 208- 218 (1961)

MARTIN, C.S., BUTLER, L. und BRONSTEIN, I.: Quantitation of PCR Products with Chemiluminescence. *Biotechniques* 18 (5), 908- 912 (1995)

MAYR, C.: Untersuchungen zur Isolierung von *Bacillus anthracis* aus Bodenproben mittels der immunomagnetischen Zellseparation. Dipl. arbeit, Stuttgart Hohenheim (1997)

MAZUREK, G. H., REDDY, V., MURPHY, D. and ANSARI, T.: Detection of Mycobaktrium tuberculosis in Cerebrospinal Fluid following Immunomagnetic Enrichment. *J. of Clin. Microbiol.* 34 (2), 450- 453 (1996)

McCONLOGUE, L., BROW, M. A. D. und INNIS, M. A.: Structure- independent DNA amplification by PCR using 7- deaza- 2'- deoxyguanosine. *Nucl. Acid Res.* 16, 9869 (1988)

McCRACKEN, A. A., KARPICHEV, I. V., ERNAGA, J. E., WERNER, E. D., DILLIN, A. G. und COURCHESNE, W. E.: Yeast mutants deficient in ER- associated degradation of the Z variant of alpha-1 – protease inhibitor. *Genetics* 144, 1355- 1362 (1996)

MEIXNER, 1995, persönliche Mitteilung

MEIXNER, G.: Schneller Nachweis von *Salmonella spp.* aus Umweltproben auf der Nukleinsäure (DNA) Ebene. Agr. Diss., Hohenheim (1994)

MESNAGE, S., TOSI-COUTURE, E., MOCK, M., GOUNON, P. und FOUET, A.: Molecular characterization of the *Bacillus anthracis* main S-layer component: evidence that it is the major cell-associated antigen. *Mol. Microbiol.* 23(6), 1147-1155 (1997)

METZENBERG, R. L. und BAISCH, T. J.: An easy method for preparing Neurospora DNA. *Neurospora Newslett.* 28, 20-21 (1981)

MIDGLEY, J. E. M.: Hybridization of microbial RNA and DNA. In: *Methods in Microbiology* 5A, 331-360, Academic Press London (1971)

MIFFLIN, T.: Use and application of nucleic acid probes in the clinical laboratory (Review). *Clin. Chem.* 35, 1819-1825 (1989)

MIKESELL, P., IVINS, B. E., RISTROPH, J. D. und DREIER, T. M.: Evidence of plasmid-mediated toxin production in *Bacillus anthracis*. *Inf. Immun.* 39, 371-376 (1983)

MISTELE, K.: Untersuchung über die Verwendung der DNS- DNS Hybridisierungstechnik zum schnellen Nachweis von *Bacillus anthracis*. *Vet. med. Diss.*, Gießen (1992)

MOBERLY, B. J., SHAFA, F. und GERHARDT, P.: Structural details of anthrax spores during stages of transformation into vegetative cells. *J. Bact.* 92, 220-228 (1966)

MONSEN, T. J., HOLM, S. E. und BURMAN, L. G.: A general method for cell lysis and preparation of deoxyribonucleic acid from streptococci. *FEMS Microbio. Lett.* 16, 19-24 (1983)

MOORE, D. D.: Preparation and analysis of DNA. In: AUSUBEL, F. M., BRENT, R., KINGSTON, R. F., MOORE, D. D., SEIDMANN, J. G., SMITH, J. A. und STRUHL, K. *Current protocols in molecular biology* 1, 2.2-2.4 (1989)

MORE, M. J., HERRICK, J. B., SILVA, M. C., GHIORSE, W. C. und MADSEN, E. L.: Quantitative cell lysis of indigenous microorganisms and rapid extraction of microbial DNA from sediment. *Appl. Environm. Microbiol.* 60(5), 1572-1580 (1994)

MÜLLER, H., ZIEGLER, B. und SCHWEIZER, B.: UV- VIS spectrometric methods for qualitative and quantitative analysis of nucleic acids. *Int. Spectroscopy Laboratory* 4, 4-11 (1993)

MULLIS, K. B. und FALOONA, F.A.: Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction. *Methods in Enzymol.* 155, 335-350 (1987)

NAKAJIMA, H., INOUE, M., MORI, T., ITOH, K. I., ARAKAWA, E. und WATANABE, H.: Detection and identification of *Yersinia pseudotuberculosis* and pathogenic *Yersinia enterocolitica* by an improved polymerase chain reaction method. *J. Clin. Microbiol.* 30, 2484-2486 (1992)

NATORI, N.: A case of cutaneous anthrax. *Tohoku J. Exp. Med.* 167, 187-190

NIEDERWÖHRMEIER, B.: Untersuchungen zum Nachweis von Bakterien mit dem Festphasen-Enzym Immunoverfahren. Durchgeführt am Beispiel von *Pseudomonas Aeruginosa* und *Bacillus anthracis*. *Agr. Diss.*, Hohenheim (1987)

NIEMEYER, C. M., ADLER, M. und BLOHM, D.: Fluorometric polymerase chain reaction (PCR) enzyme-linked immunosorbent assay for quantification of immuno- PCR products in microplates. *Ana. Biochem.* 246, 140- 145 (1997)

NOORDHOEK, G.T., KAAN, J.A., MULDER, S., WILKE, H. und KOLK A.H.J.: Routine application of polymerase chain reaction for detection of *Mycobacterium tuberculosis* in clinical samples. *J. Clin. Pathol.* 48, 810-814 (1995)

OBST, U.: Colony- Blot Methode zum Nachweis von Legionellen- Ergebnisse einer Vergleichsuntersuchung. *Zbl. Hyg.* 199, 91- 95 (1996)

OHHARA, M., KUROSU, Y. und ESUMI, M.: Direct PCR of whole blood and hair shafts by microwave treatment. *Biotechn. Biotechnol. Rev.* 17, 726- 728 (1994)

OLSVIK, O., POPOVIC, T., SKJERVE, E., CUIDJOE, K. S., HORNES, E., UGELSTADT, J. und UHLEN, M.: Magnetic separation techniques in diagnostic microbiology. *Clin. Microbiol. Reviews* 7, 43- 54 (1994)

ORTIZ, A. und RITTER, E.: A rapid method for detecting specific amplified PCR fragments in microtiter plates. *Nucl. Ac. Res.* 24 (16), 3280- 3281 (1996)

OWEN, C. S.: Magnetic cell sorting. In: Pretlow, T. G., Pretlow, T. P. (eds), *Cell separation: Methods and selective applications* 2, Academic Press, Inc. New York (1983)

PACHNER, A. R., AMEMIYA, K., DELANEY, E., O'NEILL, HUGHES, C. A. N. und Zhang, W.- F.: Interleukin- 6 is expressed at high levels in the CNS in Lyme neuroborreliosis. *Am. Acad. Neurol.* 49, 147- 152 (1996)

PAIK, G. und SUGGS, M. T.: Reagents, stains and miscellaneous test procedure. In: *Manual of clinical microbiology*, Washington (1974)

PALVA, A., NYBERS, K. und PALVA, J.: Laboratory methods Quantification of α - amylase mRNA in *Bacillus subtilis* by nucleic acid sandwich hybridization. *DNA* 7(2), 135- 142 (1988)

PANACCIO, M. und LEW, A.: PCR base diagnosis in the presence of 8 % (v/v) blood. *Nucl. Acid Res.* 19, 1151 (1991)

PATRA, G., RAMISSE, V., SYLVESTRE, P., THÉRASSE, J., und GUESDON, J.- L.: Specific oligonucleotide primers for rapid identification of *Bacillus anthracis* strains. *Int. Workshop on Anthrax* 94 (1995)

PATRA, G., SYLVESTRE, P., RAMISSE, V., THÉRASSE, J. und GUESDON, J.- L.: Isolation of a specific chromosomal DNA sequence of *Bacillus anthracis* and its possible use in diagnosis. *FEMS immunol. and med. microbiol.* 672, 1- 8 (1996)

PATRA, G., VAISSAIRE, J., WEBER- LEVY, M., LE DOUJET, C. und MOCK, M.: Survey of anthrax outbreaks in France in 1997 by molecular methods. *Proceedings of the International Workshop on Anthrax*, 69 (1998)

PICARD, C., PONSONNET, C., PAGET, E., NESME, X. und SIMONET, P.: Detection and enumeration of bacteria in soil by direct DNA extraction and polymerase chain reaction. *Appl. Environ. Microbiol.* 58, 2717- 2722

PIKAART, M. J. und VILLEPONTEAU, B.: Suppression of PCR amplification by high levels of RNA. *BioFeedback* 14(1), (1993)

POGGI POLLINI, C., GUINCHEDE, L. und BISSANI, R.: Specific detection of D- and M-isolates of plum pox virus by immunoenzymatic determination of PCR products. *J. Virol. Meth.* 67, 127- 133 (1997)

PONCE, M. R. und MICOL, J. L.: PCR amplification of long DNA fragments. *Nucl. Acid Res.* 20, 623 (1991)

PORTEOUS, L. A., ARMSTRONG, J. L., SEIDLER, R., J. und WATRUD, L. S.: An Effective Method to Extract DNA from Environmental Samples for Polymerase Chain Reaction Amplification and DNA Fingerprint Analysis *Current Microbiology* Vol. 29 (1994), pp. 301-307

PORTEOUS, L. A.; SEIDLER, R. J. und WATRUD, L. S.: Improved method for purifying DNA from soil for polymerase chain reaction amplification and molecular ecology applications. *Mol. Ecol.* 6, 787- 791 (1997)

PSIKAL, I., SMID, B., KUBALIKOVA, L., VALICEK, L., RODAK, L. und KOSINOVA, E.: Colorimetric detection of lagomorphs' calicivirus genomic sequences by polymerase chain reaction incorporating Digoxigenin dUTP. *Vet. Microbiol.* 57, 55- 67 (1997)

RAMISSE, V., PATRA, G., GARRIGUE, H., GUESDON, J.- L. und MOCK, M.: Identification and characterization of *Bacillus anthracis* by multiplex PCR analysis of sequences on plasmids pXO1 and pXO2 and chromosomal DNA. 145, 9- 16 (1996)

RAMISSE, V., PATRA, G., VAUDE- LAUTHIER, V., SYLVESTRE, P., THÉRASSE, J. und GUESDON J.- L.: Multiplex PCR assay for identification of *Bacillus anthracis* and differentiation from *Bacillus cereus* group bacteria. *Int. Workshop on Anthrax* (1995)

RASMUSSEN, S. R., LARSEN, M. R. und RASMUSSEN, S. E.: Covalent Immobilization of DNA onto Polystrene Microwells: The Molecules are Bound at the 5' End. *Analyt. Biochem.* 198, 138- 142 (1991)

RECOBERT, G., PICARD, C., NORMAND, P. und SIMONET, P.: Kinetics of persistence of chromosomal DNA from genetically engineered Escherichia coli introduced into soil. *Appl. Environ. Microbiol.* 59, 4289- 4294

REEK, F. H., SMITS, M. A., KAMP E. M. und SMITH, H. E.: Use of Multiscreen™ Plates for the Preparation of Bacterial DNA Suitable for PCR. *Biotechniques* 19 (2), 282- 285 (1995)

REIF, T. C., JOHNS, M., PILLAI, S. D. und CARL, M.: Identification of Capsule- Forming *Bacillus anthracis* Spores with the PCR and a Novel Dual- Probe Hybridization Format. *Appl. and Environmental Microbiol.* 6 (5), 1622- 1625 (1994)

ROBERTSON, D. L., BRAGG, T. S., SIMPSON, S., KASPAR, R., XIE, W. und TIPPETTS, M. T.: Mapping and characterization of the *Bacillus anthracis* plasmid pXO1 and pXO2. *Salisbury Medical Bulletin* 68, 55-58 (1990), Edited by P. C. B. Turnbull

ROJAS, F. J., GARNER, C., SCHIEWE, M., ASCH, R. H., BALMACEDA, J. P. und MORETTI- ROJAS, I.: Enzymatic amplification of specific deoxyribonucleic acid sequences from single cells: evaluation of a simplified and rapid method for use in preimplantation genetic diagnosis. *Fert. and Steril.* 64 (2), 255- 260 (1995)

ROLOFF, H.: Taxonomische Untersuchungen innerhalb der *Bacillus cereus*- Gruppe mit Hilfe der DNS- DNS- Hybridisierungstechnik und der DNS- Amplifikations- Fingerprint- Technik. Inauguraldissertation, Hohenheim (1997)

ROMANOWSKI, G., LORENZ, M. G., SAYLER, G. und WACKERNAGEL, W.: Persistence of free plasmid DNA in soil monitored by various methods, including a transformation assay. *Appl. Environ. Microbiol.* 58, 3012- 3019 (1992)

ROSSEN, L., NÖRSKOV, P., HOLMSTRÖM, K. und RASMUSSEN, O. F.: Inhibition of PCR by components of food samples, microbial diagnostic assays and DNA- extraction solutions. *Int. J. Food Microbiol.* 17, 37- 45 (1992)

WEYANT, R. S., EDMUNDS, P. und SWAMINATHAN, B.: Effect of ionic and nonionic detergent detergents on the Taq polymerase. *Biotechn. Q.* 9, 308- 309 (1990)

SAFARIK, I., SAFARIKOVA, M. und FORSYTHE, S. J.: The application of magnetic separations in applied microbiology. *J. Appl. Bacteriol.* 78, 575- 585 (1995)

SAIKI, R. K., SCHAFER, S., FALOONA, F., MULLIS, K. B., HORN, G. T., ERLICH, H. A. und ARNHEIM, N.: Enzymatic Amplification of β - globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* 230, 1350- 1354 (1985)

SAIKI, R. K., GELFAND, D. H., STOFFEL, S., SCHAFER, S. J., HIGUCHI, R., HORN, G. T., MULLIS, K. B. und EHRLICH, H. A.: Primer directed enzymatic amplification of DNA with a thermostable DNA- polymerase. *Science* 239, 487- 491 (1988)

SAIKI, R. K.: The design and optimization of the PCR. In: *PCR Technology, Principles and Applications for DNA Amplification*, EHRLICH, H. A., Ed., Stockton Press, New York

SARKAR, G. und SOMMER, S. S.: Shedding light on PCR contamination. *Nature* 343, 27 (1990)

SAVIO, M. L., ROSSI, C., FUSI, P., TAGLIABUE, S. und PACCIARINI, M. L.: Detection and identification of *Leptospira interrogans* Serovars by PCR coupled with restriction endonuclease analysis of amplified DNA. *J. Clin. Microbiol.* 32(4), 935- 941 (1994)

SEIDEL, G.: Die aeroben Sporenbildner unter besonderer Berücksichtigung des Milzbrandbazillus. In: HABS, H. und KATHE, J. Beiträge zur Hygiene und Epidemiologie 17, Johann Ambrosius Barth Verlag, Leipzig (1963)

SEKI, T., CHUNG, C. MIKAMI, H. und OSHIMA, Y.: Deoxyribonucleic acid homology and taxonomy of the genus *Bacillus*. *Int. Syst. Bact.* 28, 182- 189 (1987)

SHAPOLOVA, M. F.: A method for isolating anthrax bacilli from soil. Zhurnal Microbiol. Epidemiol. Immunobiol. 43, 144- 146 (1966)

SHLYAKHOV, E. N. und JOUBERT, L.: Diagnostic bacteriologique rapide et diagnostic allergologique precoce et retrospectif du charbon bacteridien. Bull. Acad. Vet. Fr. 43, 99- 113 (1970)

SHLYAKHOV, E. und RUBINSTEIN, E.: Evaluation of the Anthraxin skin test for diagnosis of acute and past human anthrax. Eur. J. Microbiol. Inf. Dis. 15, 242- 245 (1996)

SJÖSTEDT, A., ERIKSSON, U., RAMISSE, V. und GARRIGUE, H.: Detection of the vegetative form of *Bacillus anthracis* in soil by PCR. Int. Workshop on Anthrax, 38 (1995)

SJÖSTEDT, A., ERIKSSON, U., RAMISSE, V. und GARRIGUE, H.: Detection of *Bacillus anthracis* spores in soil by PCR. FEMS Microbiol. Ecol. 23, 159- 168 (1997)

SMITH, K. T., LONG, C. M., BOWMAN, B. und MANOS, M. M.: Using cosolvents to enhance PCR amplification. Amplifications 5, 16 (1990)

SMITH, N. R., GORDON, R. E. und CLARK, F. E.: Aerobic mesophilic sporeforming bacteria. U. S. Department of Agriculture Miscellaneous Publication 599, 1- 112 (1946)

SOMERVILLE, H. J. und JONES, M. L.: DNA competition studies within the *Bacillus cereus* group of Bacilli. J. Gen. Microbiol. 73, 257- 265 (1972)

SOUMET, C., ERMEL, G., BOUTIN, P., BOSCHER, E. und COLIN, P.: Chemiluminescent and Colorimetric Enzymatic Assay for the Detection of PCR- Amplified *Salmonella* sp. Products in Microplates. Biotechniques 19, 792-796 (1995)

SOUTHERN, E. M.: Detection of specific sequences among DNA- Fragments seperated by gel electrophoresis. J. Mol. Biol. 98, 503- 517 (1975)

SPÄTH, G.: Überprüfung der taxonomischen Stellung von *Bacillus anthracis* mit Hilfe der DNA- Hybridisierungstechnik. Vet. med. Diss., Gießen (1989)

STEFFAN, R. J. und ATLAS, R. M.: DNA amplification to enhance detection of genetically engeneerd bacteria in environmental samples. Appl. Environ. Microbiol. 54, 2185- 2191 (1988)

STEINGRUBE, V. A., WILSON, R. W., BROWN, B. A., JOST, K. C., BLACKLOCK, Z., GIBSON, J. und WALLACE, R. J.: Rapid identification of clinically significant species and taxa of aerobic actinomycetes, including *Actinomadura*, *Gordona*, *Nocardia*, *Rhodcoccus*, *Streptomyces* und *Tsukamurella* isolates, by DNA amplification and restriction endonuclease analysis. J. Clin. Microbiol. 35(4), 817- 822 (1997)

STONNET, V., SICINSCHI, L., MÉGRAUD, F. und GUESDON, J.L.: Rapid detection of *Campylobacter jejuni* and *Campylobacter coli* Isolated from Clinical Specimen Using the Polymerase Chain Reaction. European J. of Clin. Microbiol. Infect. Dis. 14, , 355-359 (1995)

STUART, G.R. und CHAMBERS, R. W.: Synthesis and properties of oligodeoxynucleotides with AP site at a preselected position. Nucleic Acid Research 15 (18), 7451- 7462 (1987)

SUGGS, S. V., HIROSE, T., MIYAKE, T., KAWASHIMA, E. H., JOHNSON, M. J., ITAKURA, K. und WALLACE, R. B.: Use of synthetic oligodeoxyribonucleotides for the isolation of cloned DNA sequences. In: Developmental Biology Using Purified Genes, BROWN, D. D. und FOX, C. F., Eds., Academic Press 683, New York (1981)

TADA, J., OHASHI, T., NISHIMURA, N., OZAKI, H., FUKUSHIMA, S., TAKANO, J., NISHIBUCHI, M. und TAKEDA, Y.: Non- isotopic microtitre plate-based assay for detecting products of polymerase chain reaction amplification: application to detection of the *tdh* gene of *vibrio parahaemolyticus*. *Molec. and Cell. Probes* 6, 489- 494 (1992)

TANIGUCHI, A., KOHSAKA, H. und CARSON, D. A.: Competitive RT- PCR ELISA: a rapid, sensitive and non- radioactive method to quantitate cytokine mRNA. *J. Immunol. Meth.* 169, 101- 109 (1994)

TEBBE, C. C. und VAHJEN, W: Interference of humic acids and DNA extracted directly from soil in detection and transformation of recombinant DNA from bacteria and a yeast. *Appl. Environ. Microbiol.* 59, 2657- 2665 (1993)

THIERRY, D., VINCENT, V. CLEMENT, F. und GUESDON, J.- L.: Isolation of specific DNA- Fragments of *Mycobacterium avium* and their possible use in diagnosis. *J. Clin. Microbiol.* 31, 1048- 1054 (1993)

TITBALL, R. W., TURNBULL, P. C. B. und HUTSON, R. A.: The monitoring and detection of *Bacillus anthracis* in the environment. *J. Appl. Bacteriol. Symp. Suppl.* 70, 9S- 18S (1991) TOMOV, A. und TODOKOV, T.: Sensitivity and Specificity of the combined accelerated of detection anthrax spores in the soil. *Zhurnal Mikrobiol. Epidemiol. Immunobiol.* 10, 62- 66 (1966)

TSAI, Y. L. und OLSON, B. H.: Detection of low numbers of bacterial cells in soil and sediments by polymerase chain reaction. *Appl. Environ. Microbiol.* 58, 754- 757

TSAI, Y.- L. und OLSON, B. H.: Rapid method for direct extraction of DNA from soil and sediments. *Appl. Environ. Microbiol.* 57(4), 1070- 1074 (1991)

TURNBULL, P. C. B., BÖHM, R., CHZYUKA, H. G. B., FIYIKURA, T., HUGH- JONES, M. E. und MELLING, J.: Anthrax guidelines. WHO (1993)

TURNBULL, P. C. B., HOFMEYR, J. M. und McGETRICK, A. M. T.: Isolation of *Bacillus anthracis*, the agent of anthrax, in the Etosha National Park. *Modoqua* 14, 321- 331 (1986)

TURNBULL, P. C. B., HUTSON, R. A., WARD, M. J., JONES, M. N.; QUINN, C. P., FINNIE, N. J., DUGGLEBY, C. J. KRAMER, J. M. und MELLING, J.: *Bacillus anthracis* but not always anthrax. *J. Appl. Bact.* 72, 21- 28 (1992)

TURNER, A. J., GALVIN, J. W., MILLER, G. T. und RUBIRA, R. J.: Anthrax explodes in an Australian summer. *Proceedings of the International Workshop on Anthrax*, 3 (1998)

UCHIDA, J., SEKIZAKI, T., HASHIMOTO, K. und TERAKADO, N.: Association of the encapsulation of *Bacillus anthracis* with a 60 megadalton plasmid. *J. Gen. Microbiol.* 131, 363- 367 (1985)

URDEA, M. S., WARNER, B. D., RUNNING, J. A., STEMPIEN, M., CLYNE, J. und HORN, T.: A comparison of non- radioactive hybridization methods using fluorescent, chemiluminescent and enzyme labelled synthetic oligodeoxyribonucleotide probes. *Nucl. Acids Res.* 16 (11), 4937- 4956 (1988)

VAN HUYN, N., DE BACKER, O., DECLEIRE, M. und COLSON, C.: A procedure for the preparation of bacterial DNA that employs dimethylsulfoxide to induce the lysis of cells. *Anal. Biochem.* 176, 464- 467 (1989)

VANDAMME, A.- M., VAN LAETHEM, K., LIU, H.- F., VAN BRUSSEL, M., DELAPORTE, E., DE CASTRO COSTA, C., M., FLEISCHER, C., TAYLOR, G., BERTAZZONI, U., DESMYTER, J. und GOUBAU, P.: Use of a generic polymerase chain reaction assay detection human T- lymphotropic Virus (HTLV) Types I, II and divergent simian strains in the evaluation of individuals with indeterminate HTLV serology. *J. Med. Virol.* 52, 1- 7 (1997)

VEKRIS, A., BAUDUER, F., MAILLET, S., BÉBÉAR C. und BONNET, J.: Improved microplate immunoenzymatic assay of PCR products for rapid detection of *Mycoplasma pneumoniae*. *Molecular and cellular probes* 9, 25- 32 (1995)

VLIET, G. M. E., HERMANN, C. J. und KLATSER, P. R.: Simple colorimetric microtiter plate hybridization assay for detection of amplified *Mycobacterium leprae* DNA. *J. Clin. Microbiol.* 31, 665- 670 (1993)

VODKIN, H. M. und LEPPLA, S. H.: Cloning of the protective antigen gene of *Bacillus anthracis*. *Cell* 334, 693- 697 (1983)

VOLOSSIOUK, T., ROBB, E. J. und NAZAR, R. N.: Direct DNA extraction for PCR-mediated assays of soil organisms. *Appl. Environ. Microbiol.* 61(11), 3972- 3976 (1995)

WAHLBERG, J., LUNDBERG, J., HULTMANN, T. und UHLEN, M.: General colorimetric method for DNA diagnostics allowing solid phase genomic sequencing of the positive samples. *Proc. Natl. Acad. Sci. USA* 87, 6569- 6573

WALLACE, D. M.: Large- and small- scale phenol extractions. *Meth. in Enzymol.* 152, 33- 41 (1987)

WELKOS, S. L., LOWE, J. R., EDEN- McCUTCHAN, F., VODKIN, M., LEPPLA, S. H. und SCHMIDT, J. J.: Sequence and analysis of the DNA encoding protective antigen of *Bacillus anthracis*. *Gene* 69, 287- 300 (1988)

WIDJOJOATMODJO, M. N., FLUIT, A. C., TORENSMA, R., KELLER, B. H. I. und VERHOFF, J.: Evaluation of the magnetic immuno PCR assay for rapid detection of *Salmonella*. *Eur. J. Clin. Microbiol. Infect. Dis.* 10, 935- 938 (1991)

WIDJOJOATMODJO, M. N., FLUIT, A. C., TORENSMA, R., VERDONK, G. P. H. T. und VERHOEF, J.: The magnetic immuno polymerase chain reaction assay for direct detection of *Salmonellae* in fecal samples. *J. Clin. Microbiol.* 30, 3195- 3199 (1992)

WILLIAMS, J. F.: Optimization strategies for the polymerase chain reaction. BioTechniques 7, 762- 767 (1989)

WIRTZ, R.: Eine einfache Art der Sporenfärbung. Zbl. Bakt. Hyg. I. Abt. Orig. 46, 727- 728 (1908)

WITZMANN, C.: Herstellung Charakterisierung monoklonaler Antikörper zum Nachweis von *Bacillus anthracis*, *Pseudomonas mallei* und *Pseudomonas pseudomallei*. Vet. med. Diss., Gießen (1989)

WUNSCHEL, D., FOX, K. F., BLACK, G. E. und FOX, A.: Discriminating among the Cereus group, in comparison to *Bacillus subtilis*, by structural carbohydrate profiles and ribosomal RNA spacer region PCR. SYSTEM. Appl. Microbiol. 17, 625- 635 (1994)

XUDONG, L., FENGGIN, M. und AIFAN, L.: Anthrax surveillance and control in China. In: TURNBULL, P. C. B., International Workshop on Anthrax, 18 (1995)

XUDONG, L.: Survey on epidemics and control of anthrax in china. Proceedings of the International Workshop on Anthrax, 92 (1998)

YEATES, C., GILLINGS, M. R., DAVISON, A. D., ALTAVILLA, N. und VEAL, D. A.: PCR amplification of crude microbial DNA extracted from soil. Lett. Appl. Microbiol. 25, 303- 307 (1997)

YOUNG, C. C., BURGHOFF, R. L., KEIM, L. G., MINAK- BERNEO, V., LUTE, J. R. und HINTON, S. M.: Polyvinylpyrrolidone- agarose gel electrophoresis purification of polymerase chain reaction- amplifiable DNA from soils. Appl. Environ. Microbiol. 59, 1972- 1974 (1993)