

Reference List

Abel, R. Das olfaktorische System der Honigbiene: elektrophysiologische und morphologische Charakterisierung von Antennallobus Neuronen und deren Beteiligung beim olfaktorischen Lernen. 1-155. 1997. FU Berlin.
Ref Type: Thesis/Dissertation

Abel, R., Rybak, J., & Menzel, R. (2001). Structure and response patterns of olfactory interneurons in the honeybee, *Apis mellifera*. *J.Comp Neurol.* **437**, 363-383.

Adrian, E. D. (1942). Olfactory reactions in the brain of the hedgehog. *J.Physiol.(Lond.)* **100**, 459-473.

Akers, R. P. & Getz, W. M. (1993). Response of olfactory receptor neurons in honey bees to odorants and their binary mixtures. *Journal of Comparative Physiology [A]* **173**, 169-185.

Alkon, D. L. (1975). Neural correlates of associative training in Hermissenda. *Journal of General Physiology* **65**, 46-56.

Anderson, P. W. (1972). More Is Different - Broken Symmetry and Nature of Hierarchical Structure of Science. *Science* **177**, 393-&.

Arnold, G., Masson, C., & Budharugsa, S. (1985). Comparative study of the antennal lobes and their afferent pathway in the worker bee and the drone (*Apis mellifera*). *Cell and Tissue Research* **242**, 593-605.

Bazhenov, M., Stopfer, M., Sejnowski, T. J., & Laurent, G. (2005). Fast odor learning improves reliability of odor responses in the locust antennal lobe. *Neuron* **46**, 483-492.

Blackman, R. B. & Tukey, J. W. (1958). The Measurement of Power Spectra from the Point of View of Communications Engineering .1. *Bell System Technical Journal* **37**, 185-282.

- Brennan, P. A., Schellinck, H. M., De la Riva, C., Kendrick, K. M., & Keverne, E. B. (1998). Changes in neurotransmitter release in the main olfactory bulb following an olfactory conditioning procedure in mice. *Neuroscience* **87**, 583-590.
- Brosch, M. & Eckhorn, R. (1992). Synchronization Rules of Stimulus-Induced Oscillations Between Area-17 and Area-18 of the Cat. *European Journal of Neuroscience* **21**.
- Buzsaki, G. (2004). Large-scale recording of neuronal ensembles. *Nature Neuroscience* **7**, 446-451.
- Christensen, T. A., Lei, H., & Hildebrand, J. G. (2003a). Coordination of central odor representations through transient, non-oscillatory synchronization of glomerular output neurons. *Proc.Natl.Acad.Sci.U.S.A* **100**, 11076-11081.
- Christensen, T. A., Lei, H., & Hildebrand, J. G. (2003b). Coordination of central odor representations through transient, non-oscillatory synchronization of glomerular output neurons. *Proc.Natl.Acad.Sci.U.S.A* **100**, 11076-11081.
- Christensen, T. A., Pawlowski, V. M., Lei, H., & Hildebrand, J. G. (2000). Multi-unit recordings reveal context-dependent modulation of synchrony in odor-specific neural ensembles. *nature neuroscience* **3**, 927-931.
- Crow, T. J. (1988). Cellular and molecular analysis of associative learning and memory in Hermisenda. *Trends in Neuroscience* **11**, 136-142.
- Csicsvari, J., Henze, D. A., Jamieson, B., Harris, K. D., Sirota, A., Bartho, P., Wise, K. D., & Buzsaki, G. (2003). Massively parallel recording of unit and local field potentials with silicon-based electrodes. *Journal of Neurophysiology* **90**, 1314-1323.
- Daly, K. C., Christensen, T. A., Lei, H., Smith, B. H., & Hildebrand, J. G. (2004). Learning modulates the ensemble representations for odors in primary olfactory networks. *Proc.Natl.Acad.Sci.U.S.A* **101**, 10476-10481.
- der Malsburg, C. (1999). The what and why of binding: The modeler's perspective. *Neuron* **24**, 95-104.
- der Malsburg, C. (2002). How are neural signals related to each other and to the world? *Journal of Consciousness Studies* **9**, 47-60.

Dorries, K. M., White, J., & Kauer, J. S. (1997). Rapid classical conditioning of odor response in a physiological model for olfactory research, the tiger salamander. *Chem.Senses* **22**, 277-286.

Elger, C. E., Friederici, A. D., Koch, C., Luhmann, H., von der Malsburg, C., Menzel, R., Monyer, H., Rösler, F., Roth, G., Scheich, H., & Singer, W. (2004). Was wissen und können Hirnforscher heute? *Gehirn&Geist* **6**, 30-37.

Engel, A. K., Fries, P., & Singer, W. (2001). Dynamic predictions: oscillations and synchrony in top-down processing. *Nat.Rev.Neurosci.* **2**, 704-716.

Erber, J. (1980). Neural correlates of non-associative and associative learning in the honey bee. *Verhandlungen der Deutschen Zoologischen Gesellschaft* 250.

Faber, T. Veränderung der neuronalen Repräsentation von Düften im Gehirn der Biene durch Lernen. 1-125. 1999. FU Berlin, Promotion in Biologie.

Ref Type: Thesis/Dissertation

Faber, T., Joerges, J., Galizia, C. G., Küttner, A., & Menzel, R. (1997). Odor representations in the bee brain. *Chemical Senses* **22**, 679.

Flanagan, D. & Mercer, A. R. (1989). An atlas and 3-D reconstruction of the antennal lobes in the worker honey bee, *Apis mellifera* L. (Hymenoptera: Apidae). *International Journal of Insect Morphology and Embryology* **18**, 145-159.

Friedrich, R. W., Habermann, C. J., & Laurent, G. (2004). Multiplexing using synchrony in the zebrafish olfactory bulb. *Nat.Neurosci.* **7**, 862-871.

Galizia, C. G., Joerges, J., Küttner, A., Faber, T., & Menzel, R. (1997). A semi-in-vivo preparation for optical recording of the insect brain. *Journal of Neuroscience Method* **76**, 61-69.

Galizia, C. G., Sachse, S., Rappert, A., & Menzel, R. (1999a). The glomerular code for odor representation is species specific in the honeybee *Apis mellifera*. *Nat.Neurosci.* **2**, 473-478.

Galizia, C. G., Sachse, S., Rappert, A., & Menzel, R. (1999b). The glomerular code for odor representation is species specific in the honeybee *Apis mellifera*. *Nat.Neurosci.* **2**, 473-478.

Grünwald, B. Das Lernverhalten der Honigbiene: Elektrophysiologische und morphologische Charakterisierung von Rückkopplungsneuronen des Pilzkörpers. 1995. FU Berlin.

Ref Type: Thesis/Dissertation

Grünwald, B. (1999). Physiological properties and response modulations of mushroom body feedback neurons during olfactory learning in the honeybee *Apis mellifera*. *Journal of Comparative Physiology [A]* **185**, 565-576.

Haken, H. (1994). A Brain Model for Vision in Terms of Synergetics. *Journal of Theoretical Biology* **171**, 75-85.

Hammer, M. (1993). An identified neuron mediates the unconditioned stimulus in associative olfactory learning in honeybees. *Nature* **366**, 59-63.

Hammer, M. & Menzel, R. (1994). Neuromodulation, instruction and behavioral plasticity. In *Flexibility and constraint in behavioral systems.*, eds. Greenspan, R. & Kyriacou, B., pp. 109-118. J. Wiley & Sons, Chichester, UK.

Hammer, M. & Menzel, R. (1998). Multiple sites of associative odor learning as revealed by local brain microinjections of octopamine in honeybees. *Learn. Mem.* **5**, 146-156.

Hansson, B. S. & Anton, S. (2000). Function and morphology of the antennal lobe: new developments. *Annu. Rev. Entomol.* **45**, 203-231.

Harris, K. D. (2005). Neural signatures of cell assembly organization. *Nature Reviews Neuroscience* **6**, 399-407.

Harris, K. D., Csicsvari, J., Hirase, H., Dragoi, G., & Buzsaki, G. (2003). Organization of cell assemblies in the hippocampus. *Nature* **424**, 552-556.

Harris, K. D., Henze, D. A., Hirase, H., Leinekugel, X., Dragoi, G., Czurko, A., & Buzsaki, G. (2002). Spike train dynamics predicts theta-related phase precession in hippocampal pyramidal cells. *Nature* **417**, 738-741.

Hawkins, R. D., Abrams, T. W., Carew, T. J., & Kandel, E. R. (1983). A cellular mechanism of classical conditioning in Aplysia: activity-dependent amplification of presynaptic facilitation. *Science* **219**, 400-405.

- Hebb, D. O. (1949). *The Organization of Behavior* Wiley, New York.
- Heisenberg, M. (2003). Mushroom body memoir: from maps to models (Review). *Nature Reviews Neuroscience* **4**, 266-275.
- Heisenberg, M., Borst, A., Wagner, S., & Byers, D. (1985). Drosophila mushroom body mutants are deficient in olfactory learning. *J.Neurogenet.* **2**, 1-30.
- Herrmann, C. S., Lenz, D., Junge, S., Busch, N. A., & Maess, B. (2004a). Memory-matches evoke human gamma-responses. *Bmc Neuroscience* **5**.
- Herrmann, C. S., Munk, M. H. J., & Engel, A. K. (2004b). Cognitive functions of gamma-band activity: memory match and utilization. *Trends in Cognitive Sciences* **8**, 347-355.
- Hildebrand, J. G. & Shepherd, G. M. (1997). Mechanisms of olfactory discrimination: converging evidence for common principles across phyla. *Annu.Rev.Neurosci.* **20**, 595-631.
- Hopfield, J. J. (1982). Neural networks and physical systems with emergent collective computational abilities. *Proceedings of the National Academy of Sciences of the USA* **79**, 2554.
- Joerges, J., Kuttner, A., Galizia, C. G., & Menzel, R. (1997). Representation of odours and odour mixtures visualized in the honeybee brain. *Nature* **387**, 285-288.
- Kaiser, J. & Lutzenberger, W. (2003). Induced gamma-band activity and human brain function. *Neuroscientist* **9**, 475-484.
- Kreissl, S., Eichmüller, S., Bicker, G., Rapus, J., & Eckert, M. (1994). Octopamine-like immunoreactivity in the brain and suboesophageal ganglion of the honeybee. *Journal of Comparative Neurology* **348**, 583-595.
- Kuwabara, M. (1957). Bildung des bedingten Reflexes von Pavlovs Typus bei der Honigbiene, *Apis mellifica*. *J.Fac.Sci.Hokkaido Univ.Ser.VI Zool.* **13**, 458-464.
- Laurent, G. (1996). Odor images and tunes. *Neuron* **16**, 473-476.

- Laurent, G. (2002). Olfactory network dynamics and the coding of multidimensional signals. *Nat.Rev.Neurosci.* **3**, 884-895.
- Laurent, G. & Naraghi, M. (1994). Odorant-induced oscillations in the mushroom bodies of the locust. *J.Neurosci.* **14**, 2993-3004.
- Laurent, G., Wehr, M., & Davidowitz, H. (1996). Temporal representations of odors in an olfactory network. *J.Neurosci.* **16**, 3837-3847.
- Lisman, J. E. & Idiart, M. A. P. (1995). Storage of 7+/-2 Short-Term Memories in Oscillatory Subcycles. *Science* **267**, 1512-1515.
- Livingstone, M. & Hubel, D. (1988). Segregation of Form, Color, Movement, and Depth - Anatomy, Physiology, and Perception. *Science* **240**, 740-749.
- Lohmann, H., Eckhorn, R., & Reitboeck, H. J. (1988). Visual Receptive-Fields of Local Intracortical Potentials. *Journal of Neuroscience Methods* **25**, 29-44.
- Malun, D. (1991). Synaptic relationships between GABA-immunoreactive neurons and an identified uniglomerular projection neuron in the antennal lobe of *Periplaneta americana*: a double-labeling electron microscopic study. *Histochemistry* **96**, 197-207.
- Mauelshagen, J. (1991a). Response changes in the PE1-neuron during differential olfactory conditioning of the honeybee. In *Synapse - Transmission - Modulation*, eds. Elsner, N. & Penzlin, H., pp. 573. Georg Thieme Verlag, Stuttgart-New York.
- Mauelshagen, J. The PE1-neuron in the honey bee brain. An electrophysiological characterization under the aspect of olfactory learning. 1991b. FU Berlin.
Ref Type: Thesis/Dissertation
- Mauelshagen, J. (1993a). Neural correlates of olfactory learning in an identified neuron in the honey bee brain. *J.Neurophysiol.* **69**, 609-625.
- Mauelshagen, J. (1993b). Neural correlates of olfactory learning paradigms in an identified neuron in the honeybee brain. *J.Neurophysiol.* **69**, 609-625.

Menzel, R. & Bitterman, M. E. (1983). Learning by honey bees in an unnatural situation. In *Neuroethology and Behavioral Physiology: roots and growing points*, eds. Huber, F. & Markl, H., pp. 206-215. Springer, Berlin-Heidelberg-New York.

Menzel, R., Erber, J., & Masuhr, T. (1974). Learning and memory in the honeybee. In *Experimental analysis of insect behaviour*, ed. Barton-Browne, L., pp. 195-217. Springer, Berlin.

Miltner, W. H. R., Braun, C., Arnold, M., Witte, H., & Taub, E. (1999). Coherence of gamma-band EEG activity as a basis for associative learning. *Nature* **397**, 434-436.

Mobbs, P. G. (1985). Brain structure. In *Comprehensive insect physiology biochemistry and pharmacology*, eds. Kerkut, G. A. & Gilbert, L. I., pp. 299-370. Pergamon Press, Oxford.

Müller, D. Die olfaktorische Kodierung: Plastizität und Stabilität - Eine elektrophysiologische Analyse der Ausgangsneurone des Antennallobus der Honigbiene. 1. 2000. FU Berlin.

Ref Type: Thesis/Dissertation

Müller, D., Abel, R., Brandt, R., Zockler, M., & Menzel, R. (2002). Differential parallel processing of olfactory information in the honeybee, *Apis mellifera* L. *J.Comp Physiol A Neuroethol.Sens.Neural Behav.Physiol* **188**, 359-370.

Müller, D., Gerber, B., Hellstern, F., Hammer, M., & Menzel, R. (2000). Sensory preconditioning in honeybees. *Journal of Experimental Biology* **203**, 1351-1364.

Müller, U. (1996a). Associative olfactory learning modulates the cAMP cascades. *Biol.Chem.* **377**, 187.

Müller, U. (1996c). Inhibition of nitric oxide synthase impairs a distinct form of long-term memory in the honeybee, *Apis mellifera*. *Neuron* **16**, 541-549.

Müller, U. (1996b). Inhibition of nitric oxide synthase impairs a distinct form of long-term memory in the honeybee, *Apis mellifera*. *Neuron* **16**, 541-549.

Müller, U. (2002a). Learning in honeybees: from molecules to behaviour. *Zoology* **105**, 313-320.

Müller, U. Searching for mechanisms underlying memory retrieval. 3rd Forum of European Neuroscience Paris , 174.19. 2002b.

Ref Type: Abstract

Nicolelis, M. A. L. & Ribeiro, S. (2002). Multielectrode recordings: the next steps. *Current Opinion in Neurobiology* **12**, 602-606.

Pavlov, I. (1927). *Conditioned reflexes* Dover Publications, New York.

Peele, P. Stable odor coding is ensured by uniglomerular output neurons throughout olfactory learning in the honeybee *Apis mellifera*. 1-84. 2005. Doctorate in Biology, FU Berlin.

Ref Type: Thesis/Dissertation

Perez-Orive, J., Mazor, O., Turner, G. C., Cassenaer, S., Wilson, R. I., & Laurent, G. (2002a). Oscillations and sparsening of odor representations in the mushroom body. *Science* **297**, 359-365.

Perez-Orive, J., Mazor, O., Turner, G. C., Cassenaer, S., Wilson, R. I., & Laurent, G. (2002b). Oscillations and sparsening of odor representations in the mushroom body. *Science* **297**, 359-365.

Pouzat, C., Mazor, O., & Laurent, G. (2002). Using noise signature to optimize spike-sorting and to assess neuronal classification quality. *Journal of Neuroscience Methods* **122**, 43-57.

Prigogine, I. (1984). Nonequilibrium Thermodynamics and Chemical Evolution - An Overview. *Advances in Chemical Physics* **55**, 43-62.

Ravel, N., Chabaud, P., Martin, C., Gaveau, V., Hugues, E., Tallon-Baudry, C., Bertrand, O., & Gervais, R. (2003). Olfactory learning modifies the expression of odour-induced oscillatory responses in the gamma (60-90 Hz) and beta (15-40 Hz) bands in the rat olfactory bulb. *European Journal of Neuroscience* **17**, 350-358.

Rosenblum, M. G., Pikovsky, A. S., & Kurths, J. (1996). Phase synchronization of chaotic oscillators. *Physical Review Letters* **76**, 1804-1807.

Rybak, J., Klawitter, A., & Joerges, J. (1994). Anatomy of the mushroom bodies of the honey bee as revealed by Glogi staining and neuronal tracer techniques. In *Göttingen*

Neurobiology Report 1994. Proceedings of the 22nd Göttingen Neurobiology Conference 1994. vol. II, eds. Elsner, N. & Breer, H., pp. 597. Georg Thieme, Stuttgart.

Rybäk, J. & Menzel, R. (1993). Anatomy of the mushroom bodies in the honey bee brain: the neuronal connections of the alpha-lobe. *J. Comp Neurol.* **334**, 444-465.

Sachse, S. Odor Processing in the honeybee antennal lobe. 1-103. 2002. FU Berlin, doctorate in Biology.

Ref Type: Thesis/Dissertation

Schäfer, S. & Bicker, G. (1986). Distribution of GABA-like immunoreactivity in the brain of the honeybee. *J. Comp Neurol.* **246**, 287-300.

Schuster, H. G. & Stemmle, M. B. (1997). Control of chaos by oscillating feedback. *Physical Review e* **56**, 6410-6417.

Seidenbecher, T., Laxmi, T. R., Stork, O., & Pape, H. C. (2003). Amygdalar and hippocampal theta rhythm synchronization during fear memory retrieval. *Science* **301**, 846-850.

Singer, W. (1999). Neuronal synchrony: A versatile code for the definition of relations? *Neuron* **24**, 49-65.

Singer, W. & Gray, C. M. (1995). Visual feature integration and the temporal correlation hypothesis. *Ann. Rev. Neurosci.* **18**, 555-586.

Stopfer, M., Bhagavan, S., Smith, B. H., & Laurent, G. (1997a). Impaired odour discrimination on desynchronization of odour-encoding neural assemblies. *Nature* **390**, 70-74.

Stopfer, M., Bhagavan, S., Smith, B. H., & Laurent, G. J. (1997c). Impaired odour discrimination on desynchronization of odour-encoding neural assemblies. *Nature* **390**, 70-74.

Stopfer, M., Bhagavan, S., Smith, B. H., & Laurent, G. J. (1997b). Impaired odour discrimination on desynchronization of odour-encoding neural assemblies. *Nature* **390**, 70-74.

Stopfer, M., Jayaraman, V., & Laurent, G. (2003). Intensity versus identity coding in an olfactory system. *Neuron* **39**, 991-1004.

Stopfer, M. & Laurent, G. (1999a). Short-term memory in olfactory network dynamics. *Nature* **402**, 664-668.

Stopfer, M. & Laurent, G. J. (1999b). Short-term memory in olfactory network dynamics. *Nature* **402**, 664-668.

Strausfeld, N. J. (2002). Organization of the honey bee mushroom body: representation of the calyx within the vertical and gamma lobes. *J.Comp Neurol.* **450**, 4-33.

Suzuki, H. (1975). Convergence of olfactory inputs from both antennae in the brain of the honeybee. *Journal of Experimental Biology* **62**, 11-26.

Szyszka, P. Odor coding and neural plasticity in the mushroom body of the honeybee. 1-93. 2005. Doctorate in Biology, FU Berlin.

Ref Type: Thesis/Dissertation

Szyszka, P., Ditzen, M., Galkin, A., Galizia, G., & Menzel, R. (2005). Sparsening and Temporal Sharpening of Olfactory Representations in the Honeybee Mushroom Bodies. *Journal of Neurophysiology* **published online: July 13, 2005**.

Tallon-Baudry, C., Bertrand, O., & Pernier, J. (1998a). Evoked and induced 40-Hz visual responses in man: From feature binding to selective attention. *Journal of Psychophysiology* **12**, 193.

Tallon-Baudry, C., Bertrand, O., Peronnet, F., & Pernier, J. (1998b). Induced gamma-band activity during the delay of a visual short-term memory task in humans. *Journal of Neuroscience* **18**, 4244-4254.

Tononi, G., McIntosh, A. R., Russell, D. P., & Edelman, G. M. (1998). Functional clustering: Identifying strongly interactive brain regions in neuroimaging data. *Neuroimage* **7**, 133-149.

von Frisch, K. (1965). *Tanzsprache und Orientierung der Bienen* Springer, Heidelberg.

Walters, E. T., Carew, T. J., & Kandel, E. R. (1981). Associative learning in Aplysia: Evidence for conditioned fear in an invertebrate. *Science* **211**, 504-506.

Wang, J. W., Wong, A. M., Flores, J., Vosshall, L. B., & Axel, R. (2003). Two-photon calcium imaging reveals an odor-evoked map of activity in the fly brain. *Cell* **112**, 271-282.

Wang, Y., Guo, H. F., Pologruto, T. A., Hannan, F., Hakker, I., Svoboda, K., & Zhong, Y. (2004). Stereotyped odor-evoked activity in the mushroom body of Drosophila revealed by green fluorescent protein-based Ca²⁺ imaging. *J. Neurosci.* **24**, 6507-6514.

Ward, L. M. (2003). Synchronous neural oscillations and cognitive processes. *Trends Cogn Sci.* **7**, 553-559.

Weidert, M. Untersuchungen zur Veränderung der neuronalen Repräsentation von Düften als Folge assoziativer und nicht assoziativer Lernprozesse im Antennallobus der Honigbiene, *Apis mellifera*. 1-111. 2003. Doctorate in Biology at the Free University of Berlin.

Ref Type: Thesis/Dissertation

Weidert, M., Galizia, C. G., & Menzel, R. Learning induced changes of neuronal representation of odors in the antennal lobe of honeybee. Proceedings of the Berlin Neuroscience Forum, April 22 -24, 2004, Liebenwalde, Germany., 75. 2004.

Ref Type: Conference Proceeding

Wespatat, V. Oszillationen und Langzeitplastizität im visuellen Cortex der Ratte. 1-99. 2002. FU Berlin - Promotion in Biologie.

Ref Type: Thesis/Dissertation

Wright, G. A. & Smith, B. H. (2004). Different thresholds for detection and discrimination of odors in the honey bee (*Apis mellifera*). *Chemical Senses* **29**, 127-135.

Yu, D., Ponomarev, A., & Davis, R. L. (2004). Altered representation of the spatial code for odors after olfactory classical conditioning; memory trace formation by synaptic recruitment. *Neuron* **42**, 437-449.

Danksagung

Zuerst möchte ich mich bei Herrn Prof. Dr. Randolph Menzel dafür bedanken, dass ich die Möglichkeit hatte, diese Arbeit an seinem Institut durchzuführen.

Mein ganz besonderer Dank gilt Frau Dr. Sonja Grün. In den entscheidenden Situationen war sie es, die mit ihrer fachlichen Kompetenz und vor allem mit ihrer nicht selbstverständlichen Hilfsbereitschaft und Ermunterung ganz wesentlichen Anteil an der Fertigstellung dieser Arbeit hatte.

Michael Denker bin ich für die sehr fruchtbare Kooperation und für die geduldige Hilfe bei der MATLAB-Programmierung dankbar. Ein Großteil der Auswertungsprogramme stammt von ihm bzw. ist durch ihn angeregt worden.

Natürlich bin ich Dirk Müller dankbar – für die Betreuung im ersten Jahr.

Ein besonderer Dank gilt auch Mathias Ditzen und Philipp Peele. Für die unglaubliche Hilfe und vor allem für die vielen Gespräche, die mich in jeglicher Hinsicht zum Nachdenken angeregt haben. Ich habe viel über mich selbst gelernt.

Peter Knoll hat mich das Wesen einer wahren und einzigartigen Kunst gelehrt.

Dankbar bin ich allen anderen Mitgliedern des Instituts. Stellvertretend für sie, möchte ich Paul Szyszka, Björn Brembs, Bernhard Komischke, Claudia Niggebrügge, Sabine Krofczyk, Dr. Bernd Grünewald und Nico Stollhoff erwähnen.

Mit Frank Schaupp habe ich das Labor mehr als 3 Jahre jeden Tag geteilt. Die technische Optimierung des Setups und das Einlesen der Daten in MATLAB und Spike2 stammt von ihm. Seine Vorstellungen von Pädagogik und Teamarbeit sind einzigartig.

Ich möchte meinen Eltern danken.

„Alles ist nur einer von Millionen Wegen. Darum muss man immer bedenken, dass ein Weg nur ein Weg ist; wenn man spürt, dass man ihn nicht beschreiten sollte, darf man ihm unter keinen Umständen folgen. Die Entscheidung, diesen Weg weiterzugehen oder ihn zu verlassen, muss frei sein von Furcht oder Ehrgeiz. Man soll sich jeden Weg genau und aufmerksam ansehen. Dann kommt die Frage, die man sich unbedingt stellen muss: Ist dies ein Weg mit Herz?“

Alle Wege sind sich gleich: Sie führen nirgendwo hin. Doch ein Weg ohne Herz ist nie erfreulich. Ein Weg mit Herz dagegen ist leicht - man braucht sich nicht anzustrengen, ihn zu lieben; solch ein Weg gewährt eine fröhliche Reise. Solange der Mensch ihm folgt, ist er eins mit ihm.“

C. Castaneda