

6 Literaturverzeichnis

- 1 Ahlbäck S: Osteoarthritis in the knee: a radiographic investigation. *Acta Radiol.* 1968, *277*, S.7-72,
- 2 Alevizopoulos A, Mermod N : Transforming growth factor- β : the breaking open of a black box. *BioEssays.* 1997, *19*, S.581-591,
- 3 Allen PR, Denham RA, Swan AV: late changes after meniscectomy. *J Bone Joint Surg.* 1984, *66*, S.666-671,
- 4 Amamani S, Merriman HL, Likhart TA, Baylink DJ, Mohan S: Autocrine regulators of MC3T3-E1 cell proliferation. *J Bone Min Res.* 1993, *8*, S.157-165,
- 5 Andrew JG, Hoyland J, Freemant AJ, Marsh D: Insulin like growth factor gene expression in human fracture callus. *Calcif Tiss Int.* 1993, *53*, S.97-102,
- 6 Bach LA, Hsieh S Brown AI, Rechler MM: Recombinant human insulin-like growth factor (IGF)-binding protein-6 inhibits IGF-2-induced differentiation of L6A1 myoblasts. *Endocrinology.* 1994, *135*, S.2168-2176,
- 7 Baxter CR, Martin J: Radioimmunoassay of growth hormone-dependent Insulin-like growth actor binding protein in human plasma. *J Clin Invest.* 1986, *78*, S.1504-12,
- 8 Baxter RC: Insulin-like growth factor (IGF) binding proteins: the role of serum IGFbps in regulating IGF availability. *Acta Paed Scand (Suppl).* 1991, *372*, S.107-114,
- 9 Baxter RC: Molecular aspects of insulin-like growth factor binding proteins. *Adv Mol Cell Endocrinol.* 1997, *1*, S.123-159,
- 10 Baxter RC: Characterization of the acid-labile subunit of the growth hormone-dependent insulin-like growth factor-binding protein complex. *J Clin Endocrinol Metab.* 1988, *67*, S.265-272,
- 11 Beck LS, Deguzman L, Lee WP: TGF β 1 induces bone closure of skull defects. *J Bone Miner Res.* 1991, *6*, S.1257-1265,
- 12 Benz DJ, Haussler MR, Thomas MA, Speelman B, Komm BS: High affinity androgen binding and androgenic regulation of alpha1(I)-procollagen and transforming growth factor- β steady state messenger ribonucleic acid levels in human osteoblast-like osteosarcoma cells. *Endocrinology.* 1991, *128*, S.2723-2730,
- 13 Bernard GW: Ultrastructural observations of initial calcification in dentine and enamel. *J Ultrastruct Res.* 1972, *41*, S.1-17,

- 14 Blum WF, Gallgher B, Ranke MB: An IGFBP-blocked IGF-I RIA that measures what it pretends to measure: IGF-1. Annual Meeting of the American Endocrine Society. 1992,
- 15 Blum WF, Ranke MB, Kietzmann K, Gauggel E, Zeisel HJ, Bierich JR: A specific radioimmunoassay for the growth hormone(GH)-dependent somatomedin-binding protein: Its use for diagnosis of GH deficiency. *J Clin Endocrinol Metab.* 1990, *70*, S.1292-1298,
- 16 Blumfeld I, Srouji S, Lanir Y, Laufer D, Livne E: Enhancement of bone defect healing in old rats by TGF- β and IGF-1. *Experimental Gerontology.* 2002, *37*, S.553-565,
- 17 Bohr HH, Schaadt O: Mineral content of upper tibia assessed by dual photon densitometry. *Acta Orthop Scand.* 1987, *58*, S.557-9,
- 18 Böhlinger ME, Beyer WF, Weseloh G: Vergleichende Histomorphometrie der subchondralen Knochendichte und Gelenkknorpeldicke im Tibiakopf bei humanen Früharthrosen. *Z Orthop.* 1995, *133*, S.261-302,
- 19 Bonewald LF, Dallas SL: Role of active and latent transforming growth factor beta in bone formation. *J Cell Biochem.* 1994, *55*, S.350-357,
- 20 Canalis E: Insulin-like growth factors and osteoporosis. *Bone.* 1997, *21*, S.215-216,
- 21 Canalis E, Pash J, Varghese S: Skeletal growth factors. *Crit Rev Eukaryotic Gene Expression.* 1993, *3*, S.155-66,
- 22 Carlson CS, Loeser RF, Jayo MJ, Weaver DS, Adams MR, Jerome CP: Osteoarthritis in cynomolgus macaques: a primate model of naturally occurring disease. *J Orthop Res.* 1994, *12*, S.331-9,
- 23 Carlson CS, Loeser RF, Purxer CB, Gardin JF, Jerome CP: Osteoarthritis in cynomolgus macaques: Effects of age, gender and subchondral bone thickness on the severity of disease. *J Bone Miner Res.* 1996, *11*, S.1209-17,
- 24 Centers of Disease Control: Arthritis prevalence and activity limitations-United States. *Morb Mortal Wkly Rep.* 1994, *43*,
- 25 Centrella M, Horowitz MC, Wozney JM, McCarthy TL: Transforming growth factor- β gene family members and bone. *Endocrine Reviews.* 1994, *15*, S.27-39,
- 26 Cheifetz S, Like B, Massagué J: Cellular distribution of type 1 and type 2 receptors for Transforming Growth Factor- β . *J Biol Chem.* 1986, *261*, S.9972-9978,
- 27 Chen-Ti Wang, Jinn Lin, Chee-Jen Chang, Yu Tsan Lin, Sheng-Mou Hou: Therapeutic effects of hyaluronic acid on osteoarthritis of the knee. *JBJS.* 2004, *86*, S.538-545,
- 28 Cheung PT, Smith EP, Shimasaki S, Ling N, Chemaussek SD: Characterization of an insulin-like growth factor binding protein (IGFBP-4) produced by the B104 rat neuronal cell line: chemical and biological properties and differential synthesis by sublines. *Endocrinology.* 1991, *129*, S.1006-1015,

- 29 Chevalley T, Kanzaki S, Strong DD, Mohan S, Baylink DJ, Linkhart TA: Glucocorticoid inhibition of bone formation may in part be mediated by alterations in stimulatory IGF binding protein synthesis. *Eur J Endocrinol.* 1996, *134*, S.?,
- 30 Cohan P, Graves HC, Peehl DM, Kamarei M, Giudice LC, Rosenfeld RG: Prostate-specific antigen(PSA) is an insulin-like growth factor binding protein-3 protease found in seminal plasma. *J Clin Endocrinol Metab.* 1992, *75*, S.1046-53,
- 31 Conover CA, Clarkson JT, Bale LK: Factors regulating insulin-like growth factor-binding protein-3 binding, processing, and potentiation of insulin-like growth factor action. *Endocrinology.* 1996, *137*, S.2286-2292,
- 32 Cox GN, McDermott MJ, Merkel E, Stroh CA, Ko SC, Squires CH, Gleason TM, Russel D: Recombinant human insulin-like growth factor (IGF-)binding protein-1 inhibits somatic growth stimulated by IGF-1 and growth hormone in hypophysectomized rats. *Endocrinology.* 1994, *135*, S.1913-1920,
- 33 Czech MP: Signal transmission by the insulin-like growth factors. *Cell.* 1989, *59*, S.235-8,
- 34 D Ercole AJ, Hill DJ, Strain AJ, Underwood LE: Tissue and plasma somatomedin-C/ Insulin-like growth factor 1 concentrations in the human fetus during the first half of gestation. *Pediatr Res.* 1986, *20*, S.253-5,
- 35 Dallas SL, Park-Snyder S, Miyazono K, Twardzik D, Mundy GR, Bonewald LF: Characterization and auto-regulation of latent transforming growth factor beta (TGF beta) complexes in osteoblast-like cell line. Production of a latent complex lacking the latent TGF beta-binding protein. *J Biol Chem.* 1994, *269*, S.6815-6821,
- 36 De Mellow JS, Baxter RC: Growth hormone-dependent insulin-like growth factor (IGF) binding protein both inhibits and potentiates IGF-1 stimulated DNA synthesis in human skin fibroblasts. *Biochem Biophys Res Commun.* 1988, *156*, S.199-204,
- 37 Dequeker J, Mohan S, Finkelman RD, Assens J, Baylink DJ: Generalized osteoarthritis associated with increased insulin-like growth factor types 1 and 2 and transforming growth factor β in cortical bone from the iliac crest. Possible mechanism of increased bone density and protection against osteoporosis. *Arth Rheumat.* 1993, *36*, S.1702-1708,
- 38 Dequeker J, Nijs J, Verstraeten A, Geusens P, Gevers G: Genetic determinants of bone mineral content at the spine and radius: a twin study. *Bone.* 1987, *8*, S.207-209,
- 39 Dodds RA, Merry K, Littlewood A, Gowen M : Expression of mRNA for IL 1 β , IL6 and TGF β 1 in developing human bone cartilage. *J Histochem Cytochem.* 1994, *42*, S.733-744,
- 40 DSouza RA, Niederreither K, de-Crombrughe B: Osteoblast-specific expression of the alpha2(I)collagen promoter in transgenic mice: correlation with the distribution of TGF-beta1. *J Bone Miner Res.* 1993, *8*, S.1127-1136,

- 41 Edelman SL, Barrett-Connor E: Relation between body size and bone mineral density in elderly men and women. *Am J Epidemiol.* 1993, *138*, S.160-9,
- 42 Edwall D, Prisell PT, Levinovitz A, Jennische E, Norstedt G: Expression of insulin-like growth factor 1 messenger ribonucleic acid in regenerating bone after fracture: influence of indomethacin. *J Bone Min Res.* 1992, *7*, S.207-213,
- 43 Ernst M, Rodan GA: Increased activity of insulin-like growth factor(IGF) in osteoblastic cells in the presence of growth hormone (GH): positive correlation with the presence of the GH-induced IGF-binding protein BP-3. *Endocrinology.* 1990, *127*, S.807-814,
- 44 Finkelman RD, Bell NH, Strong DD, Demers LM, Baylink DJ: Ovariectomy selectively reduces the concentrations of transforming growth factor β in rat bone : implications for estrogen deficiency-associated bone loss. *Proc Natl Acad Sci USA.* 1992, *89*, S.12190-12193,
- 45 Finkelman RD, Linkhart TA, Mohan S, Lau KHW, Baylink DJ, Bell NH: Vitamin D deficiency causes a selective reduction in the deposition of transforming growth factor beta in rat bone: possible mechanism for impaired osteoinduction. *Proc Natl Acad Sci USA.* 1991, *88*, S.3657-3660,
- 46 Foss MV, Byers PD: Bone density in osteoarthritis of the hip and fracture of the upper end of the femur. *Ann Rheum Dis.* 1972, *31*, S.259-264,
- 47 Gevers G, Dequeker J: Collagen and non-collagenous protein content (osteocalcin, sialoprotein, proteoglykan) in the iliac crest bone and serum osteocalcin in women with and without hand osteoarthritis. *Coll Relat Res.* 1987, *7*, S.435-442,
- 48 Gevers G, Dequeker J, Geusens P, Nyssen-Behets C, Dhem A: Physical and histomorphological characteristics of iliac bone differ according to the grade of osteoarthritis at the hand. *Bone.* 1989, *10* , S.173-177,
- 49 Gevers G, Dequeker J, Martens M, Van Audekercke R: Biomechanical characteristics of iliac crest bone in elderly women, according to the grade of osteoarthritis of the hand. *J Rheumatol.* 1989, *16*, S.660-663,
- 50 Han VK, D Ercole AJ, Lund PK: Cellular localization of somatomedin (insulin-like growth factor) messenger RNA in the human fetus. *Science.* 1987, *236*, S.193-7,
- 51 Hassager C, Fitzpatrick LA, Spender EM, Riggs BL, Conover CA: Basal and regulated secretion of insulin-like growth factor binding proteins in osteoblast-like cell line specific. *J Clin Endocrinol Metab.* 1992, *75*, S.228-233,
- 52 Hauschka PV, Mavrakos AE, Lafrati SE, Doleman SE, Klagsbrun M: Growth factors in bone matrix. *J Biochem.* 1986, *261*, S.12665-12674,
- 53 Hilal G, Martel-Pelletier J, Pelletier JP, Ranger P, Lajeunesse D: Osteoblast-like cells from human subchondral osteoarthritic bone demonstrate an altered phenotype *in vitro*. *Arth Rheum.* 1998, *41*, S.891-899,

- 120 Hill PA, Reynolds JJ, Meikle MC: Osteoblasts mediate insulin-like growth factor-I and -II stimulation of osteoclast formation and function. *Endocrinology*. 136, 124-131, S.1995,
- 54 Hoflich A, Lahm H, Blum W, Kolb H, Wolf E: Insulin-like growth factor binding protein-2 inhibits proliferation of human embryonic kidney fibroblasts and of IGF-responsive colon carcinoma cell lines. *FEBS Lett*. 1998, 434, S.329-334,
- 55 Holthuisen E, Le Roith D, Lund PK, Roberts CT Jr, Rotwein P, Spencer EM et al.: Modern concepts in insulin-like growth factors. New York, Elsevier, 1991 S.733-6,
- 56 Hough AJ: Pathology of osteoarthritis. Hrsg.: Koopmann WJ: Arthritis and allied conditions: a textbook of rheumatology. 13th 2, Williams & Wilkins, 1997 S.1945-68,
- 57 Imai Y, Busby WH, Smith CE, Clarke JB, Garmong AJ, Horwitz GD, Rees C, Clemmons DR: Protease-resistant form of insulin-like growth factor binding protein5 is an inhibitor of insulin-like growth factor-1 actions on porcine smooth muscle cell in culture. *J Clin Invest*. 1997, 100, S.2596-2605,
- 58 Ingram RT, Bonde SK, Riggs BL, Fitzpatrick LA: Effects of transforming growth factor beta (TGF beta) and 1,25 dihydroxyvitamin D3 on the function, cytochemistry and morphology of normal human osteoblast-like cells. *Differentiation*. 1994, 55, S.153-163,
- 59 Jones JI, Clemmons DR: Insulin-like factors and their binding proteins: Biological actions. *Endocr Rev*. 1995, 16, S.3-34,
- 60 Joyds ME, Roberts AB, Sporn MB, Bolander ME: Transforming growth factor-beta and the initiation of chondrogenesis and osteogenesis in the rat femur. *J Cell Biol* . 1990, 110, S.2195-2207,
- 61 Klein-Nulend J, Roelofsen J, Struck JGH, Semeins CM, Burger EH: Mechanical loading stimulates the release of transforming growth factor beta activity by cultured mouse calvariae and periosteal cells. *J Cell Physiol*. 1995, 163, S.115-119,
- 62 Kummer B: Anatomie und Biomechanik des Kniegelenkmensiskus. *Langbecks Arch Chir*. 1987, 372, S.241-246,
- 63 Lamson KG, Giudice LC, Cohen P, Liu F, Gargosky KS, Muller HL: Proteolysis of IGFBP-3 may be a common regulatory mechanism of IGF action in vivo. *Growth Regul*. 1993, 3, S.91-5,
- 64 Layton MVU, Goldstein SA, Goulet RW, Feldkamp LA, Kubinski KJ, Bole GG : Examination of subchondral bone architecture in experimental Osteoarthritis by microscopic computer axial tomography. *Arthritis Rheum*. 1988, 31, S.1400-5,
- 65 Lemperg R: The subchondral plate of the femoral head in adult rabbits. II. Changes induced by intracart defects. *Virchow Arch. Abt. A. Path Anat*. 1971, 352, S.14-25,
- 66 Lewitt MS, Denyer GS, Cooney GJ, Baxter RC: Insulin-like growth factor-binding protein-1 modulates blood glucose levels. *Endocrinology*. 1991, 129, S.2254-2256,

- 67 Linkhart TA, Mohan S: Parathyroid hormone stimulates release of insulin-like growth factor-1 (IGF-1) and IGF-2 from neonatal mouse calvaria in organ culture. *Endocrinology*. 1989, *125*, S.1484-91,
- 68 Liu L, Delbe J, Blat C, Zapf J, Harel L: Insulin-like growth factor binding protein (IGFBP-3), an inhibitor of serum growth factors other than iGF-1 and -2. *J Cell Physiol*. 1992, *153*, S.15-21,
- 69 Löwenstein WR: Some reflections on the growth and differentiation. *Perspect Biol Med*. 1968, *11*, S.260-272,
- 70 Mansell JP, Bailey AJ: Abnormal cancellous bone collagen metabolism in osteoarthritis. *J Clin Invest*. 1998, *101*, S.1596-1603,
- 71 Mazess RB: On aging bone loss. *Clin Orthop*. 1982, *165*, S.239-52,
- 72 Milgram JW, Jasty W: Osteoporosis-a morphological study of twenty-one cases. *J Bone Joint Surg Am*. 1982, *64A*, S.912-929,
- 73 Miyazono H, Ichijo H, Heldin CH: Transforming growth factor- β : latent forms, binding proteins and receptors. *Growth Factors*. 1993, *8*, S.11-22,
- 74 Mohan S, Baylink DJ: Bone growth factors. *Clin Orth Rel Res* . 1991, *263*, S.30-48,
- 75 Mohan S, Nakao Y, Honda Y, Landale E, Leser U, Dony C, Lang K, Baylink DJ: Studies on the mechanism by which insulin-like growth factor binding protein-4(IGFBP-4) and IGFBP-5 modulate IGF actions in bone cells. *J Biol Chem*. 1995, *270*, S.20424-20431,
- 76 Mohseni-Zadeh S, Binoux M: Insulin-like growth factor (IGF) binding protein-3 interacts with the type 1 IGF receptor, reducing the affinity of the receptor for its ligand: an alternative mechanism in the regulation of IGF action. *Endocrinology*. 1997, *138*, S.5645-5648,
- 77 Morrison JB: The mechanics of the knee joint in relation to normal walking. *J Biomech*. 1970, *3*, S.51-61,
- 78 Moseley JB, Malley KO, Petersen NJ, Menke TJ, Brody BA, Kuykendall DH, Hollingsworth JC, Ashton CM, Wray NP: A controlled trial of arthroscopic surgery for osteoarthritis of the knee. *N Engl J Med*. 2002, *347*(2), S.81-8,
- 79 Mundy GR: Factors which stimulate bone growth in vivo. *Growth Regul*. 1993, *3*, S.229-240,
- 80 Nicolas V, Prewett A, Bettica P, Mohan S, Finkelman RD, Baylink DJ, Farley JR: Age-related decreases in insulin-like growth-factor-1 and transforming growth factor β in femoral cortical bone from both men and women: implications for bone loss with aging. *J Clin Endocrinol Metab*. 1994, *78*, S.1011-1016,
- 81 Nilas L, Gotfredsen A, Riis BJ, Christiansen C: The diagnostic validity of local and total bone measurements in post menopausal osteoporosis and osteoarthritis. *Clin Endocrinol* . 1986, *25*, S.711-720,
- 82 Noda M, Camilliere JJ, : In vivo stimulation of bone formation by transforming growth factor- β . *Endocrinology*. 1989, *124*, S.2991-2994,

- 83 Ourler MJ, Cortese C, Keeting P, Anderson MA, Bonde SK, Riggs BL, Spelsberg TC: Modulation of transforming growth factor- β production in normal osteoblast-like cells by 17 β -estradiol and parathyroid hormone. *Endocrinology*. 1991, *129*, S.3313-3320,
- 84 Petersen MM, Olsen C, Lauritzen JB, Lund B: Bone mineral content assessed by dual photon absorptiometry in the proximal tibia: normative data and measurements in orthopedic conditions. *Eur J Exp Musculoskeln Res*. 1993, *2*, S.121-6,
- 85 Pfeilschifter J, Diel I, Scheppach B, Bretz A, Krempien R, Erdmann J, Schmid G, Reske N, Bismar H, Seck T, Krempien B, Ziegler R: Concentration of transforming growth factor beta in human tissue: Relationship to age, menopause, bone turnover and bone volume. *J Bone Min Res*. 1998, *13*, S.716-730,
- 86 Pfeilschifter J, Laukhuf F, Müller-Beckmann B, Blum WF, Pfister T, Ziegler R: Parathyroid hormone increases the concentration of insulin-like growth factor-I and transforming growth factor beta 1 in rat bone. *J Clin Invest*. 1995, *96*, S.767-774,
- 87 Pfeilschifter JP, Seyedin S, Mundy GR: Transforming growth factor β inhibits bone resorption in fetal rat long bone cultures. *J Clin Invest*. 1988, *82*, S.680-685,
- 88 Prisell PT, Edwall D, Lindblad JB, Levinovitz A, Norstedt G: Expression of insulin-like growth factors during bone induction in rat. *Calcif Tiss Int*. 1993, *53*, S.201-205,
- 89 Raab-Cullen DM, Thiede MA, Peterson DN, Kimmel DB, Recker RR: Mechanical loading stimulates rapid changes in periosteal gene expression. *Calcif Tiss Int*. 1994, *55*, S.473-478,
- 90 Radin EL- Paul IL, Rose RM: Role of mechanical factors in pathogenesis of primary osteoarthritis. *Lancet*. 1972, *1*, S.519-521,
- 91 Radin ES, Ehrlich MG, Chermack R, Abermathy P, Paul IL, Rose RM: Effect of repetitive impulsive loading on the knee joints of rabbits. *Clin Orthop Res*. 1978, *131*, S.293-99,
- 92 Radin ES, Rose RM: Role of subchondral bone in the initiation and progression of cartilage damage. *Clin Orthop Rel Res*. 1986, *213*, S.34-40,
- 93 Rauch F, Lauzier D, Tarvers R, Glorieux R, Handy R: Effects of locally applied transforming growth factor- β 1 on distraction osteogenesis in a rabbit limb-lengthening model. *Bone*. 2000, *26*, S.619-624,
- 94 Reimann: Experimental osteoarthritis of the knee in rabbits alteration of the load-bearing. *Acta Orthop Scand*. 1973, *44*, S.496-504,
- 95 Roberts AB, Sporn MB: The transforming growth factor- β s. Hrsg.: Sporn MB, Roberts AB: *Handbook of Experimental Pharmacology: Peptide Growth Factors and Their Receptors*. New York, Springer, 1990 S.419-472,
- 96 Roh YS, Dequeker J, Mulier JC: Bone mass in osteoarthrosis, measured in vivo by photon adsorption. *J Bone Joint Surg*. 1974, *56A*, S.587-591,

- 97 Rosen CJ, Donahue LR, Hunter SJ: Insulin-like growth factors and bone: osteoporosis connection. *Proc Soc Exp Biol Med.* 1994, *206*, S.83-102,
- 98 Rosen D, Miller SC, DeLeon E, Thompson AY, Bentz H, Mathews M, Adams S: Systemic administration of recombinant transforming growth factor beta 2 (rTGF- β 2) stimulates parameters of cancellous bone formation in juvenile and adult rats. *Bone.* 1994, *15*, S.255-259,
- 99 Scharla SH, Strong DD, Rosen C, Mohan S, Holick M, Baylink DJ, Linkhart TA: 1,25-dihydroxyvitamin D₃ increases expression of insulin-like growth factor binding protein-4 (IGFBP-4) in human osteoblast-like cells in vitro and elevates IGFBP-4 serum levels in vivo. *J Clin Endocrinol Metabol.* 1993, *77*, S.1190-1197,
- 100 Scharstuhl A, Glansbeek HL, van Beuningen HM, Vitters EL, van der Kraan PM, van der Berg WB: Inhibition of endogenous TGF-beta during experimental osteoarthritis prevents osteophyte formation and impairs cartilage repair. *J Immunol.* 2002, *169*, S.507-14,
- 101 Schwander JC, Hauri C, Zapf J, Frösch ER: Synthesis and secretion of insulin-like growth factor and its binding protein by the perfused rat liver: dependence on growth hormone status. *Endocrinology.* 1983, *113*, S.297,
- 102 Seyedin SM, Thomas TC, Thompson A, Rosen DM, Piez KA: Purification and characterization of 2 cartilage inducing factors from bovine demineralized bone. *Proc Natl Acad Sci USA.* 1985, *82*, S.2267-2271,
- 103 Shimasaki S, Ling N: Identification and molecular characterization of insulin-like growth factor binding proteins (IGFBP-1,2,3,4,5 and 6). *Prog in Growth Factor Res.* 1992, *3*, S.243-266,
- 104 Slavkin HC, Croissant R, Bingas JR: Epithelial-mesenchymal interactions during odontogenesis. A simple method for the isolation of matrix vesicles. *J Cell Biol.* 1972, *53*, S.841-849,
- 105 Slemenda CW, Christian JC, Williams JC, Norton JA, Johnston CC: Genetic determinants of bone mass in adult women: a reevaluation of the twin model and the potential importance of gene interaction on heritability estimates. *J Bone Miner Res.* 1991, *6*, S.561-567,
- 106 Sporn MB, Roberts AB, Wakefield LM, deCrombrugge B: Some recent advances in the chemistry and biology of transforming growth factor-beta. *J Cell Biol.* 1987, *105*, S.1039-1045,
- 107 Storm DD, Huynh TV, Copeland NG, Jenkins NA, Kingsley DM, Lee SJ: Limb alterations in brachypodism mice due to mutations in a new member of the TGF- β superfamily. *Nature.* 368, *639-643*,
- 108 Strong DD, Beachler AL, Wergedal JW, Linkhart TA: Insulin like growth factor II and transforming growth factor beta regulate Type I procollagen message levels in human osteoblast-like cells in vitro. *J Bone Min Res.* 1990, *6*, S.15-23,

- 109 Thrailkill KM, Quarles LK, Nagase H, Suzuki K, Serra ADM, Fowlkes JL: Characterization of insulin-like growth factor-binding protein 5-dependent proteases produced throughout murine osteoblast differentiation. *Endocrinology*. 1995, *136*, S.3537-3533,
- 110 Urist MR: Observations bearing on the problem of osteoporosis, *Bone as a Tissue*. New York, McGraw-Hill, 1960
- 111 Verstraeten A, Van Ermen H, Haghebaert G, Nijs J, Geusens P, Dequeker J: Osteoarthritis retards the development of osteoporosis. *Clin Orthop*. 1991, *264*, S.169-177,
- 112 Wergedal JE, Matsuyama T, Strong DD: Differentiation of normal human bone cells by transforming growth factor- β and 1,25(OH) $_2$ Vitamin D $_3$. *Metabolism*. 1992, *41*, S.42-48,
- 113 Wilson EM, OH Y, Rosenfeld RG: Generation and characterization of an IGFBP-7 antibody: Identification of 31kD IGFBP-7 in human biological fluids and Hs578T human breast cancer conditioned media. *J Clin Endocrinol Metab*. 1997, *82*, S.1301-3,
- 114 Wolff J: *Das Gesetz der Transformation der Knochen*. Berlin, Hirschwald-Verlag, 1892
- 115 Wrana JL, Attisano L, Wieser R, Ventura J, Massagué J: Mechanism of activation of the TGF β receptor. *Nature*. 1994, *370*, S.341-347,
- 116 Wu DD, Burr DB, Boyd RD Radin EL: Bone and cartilage changes following experimental varus or valgus tibial angulation. *J Orthop Res*. 1990, *8*, S.572-585,
- 117 Wüster C, Blum WF, Schlemilch S, Ranke MB, Ziegler R: Decreased serum levels of insulin-like growth factors and IGF binding protein 3 in osteoporosis. *J Int Med*. 1993, *234*, S.249-255,
- 118 Zheng MH, Wood DJ, Wysocki S, Papidimitriou JM, Wang EA: Recombinant human bone morphogenetic protein-2 enhances expression of interleukin-6 and transforming growth factor- β 1 genes in normal human osteoblast-like cells. *J Cell Physiol*. 1994, *159*, S.76-82,