

8 Literaturverzeichnis

Adams, G.P. (1998)

Control of ovarian follicular wave dynamics in mature and praepubertal cattle for synchronisation and superstimulation.

XX World Buiatrics Congress, Sydney Australien, 6.-10. Juli 1998, Proceedings Volume 2, 595-605

Adams, G.P., Matteri, R.L., Kastelic, J.P., Ko, J.C.H., und Glinther, O.J. (1992)

Association between surges of FSH and emergence of follicular waves in heifers.

J. Reprod. Fertil. 94, 177-188

Armstrong, J.D., O'Gorman, J., und Roche, J.F. (1989)

Effects of prostaglandin on the reproductive performance of dairy cows.

Vet. Rec. 125, 597-600

Bamberg, E. (1987)

In: Scheunert, A. und Trautmann, A.

Lehrbuch der Veterinärphysiologie, 7. Auflage, 1987, Verlag Parey, Berlin, 437-477

Barr, H.L. (1975)

Influence of estrus detection on days open in dairy herds.

J. Dairy Sci. 58, 246-247

Bartlett, P.C., Kirk, J.H., Wilke, M.A., Kaneene, J.B., und Mather, E.C. (1986)

Metritis complex in Michigan Holstein-Frisian cattle: incidence, descriptive epidemiology and estimated economic impact.

Prev. Vet. Med. 4, 235-248

Bartolome, J.A., Archbald, L.F., Morresey, P., Hernandez, J., Tran, T., Kelbert, D., Long, K., Risco, C.A., und Thatcher, W.W. (2000)
Comparison of synchronization of ovulation and induction of estrus as therapeutic strategies for bovine ovarian cysts in a dairy cow.
Theriogenology 53, 815-825

Bo, G.A., Adams, G.P., Nasser, L.H., Pierson, R.A., und Mapletoft, R.J. (1993)
Effect of estradiol valerate on ovarian follicles, emergence of follicular waves and circulating gonadotropins in heifers.
Theriogenology 40, 225-239

Bo, G.A., Adams, G.P., Pierson, R.A., Tribulo, H.E., Caccia, M., und Mapletoft, R.J. (1994)
Follicular wave dynamics after estradiol-17 β treatment of heifers with or without a progestogen implant.
Theriogenology 41, 1555-1569

Bodensteiner, K.J., Wiltbank, M.C., Bergfelt, D.R., und Ginther, O.J. (1996)
Alterations in follicular estradiol and gonadotropin receptors during development of bovine antral follicles.
Theriogenology 45, 499-507

Bostedt, H., Kuhn, A., Schädlich, R., und Schwarz, G. (1977)
Ovulationskontrolle beim Rind im Rahmen der artifiziellen Insemination und seiner Bedeutung für das Graviditätsergebnis.
Berl. Münch. Tierärztl. Wschr. 90, 113-116

Braun, J., Kroworsch, S., und Ebner, R. (1999)
Systematische Hormonanwendung zur Begrenzung der Rastzeit beim Rind.
Tagung der Fachgruppe „Fortpflanzung und ihre Störung“, 2. Gießener Konferenz über Fertilitätsprobleme beim Rind, DVG, 23. April 1999, Tagungsband, 43-44

Brem, G., und Kräusslich, H. (1999)

In: Grunert, E. und de Kruif, A. (Hrsg.): Fertilitätsstörungen beim weiblichen Rind.

3. Auflage, Verlag Parey, Berlin, 301-306

Britt, J.H. (1975)

Early postpartum breeding in dairy cows. A review.

J. Dairy Sci. 58, 266-271

Britt, J.H. (1985)

Enhanced reproduction and its economic implications.

J. Dairy Sci. 68, 1585-1592

Britt, J.H., Scott, R.G., Armstrong, J.D., und Whitacre, M.D. (1986)

Determinants of estrus behavior in lactating Holstein cows.

J. Dairy Sci. 69, 2195-2202

Burke, J.M., De La Sota, R.L., Risco, C.A., Staples, C.R., Schmitt, E. J.-P., und Thatcher,

W.W. (1996)

Evaluation of timed insemination using a gonadotropin-releasing hormone agonist in lactating dairy cows.

J. Dairy Sci. 79, 1385-1393

Busch, W., Löhe, K., und Peter, W. (1991)

Künstliche Besamung bei Nutztieren. 2. Auflage 1991,

Gustav Fischer Verlag, Jena

Butler, W.R., und Smith, R.D. (1989)

Interrelationships between energy balance and postpartum reproductive function in dairy cattle.

J. Dairy Sci. 72, 767-783

Butler, W.R., Cherney, D.J.R., und Elrod, C.C. (1995)
Milk urea nitrogen (MUN) analysis: Field trial results on conception rates and dietary inputs.
Seite 89 in
Proc. Cornell Nutr. Conf. Feed Manuf., Rochester, NY. Cornell Univ., Ithaca. NY

Chenault, J.R., Kratzer, D.D., Rzepkowsky, R.A., und Goodwin, M.C. (1990)
LH and FSH response of holstein heifers to fertirelin acetate, gonadorelin and buserelin.
Theriogenology 34, 81-98

Conn, P.M., und Crowley, W.F. (1991)
Gonadotropin-releasing hormone and its analogues.
N. Engl. J. Med. 324, 93-103

De Kruif, A. (1975)
Fertiliteit en subfertiliteit bij het vrouwelijk rund.
Utrecht, Univ., Veterinärmed. Fak., Diss.

De Kruif, A. (1978)
Factors influencing the fertility of a cattle population.
J. Reprod. Fert. 54, 507-518

De Kruif, A. (1992)
Die praktische Anwendung eines Programmes zur Betreuung von Milchviehherden.
Tierärztliche Umschau 47, 86-92.

De Kruif, A., Mansfeld, R., und Hoedemaker, M. (1998)
Tierärztliche Bestandsbetreuung beim Milchrind.
Auflage 1998, Ferdinand Enke Verlag Stuttgart

Dijkhuizen, A.A., Stelwagen, J., und Renkema, J.A., (1984)
Economic Aspects of Reproductive Failure in Dairy Cattle.
I. Financial Loss at Farm Level, Preventive Vet. Med. 3, 251-263

Dijkhuizen, A.A., Stelwagen, J., und Renkema, J.A. (1985)
Economic aspects of reproductive failure in dairy cattle. I. Financial loss at farm level.
Prev. Vet. Med. 3, 251-263

Diskin, M.G. (1996)
Factors affecting conception rate in cows.
Irish Vet. J. 49, 245-251

Dohoo, I.R., Martin, S.W., und Meek, A.H. (1984)
Disease, production and culling in Ontario dairy cattle.
Can. Vet. J. 25, 106-110

Dransfield, M.B.G., Nebel, R.L., Pearson, R.E., und Warnick, L.D. (1998)
Timing of insemination for dairy cows indentified in estrus by a radiotelemetric estrus
detection system.
J. Dairy Sci. 81, 1874-1882

Drillich, M. (1999)
Vergleich des strategischen Einsatzes von Prostaglandin F_{2α} mit konventionellen Methoden
des Fruchtbarkeitsmanagements in zwei Milchviehbetrieben.
Berlin, Freie Universität, Fachbereich Veterinärmedizin, Diss.

Erickson, B.H. (1966)
Development and senescence of the postnatal bovine ovary.
J. Anim. Sci. 25, 800-805

Esselmont, R.J. (1992)
Measuring dairy herd fertility.
Vet. Rec. 131, 209-212

Esselmont, R.J., und Peeler, E.J. (1993)

The scope for raising margins in dairy herds by improving fertility and health.

Br. Vet. J. 149, 537-547

Esselmont, R.J., und Kossaibati, M.A. (1997)

Culling in 50 dairy herds in England.

Vet. Rec. 140, 36-39

Etherington, W.G., Bosu, W.T.K., Martin, S.W., Cote, J.F., Doig, P.A., und Leslie, K.E.

(1984)

Reproductive performance of dairy cows following treatment with fenprostalen, dinoprost, or cloprostenol between 24 and 31 days post partum: a field trial.

Theriogenology 42, 739-752

Evans, A.C.O., Adams, G.P., und Rawlings, N.C. (1994)

Follicular and hormonal development in prepubertal heifers from 2 to 36 weeks of age.

J. Reprod. Fert. 102, 463-470

Farries, E. (1980)

Fütterung von Hochleistungskühen vor dem Kalben – Neue Erkenntnisse zum Einfluss auf Milchleistung, Gesundheit und Fruchtbarkeit.

Tierzüchter 32, 326-328

Ferguson, J.D. (1994)

Reproductive health programs-future directions.

North east dairy producers meeting 3/94 Rochester, 16-28

Ferguson, J.D. (1996)

Diet. Production and reproduction in dairy cows.

Anim. Feed Sci. Tech. 5, 173-184

- Ferguson, J.D., und Galligan, D.T. (1993)
Prostaglandin synchronisation programs in dairy herds – part1.
Comp. Cont. Educ. Pract. Vet. 15, 646-655
- Ferry, J.W. (1993)
Dairy reproduction beyond palpation.
The Bovine Practitioner 27, 58-60
- Fetrow, J., und Blanchard, T. (1987)
Economic impact of the use of prostaglandin it induce estrus in dairy cows.
J. Am. Vet. Med. Assoc. 190, 163-168
- Fogwell, R.L., Kanyima, B.M., Villa-Gody, A., Enright, W.J., und Ireland, J.J. (1986)
Enhanced precision of estrus and luteinizing hormone after progesteron and prostaglandin in heifers.
J. Dairy Sci. 69, 2179-2185
- Ginther, O.J., Kastelic, J.P., und Knopf, L. (1989)
Composition and characteristics of follicular waves during the bovine estrus cycle.
Anim. Reprod. Sci. 20, 187-200
- Ginther, O.J., Wiltbank, M.C., Fricke, P.M., Gibbons, J.R., und Kot, K. (1996)
Selection of the dominant follicle in cattle.
Biol. Reprod. 55, 1187-1194
- Graves, W.M., Dowlen, H.H., Lamar, K.C., Johnson, D.L., Saxton, A.M., und Montgomery, M.J. (1997)
The effect of artificial insemination once versus twice per day.
J. Dairy Sci. 80, 3068-3071

Grunert, E. (1990)

in Dirksen, G., Gründer, H.D., Stöber, M. (1990)

Die klinische Untersuchung des Rindes / Gustav Rosenberger. 3. Auflage 1990, Verlag Paul Parey, Berlin/Hamburg

Grunert, E. (1993)

In: Richter, J. und Götze, R. (Hrsg.): Tiergeburtshilfe.

4. Auflage, Parey Buchverlag, Berlin, 105-110

Grunert, E., und Zerbe, H. (1999)

In: Grunert, E., und Berchtold, M. (Hrsg.): Fertilitätsstörungen beim weiblichen Rind

2. Auflage, Parey Buchverlag, Berlin, 159-181

Guibault, L.A., Lussier, J.G., Grasso, F., und Matton, P. (1990)

Influence of a GnRH analouge on follicular dynamics in cows pretreated or not with FSH-P.

Theriogenology 33, 240

Guibault, L.A., Rouiller, P., Matton, P., Glencross, R.G., Beard, A.J., und Knight, P.G.

(1993)

Relationships between the level of atresia and inhibin contents (α subunit and α/β dimer) in morphologically dominant follicles during their growing and regressing phase of development in cattle.

Biol. Reprod. 48, 268-276

Hansel, W., Malven, P.V., und Black, D.L. (1961)

Estrus cycle regulation in the bovine.

J. Anim. Sci 20, 621

Hansel, W., Donaldson, L.E., Wagner, W.C., und Brunner, M.A. (1966)

A comparison of estrus cycle synchronisation methods in beef cattle under feed-lot conditions.

J. Animal Sci. 25, 497

- Heersche, G., und Nebel, R.L. (1994)
Measuring efficiency and accuracy of detection of estrus.
J. Dairy Sci. 77, 2754-2761
- Heuwieser, W., und Mansfeld, R. (1995)
Brunstbeobachtung beim Rind.
Milchpraxis 33 (2): 75-79
- Heuwieser, W., und Mansfeld, R. (1999)
Östrussynchronisation. In Grunert, E., Berchtold, M., (Hrgs.):
Fertilitätsstörungen beim weiblichen Rind, Parey Verlag, 3. Auflage, 1999, 351-59
- Hoedemaker, M., Klindworth, H.P., und Burfeindt, D. (1999)
Ovulationssynchronisation: Erste Erfahrungen in norddeutschen
Hochleistungsmilchviehbetrieben.
BPT-Kongreß, Vortragszusammenfassung vom 18. bis 21. November 1999, Nürnberg, 25-27
- Holtenius, P. (1991)
Disturbance in the regulation of energy metabolism around parturition in cows.
Mh. Vet. Med. 46, 795-797
- Hurnik, J.F., King, G.J., und Robertson, H.A. (1975)
Estrus and related behaviour in postpartum Holstein cows.
Appl. Anim. Ethol. 2, 55-68
- Jakob, H., und Distl, O. (1997)
Tierarztkosten beim Milchvieh, 1. Mitteilung: Analyse von systematischen
Variationsursachen.
Züchtungskunde 69, 334-348

Johnson, D.G., und Otterby, D.E. (1981)

Influence of dry period diet on early postpartum health, feed intake, milk production, and reproductive efficiency of Holstein cows.

J. Dairy Sci. 64, 290-295

Kastelic, J.P., und Ginther, O.J. (1991)

Factors affecting the origin of the ovulatory follicle in heifers with induced luteolysis.

Anim. Reprod. Sci. 26, 13-24

Kiddy, C.A. (1976)

Variation in physical activity as an indication of estrus in dairy cows.

J. Dairy Sci. 60, 235-243

King, M.E., Kiracofe, G.H., Stevenson, J.S., und Schalles, R.R. (1982)

Effect of stage of estrous cycle on interval to estrus after PGF_{2α} in beef cattle.

Theriogenology 18, 191-200

Kolb, E., und Elze, K. (1995)

Durch Energiemangel beim Rind ausgelöste Fortpflanzungsstörungen.

Prakt. Tierarzt 76, 623-626

Kräusslich, H., Osterkorn, K., und Richter, H. (1977)

Der Einfluss der Rastzeit auf verschiedene Fruchtbarkeitsparameter.

Berl. Münch. Tierärztl. Wschr. 90, 55-57

Kristula, M., Bartholomew, R., und Galligan, D. (1992)

Effects of a prostaglandin F_{2α} synchronization program in lactating dairy cattle.

J. Dairy Sci. 75, 2713-2718

Lee, L.A., Ferguson, J.D., und Galligan, D.T. (1989)

Effect of disease on days open assessed by survival analysis.

J. Dairy Sci. 72, 1020-1026

Lotthammer, K.H. (1979a)

Einfluss der Fütterung und Futterproduktion auf Gesundheit und Fruchtbarkeit von Milchrindern.

Tierärztliche Praxis 7, 425-438

Lotthammer, K.H. (1979b)

Merkmalsantagonismen und Leistungszucht – Beziehungen zwischen Milch- und Fettleistung und Fruchtbarkeit beim Rind.

Züchtungskunde 51, 414-422

Lotthammer, K.H. (1992)

Anforderungen an den Tierarzt in der Rinderpraxis der Zukunft.

Prakt. Tierarzt 62, 305-307

Lotthammer, K.H. (1999)

Umweltbedingte Fruchtbarkeitsstörungen.

In Grunert, E., und Berchtold, M. (Hrgs.): Fertilitätsstörungen beim weiblichen Rind, Parey Verlag, 3. Auflage, 1999, 351-59

Lucy, M.C., Savio, J.D., Badinga, L., De La Sota, R.L., und Thatcher, W.W. (1992)

Factors that affect ovarian follicular dynamics in cattle.

J. Anim. Sci. 70, 3615-3626

Lucy, M.C., Stevenson, J.S., und Call, E.P. (1986)

Controlling first service and calving interval by prostaglandin F_{2α}, gonadotropin-releasing hormone, and timed fixed insemination.

J. Dairy Sci. 69, 2186-2194

Lussier, J.G., Matton, P., und Dufour, J.J. (1987)

Growth rates of follicles in the ovary of the cow.

J. Reprod. Fertil. 81, 301

Maatje, K., Loeffler, S.H., und Engel, B. (1997)

Predicting optimal time of insemination in cows that show visual signs of estrus by estimating onset of estrus with pedometers.

J. Dairy Sci. 80, 1098-1105

Macmillan, K.L., Day, A.M., Taufa, V.K., Henderson, H.V., und Allison, P.A. (1987)

Some effects of injecting a prostaglandin F_{2α} (Lutalyse) during the post-partum period on the subsequent fertility of dairy cows.

Proc. of the New Zealand Society of animal production 47, 65-68

Macmillan, K.L., und Thatcher, W.W. (1991)

Effects of an agonist of gonadotropin-releasing hormone on ovarian follicles in cattle.

Biol. Reprod. 45, 883-889

Mansfeld, R., de Kruif, A., Hoedemaker, M., und Heuwieser, W. (1999)

In: Grunert, E. und de Kruif, A. (Hrsg.): Fertilitätsstörungen beim weiblichen Rind.

Auflage, Parey Buchverlag, Berlin, 337-350

Marion, G.B., Gier, H.A.T., und Choudary, J.B. (1968)

Micromorphology of the bovine ovarian follicular system.

J. Anim. Sci. 27, 451-465

Metzner, M., und Mansfeld, R. (1992)

Tierärztliche Betreuung von Milcherzeugerbetrieben. Teil 2: Die Beurteilung von

Fruchtbarkeitsparametern: Möglichkeiten und Grenzen.

Prakt. Tierarzt 73, 800-814

Michiel, G., Bosted, H., Hoffmann, B., Failing, K., und Rattenberger, E. (1999)

Effekte eines am 10. Tag post partum in unterschiedlicher Konzentration verabreichten

PGF_{2α}-Analogons auf Puerperalverlauf und Fertilität beim Milchrind.

Tierärztl. Prax. 1999; 27 (G): 16-24

Miller, G.Y., und Dorn, C.R.. (1990)

Cost of dairy cattle diseases to producers in Ohio.

Prev. Vet. Med. 8, 171-182

Miller, H.V., Kimsey, P.B., Kendrick, J.W., Döring, L., Franti, C., und Horton, J. (1980)

Endometritis in dairy cattle: Diagnosis, treatment and fertility.

The Bovine Practitioner 15, 13-23

Morrow, D.A., Roberts, S.J., und McEntee, K. (1969a)

Postpartum ovarian activity and involution of the uterus and cervix in dairy cattle. 1. ovarian activity.

Cornell vet. 59, 173-190.

Morrow, D.A., Roberts, S.J., und McEntee, K. (1969b)

Postpartum ovarian activity and involution of the uterus and cervix in dairy cattle. 2. involution of uterus and cervix.

Cornell vet. 59, 190-198

Morrow, D.A. (1976)

Fat cow syndrome.

J. Dairy Sci. 59, 1625-1629

Morton, J.M., Allen, J.D., Harris, D.J., und Miller, G.T. (1992)

Failure of a single postpartum prostaglandin treatment to improve the reproductive performance of dairy cows.

Aust. Vet. J. 69, 158-160

Nebel, R.L., Walker W.L., und McGilliard, M.L. (1994)

Timing of artificial insemination of dairy cows: fixed time once daily versus morning and afternoon.

J. Dairy Sci. 77, 3185-3191

Nebel, R.L., und Jobst, S.M. (1998)

Evaluation of systematic breeding programs for lactating dairy cows: a review.

J. Dairy Sci. 81, 1169-1174

O'Connor, M.L. (1992)

New concepts in follicular development in cattle.

DAS 92-91 Dept. of Dairy and Animal Science, Pennsylvania State University, University Park, PA 16802.

O'Connor, M.L. (1993)

Heat detection and timing of insemination for cattle.

Special Extension Circular, 402, Pennsylvania State University

O'Farrell, K.J. (1985)

Oestrus behavior problems with detection and relevance of cycle length.

Proc. Br. Vet. Ass. Br. Soc. Anim. Prod. Con.; Dairy Cow Fertil. Br. Vet. Assoc. Ed. Serv., London, England, 1985: 47

Olson, J.D. (1993)

Tools to improve reproductive performance of dairy cattle.

The Bovine Practitioner 27, 61-63

Olson, J.D. (1996)

Mertitis / Endometritis: Medically sound treatment.

The Bovine Practitioner 29, 8-14

Ostermann, J. (1977)

Auswertung einer Bestandsdokumentation in einem Rindergrößbestand unter besonderer Berücksichtigung der Beziehung zwischen Milchleistung und Fruchtbarkeit. Hannover: Tierärztliche Hochschule, Diss.

Paufler, S. (1973)

Wann nach Brunstbeginn soll die Besamung durchgeführt werden?

Tierzüchter 25, 469-470

Peters, A.R. (1985)

Hormonal control of the bovine oestrus cycle. 1. The natural cycle.

Br. Vet. J. 141, 564-575

Prescott, R.E., Silcox, R.W., Byerley, D.J., Caudle, A.B., und Kiser, T.E. (1992)

Effect of GnRH on the dominant follicle of the first follicular wave in beef cows.

J. Anim. Sci. 70, (Suppl. 1): 254.

Pursley, J.R., Mee, M.O., und Wiltbank, M.C. (1995a)

Synchronisation of ovulation in dairy cows using PGF_{2α} and GnRH.

Theriogenology 44: 915-923

Pursley, J.R., Silcox, R.W., und Wiltbank, M.C. (1995b)

Conception rates at differing intervals between AI and ovulation.

J. Dairy Sci. 78, 279 (Abstract)

Pursley, J.R., Kosorok, M.R., und Wiltbank, M.C. (1997)

Reproductive management of lacting dairy cows using synchronisation of ovulation.

J. Dairy Sci. 80, 301-306

Quirk, S.M., Hickey, G.J., und Fortune, J.E. (1986)

Growth and regression of ovarian follicles during the follicular phase of the oestrus cycle in heifers undergoing spontaneous and PGF_{2α}-induced luteolysis.

J. Reprod. Fert. 77, 211-219

Reid, I.M., Dew, S.M., und Collins, R.A. (1983)

The relationship between fatty liver and fertility in dairy cows: a farm investigation.

J. Agric. Sci. 101, 499-502

Revah, I., und Butler, W.R. (1996)

Prolonged dominance of follicles and reduced viability of bovine oocytes.

J. Reprod. Fert. 106, 39-47

Rieck, G.-W., und Zerobin, K. (1985)

Zuchthygiene Rind.

Pareys Studentexte: 46. Verlag Parey Berlin und Hamburg

Ruttler, L.M., und Randel, R.D. (1984)

Postpartum nutrient intake and body condition: Effect on pituitary function and onset of estrus in beef cattle.

J. Anim. Sci. 58, 265-274

Sachsenröder, H. (1985)

Untersuchungen zum optimalen Besamungszeitpunkt in der Brunst des Rindes und Versuche zur Beeinflussung der Ovulation durch Gonadotropin-Releasinghormon.

Berlin, Humboldt Universität, Diss.

Sanchez, T., Wehrmann, M.E., Kojima, F.N., Cupp, A.S., Bergfeld, E.G., Peters, K.E.,

Mariscal, V., Kittok, R.J., und Kinder, J.E. (1995)

Dosage of the synthetic progestin, norgestromet, influences luteinizing hormone pulse frequency and endogenous secretion of 17 beta-estradiol in heifers.

Biol. Reprod. 52, 464

Savio, J.D., Keenan, L., Boland, M.B., und Roche, J.F. (1988)

Pattern of growth of dominant follicles during the oestrus cycle of heifers.

J. Reprod. Fert. 83, 633-671

Savio, J.D., Boland, M.P., Hynes, N., und Roche, J.F. (1990)

Resumption of follicular activity in the early postpartum period of dairy cows.

J. Reprod. Fertil. 88, 569-579

Seguin, B.E., Tate, D.J., und Otterby, D.E. (1983)

Use of cloprostenol in a reproductive management system for dairy cattle.

J. Am. Vet. Med. Assoc. 183, 533-537

Silcox, R.W., Powell, K.L., und Kiser, T.E. (1993)

Ability of dominant follicles (DF) to respond to exogenous GnRH abministration is dependent on their stage of development.

J. Animal Sci. 71 (Suppl. 1): 513

Sirois, J., und Fortune, J.E. (1988)

Ovarian follicular dynamics during the oestrus cycle in heifers monitored by real time ultrasonography.

Biol. Reprod. 39, 308-317

Sirois, J., und Fortune, J.E. (1990)

Lengthening the bovine estrus cycle with low levels of progesteron: A model for study follicular dynamics.

Endocrinology 127, 916-925

Sobiraj, A., Presche, A., und Jäkel, L. (1999)

Testung des Ovsynch-Verfahrens an Problemkühen,

BPT-Kongreß, Vortragszusammenfassung vom 18. bis 21. November, Nürnberg 1999, 35-37

Sobiraj, A., und Jäkel, L. (2000)

Zur Wirksamkeit des Ovsynch-Verfahrens bei Problemtieren.

Großtierpraxis 2/2000, 30-33

Stapels, C.R., Thatcher, W.W., und Clark, J.H. (1990)

Relationship between ovarian activity and energy status during the early post partum period of high producing dairy cows.

J. Dairy Sci. 73, 938-947

Stevenson, J.S., Lucy, M.C., und Call, E.P. (1987)

Failure of timed inseminations and associated luteal function in dairy cattle after two injections of prostaglandin F_{2α}.

Theriogenology Vol. 28, No. 6, 937-946

Stevenson, J.S., Frantz, K.D., und Call, E.P. (1988)

Conception rates in repeat-breeders in dairy cattle with unobserved estrus after prostaglandin F_{2α} and gonadotropin-releasing hormone.

Theriogenology 29, 451-460

Stevenson, J.S., und Pursley, J.R. (1994)

Use of milk progesterone and prostaglandin F_{2α} in a scheduled artificial insemination program.

J. Dairy Sci. 77, 1755-1760

Stolla, R., Bendel, M., Hegemann, M., und Braun, J. (1998)

Einsatz von PGF_{2α} und GnRH zur Zyklussteuerung beim Rind.

Tierärztl. Prax. 26(G), 187-192

Stott, A.W., und DeLorenzo, M.A. (1988)

Factors affecting profitability of Jersey and Holstein Lactations.

J. Dairy Sci. 71, 2753

Tenhagen, B.-A., und Heuwieser, W. (1997)

Wirtschaftliche Einbußen durch verlängerte Güstzeiten – Einfluss der Laktationspersistenz.

Tagung DVG-Fachgruppe „Fortpflanzung und ihre Störungen“ zum Thema:

„Fertilitätsstörungen sowie gynäkologische und peripartale Probleme beim Rind“, Gießen, 14-22

Tenhagen, B.-A., Tischer, M., Heuwieser, W., und Blum, H. (1998)

Influence of puerperal endometritis on the economy of reproduction in dairy herds.

Proc. 10th Middle-European Buiatrics Congress, Siofok, Hungary, 21.-23. Mai 1998, 136-139

- Tenhagen, B.-A., und Heuwieser, W. (1999)
Comparisation of a conventional reproductive management programme based on rectal palpation and uterine treatment of endometritis with a strategic prostaglandin F_{2α} programme.
J. Vet. Med. A 46, 167-176
- Tenhagen, B.-A., Drillich, M., und Heuwieser, W. (2000)
Synchronization of lactating dairy cows with prostaglandin F_{2α}. Insemination on observed estrus versus timed artificial insemination.
J. Vet. Med. A., im Druck
- Thatcher, W.W., Macmillan, K.L., Hansen, P.J., und Drost, M. (1989)
Concepts for regulation of corpus luteum function by the conceptus and ovarian follicles to improve fertility.
Theriogenology 31, 149-161
- Thatcher, W.W., Risco, C.A., und Moreira, F. (1998)
Practical manipulation of the estrous cycle in dairy animals.
Proceedings of the thirtyfirst annual conference, American association of bovine practioners, Sep. 24-26, 1998, Spokane, Washington.
- Timberger, G.W., und Davis, H.P. (1943)
Conception rate in dairy cattle by artificial insemination at various stages of oestrus.
Nebraska Agric. Exp. Stn. Bull. No. 129, Lincoln
- Tischer, M. (1998)
Vergleich von intrauterinen Arzneimittelapplikationen mit einem strategischen Prostaglandinprogramm zur Behandlung von chronischen Endometritiden in einer Milchviehherde.
Berlin, Freie Universität, Fachbereich Veterinärmedizin, Diss.

Thrusfield, M. (1995)

Demonstrating association.

In: Thrusfield M. (Hrsg.): Veterinary epidemiology, 2. Auflage, Blackwell Science Ltd, Oxford, 211-212

Twagiramungu, H., Guilbaut, L.A., Proulx, J., Villeneuve, P., und Dufour, J.J. (1992)

Influence of an agonist of gonadotropin-releasing hormon (buserelin) on estrus synchronisation and fertility in beef cows.

J. Anim. Sci. 70, 1904-1910

Twagiramungu, H., Guilbaut, L.A., Proulx, J., Villeneuve, P., und Dufour, J.J. (1994a)

Influence of corpus luteum and induced ovulation on ovarian follicular dynamics in postpartum cyclic cows treated with buserelin and cloprostetol.

J. Anim. Sci. 72, 1796-1805

Twagiramungu, H., Guilbaut, L.A., Proulx, J., Ramkumar, R., und Dufour, J.J. (1994b)

Histological populations and atresia of ovarian follicles in postpartum cattle treated with an agonist of gonatropin-releasing hormone.

J. Anim. Sci. 72, 192-200

Twagiramungu, H., Guilbaut, L.A., und Dufour, J.J. (1995)

Synchronisation of ovarian follicular waves with a gonadotropin-releasing hormon agonist to increase the precision of estrus in cattle: a review.

J. Anim. Sci. 73, 3141-3151

Vasconcelos, J.L.M., Silcox, R.W., Rosa, G.J.M., Pursley, J.R., und Wiltbank, M.C. (1999)

Synchronization rate, size of the ovulatory follicle, and pregnancy rate after synchronization of ovulation beginning on different days of the estrous cycle in lactating dairy cows.

Theriogenology 52, 1067-1078

Wagner, J.F., Veenhuizen, E.L., Gregory, R.P., und Tonkinson, L.V. (1968)
Fertility in the beef heifer following treatment with 6-chloro 6-17-acetoxy-progesterone.
J. Anim. Sci. 27, 1627

Wenzel, J.G.W. (1991)
A review of prostaglandin F_{2α} products and their use in dairy reproductive herd health programs.
Vet. Bull. 61, 433-447

Wiltbank, J.N., Ingalls, J.E., und Rowden, W.W. (1961)
Effects of various forms and levels of estrogens alone or in combinations with gonadotrophins on the estrous cycle of beef heifers.
J. Anim. Sci. 20, 341-346

Wiltbank, J.N., Zimmermann, D.R., Ingalls, J.E., und Rowden, W.W. (1965)
Use of progestational compounds alone or in combination with estrogen for synchronisation of estrus.
J. Anim. Sci. 24, 990-994

Wiltbank, J.N., und Kasson, C.W. (1968)
Synchronisation of estrus in cattle with an oral progestational agent and an injection of estrogen.
J. Anim. Sci. 27, 113

Wiltbank, J.N., Sturges, J.C., Wideman, D., LeFever, D.G., und Faulkner, L.C. (1971)
Control of estrus and ovulation using subcutaneous implants and estrogens in beef cattle.
J. Animal. Sci. 33, 600-606

Wiltbank, M.C. (1997)
How information on hormonal regulation of the ovary has improved understanding of timed breeding programs.
Proc. Ann. Meet. Soc. Theriogenology, Montreal, 1997, 83-97

Wiltbank, M.C. (1998a)

Improving reproductive efficiency in high producing dairy cattle,
XX World Buiatrics Congress, Sydney Australien, 6.-10. Juli 1998, Proceedings Volume 2,
571-583

Wiltbank, M.C. (1998b)

Information on regulation of reproductive cyclicity in cattle.
Proceedings of the thirty-first annual convention, American association of bovine
practitioners, Spokane, Washington, September 24-26, 1998

Wolfenson, D., Thatcher, W.W., Savio, J.D., Badinga, L., und Lucy, M.C. (1994)

The effects of a GnRH analogue on the dynamics of follicular development and
synchronisation of estrus in lactating dairy cows.

Theriogenology 42, 633-644

Woodward, M. (1999)

Epidemiology. Study design and data analysis.
Chapman and Hall, CRC, Boca Raton, London, New York

Woody, C.O., und Pierce, R.A. (1974)

Influence of day of estrous cycle at treatment on response to estrous cycle regulation by
norethandrolone implants and estradiol valerate injections.

J. Anim. Sci. 39, 903

Woody, C.O., und Abenes, F.B. (1975)

Regulation of ovarian function in Holstein heifers with SC-21009 implants and estradiol
valerate.

J. Anim. Sci. 41, 1057-1064

Young, I.M. (1989)

Dinoprost 14-day oestrus synchronization schedule for dairy cows.
Vet. Rec. 124, 587-588