

8 Literaturverzeichnis¹

BAKOS, Z., K. VÖRÖS, T. JÄRVINEN, J. REICZIGEL (2002):
Two-Dimensional and M-Mode echocardiographic measurements of cardiac dimensions in healthy standardbred trotters.
Act. Vet. Hung. **50**(3): 273-282

BARTEL, T., R. ERBEL (2002):
Regionale und globale Funktion des linken Ventrikels bei koronarer Herzkrankheit
In: FLACHSKAMPF, F.A. (Hrsg): Praxis der Echokardiographie.
Stuttgart: Georg Thieme Verlag S. 153-182

BAUER, M.R., J.S. SOBLE, I. SONG, A. NEUMANN, P.R. LIEBSON, J.E. PARILLO, J. ROBERGÉ, R.H. MARCUS (1996):
Accuracy of computer-generated synthetic M-Mode for left ventricular regional wall thickening.
J. Am. Coll. Card. **27**(2A): 7

BECHER, H., S. KUNTZ-HEHNER, K. TIEMANN (2002):
Harmonische Bildgebung und Powerdoppler.
In: FLACHSKAMPF, F.A. (Hrsg): Praxis der Echokardiographie
Stuttgart: Georg Thieme Verlag S.101-112

BECKER, J. (1995):
B-Mode -, M-Mode - und Doppler-Echokardiographie unter Einfluß von Dobutamin beim Pferd.
Hannover, Tierärztl. Hochsch., Diss.

BELGRAVE, J.O.S. (1990):
A case of atrial fibrillation with congestive heart failure.
Equine Vet. Educ. **2**(1): 2-4

BLISSIT, K.J. (1999):
Diagnosis and treatment of atrial fibrillation.
Equine Vet. Educ. **11**(1): 11-19

BLISSIT, K.J., J.D. BONAGURA (1995 a):
Pulsed wave Doppler echocardiography in normal horses.
Equine Vet. J. Suppl. **19**: 38-46

BLISSIT, K.J., J.D. BONAGURA (1995 b):
Colour flow Doppler echocardiography in normal horses.
Equine Vet. J. Suppl. **19**: 47-55

BLISSIT, K.J., J.D. BONAGURA (1995 c):
Colour flow Doppler echocardiography in horses with cardiac murmurs.
Equine Vet. J. Suppl. **19**: 82-85

BLISSIT, K.J., M. PATTESON (1996):
Evaluation of cardiac murmurs in horses 2. Echocardiography.
In Pract. **18**(9): 416-426

- BONAGURA, J. D. (1983):
M-Mode Echocardiography Basic Principles.
Vet. Clin. North Am. Small Animal Pract. **13**(2): 299-319
- BONAGURA, J. D (1985):
Equine Heart Disease.
Vet. Clin. North Am. Equine Pract. (1): 267-274
- BONAGURA, J. D (1994):
Ecocardiography.
J. Am. Vet. Med. Ass. **204**(4): 516-522
- BONAGURA, J. D, K.J. BLISSIT (1995):
Review Article Echocardiography.
Equine Vet. J. Suppl. **19**: 5-17
- BONAGURA, J. D., D.S. HERRING, F. WELKER (1985):
Echocardiography.
Vet. Clin. North Am. Equine Pract. **1**(2): 311-333
- BONAGURA, J. D., V.B. REEF (1998):
Cardiovascular disease
In: REED, S.M., BAYLY, W.M. (Hrsg):Equine internal medicine
Philadelphia: W.B. Saunders S. 290-370
- BROWN, C.M. (1985):
Aquired cardiovascular disease.
Vet. Clin. North Am. Equine Pract. **1**(2): 371-382
- BROWN, D.J., J.E. RUSH, J. MACGREGOR, J.N. ROSS, B. BREWER, W.M. RAND (2003):
M-Mode echocardiographic ration indices in normal dogs, cats and horses: A novel
quantitative method.
J. Vet. Intern.Med. **17**: 653-662
- BROWN, O.R., D.C. HARRISON, R.L. POPP (1974):
An improved method for echographic detection of left atrial enlargement.
Circ. **50**: 58-63
- BRUMBAUGH, G.W., W.P. THOMAS, T.G. HODGE (1982):
Medical management of congestive heart failure in a horse.
J. Am. Vet. Med. Ass. **180**(8): 878-883
- BRUTSAERT, D.L., S.U. SYS (1996):
Systolic and diastolic heart function.
J. Cardiovasc.Pharm. Suppl.: **28**(2): 1-8
- CARLSTEN, J.C. (1987):
Two-Dimensional, Real-Time Echocardiography in the Horse.
Vet. Radiol. **28**: 76-78
- CELETANO, A., V. PALMIERI, E. AREZZI, G.F. MUREDDU, M. SABATELLA, G. DE MINNO, G. DE
SIMONE (2003):
Gender differences in left ventricular chamber and midsystolic function in normotensive and
hypertensive adults.
J. Hypert. **21**(7): 1415-1423

- CHAN, J., S. WAHI, P. CAIN, T.H. MARWICK (2000):
Anatomical M-mode: A novel technique for the quantitative evaluation of regional wall motion analysis during dobutamin echocardiography.
Int. J. Cardiac Imag. **16**: 247-255
- CHETBOUL, V., N. ATHANASSIADIS, D. CONCORDET, A. NICOLLE, D. TESSIER (2004):
Observer-dependent variability of quantitative clinical end? Example of canine echocardiography
J. Vet. Pharm. Therapy **27**, 49-56
- CLARK, R.D., K. KORCUSKA, K. COHN (1980):
Serial Echocardiographic Evaluation of Left Ventricular Function in Valvular Disease, Including Reproducibility Guidelines for Serial Studies
Circ. **62**(3): 564-575
- D'ARBELA, P.G., Z.M. SILAYAN, J.M. BLAND (1986):
Comparability of M-mode echocardiographic long axis and short axis left ventricular function derivatives.
Br. Heart J. **56**: 445-449
- DAVIS, J.L., S.Y. GARDNER, B. SCHWABENTON, B.A. BREUHAUS (2002):
Congestive heart failure in horses: 14 cases (1984-2001)
J. Am. Vet. Med. Ass. **220**(10): 1512-1515
- DE MARIA, A.N., A. NEUMANN, P.J. SCHUBART, G. LEE, D.T. MASON (1979):
Systematic correlation of cardiac chamber size and ventricular performance determined with echocardiography and alterations in heart rate in normal persons.
Am. J. Cardiol. **43**(1): 1-9
- DEEGEN, E. (1981):
Zur forensischen Bedeutung der Herz-Rhythmusstörungen beim Pferd
Berl. Münch. Tierärztl. Wochenschr. **94**: 71-177
- DEEGEN, E. (1986):
Zur klinischen Bedeutung des Vorhofflimmerns beim Pferd.
Pferdeheilkunde **2**: 179-186
- EDLER, I., C.H. HERTZ (1954):
Use of ultrasonic reflectoscope for the continuous recording of movements of heart walls
Kungl. Fysiogr. sällsk. Lund Förh. **24**: 40-46
- ELSE, R.W., J.R. HOLMES (1972):
Cardiac pathology in the horse. (1) Gross pathology.
Equine Vet. J. **4**: 1-8
- ENGBERDING, R. (2002 a):
Dilatative Kardiomyopathie.
In: FLACHSKAMPF, F.A. (Hrsg): Praxis der Echokardiographie.
Stuttgart: Georg Thieme Verlag S. 217-233
- ENGBERDING, R. (2002 b):
Herztumoren und kardiale Zusatzstrukturen.
In: FLACHSKAMPF, F.A. (Hrsg): Praxis der Echokardiographie.
Stuttgart: Georg Thieme Verlag S. 427-448

- FEIGENBAUM, H., C.H. HALMEN (1969):
Estimation of left ventricle size using ultrasound.
Am. Heart J. **78**: 43-52
- FEIGENBAUM, H., R.L. POPP, J.N. CHIP, C.L. HAINE (1968):
Left ventricular wall thickness measured by ultrasound.
Arch. Intern. Med. **121**: 391-398
- FELNER, J.M., B.A. BLUMENSTEIN, R.C. SCHLANT, A.D. CARTER, B.N. ALIMURUNG, M.J. JOHNSON, S.W. SHERMAN, M.W. KLICPERA, M.H. KUNTER, L.W. DRUCKER (1980):
Sources of Variability in Echocardiographic Measurements.
Am. J. Card. **45**: 995-1004
- FLACHSKAMPF, F.A. (2002):
Physikalische und technische Grundlagen.
In: FLACHSKAMPF, F.A. (Hrsg): Praxis der Echokardiographie.
Stuttgart: Georg Thieme Verlag S. 3-22
- GARCÍA-FERNÁNDEZ, M.A., C.S. FISER, A.B. ROHR, M.M. YANGUELA, F.B. GARCIA (1982):
M-Mode omnidirectional recordings obtained from two-dimensional echocardiography.
J. Clin. Ultrasound **10**: 303-306
- GEHLEN, H., P. STADLER, E. DEEGEN (1998 a):
Vorschlag zur Standardisierung der Untersuchung von Herzkranken Warmblutpferden mit einem kardiologischen Beurteilungssystem.
Pferdeheilkunde **14**(2): 107-114
- GEHLEN, H., P. STADLER, E. DEEGEN (1998 b):
Beurteilung des Schweregrades von Mitralklappeninsuffizienzen beim Pferd mittels Farbdoppler-Echokardiographie.
Pferdeheilkunde **14**(4): 303-314
- GEHLEN, H., P. STADLER (2002):
Vorhofflimmern beim Warmblutpferd - Echokardiographie, Therapie, Prognose und Verlauf in 72 Fällen.
Pferdeheilkunde **18**(6): 530-536
- GEHLEN, H., S. MARNETTE, P. STADLER (2005):
Stressechokardiographie beim Warmblutpferd: Aktive Stressinduktion durch Laufband- und Longenbelastung
Pferdeheilkunde **21**(4): 303-310
- GRABNER, A. (1990):
Chinidinkonzentrationen und EKG-Veränderungen bei der Therapie des Vorhofflimmerns beim Pferd.
2. Jahrestagung DVG-FG Pferdekrankheiten, München 1990.
- GUGLIELMINI, C., A. GIULIANI, S. TESTONI, F. CORLETTO, D. BERNARDINI (2002):
Use of an ACE inhibitor (ramipril) in a horse with congestive heart failure.
Equine Vet. Educ. **14**(6): 297-303
- HANRATH, P., M. SCHLÜTER (1983):
Is Echocardiography a reliable tool?
Europ. Heart J. **4** (Suppl. A): 89-94

- HAUSER, A.M., R.H. DRESSENDORFER, M. VOS, T. HASHIMOTO, S. GORDON, G.S. TIMMIS (1985):
Symmetric cardiac enlargement in highly trained endurance athletes: A two-dimensional echocardiographic study.
Am. Heart J. **109**: 1038-1044
- HENG, M.K., H.L. WYATT, S. MEERBAUM, J. WOYTALER, J. HESTEREN, R. DAVIDSON, R. CORDAY (1978):
Analysis of the reproducibility of 2-dimensional echocardiographic measurements.
Am. J. Cardiol. **41**: 390.
- HENRY, W.L., M.D. CHAIRMAN, A. DE MARIA, R. GRAMIAK, D.L. KING, J.A. KISSLO, R.L. POPP, D.J. SAHN, N.B. SCHILLER, A. TAJIK, L.E. TEICHHOLZ, A.E. WEYMANN (1980):
Report of the American Society of Echocardiography Committee on Nomenclature and Standards in Two-dimensional Echocardiography.
Circ. **62**(2): 212-217
- HINCHCLIFF, K.W., W.W. MIUR (1991):
Pharmacology of furosemide in the horse: a review.
J. Vet. Int. Med. **5**: 211-218
- HÖCH, M. (1995):
Farbkodierte Doppler-Echokardiographie beim Pferd.
Hannover, Tierärztl. Hochsch., Diss.
- HOENECKE, H.R., S.J. GOLDBERG, D.J. SAHN, H.D. ALLEN, L.M. VALDEZ-CRUZ (1982):
Effect of Beam Directional Alterations on Left Ventricular Shortening Fraction.
Am. J. Cardiol. **50**: 1120-1123
- HOLMES, J.R., P.J. MILLER (1984):
Three cases of ruptured mitral valve chordae in the horse.
Equine Vet. J. **16**(2): 125-135
- IWADO, Y., K. MIZUSHIGE, K. WATANABE, T. UEDA, W. FURUMOTO, S. NOZAKI, S. SAKAMOTO, K. OHMORI, H. MATSUO (1999):
Quantitative Analysis of Myocardial Response to Dobutamine by Measurement of Left Ventricular Wall Motion Using Omnidirectional M-Mode Echocardiography.
Am. J. Cardiol. **83**: 765-769
- JOBIC, Y., M. SLAMA, C. TRIBOUILLOY, L.L.C. WAH, D. CHOQUET, J. BOSCHAT, P. PENTHER, J.-P. LESBRE (1992):
Doppler echocardiographic evaluation of valve regurgitation in healthy volunteers.
Br. Heart J. **69**: 109-113
- KANZAKI, H., S. NAKATANI, I. NAKASONE, K. KATSUKI, K. HIROOKA, A. HANATANI (2001):
Omnidirectional Assessment of Regional Work of Left Ventricle Using Anatomical M-Mode Echocardiography.
Circ. Suppl. **104**: II-751
- KEIDEL, W.D. (1950):
Über eine neue Methode der Registrierung der Volumenänderungen des Herzens am Menschen.
Zeitschr. Kreislaufforsch. **39**(257-271)

- KIENLE, R.D., W.P. THOMAS (1995):
Equine Echocardiography.
In: NYLAND, T.G., MATOON, J.S. (Hrsg): Veterinary Diagnostic Ultrasound.
Philadelphia: W.B.Saunders S. 321-344
- KÖHLER, E., M.-C. TATARU (2001):
Klinische Echokardiographie
Stuttgart: Georg Thieme Verlag
- KRITZ, N.G. (1996):
Studien zur Kardiologie des Pferdes
Wien, Veterinärmed. Univ., Diss.
- KRITZ, N.G., R. J. ROSE (2002):
Repeatability of standart transthoracic echocardiographic measurements in horses.
Austr. Vet. J. **80**(6): 362-370
- KROKER, K. (1994):
B-Mode -, M-Mode und Doppler - Echokardiographie unter Einfluß von Detomidin beim Pferd.
Hannover, Tierärztl. Hochsch., Diss.
- KRONEMANN, J.(1991):
Über einige systolische Geräusche im linken Herzen beim Pferd.
Prakt. Tierarzt **6**: 512-515
- KUPARI, M. (1984):
Reproducibility of M-mode echocardiographic assessment of left ventricular function.
Significance of the temporal range of measurements.
Europ. Heart J. **5**: 412-418
- LAPIDO, G.O.A., F.G. DUNN, T.H. PRINGLE, B. BASTIAN, T.D.V. LAWRIE (1980):
Serial measurements of left ventricular dimensions by echocardiography.
Br. Heart J. **44**: 284-289
- LEE, S.H., M.T. SALTZBERG, A. NEUMANN, J. WOLFER, J.S. SOBLE, J. ROBERGÉ (1997):
Using synthetic M-mode imaging to measure temporal differences in left ventricular contraction patterns during ischemia.
Computers in Cardiol. **24**: 235-238
- LESCURE, F., J.L. OLOVIER (1980):
L' echocardiographie chez le cheval.
Pratique Vétérinaire Équine **12**(5): 207-212.
- LESCURE, F., Y. TAMZALI (1983):
L' échocardiographie TM chez le cheval (1re partie): la technique.
Le Point Vétérinaire **15**(73): 37-45.
- LESCURE, F., Y. TAMZALI (1984):
Valeurs de référence en échocardiographie T M chez le cheval du sport.
Rev. med. vet. **135**: 405-410.
- LOMBARD, C.W. (1984):
Normal values of the canine M-mode echocardiogram.
Am. J. Vet. Res. **45**: 2015-2018.

- LOMBARD, C.W., M. EVANS, L. MARTINI, J. TEHRANI (1984):
Blood pressure, electrocardiogram and echocardiogram measurements in the growing pony foal.
Equine Vet. J. Suppl. **16**(4): 342-347.
- LONG, K.J. (1990):
Doppler echocardiography in the horse.
Equine Vet. Educ. **2**(1): 15-17.
- LONG, K.J. (1992):
Two-Dimensional and M-Mode echocardiography.
Equine Vet. Educ. **4**(6): 303-310.
- LONG, K.J. J.D. BONAGURA, P.G.G. DARKE (1992):
Standardised imaging technique for guided M-mode and Doppler echocardiography in the horse.
Equine Vet. J. **24**(3): 226-235.
- MACCHI, C., S.Z. ORLANDINI, G.E. ORLANDINI (1994):
An anatomical study of the healthy human heart by echocardiography with special reference to physiological valvular regurgitation.
Ann. Anat. **176**: 81-86.
- MARR, C.M. (1992):
Acquired valvular heart disease.
In: ROBINSON, N.E. (Hrsg): Current therapy in equine medicine 3.
Philadelphia: W.B. Saunders Company S. 396-397.
- MARR, C.M. (1994):
Equine echocardiography-sound advice at the heart of the matter.
Br. Vet. J. **150**: 527-545.
- MARR, C.M. (1999):
Cardiology of the horse
London: W B Saunders.
- MARR, C.M. (2004):
Valvular disease in the older Horse
43. BEVA Congress: Handbook of Presentations and free Communications
Birmingham, England 15.-18 9.2004
- MARR, C.M., V.B. REEF (1995):
Physiological valvular regurgitation in clinically normal young racehorses: prevalence and two-dimensional colour flow Doppler echocardiographic characteristics.
Equine Vet: J. Suppl. **19**: 56-62.
- MARR, C.M., V.B. REEF, J.M. REIMER, R.W. SWEENEY, S.W.J. REID (1995):
An echocardiographic study of atrial fibrillation in horses: Before and after conversion to sinus rhythm
J. Vet. Int. Med. **9**(5): 336-340.
- MC GUIRK, S.M., W.W. MUIR (1985):
Diagnosis and Treatment of Arrhythmias.
Vet. Clin. North Am. Equine Pract. **1**(2): 353-370.

- MELE, D., D. ASHIERI, I. PEDINI, P. ALBONI, R.A. LEVINE (1998):
Anatomical M-mode can Improve Analysis of left Ventricular Regional Function in Stress Echocardiography. Initial clinical studies.
Circ. Suppl. **4**: 2263.
- MELE, D., N. PAPARELLA, G. FUCA, I. PEDINI, P. ALBONI (1998):
Detection of Early Ventricular Contraction Site in Wolff-Parkinson-White Syndrome by Anatomical M-mode.
Circ. Suppl. **98**(17): 4109.
- MELE, D., I. PEDINI, P. ALBONI, R.A. LEVINE (1997):
Anatomical M-Mode: A new digital echocardiographic technique improving quantitative assessment of left ventricle in M-Mode format.
Echocardiography **14**(6): 44.
- MELE, D., I. PEDIN, P. ALBONI, R.A. LEVINE (1998):
Anatomic M-mode: A New Technique for Quantitative Assessment of left Ventricular Size and Function.
Am. J. Cardiol. **81**(12A): 82G-85G.
- MELTZER, R.S., L. ABOVICH, M. FINKELSTEIN (1986):
Regurgitation of all four cardiac valves detected by doppler echocardiography.
Am. J. Cardiol. **58**: 169-171.
- MENZIES-GOW, N. (2001):
ECG interpretation in the horse.
In Pract.: 454-459.
- MIDDENDORF, A. (1990):
Zur Entwicklung der Ultraschalldiagnostik in der Inneren Medizin und Chirurgie beim Pferd - Eine Literaturstudie -
Hannover: Tierärztl. Hochsch., Diss.
- MILLER, P.J., J.R. HOLMES (1985):
Observations on seven cases of mitral insufficiency in the horse.
Equine Vet. J. **17**: 181-190.
- MOGG, T.D. (1999):
Equine cardiac disease: Clinical pharmacology and therapeutics.
Vet. Clin. North Am. Equine Pract. **15**(3): 523-534.
- MOHREN, N (1999):
Echokardiographische Untersuchungen zum Einfluß von Romifidin auf die systolischen Zeitintervalle und die kardiale Blutflußdynamik beim Pferd.
München: Ludwig-Maximilians-Univ., Diss.
- MOISE, N.S., P.R. FOX (1999):
Echocardiography and Doppler Imaging.
In: FOX, P.R., SISSON, D., MOISE, N.S. (Hrsg): Textbook of canine and feline Cardiology.
Philadelphia: W.B. Saunders Company S. 130-172.
- MOISE, N.S., W.A. HORNE, J.A. FLANDERS, D. STRICKLAND (1986):
Repeatability of the M-mode echocardiogram and the effects of acute changes in heart rate, cardiac contractility, and preload in healthy cats sedated with ketamine hydrochloride and acepromazin.
Cornell Vet. **76**: 241-258.

- MORRISON, S.A., N.S. MOISE, J. SCARLETT, H. MOHAMMED, A.E. YEAGER (1992):
Effect of breed and body weight on echocardiographic values of four breeds of dogs of differing weight and somatotype.
J. Vet. Int. Med. **6**: 220-224.
- MOSIMANN, W., T. KOHLER (1990):
Zytologie, Histologie und mikroskopische Anatomie der Haussäugetiere.
Hamburg: Verlag Paul Parey.
- MOST, E. (1979):
Echokardiographische Funktionsdiagnostik des linken Ventrikels beim Menschen.
Fortschritte in der Medizin **97**(14): 666-670.
- MUIR, W.W., S.M. MC GUIRK (1985):
Pharmacology and pharmacokinetics of drugs used to treat cardiac disease in horses.
Vet. Clin. North Am. Equine Pract. **1**(2): 335-351.
- MUIR, W.W., S.M. REED, S.M. MC GUIRK (1990):
Treatment of atrial fibrillation in horses by intravenous administration of quinidine.
J. Am. Vet. Med. Ass. **197**(12): 1607-1610.
- NAYLOR, J.M., L.M. YADERNUK, J.W. PHARR, J.S. ASHBURNER (2001):
An assessment of the ability of diplomates, practitioners and students to describe and interpret recordings of heart murmurs and arrhythmia.
J. Vet. Int. Med. **15**: 507-515.
- NICKEL, R., A. SCHUMMER, E. SEIFERLE (1984):
Lehrbuch der Anatomie der Haustiere
Band III Kreislaufsystem, Haut und Hautorgane,
Berlin: Paul Parey Verlag.
- O' CALLAGHAN, M.W. (1983):
Echocardiography.
In: ROBINSON, N.E. (Hrsg): Current Therapy in Equine Medicine 2.
Philadelphia: WB Saunders S. 139-147.
- O' GRADY, M.R., J.D. BONAGURA, J.D. POWERS, D.S. HERRING (1986):
Quantitative cross-sectional echocardiography in the normal dog.
Vet. Radiol. **27**(2): 34-49.
- OPIE, L.H. (1995):
Regulation of myocardial contractility.
J. Cardiovasc. Pharm. **26** (Suppl1): S1-S9.
- O' ROURKE, R.A., P. HANRATH, W.N. HENRY, P.G. HUGENHOLTZ, Z. PISA, J. ROELAND, M. TANAKA (1984):
Report of the Joint International Society and Federation of Cardiology/ World Health Organization Task Force on Recommendations for Standardization of Measurements from M-mode Echocardiograms.
Circ. **69**(4): 854A-857A.
- PALMES, P.P., T. MASUYAMA, K. YAMAMOTO, H. KONDO, Y. SAKATA, S. TAKIUCHI, T. KUZUYA, M. HORI (2000):
High-Frame-Rate Tissue Harmonic Imaging Enhances Anatomic M-Mode Sections of the Left Ventricle in Short-Axis View.
J. Am. Soc. Echocardi. **13**: 738-747.

- PATTESON, M.W. (2004):
Management and outcome of atrial fibrillation
In: 43. BEVA Congress: Handbook of Presentations and free Communications
Birmingham, England 15.-18 9.2004
- PATTESON, M.W., P.J. CRIPPS. (1993):
A survey of cardiac auscultatory findings in horses.
Equine Vet. J. **25**(5): 409-415.
- PATTESON, M.W. (1994):
Echocardiographic evaluation of horses with aortic regurgitation.
Equine Vet. Educ. **6**(3): 159-166.
- PATTESON, M.W., W.C. GIBBS, P.R. WOTTON, P.J. CRIPPS (1995 a):
Echocardiographic measurements of cardiac dimensions and indices of cardiac function in normal adult Thoroughbred horses.
Equine Vet. J. Suppl. **19**: 18-27.
- PATTESON, M.W., W.C. GIBBS, P.R. WOTTON, P.J. CRIPPS (1995 b):
Effects of sedation with detomidine hydrochloride on echocardiographic measurements of cardiac dimensions and indices of cardiac function in horses.
Equine Vet. J. Suppl. **19**: 33-37.
- PICANO, E., A. VARGA, L. PRATALI, O. RODRIGUEZ, M. MORELOS (2001):
New technologies in stress echocardiography.
Rev. port. cardiol. **20** (Suppl 1): 27-32.
- PIÉRARD, L.A., J.K. ASHMAN, B. OLDSTAT, E. HOLM, K. BERG (1995):
Dimensional quantification of cardiac anatomy, utilizing anatomical M-mode, a new post processing technique used on high frame rate two-dimensional digitally stored cine-loops.
Eur. Heart J. **16**: P 2825.
- PIPERS, F.S., R.L. HAMLIN (1977):
Echocardiography in the Horse.
J. Am. Vet. Med. Ass. **170**(8): 815-819.
- PIPERS, F.S., R.L. HAMLIN, V.B. REEF (1979):
Echocardiographic Detection of Cardiovascular Lesions in the Horse.
J. Equine Med. Surg. **3**: 66-77.
- POKAN, R., S.P. VON DUVILLARD, P. HOFMANN, G. SMEKAL, F.M. FRÜHWALD, R. GASSER, H. TSCHAN, G. BARON, P. SCHMID, N. BACHL (2000):
Change in left atrial and ventricular dimensions during and immediately after exercise.
Am. Coll. Sports Med. **32**(10): 1713-1718.
- POLLICK, C., P.J. FITZGERALD, R.L. POPP (1982):
Variability of Digitized Echocardiography: Size Source, and Means of Reduction.
Am. J. Cardiol. **51**: 576-582.
- PRITCHETT, A.M., S.J. JACOBSON, D.W. MAHONEY, R.J. RODEHEFFER, K.R. BAILEY, M.M. REDFIELD (2003):
Left Atrial Volume as an Index of left Atrial size: A Population-Based Study.
J. Am. Coll. Cardiol. **41**(6): 1036-1043.

- RADÜ, I. (1995):
Beurteilung von Herzgeräuschen beim Pferd mit Hilfe der B-Mode - und M-Mode -
Echokardiographie ergänzt durch konventionelle Dopplerverfahren.
Hannover: Tierärztl. Hochsch., Diss
- RANTANEN, N.W. (1986):
General considerations for ultrasound examinations.
Vet. Clin. North Am. Equine Pract. **2**: 29-32.
- RANTANEN, N.W., R.T. EWING (1981):
Principles of Ultrasound application in animals.
Vet. Radiol. **22**(5): 196-203.
- REEF, V.B. (1985):
Evaluation of the Equine Cardiovascular System.
Vet. Clin. North Am. Equine Pract. **1**: 275-288.
- REEF, V.B. (1988 a):
Pulsed and continuous wave doppler echocardiographic evaluation of mitral and tricuspid
insufficiency in horses.
In: Proceedings of the 6th annual veterinary medicine forum.
- REEF, V.B. (1988 b):
Pulsed and continuous wave doppler echoocardiographic evaluation of aortic and pulmonic
insufficiency in horses.
In: Proceedings of the 6th annual veterinary medicine forum.
- REEF, V.B. (1990 a):
Echocardiographic Examination in the Horse: The Basics.
Comp. Cont. educ. Pract. Vet. **12**(9): 1312-1319.
- REEF, V.B. (1990 b):
Color flow doppler mapping of horses with valvular insufficiency.
In: Proceedings of the 8th annual veterinary medicine forum.
- REEF, V.B. (1993):
The significance of cardiac auscultatory findings in horses: Insight into the age-old dilemma.
Equine Vet. J. **25**(5): 393-394.
- REEF, V.B. (1995):
Heart Murmurs in horses: determining their significance with echocardiography.
Equine Vet. J. Suppl. **19**: 71-80.
- REEF, V.B. (1998):
Equine Diagnostic Ultrasound.
Philadelphia: W.B. Saunders Company.
- REEF, V.B. F.T. BAIN, P.A. SPENCER (1998):
Severe mitral regurgitation in horses: clinical, echocardiographic and pathological findings.
Equine Vet. J. **30**(1): 18-27.
- REEF, V.B. K. LALEZARI, J. DE BOO, A.J. VAN DER BELT, P.A. SPENCER, K.J. DIK (1989):
Pulsed-wave Doppler evaluation of intracardiac blood flow in 30 clinically normal
Standardbred horses.
Am. J. Vet. Res. **50**(1) 75-83.

- REEF, V.B., C.W. LEVITAN, P.A. SPENCER (1988):
Factors affecting prognosis and conversion in equine atrial fibrillation.
J. Vet. Int. Med. **2**: 1-6.
- REEF, V.B., P.A. SPENCER (1987):
Echocardiographic evaluation of equine aortic insufficiency.
Am. J. Vet. Res. **48**(6): 904-909.
- REIMER, J.M., V.B. REEF, M. SOMMER (1991):
Echocardiographic detection of pulmonary valve rupture in a horse with right-sided heart failure.
J. Am. Vet. Med. Ass. **198**: 880-882.
- REUTH, S., H.G. KLUES (2002):
Hypertrophe Kardiomyopathie.
In: FLACHSKAMPF, F.A. (Hrsg.): Praxis der Echokardiographie.
Stuttgart: Georg Thieme Verlag S. 234-255.
- REWEL, A. (1991):
Vergleichende Messungen von Herzdimensionen und Bewegungsmustern bei Warmblut - Sportpferden mit Hilfe der M-Mode - Echokardiometrie.
Hannover: Tierärztl. Hochsch., Diss.
- ROBINE, F.-J. (1990):
Morphologische und funktionelle Messungen am Herzen von Warmblutpferden mit Hilfe der Schnittbildechokardiographie.
Hannover: Tierärztl. Hochsch., Diss.
- ROELAND, J., D.G. GIBSON (1980):
Recommendations for standardization of measurements from M-mode echocardiograms.
Eur. Heart J. **1**: 375-378.
- ROELAND, J., W.G. VAN DORP, N. BOM, J.D. LAIRD, P.G. HUGENHOLTZ (1976):
Resolution problems in echocardiography: a source of interpretation error.
Am. J. Cardiol. **37**: 256-262.
- RUTISHAUSER, W., O. HESS (2001):
Herz und Koronarkreislauf.
In: SIEGENTHALER, W. (Hrsg.): Klinische Pathophysiologie.
Stuttgart: Georg Thieme Verlag S. 591-667.
- RUTISHAUSER, W., R. LERCH (1994):
Determinants of cardiac performance and their measurement.
Anaest. Pharm. Rew. **2**: 301-307.
- SAGE, A.M. (2002):
Cardiac disease in the geriatric horse.
Vet. Clin. North Am. Equine Pract. **18**: 575-589.
- SAHN, D.J., A. DE MARIA, J. KISSLO, A. WEYMANN (1978):
Recommendations Regarding Quantitation in M-Mode Echocardiography: Results of a Survey of Echocardiographic Measurements.
Circ. **58**(6): 1072-1083.

- SAMPSON, S.N., R.L. JACOBSON, R.D. SANDE, C.J. SUSUMI, K.J. LARNTZ, R.L. TUCKER, W.M. BAYLY (1999):
Reproducibility and Repeatibility of M-Mode echocardiographic measurements collected from 25 normal horses.
J. Equine Vet. Science **19**: 51-57.
- SCHILLER, N.B., P.M. SAH, M. CRAWFORD, A. DE MARIA, R. DEVEREUX, H. FEIGENBAUM, H. GUTGESELL, N. REICHEK, D. SAHN, I. SCHNITTGER, N.H. SILVERMAN, J.A. TAJIK (1989)
Recommendations for Quantitation of the left ventricle by Two-Dimensional Echocardiography.
J. Am. Soc. Echocardi. **2**: 358-367.
- SCHMITZ, R.R. (2000):
Dopplersonographische Untersuchungen beim Pferd zum Einfluß kardialer und pulmonaler Befunde auf die Hämodynamik der Arteria carotis communis.
München: Ludwig-Maximilians-Univ., Diss.
- SCHNITTGER, I., E.P. GORDON, P.J. FITZGERALD, R.L. POPP (1983):
Standardized intracardiac measurements of two-dimensional echocardiography.
J. Am. Col. Cardiol. **2**(5): 934-938.
- SCHÖBER, K.E., H. BAADE (2000):
Comparability of left Ventricular M-Mode Echocardiography in Dogs performed in long-axis and short-axis.
Vet. Radiol. **41**(6): 543-549.
- SCHRADER, J. (1996):
Das Herz.
In: KLINKE, R., SILBERNAGL, S. (Hrsg): Lehrbuch der Physiologie.
Stuttgart: Georg Thieme Verlag S.106-140.
- SLATER, J.D., M.E. HERRTAGE (1995):
Echocardiographic measurements of cardiac dimensions in normal ponies and horses.
Equine Vet. J. Suppl. **19**: 28-32.
- SOBLE, J.S., I. SONG, M.R. BAUER, A. NEUMANN, D.H. KIM, J. ROBERGE, R.H. MARCUS (1995):
Computer Generated Synthetic M-mode: A New Method for Measurement of Wall Thickening as a Parameter of Regional Left ventricular Systolic Function.
Circ. Suppl. **92**(8): 1323.
- SONG, I. (1998):
Dynamic m-mode: A new technique for visualizing left ventricular wall motion.
Illinois: Institute of Technology, Diss.
- SONG, I., J. ROBERGE, A. NEUMANN, R.H. MARCUS, J.S. SOBLE (1996):
Tracking regional left ventricular wall movement using 2-D echocardiographic Cineloops in concert with synthetic M-mode images.
Computers Cardiol.: 269-272.
- SPENCER, K.T., J. BEDNARZ, P.G. RAFTER, C. KORCARZ, R.M. LANG (1998):
Use of harmonic imaging without echocardiographic contrast to improve two-dimensional image quality.
Am. J. Cardiol. **82**: 794-799.

- STADLER, P. (1988 a):
Echokardiographie beim Pferd / Physikalisch- technische Grundlagen.
Pferdeheilkunde **4**(3): 111-115.
- STADLER, P., D' AGOSTINO, E. DEEGEN (1988 b):
Methodik der Schnittbildechokardiographie beim Pferd.
Pferdeheilkunde **4**(4): 161-174.
- STADLER, P., E. DEEGEN, K. KROKER (1994):
Echokardiographie und Therapie beim Vorhofflimmern des Pferdes.
Deutsche Tierärztl. Wochenschr. **101**: 190-194.
- STADLER, P., B. FRÜHAUF, E. DEEGEN (1995):
Die echokardiographische Bestimmung der diastolischen Herzfunktion und die Ermittlung
des Lungenkapillardruckes beim Pferd.
Pferdeheilkunde **11**(2): 109-120.
- STADLER, P., M. HÖCH, B. FRÜHAUF, E. DEEGEN (1995):
Die echokardiographische Untersuchung bei Pferden mit Aortenregurgitationen mit und ohne
Herzgeräusch.
Pferdeheilkunde **11**(6):373-83.
- STADLER, P., T. WEINBERGER, N. KINKEL, E. DEEGEN (1992):
B-Mode-, M-Mode- und dopplersonographische Befunde bei der Mitralklappeninsuffizienz
des Pferdes.
J. Vet. Med. Series A **39**: 704-718.
- STEWART, J., R.J. ROSE, A.M. BARKO (1984):
Echocardiography in foals from birth to three month old.
Equine Vet. J.I **16**(4): 332-341.
- STROTMANN, J.M., J.-P.E. KVITTING, U.M. WILKENSHOFF, B. WRANNE, L. HATLE, G.R.
SUTHERLAND (1999):
Anatomic M-Mode Echocardiography: A New Approach to Assess Regional Myocardial
Function - A Comparative In Vivo and InVitro Study of Both Fundamental and Second
Harmonic Imaging Modes.
J. Am. Soc. Echocard. **12**: 300-307.
- TAJIK, A.J., J.B. STEWARD, D.J. HAGLER, D.D. MAYR, J.T. LIE (1978):
Two dimensional realtime ultrasonic imaging of the heart and great vessels.
Mayo Clin. Proc. **53**: 271.
- THOMAS, W.P., C.E. GABER, G.J. JACOBS, P.M. KAPLAN, C.W. LOMBARD, N.S. MOISE, B.L.
MOSOS (1994):
Recommendations for standards in transthoracic two-dimensional Echocardiography in the
dog and cat.
Vet. Radiol. **35**(3): 173-178.
- TIPLER, P. (2000):
Physik
Heidelberg, Berlin: Spektrum Akademischer Verlag.
- TRAUB-DARGATZ, J.L., J.W. SCHLIPF, J. BOON, G.K. OGILVIE, D.G. BENNETT, W.E. WINGFIELD,
J.M. HUTCHINSON (1994):
Ventricular tachycardia and myocardial dysfunction in a horse.
J. Am. Vet. Med. Ass. **205**(11): 1569-1573.

- UNGEMACH, F.R. (1999):
Herzwirksame Pharmaka.
In: LÖSCHER, W., UNGEMACH, F.R., KROKER, R. (Hrsg): Pharmakotherapie bei Haus- und Nutztieren.
Berlin: Parey Buchverlag S. 124-140.
- VAN LOON, G., P. DEPPEZ, M. DUITSCHAEVER, W. FONTEYNE, R. TAVERNIER, L. JORDENS (2002):
Effect of experimentally-induced chronic atrial fibrillation in healthy ponies.
Conference on equine sports medicine and science, Saumur, Frankreich.
- VÖLLER, H. (2002):
Perikarderkrankungen.
In: FLACHSKAMPF, F.A. (Hrsg): Praxis der Echokardiographie.
Stuttgart: Georg Thieme Verlag S.412-226.
- VÖRÖS, K.J., J.R. HOLMES, C. GIBBS (1991):
Measurement of cardiac dimensions with two-dimensional echocardiography in the living horse.
Equine Vet. J. **23**(6): 461-465.
- WAHI, S., J. CHAN, P. CAIN, T.H. MARWICK (1999):
Correlation of anatomical M-Mode Measurements of systolic Thickening with Wall Motion Analysis and Prediction of CAD by Dobutamine Echo.
Circ.Suppl. **100**: 2378.
- WEINBERGER, T. (1991):
Doppler - Echokardiographie beim Pferd.
Hannover: Terärztl.Hochsch., Diss.
- WINGFIELD, W.E., C.W. MILLER, J.L. VOSS, D.G. BENNETT, J. BREUKELS (1980):
Echocardiography in assessing mitral valve motion in 3 horses with atrial fibrillation.
Equine Vet. J. **12**(4): 181-184.
- WONG, M., P.M. SHAH, R.D. TAYLOR (1981):
Reproducibility of left Ventricular Internal Dimensions With M-Mode Echocardiography: Effects of Heart Size, Body Position and Transducer Angulation.
Am. J. Cardiol. **47**: 1068-1074.
- WORTH, L.T., V.B. REEF (1998):
Pericarditis in horses: 18 cases (1986-1995).
J. Am. Vet. Med. Assoc. **212**(2): 248-253.
- WYSS, A. (2000):
Veränderungen der Verkürzungsfraction von gesunden Pferdeherzen unter Stimulation mit Dobutamin und Denopamin.
Bern, Univ., Veterinärmed. Fak., Diss.
- YAMAGA, Y., K. TOO (1984):
Diagnostic Ultrasound Imaging in Domestic Animals: Two-Dimensional and M-mode Echocardiography.
Jap. J. Vet. Science **46**(4): 493-503.

YOSHIDA, K., J. YOSHIKAWA, M. SHAKUDO, T. AKASAKA, Y. JYO, S. TAKAO, K. SHIRATORI, K. KOIZUMI, F. OKUMACHI, H. KATO, T. FUKAYA (1988):
Color doppler evaluation of valvular regurgitation in normal subjects.
Circ. **78**(4): 840-847.

YOUNG, L. E. (1999):
Cardiac responses to training in 2-year-old Thoroughbreds: an echocardiographic study.
Equine Vet. J. **30**: 195-198.

YOUNG, L. E. und G.R. SCOTT (1998):
Measurement of cardiac function by transthoracic echocardiography: day to day variability and repeatability in normal Thoroughbred horses.
Equine Vet. J. **30**(2): 117-112.

YOUNG, L.E. und J.L.N. WOOD (2000):
Effect of age and training on murmurs of atrioventricular valvular regurgitation in young Thoroughbreds.
Equine Vet. J. **32**(3): 195-199.

¹Zeitschriftenabkürzungen gemäss:
List of journals indexed in
Index Medicus.
Bethesda, MD: National Library of Medicine, 2000