

Literatur

1. Adami S, Gatti D, Rossini M, Adamoli A, James G, Girardello S, Zamberlan N. *The radiological assessment of vertebral osteoporosis*. Bone. 1992; 13 Suppl 2: S33-S36.
2. Banks LM, van Kuijk C, Genant HK. *Radiographic technique for assessing osteoporotic vertebral deformity*. In: Genant HK, Jergas M, van Kuijk C (eds). Vertebral fracture in osteoporosis. Radiology research and education foundation, San Francisco. 1995: 131-147.
3. Black DM, Cummings SR, Stone K, Hudes E, Palermo L, Steiger P. *A new approach to defining normal vertebral dimensions*. J Bone Miner Res. 1991; 6(8): 883-892.
4. Black DM, Palermo L. *The use of vertebral reference data to define prevalent vertebral deformities*. In: Genant HK, Jergas M, van Kuijk C (eds). Vertebral fracture in osteoporosis. Radiology research and education foundation, San Francisco. 1995: 131-147.
5. Black DM, Palermo L, Nevitt MC, Genant HK, Christensen L, Cummings SR. *Defining incident vertebral deformity: a prospective comparison of several approaches*. *The Study of Osteoporotic Fractures Research Group*. J Bone Miner Res. 1999; 14(1): 90-101.
6. Black DM, Palermo L, Nevitt MC, Genant HK, Epstein R, San Valentin R, Cummings SR. *Comparison of methods for defining prevalent vertebral deformities: the Study of Osteoporotic Fractures*. J Bone Miner Res. 1995; 10(6): 890-902.
7. Cohen J. *A coefficient of agreement for nominal scales*. Educ Psychol Meas. 1960; 20: 37-46.
8. Cooper AM, Melton LJ, Eastell R. *The development of algorithms for defining vertebral deformities*. In: Genant HK, Jergas M, van Kuijk C (eds). Vertebral fracture in osteoporosis. Radiology research and education foundation, San Francisco. 1995: 253-260.

Literatur

9. Delmas PD, Genant HK, Crans GG, Stock JL, Wong M, Siris E, Adachi JD. *Severity of prevalent vertebral fractures and the risk of subsequent vertebral and nonvertebral fractures: results from the MORE trial.* Bone. 2003 Oct; 33(4): 522-532.
10. Eastell R, Cedel SL, Wahner HW, Riggs BL, Melton LJ 3d. *Classification of vertebral fractures.* J Bone Miner Res. 1991; 6(3): 207-215.
11. Felsenberg D, Wieland E, Gowin W, Armbrecht G, Bolze X, Khorassani A, Weingarten U. *Morphometric analysis of roentgen images of the spine for diagnosis of osteoporosis-induced fracture.* Med Klin. 1998 15; 93 Suppl 2: 26-30.
12. Grados F, Roux C, de Vernejoul MC, Utard G, Sebert JL, Fardellone P. *Comparison of four morphometric definitions and a semiquantitative consensus reading for assessing prevalent vertebral fractures.* Osteoporos Int. 2001; 12(9): 716-722.
13. Genant HK, Jergas M, Palermo L, Nevitt M, Valentin RS, Black D, Cummings SR for the study of osteoporotic fractures research group. *Comparison of semiquantitative visual and quantitative morphometric assessment of prevalent and incident vertebral fractures in osteoporosis.* J Bone Miner Res. 1996 Jul; 11(7): 984-996.
14. Genant HK, Wu CY, Kuijk C van, Nevitt MC. *Vertebral fracture assessment using a semiquantitative technique.* J Bone Miner Res. 1993; 8(9): 1137-1148.
15. Hasserius R, Karlsson MK, Nilsson BE, Redlund-Johnell I, Johnell O. *European Vertebral Osteoporosis Study. Prevalent vertebral deformities predict increased mortality and increased fracture rate in both men and women: a 10-year population-based study of 598 individuals from the Swedish cohort in the European Vertebral Osteoporosis Study.* Osteoporos Int. 2003 Jan; 14(1): 61-68.
16. Hurxthal LM. *Measurement of vertebral heights.* Am J Roentgen. 1968; 103: 635-644.
17. Jackson SA, Tenenhouse A, Robertson L and the CaMos Study Group. *Vertebral fracture definition from population-based data: Preliminary results from the canadian multicenter osteoporosis study (CaMos).* Osteoporos Int 2001; 11: 680-687.
18. Jergas M, Valentin RS. *Techniques for the assessment of vertebral dimensions in quantitative morphometry.* In: Genant HK, Jergas M, van Kuijk C (eds). Vertebral fracture in osteoporosis. Radiology research and education foundation, San Francisco. 1995: 163-188.
19. Kirkwood BR, Sterne AC. *Essential Medical Statistics.* 2nd ed. Blackwell Science Ltd, Oxford. 2003.
20. Leidig-Bruckner G, Minne HW. *The spine deformity index (SDI): a new approach to quantifying vertebral crush fractures in patients with osteoporosis.* In: Genant HK, Jergas M, van Kuijk C (eds). Vertebral fracture in osteoporosis. Radiology research and education foundation, San Francisco. 1995: 235-252.

Literatur

21. Lunt M, O'Neill TW, Felsenberg D, Reeve J, Kanis JA, Cooper C, Silman AJ; European Prospective Osteoporosis Study Group. *Characteristics of a prevalent vertebral deformity predict subsequent vertebral fracture: results from the European Prospective Osteoporosis Study (EPOS)*. Bone. 2003 Oct; 33(4): 505-513.
22. McCloskey EV, Kanis JA. *The assessment of vertebral deformity*. In: Genant HK, Jergas M, van Kuijk C (eds). Vertebral fracture in osteoporosis. Radiology research and education foundation, San Francisco. 1995: 215-233.
23. McCloskey EV, Spector TD, Eyres KS, Fern ED, O'Rourke N, Vasikaran S, Kanis JA. *The assessment of vertebral deformity: a method for use in population studies and clinical trials*. Osteoporos Int. 1993; 3(3): 138-147.
24. Melton LJ 3d, Kan SH, Frye MA, Wahner HW, O'Fallon WM, Riggs BL. *Epidemiology of vertebral fractures in women*. Am J Epidemiol. 1989; 129(5): 1000-1011.
25. Melton LJ 3d, Lane AW, Cooper C, Eastell R, O'Fallon WM, Riggs BL. *Prevalence and incidence of vertebral deformities*. Osteoporos Int. 1993; 3(3): 113-119.
26. Minne HW, Leidig G, Wuster C, Siromachkostov L, Baldauf G, Bickel R, Sauer P, Lojen M, Ziegler R. *A newly developed spine deformity index (SDI) to quantitate vertebral crush fractures in patients with osteoporosis*. Bone Miner. 1988; 3(4): 335-349.
27. National Osteoporosis Foundation Working Group on Vertebral Fractures. *Assessing vertebral fractures*. J Bone Miner Res. 1995; 10(4): 518-523.
28. O'Neill TW, Felsenberg D, Varlow J, Cooper C, Kanis J, Silman AJ. *The prevalence of vertebral deformity in european men and women: The european vertebral osteoporosis study*. J Bone Miner Res. 1996; 11(7): 1010-1018.
29. O'Neill TW, Varlow J, Felsenberg D, Johnell O, Weber K, Marchant F, Delmas PD, Cooper C, Kanis J, Silman AJ and EVOS Group. *Variation in vertebral height ratios in populations studies*. J Bone Miner Res. 1994; 9(12): 1895-1907.
30. R Development Core Team (2003). *R: A language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria. URL <http://www.R-project.org>.
31. Resnick D (ed). *Diagnosis of Bone and Joint Disorders, 5 Volume Set, 4th Edition*. Saunders. 2002.
32. Ross PD, Wasnich RD, Davis JW, Vogel JM. *Vertebral dimension differences between Caucasian populations, and between Caucasians and Japanese*. Bone. 1991; 12(2): 107-112.
33. Sauer P, Leidig G, Minne HW, Duckeck G, Schwarz W, Siromachkostov L, Ziegler R. *Spine deformity index (SDI) versus other objective procedures of vertebral fracture identification in patients with osteoporosis: a comparative study*. J Bone Miner Res. 1991 Mar; 6(3): 227-238.

Literatur

34. Smith-Bindman R, Cummings SR, Steiger P, Genant HK. *A comparison of morphometric definitions of vertebral fracture*. J Bone Miner Res. 1991 Jan; 6(1): 25-34.
35. Szulc P, Munoz F, Marchand F, Sornay-Rendu E, Delmas PD. *Similar prevalence of vertebral fractures despite different approaches to define reference data*. Bone. 2003 Apr; 32(4): 441-448.
36. Szulc P, Munoz F, Sornay-Rendu E, Paris E, Souhami E, Zanchetta J, Bagur A, van der Mooren MJ, Young S, Delmas PD. *Comparison of morphometric assessment of prevalent vertebral deformities in women using different reference data*. Bone. 2000 Dec; 27(6): 841-846.
37. Van Rossum G, Drake FL. *Python Documentation. Release 2.3*. PythonLabs, 2003. URL <http://www.python.org/doc/2.3/>.
38. Wu CY, Li J, Jergas M, Genant HK. *Comparison of semiquantitative and quantitative techniques for the assessment of prevalent and incident vertebral fractures*. Osteoporos Int. 1995; 5(5): 354-370.