

6 Literaturverzeichnis

1. Murdoch, J. and R. Hall. 1990. Brain protection: physiological and pharmacological considerations. Part I: The physiology of brain injury. *Can. J. Anaesth.* 37:663-671.
2. Siesjö, B.K. 1992. Pathophysiology and treatment of focal cerebral ischemia. Part I: Pathophysiology. *J. Neurosurg.* 77:169-184.
3. Martin, R.L., H.G. Lloyd, and A.I. Cowan. 1994. The early events of oxygen and glucose deprivation: setting the scene for neuronal death? *Trends Neurosci.* 17:251-257.
4. Choi, D.W. and D.M. Hartley. 1993. Calcium and glutamate-induced cortical neuronal death. *Res. Publ. Assoc. Res. Nerv. Ment. Dis.* 71:23-34.
5. Floyd, R.A. 1990. Role of oxygen free radicals in carcinogenesis and brain ischemia. *FASEB J.* 4:2587-2597.
6. Nogawa, S., F. Zhang, M.E. Ross, and C. Iadecola. 1997. Cyclo-oxygenase-2 gene expression in neurons contributes to ischemic brain damage. *J. Neurosci.* 17:2746-2755.
7. Hossmann, K.A. 1996. Periinfarct depolarizations. *Cerebrovasc. Brain Metab Rev.* 8:195-208.
8. Mies, G., T. Iijima, and K.A. Hossmann. 1993. Correlation between peri-infarct DC shifts and ischaemic neuronal damage in rat. *Neuroreport* 4:709-711.
9. Ames, A., III, R.L. Wright, M. Kowada, J.M. Thurston, and G. Majno. 1968. Cerebral ischemia. II. The no-reflow phenomenon. *Am. J. Pathol.* 52:437-453.
10. Sharma, H.S., K. Drieu, P. Alm, and J. Westman. 2000. Role of nitric oxide in blood-brain barrier permeability, brain edema and cell damage following hyperthermic brain injury. An experimental study using EGB-761 and Gingkolide B pretreatment in the rat. *Acta Neurochir. Suppl* 76:81-86.
11. Dirnagl, U., C. Iadecola, and M.A. Moskowitz. 1999. Pathobiology of ischaemic stroke: an integrated view. *Trends Neurosci.* 22:391-397.

12. Chopp,M., Y.Li, N.Jiang, R.L.Zhang, and J.Prostak. 1996. Antibodies against adhesion molecules reduce apoptosis after transient middle cerebral artery occlusion in rat brain. *J.Cereb.Blood Flow Metab* 16:578-584.
13. Wang,X., L.Xu, H.Wang, Y.Zhan, E.Pure, and G.Z.Feuerstein. 2002. CD44 deficiency in mice protects brain from cerebral ischemia injury. *J.Neurochem.* 83:1172-1179.
14. Einhäupl, K. M. Behandlung des akuten ischämischen Insults. 1999. Deutsches Ärzteblatt.
15. Jorgensen,H.S., H.Nakayama, H.O.Raaschou, and T.S.Olsen. 1994. Effect of blood pressure and diabetes on stroke in progression. *Lancet* 344:156-159.
16. Haberl, RL. Schlaganfall: Notfallbehandlung in den ersten Stunden. 14, 106-109. 1998. Der Notarzt.
17. Reith,J., H.S.Jorgensen, P.M.Pedersen, H.Nakayama, H.O.Raaschou, L.L.Jepesen, and T.S.Olsen. 1996. Body temperature in acute stroke: relation to stroke severity, infarct size, mortality, and outcome. *Lancet* 347:422-425.
18. Ginsberg,M.D. and R.Busto. 1998. Combating hyperthermia in acute stroke: a significant clinical concern. *Stroke* 29:529-534.
19. Hacke,W., H.Zeumer, A.Ferbert, H.Bruckmann, and G.J.del Zoppo. 1988. Intra-arterial thrombolytic therapy improves outcome in patients with acute vertebrobasilar occlusive disease. *Stroke* 19:1216-1222.
20. Hacke,W., M.Kaste, C.Fieschi, R.von Kummer, A.Davalos, D.Meier, V.Larrue, E.Bluhmki, S.Davis, G.Donnan, D.Schneider, E.Diez-Tejedor, and P.Trouillas. 1998. Randomised double-blind placebo-controlled trial of thrombolytic therapy with intravenous alteplase in acute ischaemic stroke (ECASS II). Second European-Australasian Acute Stroke Study Investigators. *Lancet* 352:1245-1251.
21. Janoff,A. 1964. Alterations in lysosomes (intracellular enzymes) during shock; effects of preconditioning (tolerance) and protective drugs. *Int.Anesthesiol.Clin.* 97:251-269.

22. Dahl, N.A. and W.M. Balfour. 1964. Prolonged anoxic survival due to anoxia pre-exposure: Brain ATP, Lactate, and Pyruvate. *Am.J.Physiol* 207:452-456.
23. Kitagawa, K., M. Matsumoto, M. Tagaya, R. Hata, H. Ueda, M. Niinobe, N. Handa, R. Fukunaga, K. Kimura, K. Mikoshiba, and . 1990. 'Ischemic tolerance' phenomenon found in the brain. *Brain Res.* 528:21-24.
24. Perez-Pinzon, M.A., G.P. Xu, W.D. Dietrich, M. Rosenthal, and T.J. Sick. 1997. Rapid preconditioning protects rats against ischemic neuronal damage after 3 but not 7 days of reperfusion following global cerebral ischemia. *J.Cereb.Blood Flow Metab* 17:175-182.
25. Heurteaux, C., I. Lauritzen, C. Widmann, and M. Lazdunski. 1995. Essential role of adenosine, adenosine A1 receptors, and ATP-sensitive K⁺ channels in cerebral ischemic preconditioning. *Proc.Natl.Acad.Sci.U.S.A* 92:4666-4670.
26. Dowden, J. and D. Corbett. 1999. Ischemic preconditioning in 18- to 20-month-old gerbils: long-term survival with functional outcome measures. *Stroke* 30:1240-1246.
27. Wada, K., M. Ito, T. Miyazawa, H. Katoh, H. Nawashiro, K. Shima, and H. Chigasaki. 1996. Repeated hyperbaric oxygen induces ischemic tolerance in gerbil hippocampus. *Brain Res.* 740:15-20.
28. Chopp, M., H. Chen, K.L. Ho, M.O. Dereski, E. Brown, F.W. Hetzel, and K.M. Welch. 1989. Transient hyperthermia protects against subsequent forebrain ischemic cell damage in the rat. *Neurology* 39:1396-1398.
29. Yunoki, M., S. Nishio, N. Ukita, M.J. Anzivino, and K.S. Lee. 2003. Hypothermic preconditioning induces rapid tolerance to focal ischemic injury in the rat. *Exp.Neurol.* 181:291-300.
30. Zimmermann, C., I. Ginis, K. Furuya, D. Klimanis, C. Ruetzler, M. Spatz, and J.M. Hallenbeck. 2001. Lipopolysaccharide-induced ischemic tolerance is associated with increased levels of ceramide in brain and in plasma. *Brain Res.* 895:59-65.
31. Dirnagl, U., R.P. Simon, and J.M. Hallenbeck. 2003. Ischemic tolerance and endogenous neuroprotection. *Trends Neurosci.* 26:248-254.

32. Downey, J.M. and M.V. Cohen. 1995. Signal transduction in ischemic preconditioning. *Z.Kardiol.* 84 Suppl 4:77-86.
33. Stagliano, N.E., M.A. Perez-Pinzon, M.A. Moskowitz, and P.L. Huang. 1999. Focal ischemic preconditioning induces rapid tolerance to middle cerebral artery occlusion in mice. *J.Cereb.Blood Flow Metab* 19:757-761.
34. Prass, K., K. Ruscher, M. Karsch, N. Isaev, D. Megow, J. Priller, A. Scharff, U. Dirnagl, and A. Meisel. 2002. Desferrioxamine induces delayed tolerance against cerebral ischemia in vivo and in vitro. *J.Cereb.Blood Flow Metab* 22:520-525.
35. Gonzalez-Zulueta, M., A.B. Feldman, L.J. Klesse, R.G. Kalb, J.F. Dillman, L.F. Parada, T.M. Dawson, and V.L. Dawson. 2000. Requirement for nitric oxide activation of p21(ras)/extracellular regulated kinase in neuronal ischemic preconditioning. *Proc.Natl.Acad.Sci.U.S.A* 97:436-441.
36. Shamloo, M., A. Rytter, and T. Wieloch. 1999. Activation of the extracellular signal-regulated protein kinase cascade in the hippocampal CA1 region in a rat model of global cerebral ischemic preconditioning. *Neuroscience* 93:81-88.
37. Ytrehus, K., Y. Liu, and J.M. Downey. 1994. Preconditioning protects ischemic rabbit heart by protein kinase C activation. *Am.J.Physiol* 266:H1145-H1152.
38. Ohtsuki, T., C.A. Ruetzler, K. Tasaki, and J.M. Hallenbeck. 1996. Interleukin-1 mediates induction of tolerance to global ischemia in gerbil hippocampal CA1 neurons. *J.Cereb.Blood Flow Metab* 16:1137-1142.
39. Nawashiro, H., K. Tasaki, C.A. Ruetzler, and J.M. Hallenbeck. 1997. TNF-alpha pretreatment induces protective effects against focal cerebral ischemia in mice. *J.Cereb.Blood Flow Metab* 17:483-490.
40. Ruscher, K., N. Isaev, G. Trendelenburg, M. Weih, L. Iurato, A. Meisel, and U. Dirnagl. 1998. Induction of hypoxia inducible factor 1 by oxygen glucose deprivation is attenuated by hypoxic preconditioning in rat cultured neurons. *Neurosci.Lett.* 254:117-120.

41. Clemens, J.A., D.T. Stephenson, E.P. Dixon, E.B. Smalstig, R.E. Mincy, K.S. Rash, and S.P. Little. 1997. Global cerebral ischemia activates nuclear factor-kappa B prior to evidence of DNA fragmentation. *Brain Res. Mol. Brain Res.* 48:187-196.
42. Yoneda, Y., N. Kuramoto, Y. Azuma, K. Ogita, A. Mitani, L. Zhang, H. Yanase, S. Masuda, and K. Kataoka. 1998. Possible involvement of activator protein-1 DNA binding in mechanisms underlying ischemic tolerance in the CA1 subfield of gerbil hippocampus. *Neuroscience* 86:79-97.
43. Toyoda, T., N.F. Kassell, and K.S. Lee. 1997. Induction of ischemic tolerance and antioxidant activity by brief focal ischemia. *Neuroreport* 8:847-851.
44. Bernaudin, M., A.S. Nedelec, D. Divoux, E.T. MacKenzie, E. Petit, and P. Schumann-Bard. 2002. Normobaric hypoxia induces tolerance to focal permanent cerebral ischemia in association with an increased expression of hypoxia-inducible factor-1 and its target genes, erythropoietin and VEGF, in the adult mouse brain. *J. Cereb. Blood Flow Metab* 22:393-403.
45. Yanamoto, H., I. Nagata, M. Sakata, Z. Zhang, N. Tohnai, H. Sakai, and H. Kikuchi. 2000. Infarct tolerance induced by intra-cerebral infusion of recombinant brain-derived neurotrophic factor. *Brain Res.* 859:240-248.
46. Nakata, N., H. Kato, and K. Kogure. 1993. Inhibition of ischaemic tolerance in the gerbil hippocampus by quercetin and anti-heat shock protein-70 antibody. *Neuroreport* 4:695-698.
47. Yagita, Y., K. Kitagawa, T. Ohtsuki, S. Tanaka, M. Hori, and M. Matsumoto. 2001. Induction of the HSP110/105 family in the rat hippocampus in cerebral ischemia and ischemic tolerance. *J. Cereb. Blood Flow Metab* 21:811-819.
48. Kloner, R.A., T. Shook, K. Przyklenk, V.G. Davis, L. Junio, R.V. Matthews, S. Burstein, M. Gibson, W.K. Poole, C.P. Cannon, and . 1995. Previous angina alters in-hospital outcome in TIMI 4. A clinical correlate to preconditioning? *Circulation* 91:37-45.
49. Andreotti, F., V. Pasceri, D.R. Hackett, G.J. Davies, A.W. Haider, and A. Maseri. 1996. Preinfarction angina as a predictor of more rapid coronary thrombolysis in patients with acute myocardial infarction. *N. Engl. J. Med.* 334:7-12.

50. Yellon,D.M. and A.Dana. 2000. The preconditioning phenomenon: A tool for the scientist or a clinical reality? *Circ.Res.* 87:543-550.
51. Weih,M., K.Kallenberg, A.Bergk, U.Dirnagl, L.Harms, K.D.Wernecke, and K.M.Einhaul. 1999. Attenuated stroke severity after prodromal TIA: a role for ischemic tolerance in the brain? *Stroke* 30:1851-1854.
52. Wegener,S., B.Gottschalk, V.Jovanovic, R.Knab, J.B.Fiebach, P.D.Schellinger, T.Kucinski, G.J.Jungehulsing, P.Brunecker, B.Muller, A.Banasik, N.Amberger, K.D.Wernecke, M.Siebler, J.Rother, A.Villringer, and M.Weih. 2004. Transient ischemic attacks before ischemic stroke: preconditioning the human brain? A multicenter magnetic resonance imaging study. *Stroke* 35:616-621.
53. Palmer,R.M., A.G.Ferrige, and S.Moncada. 1987. Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature* 327:524-526.
54. Radomski,M.W., R.M.Palmer, and S.Moncada. 1990. An L-arginine/nitric oxide pathway present in human platelets regulates aggregation. *Proc.Natl.Acad.Sci.U.S.A* 87:5193-5197.
55. Karupiah,G., Q.W.Xie, R.M.Buller, C.Nathan, C.Duarte, and J.D.MacMicking. 1993. Inhibition of viral replication by interferon-gamma-induced nitric oxide synthase. *Science* 261:1445-1448.
56. De Caterina,R., P.Libby, H.B.Peng, V.J.Thannickal, T.B.Rajavashisth, M.A.Gimbrone, Jr., W.S.Shin, and J.K.Liao. 1995. Nitric oxide decreases cytokine-induced endothelial activation. Nitric oxide selectively reduces endothelial expression of adhesion molecules and proinflammatory cytokines. *J.Clin.Invest* 96:60-68.
57. Brown,G.C., J.P.Bolanos, S.J.Heales, and J.B.Clark. 1995. Nitric oxide produced by activated astrocytes rapidly and reversibly inhibits cellular respiration. *Neurosci.Lett.* 193:201-204.
58. Heneka,M.T. and D.L.Feinstein. 2001. Expression and function of inducible nitric oxide synthase in neurons. *J.Neuroimmunol.* 114:8-18.

59. Adcock, I.M., C.R. Brown, O. Kwon, and P.J. Barnes. 1994. Oxidative stress induces NF kappa B DNA binding and inducible NOS mRNA in human epithelial cells. *Biochem. Biophys. Res. Commun.* 199:1518-1524.
60. Palmer, R.M., M.S. Hickery, I.G. Charles, S. Moncada, and M.T. Bayliss. 1993. Induction of nitric oxide synthase in human chondrocytes. *Biochem. Biophys. Res. Commun.* 193:398-405.
61. Evans, T., A. Carpenter, H. Kinderman, and J. Cohen. 1993. Evidence of increased nitric oxide production in patients with the sepsis syndrome. *Circ. Shock* 41:77-81.
62. Simmons, M.L. and S. Murphy. 1992. Induction of nitric oxide synthase in glial cells. *J. Neurochem.* 59:897-905.
63. Park, S.K., D. Grzybicki, H.L. Lin, and S. Murphy. 1994. Modulation of inducible nitric oxide synthase expression in astroglial cells. *Neuropharmacology* 33:1419-1423.
64. Sato, I., T. Himi, and S. Murota. 1996. Lipopolysaccharide-induced nitric oxide synthase activity in cultured cerebellar granule neurons. *Neurosci. Lett.* 205:45-48.
65. del Zoppo, G., I. Ginis, J.M. Hallenbeck, C. Iadecola, X. Wang, and G.Z. Feuerstein. 2000. Inflammation and stroke: putative role for cytokines, adhesion molecules and iNOS in brain response to ischemia. *Brain Pathol.* 10:95-112.
66. Feuerstein, G.Z., X. Wang, and F.C. Barone. 1998. The role of cytokines in the neuropathology of stroke and neurotrauma. *Neuroimmunomodulation.* 5:143-159.
67. Wallace, M.N., J.G. Geddes, D.A. Farquhar, and M.R. Masson. 1997. Nitric oxide synthase in reactive astrocytes adjacent to beta-amyloid plaques. *Exp. Neurol.* 144:266-272.
68. Almer, G., S. Vukosavic, N. Romero, and S. Przedborski. 1999. Inducible nitric oxide synthase up-regulation in a transgenic mouse model of familial amyotrophic lateral sclerosis. *J. Neurochem.* 72:2415-2425.
69. Hori, K., P.R. Burd, K. Furuke, J. Kutza, K.A. Weih, and K.A. Clouse. 1999. Human immunodeficiency virus-1-infected macrophages induce inducible nitric oxide synthase and nitric

- oxide (NO) production in astrocytes: astrocytic NO as a possible mediator of neural damage in acquired immunodeficiency syndrome. *Blood* 93:1843-1850.
70. Olivenza,R., M.A.Moro, I.Lizasoain, P.Lorenzo, A.P.Fernandez, J.Rodrigo, L.Bosca, and J.C.Leza. 2000. Chronic stress induces the expression of inducible nitric oxide synthase in rat brain cortex. *J.Neurochem.* 74:785-791.
71. Vernet,D., J.J.Bonavera, R.S.Swerdloff, N.F.Gonzalez-Cadavid, and C.Wang. 1998. Spontaneous expression of inducible nitric oxide synthase in the hypothalamus and other brain regions of aging rats. *Endocrinology* 139:3254-3261.
72. Peunova,N. and G.Enikolopov. 1995. Nitric oxide triggers a switch to growth arrest during differentiation of neuronal cells. *Nature* 375:68-73.
73. Arnhold,S., C.Andressen, W.Bloch, J.K.Mai, and K.Addicks. 1997. NO synthase-II is transiently expressed in embryonic mouse olfactory receptor neurons. *Neurosci.Lett.* 229:165-168.
74. Bloch,W., B.K.Fleischmann, D.E.Lorke, C.Andressen, B.Hops, J.Hescheler, and K.Addicks. 1999. Nitric oxide synthase expression and role during cardiomyogenesis. *Cardiovasc.Res.* 43:675-684.
75. Kim,S.J., O.S.Bang, Y.S.Lee, and S.S.Kang. 1998. Production of inducible nitric oxide is required for monocytic differentiation of U937 cells induced by vitamin E-succinate. *J.Cell Sci.* 111 (Pt 4):435-441.
76. Guo,Y., W.K.Jones, Y.T.Xuan, X.L.Tang, W.Bao, W.J.Wu, H.Han, V.E.Laubach, P.Ping, Z.Yang, Y.Qiu, and R.Bolli. 1999. The late phase of ischemic preconditioning is abrogated by targeted disruption of the inducible NO synthase gene. *Proc.Natl.Acad.Sci.U.S.A* 96:11507-11512.
77. Moro,M.A., J.De Alba, J.C.Leza, P.Lorenzo, A.P.Fernandez, M.L.Bentura, L.Bosca, J.Rodrigo, and I.Lizasoain. 1998. Neuronal expression of inducible nitric oxide synthase after oxygen and glucose deprivation in rat forebrain slices. *Eur.J.Neurosci.* 10:445-456.
78. Melillo,G., L.S.Taylor, A.Brooks, T.Musso, G.W.Cox, and L.Varesio. 1997. Functional requirement of the hypoxia-responsive element in the activation of the inducible nitric oxide synthase promoter by the iron chelator desferrioxamine. *J.Biol.Chem.* 272:12236-12243.

79. Xie,Q.W., R.Whisnant, and C.Nathan. 1993. Promoter of the mouse gene encoding calcium-independent nitric oxide synthase confers inducibility by interferon gamma and bacterial lipopolysaccharide. *J.Exp.Med.* 177:1779-1784.
80. Maulik,N., M.Sato, B.D.Price, and D.K.Das. 1998. An essential role of NFkappaB in tyrosine kinase signaling of p38 MAP kinase regulation of myocardial adaptation to ischemia. *FEBS Lett.* 429:365-369.
81. Ping,P., J.Zhang, Y.T.Zheng, R.C.Li, B.Dawn, X.L.Tang, H.Takano, Z.Balafanova, and R.Bolli. 1999. Demonstration of selective protein kinase C-dependent activation of Src and Lck tyrosine kinases during ischemic preconditioning in conscious rabbits. *Circ.Res.* 85:542-550.
82. Baines,C.P., L.Wang, M.V.Cohen, and J.M.Downey. 1998. Protein tyrosine kinase is downstream of protein kinase C for ischemic preconditioning's anti-infarct effect in the rabbit heart. *J.Mol.Cell Cardiol.* 30:383-392.
83. Ping,P., H.Takano, J.Zhang, X.L.Tang, Y.Qiu, R.C.Li, S.Banerjee, B.Dawn, Z.Balafonova, and R.Bolli. 1999. Isoform-selective activation of protein kinase C by nitric oxide in the heart of conscious rabbits: a signaling mechanism for both nitric oxide-induced and ischemia-induced preconditioning. *Circ.Res.* 84:587-604.
84. Riksen,N.P., P.Smits, and G.A.Rongen. 2004. Ischaemic preconditioning: from molecular characterisation to clinical application--part I. *Neth.J.Med.* 62:353-363.
85. Xuan,Y.T., X.L.Tang, S.Banerjee, H.Takano, R.C.Li, H.Han, Y.Qiu, J.J.Li, and R.Bolli. 1999. Nuclear factor-kappaB plays an essential role in the late phase of ischemic preconditioning in conscious rabbits. *Circ.Res.* 84:1095-1109.
86. Franks,N.P. and W.R.Lieb. 1999. Background K⁺ channels: an important target for volatile anesthetics? *Nat.Neurosci.* 2:395-396.
87. Franks,N.P. and W.R.Lieb. 1994. Molecular and cellular mechanisms of general anaesthesia. *Nature* 367:607-614.
88. Roth,S.H. 1979. Physical mechanisms of anesthesia. *Annu.Rev.Pharmacol.Toxicol.* 19:159-178.

89. Baughman, V.L., W.E. Hoffman, D.J. Miletich, R.F. Albrecht, and C. Thomas. 1988. Neurologic outcome in rats following incomplete cerebral ischemia during halothane, isoflurane, or N₂O. *Anesthesiology* 69:192-198.
90. Warner, D.S., C. McFarlane, M.M. Todd, P. Ludwig, and A.M. McAllister. 1993. Sevoflurane and halothane reduce focal ischemic brain damage in the rat. Possible influence on thermoregulation. *Anesthesiology* 79:985-992.
91. Blanck, T.J., M. Haile, F. Xu, J. Zhang, P. Heerdt, R.A. Veselis, J. Beckman, R. Kang, A. Adamo, and H. Hemmings. 2000. Isoflurane pretreatment ameliorates postischemic neurologic dysfunction and preserves hippocampal Ca²⁺/calmodulin-dependent protein kinase in a canine cardiac arrest model. *Anesthesiology* 93:1285-1293.
92. Miura, Y., H.P. Grocott, R.D. Bart, R.D. Pearlstein, F. Dexter, and D.S. Warner. 1998. Differential effects of anesthetic agents on outcome from near-complete but not incomplete global ischemia in the rat. *Anesthesiology* 89:391-400.
93. Bhardwaj, A., A.F. Castro III, N.J. Alkayed, P.D. Hurn, and J.R. Kirsch. 2001. Anesthetic choice of halothane versus propofol: impact on experimental perioperative stroke. *Stroke* 32:1920-1925.
94. Newberg, L.A. and J.D. Michenfelder. 1983. Cerebral protection by isoflurane during hypoxemia or ischemia. *Anesthesiology* 59:29-35.
95. Hoff, J.T. 1986. Cerebral protection. *J. Neurosurg.* 65:579-591.
96. Marota, J.J., G. Crosby, and G.R. Uhl. 1992. Selective effects of pentobarbital and halothane on c-fos and jun-B gene expression in rat brain. *Anesthesiology* 77:365-371.
97. Hamaya, Y., T. Takeda, S. Dohi, S. Nakashima, and Y. Nozawa. 2000. The effects of pentobarbital, isoflurane, and propofol on immediate-early gene expression in the vital organs of the rat. *Anesth. Analg.* 90:1177-1183.
98. Kapinya, K., R. Penzel, C. Sommer, and M. Kiessling. 2000. Temporary changes of the AP-1 transcription factor binding activity in the gerbil hippocampus after transient global ischemia, and ischemic tolerance induction. *Brain Res.* 872:282-293.

99. Yoneda, Y., Y. Azuma, K. Inoue, K. Ogita, A. Mitani, L. Zhang, S. Masuda, M. Higashihara, and K. Kataoka. 1997. Positive correlation between prolonged potentiation of binding of double-stranded oligonucleotide probe for the transcription factor AP1 and resistance to transient forebrain ischemia in gerbil hippocampus. *Neuroscience* 79:1023-1037.
100. Hemmings, H.C., Jr. and A.I. Adamo. 1994. Effects of halothane and propofol on purified brain protein kinase C activation. *Anesthesiology* 81:147-155.
101. Zuo, Z. and R.A. Johns. 1997. Inhalational anesthetics up-regulate constitutive and lipopolysaccharide-induced inducible nitric oxide synthase expression and activity. *Mol. Pharmacol.* 52:606-612.
102. Tschaikowsky, K., J. Ritter, K. Schroppe, and M. Kuhn. 2000. Volatile anesthetics differentially affect immunostimulated expression of inducible nitric oxide synthase: role of intracellular calcium. *Anesthesiology* 92:1093-1102.
103. White, P.F., R.R. Johnston, and E.I. Eger. 1974. Determination of anesthetic requirement in rats. *Anesthesiology* 40:52-57.
104. Galea, E., E.V. Golanov, D.L. Feinstein, K.A. Kobylarz, S.B. Glickstein, and D.J. Reis. 1998. Cerebellar stimulation reduces inducible nitric oxide synthase expression and protects brain from ischemia. *Am. J. Physiol* 274:H2035-H2045.
105. Bederson, J.B., L.H. Pitts, M. Tsuji, M.C. Nishimura, R.L. Davis, and H. Bartkowski. 1986. Rat middle cerebral artery occlusion: evaluation of the model and development of a neurologic examination. *Stroke* 17:472-476.
106. Brint, S., M. Jacewicz, M. Kiessling, J. Tanabe, and W. Pulsinelli. 1988. Focal brain ischemia in the rat: methods for reproducible neocortical infarction using tandem occlusion of the distal middle cerebral and ipsilateral common carotid arteries. *J. Cereb. Blood Flow Metab* 8:474-485.
107. Victorov, I.V., K. Prass, and U. Dirnagl. 2000. Improved selective, simple, and contrast staining of acidophilic neurons with vanadium acid fuchsin. *Brain Res. Brain Res. Protoc.* 5:135-139.

108. Lin,T.N., Y.Y.He, G.Wu, M.Khan, and C.Y.Hsu. 1993. Effect of brain edema on infarct volume in a focal cerebral ischemia model in rats. *Stroke* 24:117-121.
109. Laemmli,U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227:680-685.
110. Brown,B.R., Jr. and A.J.Gandolfi. 1987. Adverse effects of volatile anaesthetics. *Br.J.Anaesth.* 59:14-23.
111. Bruer,U., M.K.Weih, N.K.Isaev, A.Meisel, K.Ruscher, A.Bergk, G.Trendelenburg, F.Wiegand, I.V.Victorov, and U.Dirnagl. 1997. Induction of tolerance in rat cortical neurons: hypoxic preconditioning. *FEBS Lett.* 414:117-121.
112. Kapinya,K.J., D.Lowl, C.Futterer, M.Maurer, K.F.Waschke, N.K.Isaev, and U.Dirnagl. 2002. Tolerance against ischemic neuronal injury can be induced by volatile anesthetics and is inducible NO synthase dependent. *Stroke* 33:1889-1898.
113. Janoff,A. 1964. ALTERATIONS IN LYSOSOMES (INTRACELLULAR ENZYMES) DURING SHOCK; EFFECTS OF PRECONDITIONING (TOLERANCE) AND PROTECTIVE DRUGS. *Int.Anesthesiol.Clin.* 97:251-269.
114. Du,C., R.Hu, C.A.Csernansky, C.Y.Hsu, and D.W.Choi. 1996. Very delayed infarction after mild focal cerebral ischemia: a role for apoptosis? *J.Cereb.Blood Flow Metab* 16:195-201.
115. Kawaguchi,M., J.R.Kimbrow, J.C.Drummond, D.J.Cole, P.J.Kelly, and P.M.Patel. 2000. Isoflurane delays but does not prevent cerebral infarction in rats subjected to focal ischemia. *Anesthesiology* 92:1335-1342.
116. Zheng,S. and Z.Zuo. 2004. Isoflurane preconditioning induces neuroprotection against ischemia via activation of P38 mitogen-activated protein kinases. *Mol.Pharmacol.* 65:1172-1180.
117. Newberg,L.A., J.H.Milde, and J.D.Michenfelder. 1983. The cerebral metabolic effects of isoflurane at and above concentrations that suppress cortical electrical activity. *Anesthesiology* 59:23-28.

118. Michenfelder, J.D. and R.A. Theye. 1973. Cerebral protection by thiopental during hypoxia. *Anesthesiology* 39:510-517.
119. Barone, F.C., G.Z. Feuerstein, and R.F. White. 1997. Brain cooling during transient focal ischemia provides complete neuroprotection. *Neurosci. Biobehav. Rev.* 21:31-44.
120. Wiegand, F., W. Liao, C. Busch, S. Castell, F. Knapp, U. Lindauer, D. Megow, A. Meisel, A. Redetzky, K. Ruscher, G. Trendelenburg, I. Victorov, M. Riepe, H.C. Diener, and U. Dirnagl. 1999. Respiratory chain inhibition induces tolerance to focal cerebral ischemia. *J. Cereb. Blood Flow Metab* 19:1229-1237.
121. Maekawa, T., C. Tommasino, H.M. Shapiro, J. Keifer-Goodman, and R.W. Kohlenberger. 1986. Local cerebral blood flow and glucose utilization during isoflurane anesthesia in the rat. *Anesthesiology* 65:144-151.
122. Ori, C., M. Dam, G. Pizzolato, L. Battistin, and G. Giron. 1986. Effects of isoflurane anesthesia on local cerebral glucose utilization in the rat. *Anesthesiology* 65:152-156.
123. Zheng, S. and Z. Zuo. 2003. Isoflurane preconditioning reduces purkinje cell death in an in vitro model of rat cerebellar ischemia. *Neuroscience* 118:99-106.
124. Messick, J.M., Jr., B. Casement, F.W. Sharbrough, L.N. Milde, J.D. Michenfelder, and T.M. Sundt, Jr. 1987. Correlation of regional cerebral blood flow (rCBF) with EEG changes during isoflurane anesthesia for carotid endarterectomy: critical rCBF. *Anesthesiology* 66:344-349.
125. Mackensen, G.B., B. Nellgard, M. Kudo, H. Sheng, R.D. Pearlstein, and D.S. Warner. 2000. Periischemic cerebral blood flow (CBF) does not explain beneficial effects of isoflurane on outcome from near-complete forebrain ischemia in rats. *Anesthesiology* 93:1102-1106.
126. Patel, P.M., J.C. Drummond, D.J. Cole, and R.L. Goskowicz. 1995. Isoflurane reduces ischemia-induced glutamate release in rats subjected to forebrain ischemia. *Anesthesiology* 82:996-1003.
127. Quinlan, J.J., S. Firestone, and L.L. Firestone. 1995. Isoflurane's enhancement of chloride flux through rat brain gamma-aminobutyric acid type A receptors is stereoselective. *Anesthesiology* 83:611-615.

128. Shuaib,A., M.A.Murabit, R.Kanthan, W.Howlett, and T.Wishart. 1996. The neuroprotective effects of gamma-vinyl GABA in transient global ischemia: a morphological study with early and delayed evaluations. *Neurosci.Lett.* 204:1-4.
129. Yang,J. and C.F.Zorumski. 1991. Effects of isoflurane on N-methyl-D-aspartate gated ion channels in cultured rat hippocampal neurons. *Ann.N.Y.Acad.Sci.* 625:287-289.
130. Cason,B.A., A.K.Gamperl, R.E.Slocum, and R.F.Hickey. 1997. Anesthetic-induced preconditioning: previous administration of isoflurane decreases myocardial infarct size in rabbits. *Anesthesiology* 87:1182-1190.
131. Boutros,A., J.Wang, and C.Capuano. 1997. Isoflurane and halothane increase adenosine triphosphate preservation, but do not provide additive recovery of function after ischemia, in preconditioned rat hearts. *Anesthesiology* 86:109-117.
132. Ismaeil,M.S., I.Tkachenko, R.F.Hickey, and B.A.Cason. 1999. Colchicine inhibits isoflurane-induced preconditioning. *Anesthesiology* 91:1816-1822.
133. Carpenter,R.L., E.I.Eger, B.H.Johnson, J.D.Unadkat, and L.B.Sheiner. 1986. The extent of metabolism of inhaled anesthetics in humans. *Anesthesiology* 65:201-205.
134. Takano,H., S.Manchikalapudi, X.L.Tang, Y.Qiu, A.Rizvi, A.K.Jadoon, Q.Zhang, and R.Bolli. 1998. Nitric oxide synthase is the mediator of late preconditioning against myocardial infarction in conscious rabbits. *Circulation* 98:441-449.
135. Takayama,K., T.Suzuki, and M.Miura. 1994. The comparison of effects of various anesthetics on expression of Fos protein in the rat brain. *Neurosci.Lett.* 176:59-62.
136. Nakae,Y., W.M.Kwok, Z.J.Bosnjak, and M.T.Jiang. 2003. Isoflurane activates rat mitochondrial ATP-sensitive K⁺ channels reconstituted in lipid bilayers. *Am.J.Physiol Heart Circ.Physiol* 284:H1865-H1871.
137. Leesar,M.A., M.F.Stoddard, B.Dawn, V.G.Jasti, R.Masden, and R.Bolli. 2001. Delayed preconditioning-mimetic action of nitroglycerin in patients undergoing coronary angioplasty. *Circulation* 103:2935-2941.

138. Southan,G.J. and C.Szabo. 1996. Selective pharmacological inhibition of distinct nitric oxide synthase isoforms. *Biochem.Pharmacol.* 51:383-394.
139. Misko,T.P., W.M.Moore, T.P.Kasten, G.A.Nickols, J.A.Corbett, R.G.Tilton, M.L.McDaniel, J.R.Williamson, and M.G.Currie. 1993. Selective inhibition of the inducible nitric oxide synthase by aminoguanidine. *Eur.J.Pharmacol.* 233:119-125.
140. Cho,S., E.M.Park, P.Zhou, K.Frys, M.E.Ross, and C.Iadecola. 2005. Obligatory role of inducible nitric oxide synthase in ischemic preconditioning. *J.Cereb.Blood Flow Metab* 25:493-501.
141. Kirino,T. 2002. Ischemic tolerance. *J.Cereb.Blood Flow Metab* 22:1283-1296.
142. Murphy,E. 2004. Primary and secondary signaling pathways in early preconditioning that converge on the mitochondria to produce cardioprotection. *Circ.Res.* 94:7-16.
143. Argaud,L., O.Gateau-Roesch, L.Chalabreysse, L.Gomez, J.Loufouat, F.Thivolet-Bejui, D.Robert, and M.Ovize. 2004. Preconditioning delays Ca²⁺-induced mitochondrial permeability transition. *Cardiovasc.Res.* 61:115-122.
144. Zhang,H.X., G.H.Du, and J.T.Zhang. 2003. Ischemic pre-conditioning preserves brain mitochondrial functions during the middle cerebral artery occlusion in rat. *Neurol.Res.* 25:471-476.
145. Togashi,H., M.Sasaki, E.Frohman, E.Taira, R.R.Ratan, T.M.Dawson, and V.L.Dawson. 1997. Neuronal (type I) nitric oxide synthase regulates nuclear factor kappaB activity and immunologic (type II) nitric oxide synthase expression. *Proc.Natl.Acad.Sci.U.S.A* 94:2676-2680.
146. Kim,W.K., Y.B.Choi, P.V.Rayudu, P.Das, W.Asaad, D.R.Arnelle, J.S.Stamler, and S.A.Lipton. 1999. Attenuation of NMDA receptor activity and neurotoxicity by nitroxyl anion, NO⁻. *Neuron* 24:461-469.
147. Gidday,J.M., J.C.Fitzgibbons, A.R.Shah, and T.S.Park. 1994. Neuroprotection from ischemic brain injury by hypoxic preconditioning in the neonatal rat. *Neurosci.Lett.* 168:221-224.
148. Matsushima,K. and A.M.Hakim. 1995. Transient forebrain ischemia protects against subsequent focal cerebral ischemia without changing cerebral perfusion. *Stroke* 26:1047-1052.

149. Liu, Y., H. Kato, N. Nakata, and K. Kogure. 1992. Protection of rat hippocampus against ischemic neuronal damage by pretreatment with sublethal ischemia. *Brain Res.* 586:121-124.
150. Tasaki, K., C. A. Ruetzler, T. Ohtsuki, D. Martin, H. Nawashiro, and J. M. Hallenbeck. 1997. Lipopolysaccharide pre-treatment induces resistance against subsequent focal cerebral ischemic damage in spontaneously hypertensive rats. *Brain Res.* 748:267-270.
151. Ahmed, S. H., Y. Y. He, A. Nassief, J. Xu, X. M. Xu, C. Y. Hsu, and F. M. Faraci. 2000. Effects of lipopolysaccharide priming on acute ischemic brain injury. *Stroke* 31:193-199.
152. Sitzer, M., C. Foerch, T. Neumann-Haefelin, H. Steinmetz, B. Misselwitz, C. Kugler, and T. Back. 2004. Transient ischaemic attack preceding anterior circulation infarction is independently associated with favourable outcome. *J. Neurol. Neurosurg. Psychiatry* 75:659-660.