

5 Literaturverzeichnis

- Agarwala, S., Sanders, T.A., and Ragsdale, C.W. (2001). Sonic hedgehog control of size and shape in midbrain pattern formation. *Science* 291, 2147-2150.
- Akimaru, H., Chen, Y., Dai, P., Hou, D.X., Nonaka, M. (1997). Drosophila CBP is a co-activator of cubitus interruptus in hedgehog signaling. *Nature* 397, 735-738.
- Alberta, J.A., Park, S.K., Mora, J., Yuk, D., Pawlitzky, I., Iannarelli, P., Vartanian, T., Stiles, C.D., Rowitch, D.H. (2001). Sonic hedgehog is required during an early phase of oligodendrocyte development in mammalian brain. *Mol. Cell. Neurosci.* 18, 434-441.
- Albrecht, A.N., Schwabe, G.C., Stricker, S., Boddrich, A., Wanker, E.E., Mundlos, S. (2002). The synpolydactyly homolog (spd) mutation in the mouse – a defect in patterning and growth of limb cartilage elements. *Mech Dev.* 112, 53-67.
- Andersson, L., Archibald, A., Ashburner, M., Audun, S., Barendse, J., Bitgood, J., Bottema, C., Broad, T., Brown, S.D.M. (1996): Comparative genome organization of vertebrates. *Mammalian Genome* 7, 717-734.
- Bagheri-Fam, S., Ferraz, C., Demaille, J., Scherer, G., Pfeifer, D. (2001). Comparative genomics of the SOX9 region in human and Fugu rubripes: conservation of short regulatory sequence elements within large intergenic regions. *Genomics* 78, 73-82.
- Bai, C.B., Auerbach, W., Lee, J.S. Stephen, D., Joyner, A.L. (2002). Gli2, but not Gli1 is required for initial Shh signaling and ectopic activation of the Shh pathway. *Development* 129, 4753-4761.
- Becker, S., Wang, Z.J., Massey, H., Arauz, A., Labosky, P., Hammerschmidt, M., St-Jaques, B., Bumcrot, D., McMahon, A. und Grabel, L. (1997) A role for Indian hedgehog in extraembryonic endoderm differentiation in F9 cells and the early mouse embryo. *Dev Biol.* 187, 298-300.
- Bell, J. (1951). On brachydactyly and symphalangism. In Penrose, L.S (ed): "Treasure of Human Inheritance" London: Cambridge University Press, 1951, vol.5 pp1-31.
- Belloni, E., Muenke, M., Roessler, E., Traverso, G., Siegel-Bartelt, J. (1996). Identification of Sonic hedgehog as a candidate gene responsible for holoprosencephaly. *Nat Genet.* 14, 353-356.
- Bitgood, M.J., und McMahon, A.P. (1995). Hedgehog and Bmp genes are coexpressed at many diverse sites of cell-cell interaction in the mouse embryo. *Dev Biol.* 172, 126-138.
- Blough, R.I., Petrij, F., Dauwerse, J.G., Milatovich-Cherry, A., Weiss, L., Saal, H.M., Rubinstein, J.H. (2000). Variations in microdeletions of the cyclic AMP-responsive element-binding protein gene at chromosome band 16p13.3 in the Rubinstein-Taybi syndrome. *Am. J. Med. Genet.* 90, 29-34.
- Boffeli, D., Nobrega, M.A. and Rubin, E.M. (2004). Comparative genomics at the vertebrate extremes. *Nat Genet.* 5, 456-465.

- Brenner, S., Elgar, G., Sandford, R., Macrae, A., Venkatesh, B., Aparicio, S. (1994). Characterization of the pufferfish (Fugu) genome as a compact model vertebrate genome. *Nature* 366, 265- 268.
- Brewer, G.J., Sing, C.F. (1983). Genetics. Addison-Wesley Publishing Company.
- Burke, R., Nellen, D., Bellotto, M., Hafen, E., Senti, K.A., Dickson, B.J., und Basler, K. (1999). Dispatched, a novel sterol-sensing domain protein dedicated to the release of cholesterol-modified Hedgehog from signaling cells. *Cell* 99, 803-815.
- Bustin, M.; Reeves, R. (1996). High mobility group chromosomal proteins: architectural components that facilitate chromatin function. *Prog. Nucleic Acid Res. Mol. Biol.* 54: 35-100.
- Chang, D. T., Lopez, A., von Kessler, D.P., Chiang, C., Simandl, B.K., Zhao, R., Seldin, M.F., Fallon, J.F., Beachy, P.A. (1994). Products, genetic linkage and limb patterning activity of a murine hedgehog gene. *Development* 120, 3339-3353.
- Chiang, C., Litingtun, Y., Lee, E., Young, K. E., Corden, J. L., Westphal, H., Beachy, P.A. (1996). Cyclopia and defective axial patterning in mice lacking Sonic hedgehog gene function. *Nature* 338, 407-413.
- Chiang, C., Swan, R. Z., Grachtchouk, M., Bolinger, M., Litingtun, Y., Robertson, E.K., Cooper, M.K., Gaffield, W., Westphal, H., Bechy, P.A., Dlugosz, A.A. (1999). Essential role for Sonic hedgehog during hair follicle morphogenesis. *Dev Biol.* 205, 1-9.
- Chiang, C., Litingtun Y, Harris, M.P., Simandl, B.K., Li, Y., Beachy, P.A. (2001). Manifestation of the limb prepatterning: limb development in the absence of sonic hedgehog function. *Dev Biol.* 236, 421-435.
- Chiaromonte, F., Miller, W., Bouhassira, E.E. (2003). Gene length and proximity to neighbors affect genome-wide expression levels. *Genome Research* 13, 2602-2608.
- Chuang, P.T. und McMahon, A.P. (1999). Vertebrate hedgehog signalling modulated by induction of a hedgehog-binding protein. *Nature* 987, 617-621.
- Dale, J.K., Vesque, C., Lints., T.J., Sampath, T.K., Furley, A. Dodd, J., Placzek, M. (1997). Cooperation of BMP 7 and SHH in the induction of forebrain ventral midline cells by prechordal mesoderm. *Cell* 90, 257-269.
- Davidson, E.H., Rast, J.P., Olivier, P., Ransick, A., Calestani, C. (2002). A genomic regulatory network for development. *Science* 295, 1669-1678.
- Davisson, M.T., Cattanach, B.M. (1990). The mouse mutation ulnaless on chromosome 2. *J Hered* 81, 151-153.
- Davisson, M.T., Roderick, T.H., Akeson, E.C., Hawes, N.L., Sweet, H.O. (1990). The hairy ears (Eh) mutation is closely associated with a chromosomal rearrangement in mouse chromosome 15. *Genet Res.* 56, 167-178.

Denef, N., Neubuser, D., Perez, L., Cohen, S.M. (2000). Hedgehog induces opposite changes in turnover and subcellular localization of patched and smoothened. *Cell* 102, 521-531.

Durst, K.L., Hiebert, S.W. (2004). Role of RUNX gene family in transcriptional repression and gene silencing. *Oncogene* 23, 4220-4224.

Festenstein, R., Shargi-Namini, S., Fox, M., Roderick, K., Tolaini, M., Norton, T., Saveliev A., Kioussis, D., Singh, P. (1999). Heterochromatin protein 1 modifies mammalian PEV in a dose and chromosomal-context-dependant manner. *Nat Genet.* 23, 457-461

Francis-West, P.H., Parish, J., Lee, K., Archer, C.W. (1999). BMP/GDF-signalling interactions during synovial joint development. *Cell Tissue Res.* 296:111-119.

Frebourg, T., Barbier, N., Yan, Y., Garber, J.E., Dreyfus, M., Fraumeni, J., Jr., Li, F.P., Friend, S.H. (1995). Germ-line p53 mutations in 15 families with Li-Fraumeni syndrome. *Am J Hum Genet.* 56, 608-615.

Gao, B., Guo, J., She, C., Shu, A., Yang, M. (2001). Mutations in IHH, encoding Indian hedgehog, cause brachydactyly type A-1. *Nat Genet.* 28, 386-388.

Generoso, W., Bishop, J.B., Gosslee, D.G., Newell, G.W., Sheu, C.J., von Halle, E. (1980). Heritable translocation test in mice. *Mutat Res.* 76, 191-215.

Generoso, W.M., Cain, K.T., Cacheiro, N.L., Cornett, C.V., Gossle, D.G. (1984). Response of mouse spermatogonial stem cells to X-ray induction of heritable reciprocal translocations. *Mutat Res.* 126, 177-187.

Giglio, S., Calvari, V., Gregato, G., Gimelli, G., Camanini, S., Giorda, R., Ragusa, A., Guernieri, S., Selicorni, A., Stumm, M., Tonnes, H., Ventura, M., Zollino, M., Neri, G., Barber, J., Wieczorek, D., Rocchi, M., Zuffardi, O. (2002) Heterozygous submicroscopic inversions involving olfactory receptor-gene clusters mediate the recurrent t(4;8) (p16;p23) translocation. *Am J Hum Genet.* 71, 276-285.

Gilbert, S.F. (1997). Developmental Biology (5. Edition). *Sinauer Associates, Inc. Publishers.*

Gimelli, G., Pujana, M.A., Patricelli, M.G., Russo, S., Giardino, D., Larizza, L., Cheung, J., Armengol, L., Schinzel, A., Estivill, X., Zuffardi, O. (2003). Genomic inversions of Angelman syndrome patients with class II (BP2/3) deletions. *Hum Mol Genet.* 12, 849-858.

Goodrich, L.V., Johnson, R.L., Milenkovic, L., McMahon, J.A., Scott, M.P. (1996). Conservation of the hedgehog/patched signaling pathway from flies to mice: induction of a mouse patched gene by Hedgehog. *Genes & Development* 10, 301-312.

Goodrich, L.V., Milenkovic, L., Higgins, K.M., Scott, M.P. (1997). Altered neural cell fates and medulloblastoma in mouse patched mutants. *Science* 277, 1109-1113.

- Gorlin. R.J. (1995). Nevoid basal cell carcinoma syndrome. *Dermatol. Clin.* 13, 113-125.
- Gritli-Linde, A., Lewis, P., McMahon, A.P., Linde, A. (2001). The whereabouts of a morphogen: direct evidence for short-and graded long-range activity of hedgehog signaling peptides. *Dev Biol.* 172, 126-138.
- Hammerschmidt, M., Brook, A., McMahon, A.P. (1997). The world according to hedgehog. *Trends in Genetics* 13, 14-21.
- Han, C., Belenkaya, T.Y., Wang, B., Lin, X. (2004). Drosophila glypicans control the cell-to-cell movement of Hedgehog by a dynamin-independent process. *Development* 25, 184-196.
- Harfe, B.D., Scherz, P.J., Nissim, S., Tian, H., McMahon, A.P., Tabin, C.J. (2004). Evidence for an expansion-based temporal Shh gradient in specifying vertebrate digit identities. *Cell* 118, 517-528.
- Ianakiev, P., van Baren, M.J., Daly, M.J., Toledo, S.P.A., Cavalcanti, M.G., Neto, J.C., Silveira, E.L., Freire-Maia, A., Heutink, P., Kilpatrick, M.W and Tsipouras, P. (2001). Acheiropodia is caused by a genomic deletion in C7orf2, the human orthologue of the Imbr1 gene. *Am J Hum Genet.* 68, 38-45.
- Ingham, W.P. and McMahon, A.P. (2001). Hedgehog signaling in animal development: paradigms and principles. *Genes& Development* 15, 3059-3087.
- Iwasaki M., Le, A.X., Helms, J.A. (1997). Expression of Indian Hedgehog, bone morphogenetic protein 6 and gli during skeletal morphogenesis. *Mech Dev.* 69, 197-202.
- Jeong, Y., Epstein, D.J. (2003). Distinct regulators of Shh transcription in the floor plate and notochord indicate separate origins für these tissues in the mouse node. *Development* 130, 3891-3902.
- Kang, S., Graham, J.M., Jr., Olney, A.H., and Biesecker, L.G. (1997). GLI3 frameshift mutations cause autosomal dominant Pallister-Hall syndrome. *Nat Genet.* 15, 266-268.
- Kawakami, T., Kawcak, T., Li, Y.J., Zhang, W., Hu, J., Chuang P.T. (2002). Mouse dispatched mutants fail to distribute hedgehog proteins and are defective in hedgehog signaling. *Development* 129(24), 5753-5765.
- Kimura-Yoshida, C., Kitajima, K., Oda-Ishii, I., Tian, E., Suzuki, M., Yamamoto, M., Suzuki, T., Kobayashi, M., Aizawa, S., Matsuo, I. (2004). Characterization of the pufferfish Otx2 cis-regulators reveals evolutionarily conserved genetic mechanisms for vertebrate head specification. *Development* 131, 57-71
- Kleinjan, D.A., Seawright, A., Schedl, A., Quinlan, R.A., Danes, S., van Heyningen, V. (2001). Aniridia-associated translocations, DNase hypersensitivity, sequence comparison and transgenic analysis redefine the functional domain of PAX6. *Hum Mol Genet.* 10, 2049-2059.

- Kleinjan, D.A., van Heyningen V. (2005). Long-range control of gene expression: emerging mechanisms and disruption in disease. *Am J Hum Genet.* 76, 8-32.
- Kraus, P., Fraidenraich, D., Loomis, C.A. (2001). Some distal limb structures develop in mice lacking Sonic hedgehog signaling. *Mech Dev.* 100, 45-58.
- Krebs, O., Schreiner, C.M., Scott, W.J., Bell, S.M., Robbins, D.J., Goetz, J.A., Alt, H., Hawes, N., Wolf, E., Favor, J. (2003). Replicated anterior zeugopod (raz): a polydactylous mouse mutant with lowered Shh signaling in the limb bud. *Development* 130, 6037-6047.
- Kruger, M., Mennerich, D., Fees, S., Schafer, R., Mundlos, S., and Braun, T. (2001). Sonic hedgehog is a survival factor for hypaxial muscles during mouse development. *Development* 128, 743-752.
- Kumar S, Hedges, S.B. (1998). A molecular timescale for vertebrate evolution. *Nature* 392, 917-920.
- Kuratoki, N., Harada, N., Shimokawa, O., Miyake, N., Kawame, H., Uetake, K., Makita, Y., Kondoh, T., Ogata, T., Hasegawa, T., Nagai, T., Ozaki, T., et al. (2003). Fifty microdeletions among 112 cases of Sotos syndrome: low copy repeats possibly mediate the common deletion. *Hum Mutat.* 22, 378-387.
- Lander E.S., Linton, L.M., Birren, B., Nusbaum, C., Zody, M.C., Baldwin, J., Devon, K., Dewar, K., Doyle, M. (2001). Initial sequencing and analysis of the human genome. *Nature* 409, 860-921.
- Laufer, E., Nelson, C.E., Johnson, R.L., Morgan, B.A., Tabin, C. (1994). Sonic hedgehog and Fgf-4 act through a signalling cascade and feedback loop to integrate growth and patterning of the developing limb bud. *Cell* 79, 993-1003.
- Lehmann, K., Seemann, P., Stricker, S., Sammar, M., Meyer, B., Suring, K., Majewski, F., Tinschert, S., Grzeschik, K.H., Muller, D., Knaus, P., Nurnberg, P., Mundlos, S. (2003). Mutations in bone morphogenetic protein receptor 1B cause brachydactyly type A2. *PNAS* 100, 12277-12282.
- Lettice, A.L., Horikoshi, T., Heaney, S., van Baren, M.J., van der Linde, H.C., Breedveld, G.J., Joosse, M., Akarsu, N., Nakahori, Y., Ayusawa, D., Nakabayashi, K., Scherer, S.W., Heutink, P., Hill, R.E and Noji, S. (2002). Disruption of a long-range cis-acting regulator for Shh causes preaxial polydactyly. *PNAS* 99, 7548-7553.
- Lettice, L.A., Heaney, S.J., Purdie, L.A., Li, L., de Beer, P., Oostra, B.A., Goode, D., Elgar, G., Hill, R.E., de Graaff E. (2003). A long-range Shh enhancer regulates expression in the developing limb and fin and is associated with preaxial polydactyly. *Hum Mol Genet.* 12, 1725-1735.
- Levin, M., Johson, R.L., Stern, C.D., Kuehn, M., and Tabin, C. (1995). A molecular pathway determining left-right asymmetry in chick embryogenesis. *Cell* 82, 803-814.

Lewis, P.M., Dunn, M.P., McMahon, J.A., Logan, M., Martin, J.F. St-Jacques, B., McMahon A. P. (2001): Cholesterol modifications of sonic hedgehog is required for long-range signaling activity and effective modulation of signaling by Ptcl. *Cell* 105, 599-612

Lewis, S., Akgun, E., Jasin, M. (1999). Palindromic DNA and genome stability. Further studies. *Ann N Y Acad Sci* 870, 45-57.

Lints, T.J., Parsons, L.M., Hartley, L., Lyons, I., Harvey, R.P (1993). Nkx-2.5: a novel murine homeobox gene expressed in early heart progenitor cells and descendants. *Development* 119, 419-431.

Litingtun, Y., Lei, L., Westphal, H., and Chiang, C. (1998). Sonic hedgehog is essential to foregut development. *Nat Genet.* 20, 58-61.

Litingtun, Y., Dahn, R.D., Li, Y., Fallon, J.F., and Chiang C. (2002). Shh and Gli3 are dispensable for limb skeleton formation but regulate digit number and identity. *Nature* 418, 979-983.

Lohe, A.R., Hilliker, A.J., Roberts, P.A. (1993). Mapping simple repeated DNA sequences in heterochromatin of *Drosophila melanogaster*. *Genetics* 134, 1149-1174.

Love, J.M., Knight, A.M., McAleer, M.A., Todd, J.A. (1990): Towards construction of a high resolution map of the mouse genome using PCR-analysed microsatellites. *Nucleic Acids Research* Vol. 18, 14, 4123-4130

Marcelle, C., Ahlgren, S., and Bronner-Fraser, M. (1999). In vivo regulation of somite differentiation and proliferation by sonic hedgehog. *Dev Biol.* 214, 277-287.

Matsunaga, E., und Shiota, K. (1977). Holoprosencephaly in human embryos: Epidemiologic studies of 150 cases. *Teratology* 16, 261-272.

Mayor, C., Brudno, M., Schwartz, J.R., Poliakov, A., Rubin, E.M., Frazer, K.A., Pachter, L.S., Dubchak, I. (2000). VISTA: visualizing global DNA sequence alignments of arbitrary length. *Bioinformatics* 16, 1046-1047.

Milenkovic, L., Goodrich, L.V., Higgins, K.M., Scott, M.P. (1999). Mouse patched1 controls body size determination and limb patterning. *Development* 126, 4431-4440.

Milot, E., Strouboulis, J., Trimborn, T., Wijgerde, M., Langeveld, A., Tan-Un, K., Vergeer, W., Yannoutsos, N., Grosfeld, F., Fraser, P. (1996). Heterochromatin effects on the frequency and duration of LCR-mediated gene transcription. *Cell* 87, 105-114.

Minina, E., Kreschel, C., Naski, M.C., Ornitz, D.M. and Vortkamp, A. (2002). Interaction of FGF, Ihh/Pthlh, and BMP Signaling integrates chondrocyte Proliferation and hypertrophic Differentiation. *Dev Cell* 3, 439-449.

Motoyama, J., Takabatake, T., Takeshima, K., and Hui, C. (1998). Ptch2, a second mouse Patched gene is co-expressed with Sonic hedgehog. *Nat Genet.* 18, 104-106.

- Muller, F., Chang, B.E., Fischer, A.N., Tora, L., Strähle, U. (1999). Intronic enhancers control expression of zebrafish sonic hedgehog in floor plate and notochord. *Development* 126, 2103-2116.
- Mundlos, S. (2000). Skeletal morphogenesis. *Methods in Molecular Biology* 136, 61-70
- Nanni, L., Ming, J.E., Bocian, M., Steinhaus, K., Bianchi, D.W. (1999). The mutational spectrum of the sonic hedgehog gene in holoprocencephaly: SHH mutations cause a significant proportion of autosomal dominant holoprocencephaly. *Hum Mol Genet.* 8, 2479-2488.
- Niedermaier, M., Schwabe, G.C., Fees, S., Helmrich, A., Brieske, N., Seemann, P., Hecht, J., Seitz, V., Stricker, S., Leschik, G., Schrock, E., Selby, P.B and Mundlos, S. (2005). An inversion involving the mouse Shh locus results in brachydactyly through dysregulation of Shh expression. *The Journal of Clinical Investigation* 115, 900-909.
- Niswander, L., Tickle, C., Vogel, A., Booth, I., Martin, G.R., (1993). FGF-4 replaces the apical ectodermal ridge and directs outgrowth and patterning of the limb. *Cell* 75, 579-587.
- Nobrega, M.A., Ovcharenko, I., Afzal, V., Rubin, M.E. (2003). Scanning Human Gene Deserts for Long-Range Enhancers. *Science* 302, 413-416
- Nüsslein-Vollhard, C., und Wieschhaus, E. (1980). Mutations affecting segment numbers and polarity in Drosophila. *Nature* 287, 795-801.
- Oldak, M., Grzela, T., Lazarczyk, M., Malejczyk, J., Skopinski, P. (2001). Clinical aspects of disrupted Hedgehog signaling. *International Journal of Molecular Medicine*.
- Olivieri, P., Davidson, E.H. (2004). Gene regulatory network controlling embryonic specification in the sea urchin. *Current Opinion Genetic Development* 14, 351-360.
- Parmantier, E., Lynn, B., Lawson, D., Turmaine, M., Namini, S. S., Chakrabarti, L., MvMahoon, A.P., Jessen, K.R., Mirsky, R. (1999). Schwann cell-derived Desert hedgehog controls the development of peripheral nerve sheaths. *Neuron* 23, 713-724.
- Pathi, S., Rutenberg, J.B., Johnson, R.L., and Vortkamp, A. (1999). Interaction of Ihh and BMP/Noggin signaling during cartilage differentiation. *Dev Biol.* 209, 239-253.
- Park, H.L., Bai, C., Platt, K.A., Matise, M.P., Beeghly, A., Hui, C.C. (2000). Mouse Gli1 mutants are viable but have defects in SHH signaling in combination with a Gli2 mutation. *Development* 127, 1593-1605.
- Peichel, C.L., Vogt, T.F. (1996). Genetic and molecular analysis of the mouse Ulnaless locus. *Ann NY Acad Sci* 785, 314-317.
- Peichel, C.L., Abbott, C.M., Vogt, T.F. (1996). Genetic and physical mapping of the mouse Ulnaless locus. *Genetics*, 144, 1757-1767.

- Peichel, C.L., Prabhakaran, B., Vogt, T.F. (1997). The mouse Ulnaless mutation deregulates posterior HoxD gene expression and alters appendicular patterning. *Development* 124, 3481-3492.
- Pearse, R.V., Collier, L.S., Scott, M.P., and Tabin, C.J. (1999). Vertebrate homologs of Drosophila Suppressor of fused interact with the Gli family of transcriptional regulators. *Dev Biol.* 212, 323-336.
- Polinkovsky, A., Robin, N.H., Thomas, J.T., Irons, M., Lynn, A., Goodman, F.R., Reardon, W., Kant, S.G., Brunner, H.G., van der Burgt, I., Chitayat, D., McGaughran, J., Donnai, D., Luyten, F.P., Warman, M.L. (1997). Mutations in CDMP1 cause autosomal dominant brachydactyly type C. *Nat Genet.* 17, 18-19.
- Porter, J.A., von Kessler, D.P., Ekker, S.C., Young, K.E., Lee, J.J., Moses, K., and Beachy, P.A. (1995). The product of hedgehog autoproteolytic cleavage active in local and long-range signalling. *Nature* 374: 363-366.
- Porter, J.A., Ekker, S.C., Park, W.J., von Kessler, D.P., Young, K.E., Chen, C.H., Ma, Y., Woods, A.S., Cotter, R.J., Koonin, E.V. (1996a). Role of a lipophilic modification mediated by the carboxy-terminal autoprocessing domain. *Cell* 86, 21-34.
- Porter, J.A., Young, K.E., Beachy, P.A. (1996b). Cholesterol modification of Hedgehog signalling proteins in animal development. *Science* 274, 255-259
- Radford, I.R. (1986). Evidence for a general relationship between the induced level of DNA double-strand breakage and cell-killing after X-irradiation of mammalian cells. *International Journal of Radiation* 49, 611-620.
- Reeves, H., D'Eustachio P. (1995). Genetic and Comparative Mapping in Mice.
- Riddle, R., Johnson, R., Laufer, E., and Tabin, C. (1993). Sonic hedgehog mediates the polarizing activity of the ZPA. *Cell* 75, 1401-1416.
- Roach, E., Demyer, W., Conneally, P.M., Palmer, C., and Merrit, A. D. (1975). Holoprosencephaly: Birth data, genetic and demographic analyses of 30 families. *Birth Defects Orig. Artic. Ser.* 11, 294-313.
- Robbins, D.J., Nybakken, K.E., Kobayashi, R., Sisson, J.C., Bishop, J.M., Therond, P.P. Hedgehog elicits signal transduction by means of a large complex containing the kinesin-related protein costal2. (1997). *Cell* 90, 225-234.
- Roessler, E., Belloni, E., Gaudenz, K., Jay, P., Berta, P. (1996). Mutations in the human Sonic Hedgehog gene cause Holoprosencephaly. *Nat Genet.* 14, 357-360.
- Roessler, E., Ward, D.E., Gaudenz, K., Belloni, E., Scherer, S.W., Donnai, D., Siegel-Bartelt, J., Tsui, L.C., Muenke, M. (1997). Cytogenetic rearrangements involving the loss of the Sonic hedgehog gene at 7q36 cause holoprosencephaly. *Hum Genet.* 100, 172-181
- Ros, M.A., Dahn, R.D., Fernandez-Teran, M., Rashka, K., Caruccio, N.C., Hasso, S.M., Bitgood, J.J., Lancman, J.J., Fallon, J.F. (2003). The chick oligozeugodactyl (ozd) mutant lacks sonic hedgehog function in the limb. *Development* 130, 527-37.

Royer-Pokora, B., Kunkel, L.M., Monaco, A.P., Goff, S.C., Newburger, P.E., Baehner, R.L., Cole, F.S., Curnutte, J.T., Orkin, S.H. (1986). Cloning the gene for an inherited human disorder - chronic granulomatous disease – on the basis of its chromosomal location. *Nature* 322, 32-40.

Sagai, T., Masuya, H., Tamura, M., Shimizu, K., Yada, Y., Wakana, S., Gondo, Y., Noda, T., Shiroishi, T. (2004). Phylogenetic conservation of a limb specific, cis-acting regulator of Sonic hedgehog (Shh). *Mammalian Genome* 15, 23-34.

Sambrook, J., Russell, D.W. Sambrook, JE. (2001) Molecular Cloning: A laboratory manual. *Cold Spring Harbor Laboratory Press*.

Saunders, J.W., Jr., (1948). The proximo-distal sequence of origin of the parts of the chick wing and the role of the ectoderm. *J. Exp. Zool.* 108, 363-403.

Saunders, J.W., Jr., and Gasseling, M.T. (1968). Ectoderm-Mesenchymal Interaction in the Origins of Wing Symmetry. pp. 78-97. *Williams & Wilkins, Baltimore, MD*.

Schuelke, M. (2001). An economic method for the fluorescent labeling of PCR fragments. *Nat Biotech.* 18, 233-234.

Schwabe, G.C., Tinschert, S., Buschow, C., Meinecke, P., Wolff, G., Gillessen-Kaesbach G, Oldridge, M., Wilkie, A.O., Komec, R., Mundlos, S. (2000). Distinct mutations in the receptor tyrosine kinase gene ROR2 cause brachydactyly type B. *Am J Hum Genet.* 67, 822-831.

Schwartz, S., Zhang, Z., Frazer, K.A., Arian, S., Riemer, C., Bouck, J., Gibbs, R., Hardison, R., Miller, W. (2000). PipMaker – A web server for aligning two genomic DNA Sequences. *Genome Research* 10, 577-586

Selby, P.B., Bloch, S.N., Mierzejewski, V.S., McKinley, T.W., Jr., Raymer, G.D. (1993). Synergistic interactions between two skeletal mutations in mice: Individual and combined effects of the semidominants Cleidocranial dysplasia (Ccd) and Short digits (Dsh). *The Journal of Heredity* 84, 466-474

Shaw, C.J., Lupski, J.R. (2004). Implications of human genome architecture for rearrangement-based disorders: the genomic basis of disease. *Hum Mol Genet.* 13, R57-64.

Silver, L.M. (1995). Mouse Genetics – Concepts and Applications - . *Oxford University Press*.

Spitz, F., Gonzalez, F., Duboule, D. (2003). A global control region defines a chromosomal landscape containing the HoxD cluster. *Cell* 113, 405-17.

Springer, M.S., Murphy, W.J., Eizirik, E., and O'Brien, S.J. (2003). Placental mammal diversification and the Cretaceous – Tertiary boundary. *PNAS* 100, 1056-1061.

St-Jacques, B., Hammerschmidt, M and McMahon, A.P. (1999). Indian hedgehog signaling regulates proliferation and differentiation of chondrocytes and is essential for bone formation. *Genes & Development* 13, 2072-2086.

Stone, D.M., Hynes, M., Armanini, M., Swanson, T.A., Gu, Q., Johnson, R.L., Scott, M.P., Pennica, D., Goddard, A., Phillips, H., Noll, M., Hooper, J.E., de Sauvage, F., Rosenthal, A. (1996). The tumor suppressor gene patched encodes a candidate receptor for Sonic hedgehog. *Nature* 384, 129-134.

Storm, E.E., Huynh, T.V., Copeland, N.G., Jenkins, N.A., Kingsley, D.M., Lee, S.J. (1994). Limb alterations in brachypodism mice due to mutations in a new member of the TGF beta-superfamily. *Nature* 368, 639-643.

Stubbs, L., Carver, E.A., Cacheiro, L.A., Shelby, M. and Generoso W. (1997). Generation and characterization of heritable reciprocal translocations in mice. *Methods*: 13, 397-408.

Taccioli, G.E., Gottlieb, T.M., Blunt, T., Priestley, A., Demengeot, J., Mizuta, R., Lehmann, A.R., Alt, F.W., Jackson, S.P., Jeggo, P.A. (1994). Ku80: product of the XRCC5 gene and its role in DNA repair and V(D)J recombination. *Science* 265, 1442-1445.

Taipale, J., Cooper, M.K., Maiti, T., Beachy, P.A. (2002). Patched acts catalytically to suppress the activity of Smoothened. *Nature* 418, 892-897.

Temptamy, S.A., McKusick, V.A. (1978). The genetics of hand malformations. Ed. Bergsma, T.A. Liss Inc. New York

Thomas, J.T., Kilpatrick, M.W., Lin, K., Erlacher, L., Lembessis, P., Costa, T., Tsipouras, P., Luyten, F.P. (1997). Disruption of human limb morphogenesis by a dominant negative mutation in CDMP1. *Nat Genet.* 17, 58-64.

Thomas, J.T., Lin, K., Nandedkar, M., Camargo, M., Cervenka, J., Luyten, F.P. (1996). A human chondrodysplasia due to a mutation in a TGF-beta superfamily member. *Nat Genet.* 12, 315-317.

Thompson, L.H., Brookman, K.W., Jones, N.J., Allen, S.A., Carrano, A.V. (1990). Molecular cloning of the human XRCC1 gene, which corrects defective DNA strand break repair and sister chromatid exchange. *Mol Cell Biol.* 10, 6160-6171.

Therond, P.P., Knight, J.D., Kornberg, T.B., Bishop, J.M. (1996). Phosphorylation of the fused protein kinase in response to signaling from hedgehog. *PNAS* 93, 4224-4228.

Tufarelli, C., Stanley, J.A., Garrick, D., Sharpe, J.A., Ayyub, H., Wood, W.G., Higgs, D.R. (2003). Transcription of antisense RNA leading to gene silencing and methylation as a novel cause of human genetic disease. *Nat Genet.* 34, 157-165.

Venter, J.C., Adams, M.D., Myers, E.W., Li, P.W., Mural, R.J., Sutton, G.G., Smith, H.O., Yandell, M., Evans, C.A. et al., (2001). The sequence of the human genome. *Science* 291, 1304-1351.

Vortkamp, A., Gessler, M., Grzeschik, K.H. (1991). GLI3 zinc-finger gene interrupted by translocations in Greig syndrome families. *Nature* 352, 539-40.

- Vortkamp, A., Lee, K., Lanske, B., Segre, G.V., Kronenberg, H.M., Tabin, C.J. (1996). Regulation of rate of cartilage differentiation by Indian hedgehog and Pth-related protein. *Science* 273, 613-22.
- Wallrath, L.L., Elgin, S.C. (1995). Position effect variegation in Drosophila is associated with an altered chromatin structure. *Genes & Development* 9, 1263-1277.
- Ward, J.F. (1988). DNA damage produced by ionizing radiation in mammalian cells: identities, mechanisms of formation, and reparability. *Prog Nucleic Acid Res Mol Biol.* 35, 95-125.
- Waterston, R.H., Lindblad-Toh, K., Birney, E., Rogers, J., Abril, J.F., Agarwal, P., Agarwala, R., Ainscough, R., Alexandersson, M., et al., (2002). Initial sequencing and comparative analysis of the mouse genome. *Nature* 420, 520-62.
- Welscher, P.T., Zuniga, A., Kujper, S., Drenth, T., Goedemans, H.J., Meijlink, F., und Zeller, R. (2002). Progression of vertebrate limb development through SHH-mediated counteraction of Gli3. *Science* 298, 827-830.
- Wolpert, L. (1998). Principles of Development. *Current Biology Ltd./Oxford University Press*.
- Woolfe, A., Goodson, M., Goode, D.K., Snell, P., McEwen, G.K., Vavouri, T., Smith, S.F., North, P., Callaway, H., Kelly, K., Walter, K., Abnizova, I., Gilks, W., Edwards, Y.J., Cooke, J.E., Elgar, G. (2005). Highly conserved non-coding sequences are associated with vertebrate development. *PLOS Biology* 3(1):e7.
- Woychik, R.P., Generoso, W.M., Russel, L.B., Cain, K.T., Cacheiro, N.L., Bultman, S.J., Selby, P.B., Dickinson, M.E., Hogan, B.L., Rutledge, J.C. (1990). Molecular and genetic characterization of a radiation-induced structural rearrangement im mouse chromosome 2 causing mutations at the limb deformity and agouti loci. *PNAS* 87(7):2588-2592.
- Ye, W., Shimamura, K., Rubenstein, J.L., Hynes, M.A., and Rosenthal, A. (1998). FGF and Shh signals control dopaminergic and serotonergic cell fate in the anterior neural plate. *Cell* 93, 755-766.
- Zhou, Z.H., Akgun, E., Jasin, M. (2001). Repeat expansion by homologous recombination in the mouse germ line at palindromic sequences. *PNAS* 98, 8326-8333.
- Zuniga, A., Haramis, A.P., McMahon, A.P., und Zeller, R. (1999). Signal relay by BMP antagonism controls the SHH/FGF4 feedback loop in vertebrate limb buds. *Nature* 401, 598-602.