

7. Literatur

Abel, T. and Kandel, E. (1998) Positive and negative regulatory mechanisms that mediate long-term-memory storage.

Brain. Res. 26:360-378

Abel, T., Nguyen, V., Barad, M., Deuel, T.A.S., Kandel, E., Bourtchouladze, R. (1997) Genetic demonstration of a role for PKA in the late phase of LTP and in hippocampus-based long-term-memory.

Cell Vol. 88; 7 :615-626

Adams, J.C. (1992) Biotin amplification of biotin and horseradish peroxidase signals in histochemical stains.

J. Histochem. Cytochem. 40:1457-1463

Agnihotri, N., Lopez-Garcia, J.C., Hawkins, R.D. Arancio, O. (1998) Morphological changes associated with long-term-potentialiation.

Histol. Histopathol. 4:1155-62

Akers, R.F., Lovinger, D.M., Colley, P.A., Linden, D.J., Routtenberg, A. (1986) Translocation of protein kinase C activity may mediate hippocampal long-term-potentialiation.

Science 231:578-589

Alger, B.E. and Teyler, T.J. (1976) Long-term and short-term plasticity in the CA1, CA3 and dentate regions of the rat hippocampal slice.

Brain. Res. 110:463-480

Alvarez, P., Zola-Morgan, S., Squire, S.L. (1994) The animal model of human amnesia: long-term memory impaired and short term memory intact.

Proc.Natl.Acad.Sci., USA 91 :5637-5641

Amaral, D.G. and Witter, W. P. (1989) The three dimensional organisation of the hippocampal formation: a review of anatomical data.

J.Neurosci. 31:571-591

Andersen, P. and Hvalby, O. (1986) Long-term-potential. Problems and possible mechanisms In: The Hippocampus Vol. 3:169-186. Eds. R.L. Isaacson and K.H. Pribram, Plenum Press: New York

Andersen, P., Sundberg, S.H., Sveen, O., Wigström, H. (1977) Specific long-lasting potentiation of synaptic transmission in hippocampal slices.

Nature 266:736-737

Applegate, M.D., Kerr, D.S. , Landfield, P.W. (1987) Redistribution of synaptic vesicles during long-term-potential in the hippocampus.

Brain Res.401:401-406

Arias, J., Alberts, A.S., Brindle, P., Claret, F.X., Smeal, T., Karin, M., Feramisco, J., Montminy, M. (1994) Activation of cAMP and mitogen response genes relies on a common nuclear factor.

Nature 370 :226-229

Bacher, B., Wang, X., Schulz, S., Höllt, V. (1996) Induction of proenkephalin gene expression in cultured bovine chromaffine cells is dependent on protein synthesis of AP-1 proteins.

J.Neurochem. 66:2264-227

Bacskai, B.J., Hochner, B., Mahaut-Smith, M., Adams, S.R., Kaang, B.K., Kandel, E.R., Tsien, R.Y. (1993) Spatially resolved dynamics of cAMP and protein kinase A subunits in Aplysia sensory neurons.

Science 260:222-226

Bailey, C.H., Bartsch, D., Kandel, E.R. (1996) Toward a molecular definition of long-

term-memory storage.

Proc.Natl.Acad.Sci.USA 93:13445-13452

Bailey, C.H., Kaang, B.K., Chen, M., Martin, K.C., Lim, C.S., Casadio, A., Kandel, E.R. (1997) Mutation in the phosphorylation sites of MAP kinase blocks learning-related internalization of apCAM in Aplysia sensory neurons.

Neuron 18:913-924

Barondes, S. and Cohen, H.D. (1968) Arousal and the conversion of `short-term` to `long-term` memory.

Proc.Natl.Acad.Sci.USA, 61:923-929

Barrionuevo, G. and Brown, T.H. (1983) Associative long-term-potential in hippocampal slices.

Proc.Natl.Acad.Sci.,USA 80: 7347-7351

Bartsch, D., Casadio, A., Karl, K.A., Serodio, P., Kandel, E.R. (1998) CREB 1 encodes a nuclear activator, a repressor, and a cytoplasmic modulator that form a regulatory unit critical for long-term facilitation.

Cell 95:211-223

Bartsch, D., Ghirardi, M., Shehel, P.A., Karl, K.A., Herder, S.P., Chen, M., Bailey, C.H., Kandel, E.R. (1995) Aplysia CREB2 represses long-term facilitation:relief of repression converts transient facilitation into long-term functional and structural change.

Cell 83:979-992

Barzilai, A., Kennedy, T.E., Sweatt, J.D., Kandel, E.R. (1989) 5-HT modulates protein synthesis and the expression of specific proteins during long-term facilitation in Aplysia sensory neurons.

Neuron 2:1577-1568

Baudry, M., Oliver, M., Creager, R., Wieraszko, A., Lynch, G. (1980) Increase in gluta-

mate receptors following repetitive electrical stimulation in hippocampal slices.

Life Sci. 27:325-330

Berger, T.W., Yeckel, M.F., Thiels, E. (1997) Network determinants of hippocampal synaptic plasticity. In:

Long-term-potentialiation, Vol.3 (Baudry, M., Davis, J.L.eds.) 233-267. Cambridge press

Bernard, C., Cannon, R.C., Ben-Ari, Y., Wheal, H.V. (1997) Model of spatio-temporal propagation of action potentials in the schaffer collateral pathway of the CA1 area of the rat hippocampus.

Hippocampus 7: 58-72

Bito, H., Deisseroth, K., Tsien, R.W. (1996) CREB phosphorylation and dephosphorylation: a Ca^{2+} -and stimulus-dependent switch for hippocampal gene expression.

Cell 87:1203-1214

Bliss, T.V.P. and Lomo, T. (1973) Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path.

J.Physiol.Lond. 232:357-374

Bliss, T.V.P. and Collinridge, G.L. (1993) A synaptic model of memory: long-term-potentialiation in the hippocampus.

Nature 361:31-39

Bliss, T.V.P. and Lynch, M.A. (1988) Long-term-potentialiation of synaptic transmission in the hippocampus: properties and mechanisms. In: Neurology and Neurobiology Vol.35.

Long-Term-Potentialiation: From Biophysics to Behavior .3-72 Eds.P.W.Landfield and S.A.Deadwyler, Alan R. Liss: New York

Blitzer, R.D., Wong, T., Nouranifar, R., Iyengar, R., Landau, E.M. (1995) Postsynaptic cAMP pathway gates early LTP in hippocampal CA1 region.

Neuron 15:1403-1414

Bourtchuladze, R., Frenguelli, B., Blendy, J., Cioffy, D., Schutz, G., Silva, A.J. (1994) Deficient long-term-memory in mice with a targeted mutation of the cAMP-responsive element binding protein.

Cell 79:59-68

Brown, T.H. and McAfee, D.A.(1982) Long-term synaptic potentiation in the superior cervical ganglion.

Science 215:1411-1413

Burgoon, P.W., Burry, R.W., Boulant, J.A. (1997) Neuronal thermosensitivity and survival of rat hypothalamic slices in recording chambers.

Brain Res. 777(1-2)31-41

Cahill, L., Prins, B., Weber, M., McGaugh, J.L. (1994) Beta adrenergic activation and memory for emotional events.

Nature 371:702-704

Castelucci, V.F., Blumenfeld, H., Goelet, P., Kandel, E.R. (1989) Inhibitor of protein synthesis blocks long-term behavioral sensitization in the isolated gill-withdrawal reflex of *Aplysia*.

J.Neurobiol.20:1-9

Churn, S.B., Taft, W.C., Billingsley, M.S., Blair, R.E., DeLorenzo, R.J. (1990) Temperature modulation of ischemic neuronal death and inhibition of calcium/calmodulin dependent protein kinase II in gerbils.

Stroke 21:1715-1721

Claiborne, B.J., Xiang, Z., Brown, T.H. (1993) Hippocampal circuitry complicates analysis of long-term-potentiation in mossy fiber synapses.

Hippocampus 2:115-121

Collinridge, G.L., Kehl, S.J., McLennan, H. (1983a) The antagonism of amino-acid-

induced excitations of rat hippocampal CA 1 neurons in vitro.

J.Physiol. 334:19-31

Collinridge, G.L., Kehl, S.J., McLennan, H. (1983b) Excitatory amino acids in synaptic transmission in the schaffer-collateral-commissural pathway of the rat hippocampus.

J.Physiol. 334:33-46

Collinridge, G.L. and Bliss, T.V.P. (1995) Memories of NMDA receptors and LTP.

Trends Neurosci. 18:54-56

Crow, T. and Forrester, J. (1990) Inhibition of protein synthesis blocks long-term enhancement of generator potentials produced by one-trial in vivo conditioning in Hermis-senda.

Proc.Natl.Acad.Sci.,USA 87:4490-4494

Dash, P.K., Karl, K.A., Colicos, M.A., Prywes, R., Kandel, E.R. (1991) cAMP response element binding protein is activated by Ca²⁺/ Calmodulin as well as cAMP dependent protein kinase.

Proc.Natl.Acad.Sci.USA, 88:5061-5065

Dash, P.K., Hochner, B., Kandel, E.R. (1990) Injection of the cAMP responsive element into the nucleus of Aplysia sensory neurons blocks long-term facilitation.

Nature 345:718-721

Davies, S.N., Lester, R.A.J., Reymamm, K.G., Collinridge, G.L. (1989) Temporally distinct pre- and post-synaptic mechanisms maintain long-term-potentialiation.

Nature 338:500-503

Davis, H.P. and Squire, L.R. (1984) Protein synthesis and memory: a review.

Psychol. Bull. 96:518-559

Davis, S., Vanhoutte, P., Pages, C., Caboche, J. and Laroche, S. (2000) The MAP/ERK

cascade targets both Elk-1 and cAMP response element-binding protein to control long-term-potential dependent gene expression in the dentate gyrus in vivo.

J. Neurosci. 20:4563-4572

Debanne, D., Gähwiler, B., H. Thompson, S.M. (1999) Heterogeneity of synaptic plasticity at unitary CA3-CA1 and CA3-CA1 connections in rat hippocampal slice cultures.

J.Neurosci.15:10664-10671

De Groot, R.P., den Hertog, J.,Vandenhede, J.R., Goris, J., Sassone-Corsi, P. (1993) Multiple and cooperative phosphorylation events regulate the CREM activator function.

EMBO J.12:3903-3911

De Groot, R.P. and Sassone-Corsi, P. (1993) Hormonal control of gene expression multiplicity and versatility of cyclic adenosine 3`-5`monophosphate-responsive nuclear regulators.

Mol.Endocrinol.7:145-153

De Groot, R.P., Delmas, V., Sassone-Corsi, P. (1994) DNA binding by transcription factors CREM and CREB.

Oncogene 2:436-438

Deisseroth, K., Bito, H., Tsien, R.W. (1996) Signalling from synapse to nucleus: postsynaptic CREB-phosphorylation during multiple forms of hippocampal synaptic plasticity.

Neuron 16:89-101

Deisseroth, K., Heist, E.K., Tsien, R.W. (1998) Translocation of calmodulin to the nucleus supports CREB phosphorylation in hippocampal neurons.

Nature 312:198-202

Desmond, N.L.and Levy, W.B. (1988a) Changes in the numerical density of synaptic contacts with long-term-potential in the hippocampal dentate gyrus.

J.Comp.Neurol. 253:466-475

Desmond, N.L. and Levy, W.B. (1988b) Changes in the postsynaptic density with long-term-potential in the dentate gyrus.

J.Comp.Neurol.253:476-482

Deutsch, P.J., Jameson, J.L., Habener, J.F. (1987) cyclic AMP responsiveness of human gonadotropin alpha gene transcription is directed by a repeated 18 base pair enhancer. Alpha promoter receptivity to the enhancer confers cell- preferential expression.

J.Biol.Chem.262:12169-12174

Dickinson, A. (1980) Contemporary animal learning theory.

Cambridge,England, Cambridge University Press

Dolphin, A.C., Errington, M.L. , Bliss, T.V.P. (1982) Long-term-potential of the perforant path in vivo is associated with increased glutamate release.

Nature 297:496-498

Dolphin, A.C. (1985) Long-term-potential at peripheral synapses.

Trends Neurosci. 8 :376-378

Dragunow, M., Abraham, W.C., Goulding, M., Mason, M.E., Robertson, H.A., Faull, R.M. (1989) Long-term-potential and the induction of c-fos mRNA and protein in the dentate gyrus of unaesthetized rats.

Neurosci.Lett.101:274-280

Dudai, Y. (1989) The neurobiology of memory: concepts, findings, trends.

Oxford, Oxford university press

Dunwiddie, T.V. and Lynch, G. (1978) Long-term-potential and depression of synaptic responses in the rat hippocampus: localisation and frequency dependency.

J.Physiol.Lond.276:353-367

Eccles, J.C. (1988) Mammalian systems for storing and retrieving information. In: Cellular Mechanisms of conditioning and behavioral plasticity, 289-302. Eds. C.D. Woody, D.L. Alkon and J.L. McGaugh. Plenum : New York

English, J.D. and Sweatt, J.D. (1996) Activation of p42 mitogen activated protein kinase in hippocampal long-term-potentiation.

J. Biol. Chem. 271,40:24329-24332

Errington, M.L., Lynch, M.A., Bliss, T.V.P. (1987) Long-term-potentiation in the dentate gyrus: Induction and increased glutamate release are blocked by D(-) aminophosphonovalerate.

Neuroscience 20:279-284

Fazelli, M.S. (1992) Synaptic plasticity: on the trail of the retrograde messenger.

Trends Neurosci. 15:115-117

Feasey, K.J., Lynch, M.A., Bliss, T.V.P. (1986) Long-term-potentiation is associated with an increase in calcium dependent, potassium-stimulated release of C14 glutamate from hippocampal slices: an ex vivo study in the rat.

Brain Res. 364:39-44

Fifkova, E. and Van Harrefeld, A. (1977) Long-lasting morphological changes in dendritic spines of dentate granular cells following stimulation of the entorhinal area.

J. Neurocytol. 6:211-230

Flexner, L.B. and Flexner, J.B. (1966) Effect of acetoxycyclohexemide and of an acetoxycyclohexemide-puromycin mixture on cerebral protein synthesis and memory in mice.

Proc. Natl. Acad. Sci., USA 55: 369-374

Foulkes, N.S., Borrelli, E., Sassone-Corsi, P. (1991) CREM gene: use of alternative DNA binding domains generate multiple antagonists of cAMP induced transcription.

Cell 64:1025-1037

Foulkes, N.S., Mellström, B., Benusiglio, E., Sassone-Corsi, P. (1992) Developmental switch of CREM function during spermatogenesis from antagonist to activator.

Nature 355:80-84

Frank, D.A. and Greenberg, M.E. (1994) CREB: a mediator of long-term-memory from mollusks to mammals.

Cell 79:5-8

Frey, U., Krug, M., Reymann, K.G., Matthies, H. (1988) Anisomycin, an inhibitor of protein synthesis, blocks late phase of LTP phenomena in the hippocampal CA 1 region in vitro.

Brain Res.452 :57-65

Frey, U., Huang, Y.Y., Kandel, E.R. (1993) Effects of cAMP stimulate a late stage of LTP in hippocampal CA 1 neurons.

Science 260:1661-1664

Friedlander, M.J., Sayer, R.J., Redman, S.J (1990) Evaluation of long-term-potential of small compound and unitary EPSPs at the hippocampal CA3-CA1 synapse.

J.Neurosci.10:814-825

Ginsberg, M.D., Sternau, L.L., Globus, M.Y., Dietrich, W.D., Busto, R. (1992) Therapeutic modulation of brain temperature: Relevance to ischemic brain injury.

Cerebrovasc. Brain Metab.Rev.4:189-225

Ginty, D.D., Bonni, A., Greenberg, M.E. (1994) Nerve growth factor activates a ras dependent protein kinase that stimulates c-fos transcription via phosphorylation of CREB.

Cell 77:713-725

Goelet, P., Castelucci, V.F., Schacher, S., Kandel, E.R. (1986) The long and the short term memory-a molecular framework.

Nature 322:419-422

Gonzales, G.A. and Montminy, M.R. (1989) Cyclic cAMP stimulates somatostatin gene transcription by phosphorylation of CREB at serine-133.

Cell 59:675-680

Greengard, P., Jen, J., Nairn, J.C., Stevens, C.F. (1991) Enhancement of the glutamate response by cAMP dependent protein kinase in hippocampal slices.

Science 253:1135-1138

Greengard, P., Valtorta, F., Czernik, A.J., Benfenati, F. (1993) Synaptic vesicle phosphoproteins and regulation of synaptic function.

Science 259:780-785

Gustaffson, B. and Wigström, H. (1986) Hippocampal long-lasting potentiation produced by pairing single volleys and brief conditioning tetani evoked in separate afferents.

J.Neurosci. 6:1575-1582

Habener, J. (1990) Cyclic AMP response element binding proteins: a cornucopia of transcription factors.

Mol.Endocrinol.4:1087-1094

Hagiwara, M., Brindle, P., Harootunian, A., Armstrong, R., Rivier, J., Vale, W., Tsien, R., Montminy, M.R. (1993) Coupling of hormonal stimulation and transcription via the cyclic AMP responsive factor CREB is rate limited by nuclear entry of protein kinase.

A.Mol.Cell Biol.13:4852-4859

Harris, E.W., Ganong, A.H., Cotman, C.W. (1984) Long-term-potentiation in the hippocampus involves activation of N-methyl-D-aspartate receptors.

Brain Res.323:132-137

Harris, E.W. and Cotman, C.W. (1986) Long-term-potentiation of guinea pig mossy fiber responses is not blocked by N-methyl D-aspartate antagonists.

Neurosci.Lett.70:132-137

Herron, C.E., Lester, R.A.J., Coan, E.J., Collinridge, G.L (1986) Frequency dependent involvement of NMDA-receptors in the hippocampus: a novel synaptic mechanism.

Nature 322: 265-268

Hevroni, D., Rattner, A., Bundmann, M., Lederfein, D., Gabarah, A., Mangelus, M., Silverman, M.A., Kedar, H., Naor, C., Kornuc, M., Hannoeh, T., Seger, R., Theill, L.E., Nedivi, E., Richter-Levin, G., Citry, Y. (1998) Hippocampal plasticity involves extensive gene induction and multiple cellular mechanisms.

J.Mol.Neurosci.10:75-98

Hilgard, E.R., and Bower, G.H. (1975) Theories of learning.

4th ed. Englewood cliffs, N.J. Prentice Hall

Hoeffler, J.P., Meyer, T.E., Yun, Y., Jameson, J.L., Habener, J.F. (1988) Cyclic cAMP responsive DNA binding protein: structure based on a cloned placental cDNA.

Science 242: 1430-1433

Huang, Y.Y. and Kandel, E.R. (1994) Recruitment of long-lasting and protein kinase A dependent long-term-potential in the CA 1 region of the hippocampus requires repeated tetanization.

Learning & Memory 1:74-82

Huang, Y.Y., Kelsey, C.M., Kandel, E. (2000) Both protein kinase A and mitogen-activated protein kinase A are required in the amygdala for the macromolecular synthesis-dependent late phase of long-term-potential (2000)

J.Neurosci. 20:6317-6325

Hughes, P. and Dragunow, M. (1995) Induction of immediate early genes and the control of neurotransmitter-regulated gene expression within the nervous system.

Pharmacol. Rev.47:133-178

Impey, S., Mark, M., Villacres, E.C., Chavkin, C., Storm, D.R. (1996) Induction of CRE-

mediated gene expression by stimuli that generate long-lasting LTP in area CA 1 of the hippocampus.

Neuron 16:973-982

Impey, S., Obrietan, K., Wong, S.T., Poser, S., Yano, S., Wayman, G., Deloume J.C., Chan, G., Storm, D.R. (1998) Cross talk between ERK and PKA is required for Ca²⁺ Stimulation of CREB dependent transcription and ERK nuclear translocation.

Neuron 21:869-883

Impey, S., Smith, D.M., Obrietan, K., Donahue, R., Wade, C., Storm, D.R. (1998) Stimulation of cAMP response element (CRE)-mediated transcription during contextural learning.

Nature Neuroscience 1:595-601

Ito, I., Hidaka, H., Sugiama, H. (1991) Effects of KN-62, a specific inhibitor of calcium/calmodulin-dependent protein kinase II, on long-term-potential in the rat hippocampus.

Neurosci. Lett 121:119-121

Iwata, R., Ito, H., Hayashi, T., Sekine, Y., Koyama, N., Yamaki, M. (1995) Stable and general -purpose chemiluminescent detection system for horseradish peroxidase employing a thiazole compound enhancer and some additives.

Anal.Biochem. 231:170-174

Johnston, M.F., Kravitz, E.A., Meiri, H., Rahamimoff (1983) Adrenocorticotrop hormone causes long-lasting potentiation of transmitter release from frog motor nerve terminals.

Science 220:1071-1072

Josselyn, S.A., Shi, C., Carlezon, W.A.Jr., Neve, R.L., Nestler, E.J., Davis, M. (2001) Long-term-memory is facilitated by cAMP response element binding protein overexpression in the amygdala.

J.Neurosci.21:2404-2412

Kandel, E.R. (1989) Genes, nerve cells and the remembrance of things past.
J.Neuropsychiatry 1:103-125

Kandel, E.R. and Schwartz, J.H. (1982) Molecular biology of learning: modulation of transmitter release.
Science, 218: 433-443

Kanterewicz, B.I., Urban, N., McMahon, D.B.T, Norman, E.D., Giffen, L.J., Favata, M.F., Scherle, P., Trzaskos, J.M., Barrionuevo, G., Klann, E. (2000) The extracellular signal-regulated kinase cascade is required for NMDA receptor-independent LTP in area CA1 but not CA3 in the hippocampus.
J.Neurosci. 20 (9):3057-3066

Kauer, J.A., Malenka, R.C., Nicoll, R.A. (1988) A persistent postsynaptic modification mediates long-term-potential in the hippocampus.
Neuron 1:911-917

Kesner, R.P. and Connor, H.S. (1972) Independence of short-and long-term memory: a neural system analysis.
Science 76:432-434

Kilbourne, E.J., Nankova, B.B., Lewis, E.J., McMahon, A., Osaka, H., Sabban, D., Sabban, D.L. (1992) Regulated expression of the tyroxine hydroxylase gene by membran depolarisation. Identification of the responsive element and possible second messengers.
J.Biol.Chem.,267:7563-7569

Kindler, S. and Kennedy, M.B. (1996) Visualisation of autophosphorylation of Ca²⁺/calmodulin-dependent protein Kinase II in hippocampal slices.
J.Neurosci. Methods 68:61-70

Kornhauer, J.M. and Greenberg, M.E. (1997) A kinase to remember: dual roles for MAP

kinase in long-term memory.

Neuron 18:839-842

Krug, M., Loessner, B., Ott, T. (1984) Anisomycin blocks the late phase of long-term-potentiation in dentate gyrus of freely moving rats.

Brain Res.Bull.13:39-42

Kuba, K., Kato, E., Kumamoto, E., Koketsu, K., Hirai, K. (1981) Sustained potentiation of transmitter release by adrenaline and dibutyryl cyclic AMP in sympathetic ganglia. Nature 291:654-656

Kuba, K. and Kumamoto, E. (1990) Long-term-potentiation in vertebrate synapses: A variety of cascades with common subprocesses in:Progress in Neurobiology. Vol.34 :197-269

Kwok, R.P., Lundblad, J.R., Chrivia, J.C., Richards, J.P., Bachinger, H.P., Brennan, R.G., Roberts, S.G., Green, M.R., Goodman, R.H. (1994) Nuclear protein CBP is coactivator for the transcription factor CREB.

Nature 370 :223-226

Laoide, B.M., Foulkes, N.S., Schlotter, F., Sassone-Corsi, P. (1993) The functional versatility of CREM is determined by its molecular structure.

EMBO J.12:1179-1191

Lev, S., Moreno, H.Martinez, R., Canoll, P., Peles, E., Musachion, J.M., Plowman, G.D., Rudy, B., Schlessinger, J. (1995) Protein tyrosine kinase PYK2 involved in Ca²⁺ induces regulation of ion-channel and Map-Kinase function.

Nature 376:737-745

Levy, W.B. and Steward, O. (1979) Synapses as associative memory elements in the hippocampal formation.

Brain Res.175: 233-245

Loriaux, M.M., Brennan, R.G., Goodman, R.H. (1994) Modulatory function of CREB-CREM alpha heterodimer depend upon CREM alpha phosphorylation.

J. Biol. Chem. 269 :28839-28843

Lovinger, D.M., Wong, K.L., Murakami, K., Routtenberg, A. (1987) Protein kinase C inhibitors eliminate hippocampal long-term-potential.

Brain Res. 436:177-183

Lu, Y.F., Kandel, E.R., Hawkins, R.D. (1999) Nitric oxide signaling contributes to late-phase LTP and CREB phosphorylation in the hippocampus.

J. Neurosci. 19: 10250.10261

Lynch, G. and Baudry, M. (1984) The biochemistry of memory: a new and specific hypothesis.

Science 224:1057-1063

Lynch, M.A., Errington, M.L., Bliss, T.V.P. (1985) Long-term-potential of synaptic transmission in the dentate gyrus: increased release of C14 glutamate without increase in receptor binding.

Neurosci.Lett.29:123-129

Mackintosh, N.J. (1983) Conditioning and associative learning.

Oxford, Clarendon Press

Maitre, M. (1996) Memory and synaptic plasticity.

Ann. Biol.Clin.54:49-66

Malinow, R., Schumann, H., Tsien, R.W. (1989) Inhibition of postsynaptic PKC or CaM-KII blocks induction but not expression of LTP.

Science 245:862-866

Manabe, T. and Nicoll, R.A. (1994) Long-term-potential - evidence against an in-

crease in transmitter release in the CA 1 region of the hippocampus.

Science 265:1888-1892

Martin, K.C., Michael, D., Rose, J.C., Barad, M., Casadio, A., Zhu, H., Kandel, E.R. (1997) MAP kinase translocates into the nucleus of the presynaptic cell and is required for long-term facilitation in *Aplysia*.

Neuron 18:899-912

Matthies, H. (1989) In search of cellular mechanisms of memory.

Prog. Neurobiol.32 :277-349

Matthies, Jr. H., Reymann, K., Krug, M., Jork, R., Schroeder, H. (1990) Multiple mechanisms and multiple stages of LTP. In: Excitatory amino acids and neuronal plasticity (Ben-Ari ed.) pp 359-368. New York:Plenum

Matthies Jr. and H., Reymann, K.G. (1993) Protein kinase A inhibitors prevent the maintenance of hippocampal long-term-potential.

NeuroReport 4:712-714

Matthies, H., Schulz, S., Höllt, V., Krug, M. (1997a) Inhibition by compactin demonstrates a requirement of isoprenoid intermediates in hippocampal LTP.

Neuroscience 79:341-346

Matthies, H., Schulz, S., Thiemann, W., Siemer, H., Schmidt, H., Krug, M., Höllt, V. (1997b) Design of a multiple slice interface chamber and application for resolving the temporal pattern of CREB phosphorylation in hippocampal long-term-potential.

J.Neurosci.Methods 78:115-117

Mayer, M.L. and Westbrook, G.L. (1987) The physiology of excitatory amino acids in the vertebrate central nervous system.

Prog.Neurobiol.28:197-276

McNaughton, B.L., Douglas, R.M., Goddard, G.V. (1978) Synaptic enhancement in fascia dentata: cooperativity among coactive afferents.

Brain Res.157:277-293

Meshul, C.K. and Hopkins, W.F. (1990) Presynaptic ultrastructural correlates of long-term potentiation in the CA1 subfield of the hippocampus.

Brain Res. 514: 310-319

Milbrandt, J. (1987) A nerve growth factor-induced gene encodes a possible transcriptional regulatory factor.

Science 238:797-799

Montarolo, P.G., Goelet, P., Castellucci, V.F., Morgan, J., Kandel, E.R., Schacher, S. (1986) A critical period for macromolecular synthesis in long-term heterosynaptic facilitation in Aplysia.

Science 234:1249-1254

Montminy, M.R. and Bilezikjian, L.M. (1987) Binding of a nuclear protein to the cyclic-AMP response element of the somatostatin gene.

Nature 328:175-178

Montminy, M.R., Gonzales, G.A., Yamamoto, K.K. (1990) Regulation of cAMP-inducible genes by CREB.

Trends Neurobiol.13:184-188

Newman, G.C., Qi, H., Hospod, F.E., Grundmann, K. (1992) Preservation of hippocampal brain slices with in vivo or in vitro hypothermia.

Brain Res.575:159-163

Nguyen, P.V., Abel, T., Kandel, E.R. (1994) Requirement of a critical period of transcription for induction of a late phase of LTP.

Science 265:1104-1107

Nicoll, R.A. and Malenka, R.C. (1995) Contrasting properties of two forms of long-term-potential in the hippocampus.

Nature 377:115-117

Nowak, T.S. Jr., Zhou, Q., Voulalas, P.J., Sarvey, J. (1995) Gene expression as an index of pathophysiology associated with slice preparation. In: A.Schurr and B.M.Rigor (Eds) Brain slices in basic and clinical research, CRC Press, Boca Raton

Otani, S. and Ben-Ari, Y. (1993) Biochemical correlates of long-term-potential in hippocampal synapses.

Int.Rev.Neurobiol.35:1-41

Otani, S. and Abraham, W.C. (1989) Inhibition of protein synthesis in the dentate gyrus, but not the entorhinal cortex, blocks the maintenance of long-term-potential in rats.

Neurosci.Lett..106:175-80

Otmakhova, N.A, Otmakhov, N., Mortenson, L., H., Lisman, J.E. (2000) Inhibition of the cAMP pathway decreases early long-term-potential at CA1 hippocampal synapses.

J.Neurosci. 20: 4446-4451

Pavlov, J.P. (1927) Conditioned reflexes: an investigation of the physiological activity of the cerebral cortex. G.V. Anrep (trans.) London: Oxford University Press

Paxinos, G. and Watson (1997) The rat brain in stereotactic coordinates.

Academic Press, Sydney

Pittenger, C. and Kandel, E. (1998) A genetic switch for long-term memory. CR Acad. Sci. III; 321 (2-3):91-6

Raymond, L.A., Blackstone, C.D., Huganir, R.L. (1993) Phosphorylation of amino acid and neurotransmitter receptors in synaptic plasticity.

Trends Neurosci. 16:147-153

Reid, K.H., Edmonds, Jr., Schurr, H.L., Tseng, M.T., West, C.A. (1988) Pitfalls in the use of brain slices.

Prog. Neurobiol.31:1-18

Reymann, K.G., Brödemann, R., Kase, H., Matthies, H. (1988) Inhibitors of calmodulin and protein kinase block different phases of hippocampal long-term-potential.

Brain Res.461:388-392

Reynaud, J.C.Martini, F., Chatel, C., Buclin, M., Raggenbass, M., Puizillout, J.J. (1995) A new interface chamber for the study of mammalian nervous tissue slices.

J. Neurosci. Meth. 58:203-208

Richardson, C.L., Tate, W.P., Mason, S.E., Lawlor, P.A., Dragunow, M., Abraham, W.C. (1992) Correlation between the induction of an immediate early gene, zif/268 and long-term-potential in the dentate gyrus.

Brain.Res.580:147-154

Robertson, E.D., English, J.D., Adams, J.P., Selcher, J.C., Kondratick, C., Sweatt, J.D. (1999) The mitogen activated protein kinase cascade couples PKA and PKC to cAMP response element binding protein phosphorylation in area CA1 of hippocampus.

J.Neurosci. 19:4337-4348

Sassone-Corsi, P., Ransone, L.J., Lamph, W.W., Verma, I.M. (1988a) Direct interaction between fos and jun nuclear oncoproteins: role of the "leucine zipper" domain.

Nature 336:692-695

Sassone-Corsi, P., Visvader, J., Ferland, L., Mellon, P., Verma, I.M. (1988b) Induction of protooncogene fos transcription through the adenylate cyclase pathway: characterisation of a cAMP-responsive element.

Genes Dev.2:1529-1538

Sayer, R.J., Friedlander, M.J., Redman, S.J. (1990) The time course and amplitude of EPSPs evoked synapses between pairs of CA3/CA1 neurons in the hippocampal slice. *J.Neurosci.* 10 :826-836

Schulz, S., Schreff, M., Koch, T., Zimprich, A., Elde, R., Höllt, V. (1998) Immunolocalisation of two mu opioid receptor isoforms (MOR 1 and MOR 1 B) in the rat central nervous system. *Neuroscience* 82:613-622

Schulz, S. and Höllt, V. (1998) Opioid withdrawal activates MAP kinase in Locus Coeruleus neurons in morphine-dependent rats in vivo. *Eur. J.Neurosci.* 10:1196-1201

Schulz, S., Siemer, H., Krug, M., Höllt, V.: Direct evidence for biphasic cAMP responsive element-binding protein phosphorylation during long-term-potential in the rat dentate gyrus in vivo; *Journal of Neuroscience*, 1 (1999)

Schwartzkroin, P.A. and Wester, K. (1975) Long-lasting facilitation of a synaptic potential following tetanisation in the in vitro hippocampal slice. *Brain Res.* 89:107-119

Sheng, M., McFadden, G., Greenberg, M.E. (1990) Membrane depolarisation and calcium induce c-fos transcription via phosphorylation of transcription factor CREB. *Neuron* 4: 571-582

Sheng, M., Thompson, M.A., Greenberg, M.E. (1991) CREB: a Ca²⁺ regulated transcription factor phosphorylated by calmodulin-dependent kinases. *Science* 252: 427-430

Shibuki, K. and Okada, D. (1992) Cerebellar long-term-potential under suppressed Ca²⁺ activity. *Neuroreport* 3:231-4

Silva, A.P., Paylor, R., Wehner, J.M., Tonegawa, S. (1992) Impaired spatial learning in alpha -calcium-calmodulin kinase II mutant mice.

Science 257:206-211

Silver, B.J., Bokar, J.A., Virgin, J.B., Vallen, Milsted, A., Wilson, J.H. (1987) Cyclic AMP regulation of the human glycoprotein hormone alpha-subunit gene is mediated by an 18 base-pair element.

Proc.Natl.Acad.Sci.USA 84:2198-2202

Slack, J.R. and Walsh, C. (1995) Effects of a cAMP analogue stimulate the distinct components of long-term-potential in CA1 region of rat hippocampus.

Neurosci.Lett. 201:25-28

Squire, L.R. (1986) Mechanisms of memory.

Science 232:1612-1619

Squire, L.R. and Barondes, S.H. (1973) Memory impairment during prolonged training in mice given inhibitors of cerebral protein synthesis.

Brain Res.56:215-25

Squire, L.R. and Zola-Morgan, S. (1988) Memory: brain systems and behavior.

Trends Neurosci.11:2527-2539

Stanton, P.K. and Sarvey, J.M. (1984) Blockade of long-term-potential in rat hippocampal CA1 region by inhibitors of protein synthesis.

J.Neurosci. 4: 3080-3088

Stevens, C.F. and Wang, Y.Y. (1994) Changes in reliability of synaptic function as a mechanism for plasticity.

Nature 371:704-707

Stevens, C.F. (1994) CREB and memory consolidation.

Neuron 13:769-770

Sun, P., Enslin, H., Myung, P.S., Maurer, R.A., (1994) Differential activation of CREB by Ca^{2+} / calmodulin-dependent protein kinases type II and VI involves phosphorylation of a site that negatively regulates activity.

Genes Dev. 8: 2527-2539

Takahashi, J.S. (1993) Circadian clocks a la CREM.

Nature 365: 299-300

Teyler, T. J. and DiScenna, P. (1984) Long-term-potential.:A hypothesis

A. Rev.Neurosci. 10: 131-161

Thomas, K.L., Laroche, S., Errington, M.L., Bliss, T.V.P., Hunt, S.P. (1994) Spatial and temporal changes in signal transduction pathways during LTP.

Neuron 13:737-745.

Tsukahara, N. (1981) Synaptic plasticity in the mammalian central nervous system.

A. Rev. Neurosci.4 :351-379

Tsumoto, T. (1992) Long-term-potential and long-term depression in the neocortex.

Prog.Neurobiol.39:207-210

Tully, T., Preat, T., Boyton, S.C., Del Vecchio, M. (1994) Genetic dissection of consolidated memory in *Drosophila*.

Cell 79:35-47

Watkins, J.C., Evans, R.H. (1981) Excitatory amino acid transmitters.

A. Rev.Pharmac.Toxic. 21:165-204

Wigström, H. and Gustafsson, B. (1984) A possible correlate of the postsynaptic condition for long-lasting potentiation in the guinea pig hippocampus in vitro.

Neurosc. Lett. 44: 327-332

Wigström, H., Gustafsson, B., Huang, Y.Y. (1986) Mode of action of excitatory amino acid receptor antagonists on hippocampal long-lasting potentiation.
Neuroscienc 17:1105-1115

Williams, S.H. and Johnston, D. (1989) Hippocampal CA3 mossy fiber LTP is blocked by postsynaptic calcium chelators.
Soc. Neurosci. Abstr. 15, 399

Wu, Z.L., Thomas, S.A., Villacres, E.C., Xia, Z., Simmons, M.L., Chavkin, C., Palmiter, R.D., Storm, D.R. (1995) Altered behavior and long-term-potentiation in type I adenylyl cyclase mutant mice.
Proc. Natl. Acad. Sci. USA 92:220-224

Yamamoto, C. and Sawada, S. (1981) Important factors in induction of long-term-potentiation in thin hippocampal sections.
Expl. Neurol. 74:122-130

Yin, J.C., Wallach, J.S., DelVecchio, M., Wilder, E.L., Zhou, H., Quinn, W.G., Tully, T. (1994) Induction of a dominant negative CREB transgene specially blocks long-term memory in *Drosophila*.
Cell 79: 49-58

Yin, J.C., Del Vecchio, M., Zhou, H., Tully, T. (1995) CREB as a memory modulator: induced expression of a dCREB2 activator isoforms enhances long-term memory in *Drosophila*.
Cell: 81:107-115

Zhou, Q., Abe, H., Nowak Jr., T.S. (1995) Immunocytochemical and in situ hybridization approaches to the optimization of brain slice preparations.
J. Neurosci. Methods 59: 85-93