

7. Literaturverzeichnis

1. Bartholow, R., *Experimental investigations into functions of the human brain*. Am J Med Sci, 1874. **67**: p. 305-313.
2. Fritsch, G., Hitzig, E., *Über die elektrische Erregbarkeit des Grosshirns*. Arch Anat Physiol Wiss Med, 1870. **37**: p. 300-332.
3. Horsley, V., *The Croonian Lecture: On the mammalian nervous system, its functions and their localization, determined by an electrical method*. Phylos Trans R Soc Lond, 1891. **182**: p. 267-326.
4. Horsley, V., Clarke, R.H., *The structure and function of the cerebellum examined by a new method*. Brain, 1908. **31**: p. 45-124.
5. Gregorie, E.M., Goldring, S., *Localization of function in the excision of lesions from the sensorimotor region*. J Neurosurg, 1984. **61**: p. 1047-1054.
6. Berger, M.S., Ojemann, G.A., *Intraoperative brain mapping techniques in neuro-onkology*. Stereotact Funct Neurosurg, 1992. **58**: p. 153-161.
7. Berger, M.S., Kincaid, J., et al., *Brain mapping techniques to maximize resection, safety and seizure control in children with brain tumors*. Neurosurgery, 1989. **25**: p. 789.
8. Berger, M.S., Ojemann, G.A., et al., *Neurophysiological monitoring during astrocytoma surgery*. Neurosurg Clin N Am, 1990. **1**: p. 65-80.
9. Berger, M.S., *Lesions in functional ("eloquent") cortex and sub-cortical white matter*. Clin Neurosurg, 1993. **41**: p. 444-463.
10. Black, P.M.L., Ronner, S.F., *Cortical mapping for defining the limits of tumour resection*. Neurosurgery, 1987. **20**: p. 914-919.
11. Ebeling, U., Schmid, U.D., et al., *Tumour surgery within the central motor strip: surgical results with aid of electrical motor cortex stimulation*. Acta Neurochir (Wien), 1990. **101**: p. 101-107.
12. Ebeling, U., Schmid, U.D., et al., *Safe surgery of lesions near the motor cortex using intra-operative mapping techniques: A report on 50 patients*. Acta Neurochir (Wien), 1992. **119**: p. 23-28.
13. Ojemann, G.A., Ojemann, J.G., et al., *Cortical language localization in the left, dominant hemisphere. An electrical stimulation mapping investigation in 117 patients*. J Neurosurg, 1989. **71**: p. 316-326.
14. King, R.B., Schell, G.R., *Cortical localization and monitoring during cerebral operations*. J Neurosurg, 1987. **67**: p. 210-219.
15. Suess, O., Kombos, T., et al., *The Influence of Intra-operative Brain Shift on Continuous Cortical Stimulation During Surgery in the Motor Cortex: An Illustrative Case Report*. Acta Neurochir (Wien), 2001. **143**: p. 621-623.
16. Herholz, K., Reulen, H.J., et al., *Preoperative activation and intraoperative stimulation of language-related areas in patients with glioma*. Neurosurgery, 1997. **41**: p. 1253-1262.
17. Taniguchi, M., Cedzich, C., et al., *Modification of cortical stimulation for motor evoked potentials under general anesthesia: technical description*. Neurosurgery, 1993. **32**: p. 219-226.

18. Woolsey, C.N., Erickson, T.C., et al., *Localization in somatic, sensory and motor areas of human cerebral cortex as determined by direct recording of evoked potentials and electrical stimulation*. J Neurosurg, 1979. **51**: p. 476-506.
19. Kombos, T., Pietilä, T., et al., *Demonstration of Cerebral Plasticity by Intra-Operative Neurophysiological Monitoring: Report of an Uncommon Case*. Acta Neurochir (Wien), 1999. **141**: p. 885-889.
20. Cushing, H., *A note upon the faradic stimulation of the precentral gyrus in conscious patients*. Brain, 1909. **31**: p. 44-54.
21. Penfield, W., Boldrey, E., *Somatic motor and sensory representation in the cerebral cortex of man as studied by electrical stimulation*. Brain, 1937. **60**: p. 389-443.
22. Belliveau, J.W., Kennedy, D.N., et al., *Functional mapping of the human visual cortex by magnetic resonance imaging*. Science, 1991. **254**: p. 716-719.
23. Atlas, S.W., Howard, R.S. II, et al., *Functional magnetic resonance imaging of regional brain activity in patients with intracerebral gliomas: findings and implications for clinical management*. Neurosurgery, 1996. **38**: p. 329-338.
24. Jack, C.R.J., Thompson, R.M., et al., *Sensory motor cortex: correlation of presurgical mapping with functional MR imaging and invasive cortical mapping*. Radiology, 1994. **190**: p. 85-92.
25. Nimsky, C., Ganslandt, O., et al., *Integration of functional magnetic resonance imaging supported by magnetencephalography in functional neuronavigation*. Neurosurgery, 1999. **44**: p. 1249-1256.
26. Puce, A., Constable, R.T., et al., *Fuctional magnetic resonace imaging of sensory and motor cortex: comparison with electrophysiological localization*. J Neurosurg, 1995. **83**: p. 262-270.
27. Pujol, J., Conesa, G., et al., *Presurgical identification of the primary sensorimotor cortex by functional magnetic resonance imaging*. J Neurosurg, 1996. **84**: p. 7-13.
28. Schulder, M., Maldjian, J.A., et al., *Functional image-guided surgery of intracranial tumors located in or near the sensorimotor cortex*. J Neurosurg, 1998. **89**: p. 412-418.
29. Krishnan, R., Yahya, H., et al., *fMRT integrierte funktionelle Neuronavigation für Operationen in der Zentralregion*. 2001, Klinik für Neurochirurgie: Universität Leipzig. p. 1.
30. Barnett, G.H., Komos, D.W., et al., *Use of a frameless, armless stereotactic wand for brain tumor localization with two-dimensional and three-dimensional neuroimaging*. Neurosurgery, 1993. **33**: p. 674-678.
31. Maldjian, J.A., Schulder, M., et al., *Intraoperative functional MRI using a real-time neurosurgical navigation system*. J Comput Assist Tomogr, 1997. **21**: p. 910-912.
32. Kikinis, R., Gleason, P.L., et al., *Computer-assisted interactive three-dimensional planning for neurosurgical procedures*. Neurosurgery, 1996. **38**: p. 640-651.
33. Roessler, K., Ungersboeck, K., et al., *Frameless stereotactic guided neurosurgery: clinical experiences with an infrared based pointer device navigation system*. Acta Neurochir (Wien), 1997. **139**: p. 551-559.
34. Braun, V., Oberle, J., et al., *Kraniale Neuronavigation mit funktionellem Monitoring*. Röntgenpraxis, 1998. **51**: p. 311-319.

35. Braun, V., Dempf, S., et al., *Multimodal Cranial Neuronavigation: Direct Integration of Functional Magnetic Resonance Imaging and Positron Emission Tomography Data: Technical Note*. Neurosurgery, 2001. **48**: p. 1178-1182.
36. Cosgrove, G.R., Buchbinder, B.R., et al., *Functional magnetic resonance imaging for intracranial navigation*. Neurosurg Clin North Am, 1996. **7**: p. 313-322.
37. Gallen, C.C., Sobel, D.F., et al., *Noninvasive presurgical neuromagnetic mapping of somatosensory cortex*. Neurosurgery, 1993. **33**: p. 260-268.
38. Kahn, T., Schwabe, B., et al., *Mapping of the cortical motor hand area with functional MR imaging and MR imaging-guided laser-induced interstitial thermotherapy of brain tumors*. Radiology, 1996. **200**: p. 149-157.
39. Mueller, W.M., Yetkin, F.Z., et al., *Functional Magnetic Resonance Imaging Mapping of the Motor Cortex in Patients with Cerebral Tumors*. Neurosurgery, 1996. **39**, No. 3: p. 515-521.
40. Pujol, J., Conesa, G., et al., *Clinical application of functional magnetic resonance imaging in presurgical identification of the central sulcus*. J Neurosurg, 1998. **88**: p. 863-869.
41. Fandino, J., Kollias, S.S., et al., *Intraoperative validation of functional magnetic resonance imaging and cortical reorganization patterns in patients with brain tumors involving the primary motor cortex*. J Neurosurg, 1999. **91**: p. 238-250.
42. Black, P.M.L., Alexander, E. III, et al., *Craniotomy for tumor treatment in an intraoperative magnetic resonance imaging unit*. Neurosurgery, 1999. **45**: p. 423-433.
43. Yousry, T.A., Schmid, U.D., et al., *Topography of the cortical motor hand area: prospective study with functional MR imaging and direct motor mapping at surgery*. Radiology, 1995. **195**: p. 23-29.
44. Krings, T., Reul, J., et al., *Functional Magnetic Resonance Mapping of Sensory Motor Cortex for Image-Guided Neurosurgical Intervention*. Neurochir (Wien), 1998. **140**: p. 215-222.
45. Golfinos, J.G., Fitzpatrick, B.C., et al., *Clinical use of a frameless stereotactic arm: results of 325 cases*. J Neurosurg, 1995. **83**: p. 197-205.
46. Ammirati, M., Vick, N., et al., *Effect of the extent of surgical resection on survival and quality of life in patients with supratentorial glioblastomas and anaplastic astrocytomas*. Neurosurgery, 1987. **21**: p. 201-206.
47. Suess, O., Kombos, T., et al., *A New Cortical Electrode for Neuronavigation-Guided Intraoperative Neurphysiological Monitoring: Technical Note*. Acta Neurochir (Wien), 2000. **142**: p. 329-332.
48. Albert, F., Forsting, M., et al., *Early postoperative magnetic resonance imaging after resection of malignant glioma: Objective evaluation of residual tumor and its influence on regrowth and prognosis*. Neurosurgery, 1994. **34**: p. 45-61.
49. Hess, K.R., *Extent of resection as a prognostic variable in the treatment of gliomas*. J Neurooncol, 1999. **42**: p. 227-231.
50. Ciric, I., Ammirati, M., et al., *Supratentorial gliomas: surgical considerations and immediate postoperative results. Gross total resection versus partial resection*. Neurosurgery, 1987. **21**: p. 21-26.
51. Berger, M.S., Deliganis, A.V., et al., *The effect of extent of resection on recurrence in patients with low grade cerebral hemisphere gliomas*. Cancer, 1994. **74**: p. 1784-1791.

52. Sawaya, R., *Extent of resection on malignant gliomas: A critical summary.* J Neurooncol, 1999. **42**: p. 303-305.
53. Bampoe, J., Bernstein, M., *The role of surgery in low grade gliomas.* J Neurooncol, 1999. **42**: p. 259-269.
54. Milner-Brown, S.H., Girvin, J., et al., *The effect of motor cortical stimulation on the excitability of spinal motoneuron in man.* Can J Neurol Sci, 1975. **244**: p. 245-253.
55. Roux, F.E., Ibarrola, D., et al., *Methodological and technical issues for integrating functional magnetic resonance imaging data in a neuronavigational system.* Neurosurgery, 2001. **49**(5): p. 1145-1157.
56. Krombach, G.A., Spetzger, U., et al., *Intraoperative localization of functional regions in the sensorimotor cortex by neuronavigation and cortical mapping.* Computer Aided Surgery, 1998. **3**: p. 64-73.
57. Stippich, C., Kress, B., et al., *Prächirurgische funktionelle Magnetresonanztomographie (fMRT) bei Patienten mit rolandischen Hirntumoren: Indikation, Untersuchungsstrategie, Möglichkeiten und Grenzen der klinischen Anwendung.* Fortschr Röntgenstr, 2003. **8**(175): p. 136-144.
58. Zhou, H.H., Kelly, P.J., *Transcranial electrical motor evoked potential monitoring for brain tumor resection.* Neurosurgery, 2001. **48**(5): p. 1075-1081.
59. Berger, M.S., Cohen, W.A., et al., *Correlation of motor cortex brain mapping data with magnetic resonance imaging.* J Neurosurg, 1990. **72**: p. 383-387.
60. Ebeling, U., Rikli, D., et al., *The coronal suture, a useful landmark in neurosurgery? Craniocerebral topography between bony landmarks on the skull and the brain.* Acta Neurochir (Wien), 1987. **89**: p. 130-134.
61. Ebeling, U., Steinmetz, H., et al., *Topography and identification of the precentral sulcus in MR-imaging.* AJNR, 1989. **10**: p. 101-107.
62. Goldring, S., Gregorie, E.M., *Surgical management of epilepsy using epidural recordings to localize the seizure focus.* J Neurosurg, 1984. **60**: p. 457-466.
63. Cedzich, C., Taniguchi, M., et al., *Somatosensory evoked potential phase reversal and direct motor cortex stimulation during surgery in and around the central region.* Neurosurgery, 1996. **38**: p. 962-970.
64. Maldjian, J.A., Atlas, S.W., et al., *Functional Magnetic resonance imaging of regional brain activity in patients with intracerebral arteriovenous malformations before surgical or endovascular therapy.* J Neurosurg, 1996. **84**: p. 477-483.
65. Alberstone, C., Skirboll, SL. et al., *Magnetic source imaging and brain surgery: Presurgical and intraoperative planning in 26 patients.* J Neurosurg, 2000. **92**: p. 79-90.
66. Hamilton RJ, S.P., Pelizzari A, et al., *Functional imaging in treatment planning of brain lesions.* Int J Radiat Oncol Biol Phys, 1997. **37**: p. 181-188.
67. Hayashi N, E.S., Kurimoto M, et al., *Functional image-guided neurosurgical stimulation system using computerized three-dimensional graphics and dipole tracking.* Neurosurgery, 1995. **37**: p. 694-703.
68. Lehericy, S., Duffau, H., et al., *Presurgical fMRI mapping of cortical motor areas in patients with brain tumors: comparison with intrasurgical stimulations.* Neuroimage, 1998. **7**: p. 4 (S.457).

69. Morioka, J., Nishizaki, T. et al., *Functional magnetic resonance imaging-controlled neuronavigator-guided brain surgery: a case report*. Journal of Clinical Neuroscience, 2001. **8(3)**: p. 283-285.
70. Mueller, W.M., Zetkin, F.Y., et al., *Functional magnetic resonance imaging of the motor cortex in patients with cerebral tumors*. Neurosurgery, 1996. **39**: p. 515-520.
71. Fox, P.T., Raichle, M.R., *Focal physiological uncoupling of cerebral blood flow and oxidative metabolism during somatosensory stimulation in human subjects*. Proc Natl Acad Sci USA, 1986. **83**: p. 1140-1144.
72. Levin, D.N., Hu, X., et al., *The brain: integrated three-dimensional display of MR and PET images*. Radiology, 1989. **172**: p. 783-789.
73. Fried, I., Nenov, V.I., et al., *Functional MR and PET imaging of rolandic and visual cortices for neurosurgical planning*. J Neurosurg, 1995. **83**: p. 854-861.
74. Goldring, S., *A method for surgical management of focal epilepsy, especially as it relates to children*. J Neurosurg, 1978. **49**: p. 344-356.
75. Ojemann, J.G., Miller, J.W., et al., *Preserved function in brain invaded by tumor*. Neurosurg, 1996. **39**: p. 253-259.
76. Penfield, W., Rasmussen, T., *The cerebral cortex of man*. New York, NY: Mac Millan, 1950: p. 57.
77. Rostomily, R.C., Berger, M.S., et al., *Postoperative deficits and functional recovery following removals of tumors involving the dominant hemisphere supplementary motor area*. J Neurosurg, 1991. **75**: p. 62-68.
78. Wood, C.C., Spencer, D., et al., *Localization of human sensorimotor cortex during surgery by cortical surface recordings of somatosensory evoked potentials*. J Neurosurg, 1988. **68**: p. 99-111.
79. Sartorius, C.J., Wright, G., *Intraoperative brain mapping in a community setting - technical considerations*. Surg Neurol, 1997. **47**: p. 381-388.
80. Kombos, T., Suess, O., et al., *Intra-Operative Mapping of the Motor Cortex During Surgery in and Around the Motor Cortex*. Acta Neurochir (Wien), 2000. **142**: p. 263-268.
81. Kombos, T., Suess O., et al., *Monitoring of intraoperative motor evoked potentials to increase the safety of surgery in and around the motor cortex*. J Neurosurg, 2001. **95**: p. 608-614.
82. Robertson, S.C., Traynelis, V.C., et al., *Identification of the sensorimotor cortex with SSEP phase reversal. Intraoperative monitoring techniques. Part II: Mapping and monitoring of cerebral function*. Mac Grawhill, 1994: p. 107-111.
83. Gharabaghi, A., Hellwig, D., et al., *Volumetric image guidance for motor cortex stimulation: integration of three-dimensional cortical anatomy and functional imaging*. Neurosurgery, 2005. **57 (1Suppl)**: p. 114-120.
84. Reithmeier, T., Krammer, M., et al., *Neuronavigation combined with electrophysiological monitoring for surgery of lesions in eloquent brain areas in 42 cases: a retrospective comparison of the neurological outcome and the quality of resection with a control group with similar lesions*. Minim Invasive Neurosurg, 2003. **46(2)**: p. 65-71.
85. Kauffmann, G., Moser, E., et al., *Radiologie*. 1 ed. 1996, München: Urban & Schwarzenberg.

86. Alfidi, R.J., Haaga, J.R., et al., *Preliminary experimental results in humans and animals with a superconducting, whole-body, nuclear magnetic resonance scanner*. Radiology, 1982. **143**: p. 175.
87. Thulborn, K., Waterton, J.C., et al., *Oxygenation dependence of the transverse relaxation time of water protons in whole blood at high field*. Biochim Biophys Acta, 1982. **714**: p. 165.
88. Colebatch, J.G., Deiber, M.-P., et al., *Regional cerebral blood flow during voluntary arm and hand movements in human subjects*. J Neurophysiol, 1991. **65(6)**: p. 1392-1401.
89. Grafton, S.T., Fagg, A.H., et al., *Functional anatomy of pointing and grasping in humans*. Cereb Cortex, 1996. **6**: p. 226-237.
90. Grafton, S.T., Woods, R.P., et al., *Functional imaging of procedural motor learning: relating cerebral blood flow with individual subject performance*. Human Brain Mapping, 1994. **1**: p. 221-234.
91. Pauling, L., Coryell, C.D., *The magnetic properties and structure of hemoglobin, oxyhemoglobin and carbonmonoxyhemoglobin*. Proc Natl Acad Sci USA, 1936. **22**: p. 210-216.
92. Ogawa, S., Menon, R.S., et al., *Functional brain mapping by blood oxygenation level-dependent contrast magnetic resonance imaging*. Biosophysical Journal, 1993. **64**: p. 803-812.
93. Ogawa, S., Lee, T.M., et al., *Oxygenation-sensitive contrast in magnetic resonance image of rodent brain at high magnetic fields*. Magn Reson Med, 1990. **14**: p. 68-78.
94. Yousry, T.A., Schmid, U.D., et al., *Das motorische Handareal*. Radiologe, 1995. **35**: p. 252-255.
95. Ogawa, S., Lee, T.M., et al., *Brain magnetic resonance imaging with contrast dependent on blood oxygenation*. Proc Natl Acad Sci USA, 1990. **87**: p. 9868-9872.
96. Hund, M., Rezai, A.R., et al., *Magnetencephalographic Mapping: Basis of a New Functional Risk Profile in the Selection of Patients with Cortical Brain Lesions*. Neurosurgery, 1997. **40**: p. 936-943.
97. Watanabe, E., Watanabe, T., et al., *Three-dimensional digitizer (neuronavigator): new equipment for computed tomography-guided stereotactic surgery*. Surg Neurol, 1987. **27**: p. 543-549.
98. Rohde, V., Coenen, V.A.G., et al., *fMRT und Neuronavigation erlauben nicht die exakte Lokalisation des Motorkortex bei Meningeomen der Zentralregion*. 2001, Neurochirurgischen Klinik, Abteilung für Neuroradiologie: RWTH Aachen. p. 1.
99. Bernays, R.L., Kollisas, S.S., et al., *A new artifact-free device for frameless, magnetic resonance imaging-guided stereotactic procedures*. Neurosurgery, 2000. **46**: p. 112-117.
100. Nimsky, C., Ganslandt, O., et al., *Intraoperative Magnetic Resonance Imaging combined with Neuronavigation*. Neurosurgery, 2001. **48 (5)**: p. 1082-1091.
101. Rubino, G.J., Farahani, K., et al., *Magnetic resonance image-guided neurosurgery in the magnetic fringe fields: The next step in neuronavigation*. Neurosurgery, 2000. **46**: p. 643-654.

102. McDonald, J.D., Chong, B.W., et al., *Integration of preoperative functional brain mapping in a frameless stereotactic environment for lesions near eloquent cortex*. J Neurosurg, 1999. **90**: p. 591-598.
103. Ostertag, C.B., Warnke, P.C., *Neuronavigation. Computer-assisted neurosurgery*. Nervenarzt, 1999. **70**(6): p. 517-521.
104. Kelly, P.J., *Volumetric stereotactic surgical resection of intra-axial brain mass lesion*. Mayo Clin Proc, 1988. **63**: p. 1186-1198.
105. Kelly, P.J., Alker, G.J., et al., *Computer-assisted stereotactic microsurgery for the treatment of intracranial neoplasm*. Neurosurgery, 1982. **10**: p. 324-331.
106. Alexander, E.I., Maciunas, R.J., *Advanced neurosurgical navigation*. 1999, New York: Thieme. 605.
107. kl/home/lehre/tueklis.htm, h.w.m.u.-t.d.k.n., *Medizintechnische Entwicklung im Kopfbereich*. 1889: Klinik für Neurochirurgie am Universitätsklinikum Tübingen.
108. <http://www.neurosurgery.webzone.ru/magazine/1-1999/1-1999-13.htm>, Internet, 1999.
109. Leksell, L., *A stereotaxic apparatus for intracerebral surgery*. Acta Chir Scand, 1949. **99**: p. 229-233.
110. Spiegel, E.A., Wycis, H.T., et al., *Stereotaxic apparatus for operations on the human brain*. Science, 1947. **106**: p. 349-350.
111. <http://www.neurosurgery.org/cybermuseum/stereotactichall/stereoarticle.html>, *A short history of stereotactic neurosurgery*.
112. Riechert, T., Mundinger, F., *Beschreibung und Anwendung eines Zielgerätes für stereotaktische Hirnoperationen*. Acta Neurochir Suppl (Wien), 1955. **3**: p. 308-337.
113. Kelly, P.J., *Computer-assisted volumetric resection of intracranial lesions: Methods and results*. Adv Tech Stand Neurosurg, 1990. **17**: p. 77-118.
114. Kelly, P.J., Kall, B.A., et al., *Computer-assisted stereotaxic laser resection of intra-axial brain neoplasms*. J Neurosurg, 1986. **64**: p. 427-439.
115. Kelly, P.J., Daumas-Dupont, C., et al., *Imaging-based stereotaxic serial biopsies in untreated intracranial glial neoplasms*. J Neurosurg, 1987. **66**: p. 865.
116. Brown, R.A., *A computerized tomography-computer graphics approach to stereotactic localization*. J Neurosurg, 1979. **50**: p. 715-720.
117. Leksell, L., Leksell, D., et al., *Stereotaxis and nuclear magnetic resonance*. J Neurol Neurosurg Psychiatry, 1985. **48**: p. 14-18.
118. Couldwell, W.T., Apuzzo, M.L., *Initial experience related to the use of the Cosman-Roberts-Wells stereotactic instrument: technical note*. J Neurosurg, 1990. **72**: p. 145-148.
119. Kwok, Y.S., Hou, J., et al., *A robot with improved absolute positioning accuracy for CT guided stereotactic brain surgery*. IEEE Trans Biomed Eng, 1988. **35**: p. 153-160.
120. Moore, M.R., Black, P.M., et al., *Stereotactic craniotomy: Methods and results using the Brown-Roberts-Wells stereotactic frame*. Neurosurgery, 1989. **25**: p. 572-577.
121. Narabayashi, H., *Beginning and development of stereotaxic surgery in Tokio*. Confinia Neurologica, 1975. **37**(4): p. 364-373.
122. <http://member.nifty.ne.jp/twmc-taira/frame.html>, *Historical stereotactic frames*.

123. Zamorano, L., Jiang, Z., et al., *Computer-assisted neurosurgery system: Wayne State University hardware and software configuration*. Comput Med Imaging Graph, 1994. **18**: p. 257-271.
124. Reinhardt, H.F., Trippel, M., et al., *Computer assisted brain surgery for small lesions in the central sensorimotor region*. Acta Neurochir (Wien), 1996. **138**: p. 200-205.
125. Barnett, G.H., Kormos, D.W., et al., *Intraoperative localization using an armless, frameless stereotactic wand*. J Neurosurg, 1993. **78**: p. 510-514.
126. Gumprecht, H.K., Widenka, D.C., et al., *BrainLabVectorVision Neuronavigation System: technology and clinical experiences in 131 cases*. Neurosurgery, 1999. **44**: p. 97-105.
127. Kato, A., Yoshimine, T., et al., *A frameless, armless navigation system for computer-assisted neurosurgery*. J Neurosurg, 1991. **74**: p. 845-849.
128. Koivukangas, J., Louhisalmi, Y., et al., *Ultrasound-controlled neuronavigator-guided brain surgery*. J Neurosurg, 1993. **79**: p. 36-42.
129. Roberts, D.W., Strohbein, J.W., et al., *A frameless stereotaxic integration of computerized tomographic imaging and the operating microscope*. J Neurosurg, 1986. **65**: p. 545-549.
130. Ryan, M.J., Erickson, R.K., et al., *Frameless stereotaxy with real-time tracking of patient head movement and retrospective patient-image registration*. J Neurosurg, 1996. **85**: p. 287-292.
131. Watanabe, E., Mayanagi, Y., et al., *Open surgery assited by the Navigator, a stereotactic articulated, senstive arm*. Neurosurgery, 1991. **28**: p. 792-800.
132. Suess, O., Kombos, T., et al., *Intracranial Image-Guided Neurosurgery: Experience with a new Electromagnetic Navigation System*. Acta Neurochir (Wien), 2001. **143**: p. 927-934.
133. Laborde, G., Gilzbach, J., et al., *Computer assisted localizer for planning of surgery and intra-operative orientation*. Acta Neurochir (Wien), 1992. **119**: p. 166-170.
134. Spetzger, U., Laborde, G., et al., *Frameless neuronavigation in modern neurosurgery*. Minim Invasive Neurosurg, 1995. **38(4)**: p. 163-166.
135. Boyd, S.G., Rothwell, J.C., et al., *A method of monitoring function in corticospinal pathways during scoliosis surgery with a note on motor conduction velocities*. J Neurol Neurosurg Psychiatry, 1986. **49**: p. 251-257.
136. Coenen, V.A., Krings, T., et al., *Three-dimensional Visualization of the Pyramidal Tract in a Neuronavigation System during Brain Tumor Surgery: First Experiences and Technical Notes*. Neurosurgery, 2001. **49**: p. 86-93.
137. Dorward, N.L., *Neuronavigation - the surgeon's sextant*. Br J neurosurg, 1997. **11(2)**: p. 101-103.
138. Dorward, N.L., Alberti, O., et al., *Postimaging brain distortion: magnitude, correlates, and impact on neuronavigation*. J Neurosurg, 1998. **88**: p. 656-662.
139. Ganslandt, O., Steinmeier, R., et al., *Magnetic source imaging combined with image-guided frameless stereotaxy: a new method in surgery around the motor strip*. Neurosurgery, 1997. **41**: p. 621-628.
140. Germano, I.M., *The NeuroStationSystem for image-guided, frameless stereotaxy*. Neurosurgery, 1995. **37**: p. 438-450.

141. Kosugi, Y., Watanabe, E., et al., *An articulated neurosurgical navigation system using MRI and CT images*. IEEE Trans Biomed Eng, 1988. **35**: p. 147-152.
142. Nabavi, A., Manthei, G., et al., *Neuronavigation. Computergestütztes Operieren in der Neurochirurgie*. Radiologe, 1995. **35(9)**: p. 573-577.
143. Reinges MHT, K.T., Nguyen HH, Küker W, Spetzger U, Rohde V, Hütter BO, Thron A, Gilsbach JM, *Virtual pointer projection on the central sulcus to the outside of the skull using frameless neuronavigation: Accuracy and applications*. Acta Neurochir (Wien), 2000. **142**: p. 1385-1390.
144. Tronnier, V.M., Wirtz, C.R., et al., *Intraoperative Computer-Assisted Neuronavigation in Functional Neurosurgery*. Stereotact Funct Neurosurg, 1996. **66**: p. 65-68.
145. Wirtz, C.R., Tronnier, V.M., et al., *Neuronavigation*. Nervenarzt, 1998. **69**: p. 1029-1036.
146. Hoell, T., Warschewski, U., et al., *DC-electromagnetic neuro-navigation - clinical experience*. Zentralbl Neurochir (Suppl), 1999. **74**: p. 74 (P59).
147. Foerster, O., *The cerebral cortex of man*. Lancet, 1931. **2**: p. 309-312.
148. Schiebler, T., Schmidt, et al., *Anatomie*. Vol. 7. 1997, Berlin, Heidelberg, New York: Springer Verlag.
149. Cedzich, C., Taniguchi, M., et al., *Die exakte Bestimmung des Sulcus centralis mittels SEP-Phasenumkehr*. Z EEG-EMG, 1991. **21**: p. 96.
150. Firsching, R., Klug, N., et al., *Lesions of the sensorimotor region: somatosensory evoked potentials ans ultrasound guided surgery*. Acta Neurochir (Wien), 1992. **118**: p. 87-90.
151. Lüders, H., Lesser, R.P., et al., *Cortical somatosensory evoked potentials in response to hand stimulation*. J Neurosurgery, 1983. **58**: p. 885-894.
152. Allison, T., McCarthy, G., et al., *Human cortical potentials evoked by stimulation of the median nerve. I. Cytoarchitectonic areas generating short-latency activity*. J Neuropysiol, 1989. **62**: p. 694-710.
153. Allison, T., Wood, C.C., et al., *Localization of somatosensory motor cortex in surgery by SEP recordings*. Electroencephalogr Clin Neurophysiol, 1985. **61 (Suppl)**: p. 74.
154. Grundy, B.L., *Intraoperative monitoring of sensory-evoked potentials*. Anesthesiology, 1983. **58**: p. 72-87.
155. Duus, P., *Neurologisch-topische Diagnostik*. Vol. 6. 1995, Stuttgart, New York: Thieme Verlag. 498.
156. Brodmann, F., *Beiträge zur historischen Lokalisation der Großhirnrinde. VI. Mitteilung. Die Cortexgliederung des Menschen*. J Psychol Neurol, 1908. **10**: p. 231-246.
157. Le Roux, P.D., Berger, M.S., et al., *Resection of intrinsic tumors from nondominant face motor cortex unsing stimulation mapping: report of two cases*. Surg Neurol, 1991. **36(1)**: p. 44-48.
158. Haglund, M.M., Ojemann, G.A., et al., *Optical imaging of bipolar cortical stimulation*. J Neurosurg, 1993. **78**: p. 785-793.
159. Kombos, T., Suess, O., et al., *Intraoperative Functional Mapping of the Motor Cortex: a Review*. Neurosurgery, 2000. **10(4)**: p. 311-315.

160. Suess, O., *Die Monopolare Kortex Stimulation (MKS): Eine neue Methode für intraoperatives neurophysiologisches Monitoring bei Operationen im, bzw. in der Nähe des Gyrus praecentralis.*, in *Neurochirurgie*. 1999, FU Berlin: Berlin.
161. Hern, E.C., Landgren, S., et al., *Selective excitation of corticofugal neurones by surface-anodal stimulation of the baboon's motor cortex*. J Physiol, 1962. **161**: p. 73-90.
162. Kombos, T., Suess, O., et al., *Comparison Between Monopolar and Bipolar Electrical Stimulation of the Motor Cortex*. Acta Neurochir (Wien), 1999. **141**: p. 1295-1301.
163. Gorman, A.L.F., *Differential patterns of activation of the pyramidal system elicited by surface anodal and cathodal cortical stimulation*. J Physiol (London), 1966. **29**: p. 547-564.
164. Ranck, J., *Which elements are excited in electrical stimulation of Mammalian central nervous system: A review*. Brain Res, 1975. **98**: p. 417-440.
165. Allison, T., Wood, C.C., et al., *Cortical somatosensory evoked potentials. II. Effects of excision of somatosensory or motor cortex in humans and monkeys*. J Neurophysiol, 1991. **66**: p. 64-82.
166. Pechstein, U., *Intraoperatives Monitoring mit motorisch evozierten Potentialen*. 2001, Neurochirurgische Universitätsklinik: Freiburg. p. 1-4.
167. Uematsu, S., Lesser, R.P., et al., *Localization of sensorimotor cortex: The influence of Sherrington and Cushing on the modern concept*. Neurosurgery, 1992. **30**: p. 904-913.
168. Clifford, R.J.J., Thompson, R.M., et al., *Sensory Motor Cortex : Correlation of Presurgical Mapping with Functional MR Imaging and Invasive Cortical Mapping*. Radiology, 1994. **190**: p. 85-92.
169. Segebarth, C., Belle, V., et al., *Functional MRI of the human brain: Predominance of signals from extracerebral veins*. Neuroreport, 1994. **5**: p. 813-816.
170. Weisskoff, R.M., Boxerman, J.L., et al., *Endogenous susceptibility contrast: principles of relationship between blood oxygenation and MR signal change*. 1993, Functional MRI of the Brain Workshop: Arlington, Va.
171. Gasser, T., Wiedemeyer, H., et al., *Funktionelles MRT des somatosensorischen Kortex mittels passivem Paradigma durch Verwendung eines peripheren elektrischen Stimulus*. 2001, Klinik und Poliklinik für Neurochirurgie, Universitätsklinikum Essen: Essen. p. 1.
172. Kim, S.G., Ashe, J., et al., *Functional imaging of human motor cortex at high magnetic field*. J Neurophysiol, 1993. **69**: p. 297-302.
173. Cao, Y., Towle, V.L., et al., *Functional mapping of human cortical activation by conventional MRI at 1.5 T*. J Magn Reson Imaging, 1993. **3**: p. 869-875.
174. Zotta, D., Di Renzo, A., et al., *Supratentorial cavernomas in eloquent brain areas: application of neuronavigation and functional MRI in operative planning*. Neurosurg Sci, 2005. **49(1)**: p. 13-19.
175. Friets, E.M., Strohbehn, J.W., et al., *A frameless stereotaxic operating microscope for neurosurgery*. IEEE Trans Biomed Eng, 1989. **36**: p. 608-617.
176. Alberti, O., Sure, U. et al., *Image-guided Placement of Eye Muscle Electrodes for Intraoperative Cranial Nerve Monitoring*. Neurosurgery, 2001. **49, No. 3**: p. 660-664.

177. Galloway, R.L.J., Edwards, C.A. II, et al., *Image display and surgical visualization in interactive image-guided neurosurgery*. Optic Eng, 1993. **32**: p. 1955-1962.
178. Maciunas, R.J., Galloway, R.L. Jr, et al., *An independent application accuracy evaluation of stereotactic frame systems*. Stereotact Funct Neurosurg, 1992. **58**: p. 103-107.
179. Sipos, E.P., Tebo, S.A., et al., *In vivo accuracy testing and clinical experience with the ISG Viewing Wand*. Neurosurgery, 1996. **39**: p. 194-202.
180. Doshi, P.K., Lemieux, L., et al., *Frameless stereotaxy and interactive neurosurgery with the ISG viewing wand*. Acta Neurochir (Wien), 1995. **64 pp.**: p. 49-53.
181. Wagner, W., Gaab, M.R., et al., *Neuronavigation in der Zentralregion: Bedeutung für einzelne Operationsphasen bei verschiedenen Prozesslokalisationen*. Zentralblatt für Neurochirurgie, 2000. **61**: p. 188-193.
182. Schiffbauer, H., *Neuronavigation in brain tumor surgery*, in *Clinical beta-phase of the Oulu Neuronavigator System*. 2000: Oulu.
183. Lee, C.C., Ward, H.A., et al., *Assessment of functional MR imaging in neurosurgical planning*. Am J Neuroradiol, 1999. **20**: p. 1511-1519.
184. Righini, A., de Divitiis, O., et al., *Functional MRI: primary motor cortex localization in patients with brain tumors*. J Comput Assist Tomogr, 1996. **20**: p. 702-708.
185. Vlieger, E.-J., Majoe, C.B., *Functional magnetic resonance imaging for neurosurgical planning in neurooncology*. European Radiology, 2004. **10**: p. 330-334.
186. Guthrie, B.L., Adler, J.R., *Computer-assisted preoperative planning, interactive surgery, and frameless stereotaxy*. Clin Neurosurg, 1992. **38**: p. 112-131.
187. Rohde, V., Coenen, V.A.G., et al. *Funktionelle Kernspintomographie und Neuronavigation erlauben nicht die exakte Lokalisation des Motorkortex bei Meningeomen der Zentralregion*. in *Neuronavigation*.
188. Gustard, S., Williams, E.J., et al., *Influence of baseline hematocrit on between-subject BOLD signal change using gradient echo and asymmetric spin echo EPI*. Magn Reson Imaging, 2003. **21**: p. 599-607.
189. Cohen, E.R., Ugurbil, K., et al., *Effect of basal conditions on the magnitude and dynamics of the blood oxygenation level-dependent fMRI response*. J Cereb Blood Flow Metab, 2002. **22**: p. 1042-1053.
190. Lee, J.H., Telang, F.W., et al., *Abnormal brain activation to visual stimulation in cocaine abusers*. Life Sci, 2003. **73**: p. 1953-1961.
191. Buhmann, C., Glauche, V., et al., *Pharmacologically modulated fMRI-cortical responsiveness to levodopa in drug-naïve hemiparkinsonian patients*. Brain, 2003. **126**: p. 451-461.
192. Hill, D.L.G., Maurer, C.R., et al., *Measurement of Intraoperative Brain Surface Deformation under a Craniotomy*. Neurosurgery, 1998. **43**: p. 514-528.
193. Roberts, D.W., Hartov, A., et al., *Intraoperative brain shift and deformation: a quantitative analysis of cortical displacement in 28 places*. Neurosurgery, 1998. **43(4)**: p. 749-758.
194. Winkler, D., Trantakis, C., et al., *Neuronavigation, fMRT und intraoperatives Monitoring - eine entbehrliche Kombination?* 2001, Klinik für Neurochirurgie: Universität Leipzig. p. 1.

195. Ganser, K.A., Dickhaus, H., et al., *Quantification of brain shift effects in MRI images*. Biomed Tech (Berl). 1997. **42**: p. 247-248.
196. Maurer, C.R.J., Hill, D.L., et al., *Investigation of intraoperative brain deforming using a 1.5-Tesla interventional MR system: preliminary results*. IEEE Trans Med Imaging, 1998. **17**(5): p. 817-825.
197. Benveniste, R.J., Germano, I.M., *Correlation of factors predicting intraoperative brain shift with successful resection of malignant brain tumors using image-guided techniques*. Surg Neurol, 2005. **63**(6): p. 542-549.
198. Hastreiter, P., Rezk-Salama, C., et al., *Strategies for brain shift evaluation*. Med Image Anal., 2004. **8**(4): p. 447-464.
199. Tronnier, V.M., Wirtz, C.R., et al., *Intraoperative diagnostic and interventional magnetic resonance imaging in neurosurgery*. Neurosurgery, 1997. **40**: p. 891-902.
200. Wirtz, C.R., Bonsanto, M.M., et al., *Intraoperative magnetic resonance imaging to update interactive navigation in neurosurgery: method and preliminary experience*. Comput Aided Surg, 1997. **2**(3-4): p. 172-179.
201. Wirtz, C.R., Knauth, M., et al., *Clinical evaluation and follow-up results for intraoperative magnetic resonance imaging in neurosurgery*. Neurosurgery, 2000. **46**: p. 1112-1122.
202. Hall, W.A., Martin, A.J., et al., *Brain biopsy using high-field strength interventional magnetic resonance imaging*. Neurosurgery, 1999. **44**: p. 807-814.
203. Schwartz, R.B., Hsu, L., et al., *Intraoperative MR imaging guidance for intracranial neurosurgery: Experience with the first 200 cases*. Radiology, 1999. **211**: p. 477-488.
204. Hall, W.A., Liu, H., et al., *The safety, efficacy, and functionality of high-field strength interventional magnetic resonance imaging for neurosurgery*. Neurosurgery, 2000. **46**: p. 632-642.
205. Sutherland, G.R., Kaibara, T., et al., *A mobile high-field magnetic resonance imaging system for neurosurgery*. J Neurosurg, 1999. **91**: p. 804-813.
206. Nimsky, C., Ganslandt, O., et al., *Functional neuronavigation and intraoperative MRI*. Adv Tech Stand Neurosurg., 2004. **29**: p. 229-263.
207. Lunsford, L.D., Parrish, R., et al., *Intraoperative imaging with a therapeutic computed tomographic scanner*. Neurosurgery, 1984. **15**: p. 559-561.
208. Shalit, M.N., Israeli, Y., et al., *Intra-operative computerized axial tomography*. Surg Neurol, 1979. **11**: p. 382-384.
209. Trobaugh, J.W., Richard, W.D., et al., *Frameless stereotactic ultrasonography: method and applications*. Comput Med Imaging Graph, 1994. **18**: p. 235-246.
210. Woydt, M., Krone, A., et al., *Correlation of intra-operative ultrasound with histopathologic findings after tumour resection in supratentorial gliomas: A method to improve gross total tumour resection*. Acta Neurochir (Wien), 1996. **138**: p. 1391-1398.
211. Le Roux, P.D., Winter, T.C., et al., *A comparison between preoperative magnetic resonance and intraoperative ultrasound tumor volumes and margins*. J Clin Ultrasound, 1994. **22**: p. 29-36.
212. Schiffbauer, H., Berger, M.S., et al., *Preoperative magnetic source imaging for brain tumor surgery: a quantitative comparison with intraoperative sensory and motor mapping*. Neurosurg Focus, 2003. **15**(1): p. E7.

213. Lumenta, C.B., Gumbrecht, H.K., et al., *Three-dimensional computer-assisted stereotactic-guided microneurosurgery combined with cortical mapping of the motor area by direct stimulation.* Minim Invasive Neurosurg, 1997. **40**: p. 50-54.
214. Roux, F.E., Boulanouar, K., et al., *Functional magnetic resonance imaging and cortical brain mapping to study brain plasticity in paretic patients with brain tumors.* J Neurol Neurosurg Psychiatry, 2000. **69**: p. 453-463.
215. Roux, F.E., Boulanouar, K., et al., *Usefulness of motor functional MRI correlated to cortical mapping in Rolandic low-grade astrocytoma.* Acta Neurochir (Wien), 1999. **140**: p. 71-79.
216. Riem, T., Vignes, J.R., et al., *Functional neuronavigation. Fusion of functional MRI data in a neuronavigation system.* Neurochirurgie, 2004. **50(2-3 Pt 1)**: p. 111-116.
217. Moskopp, D., Wassmann, H., *Intraoperative apparative Diagnostik*, in *Neurochirurgie*, Schattauer, Editor. 2005: Stuttgart. p. 87-94.
218. Cedzich, C., Pechstein, U., et al., *Electrophysiological considerations regarding electrical stimulation of motor cortex and brain stem in humans.* Neurosurgery, 1998. **42**: p. 527-532.
219. Yetkin, F.Z., Mueller, W.M., et al., *Functional MR activation correlated with intraoperative cortical mapping.* Am J Neuroradiol, 1997. **18**: p. 1311-1315.
220. Lehéricy, S., Duffau, H., et al., *Correspondance between functional magnetic resonance imaging somatotopy and individual brain anatomy of the central region: comparison with intraoperative stimulation in patients with brain tumors.* J Neurosurg, 2000. **92**: p. 589-598.
221. Krings, T., Schreckenberger, M., et al., *Metabolic and electrophysiological validation of fuctional MRI.* J Neurol Neurosurg Psychiatry, 2001. **71**: p. 762-771.