

Literatur

- Baliga, B.S. & Fonseca, N.T. (1997). Recent advances in the treatment of type II diabetes mellitus. *Am. Fam. Physician* **55**, 817-824.
- Banner, D.W., et al., & Waley, S.G. (1975). Structure of chicken muscle triose phosphate isomerase determined crystallographically at 2.5 Å resolution using amino acid sequence data. *Nature* **255**, 609-614.
- Barton, G.J. (1993). ALSCRIPT: a tool to format multiple sequence alignments. *Protein Eng.* **6**, 37-40.
- Berezina, O.V., Zverlov, V.V., Lunina, N.A., Chekanovskaia, L.A., Dubinina, E.N., Libel, V. & Velikodvorskaia, G.A. (1999). Structure and properties of the gene for 4- α -glucanotransferase from *Thermotoga neapolitana*. *Mol. Biol. (Mosk)* **33**, 905-911.
- Bernstein, F.C., Koetzle, T.F., Williams, G.J., Meyer, E.E. Jr., Brice, M.D., Rodgers, J.R., Kennard, O., Shimanouchi, T. & Tasumi, M. (1977). The Protein Data Bank: a computer-based archival file for macromolecular structures. *J. Mol. Biol.* **112**, 535-542.
- Boel, E., et al., & Woldike, H.F. (1990). Calcium binding in α -amylase: an X-ray diffraction study at 2.1 Å resolution of two enzymes from *Aspergillus*. *Biochemistry* **29**, 6244-6249.
- Bork, P., Holm, L. & Sander, C (1994). The immunoglobulin fold. Structural classification, sequence patterns and common core. *J. Mol. Biol.* **242**, 309-320.
- Bradford, M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**, 248-254.
- Brady, R.L., Brzozowski,A.M., Derewenda, Z.S., Dodson, E.J. & Dodson, G.G. (1991). Solution of the structure of *Aspergillus niger* acid α -amylase by combined molecular replacement and multiple isomorphous replacement methods. *Acta Cryst. B* **47**, 527-535.
- Brayer, G.D., Luo, Y. & Withers, S. G. (1995). The structure of human pancreatic α -amylase at 1.8 Å resolution and comparisons with related enzymes. *Protein Sci.* **4**, 1730-1742.

- Brünger, A.T., et al., & Warren, G.L. (1998). Crystallography & NMR System: a new software suite for macromolecular structure determination. *Acta Cryst. D* **54**, 905-921.
- Brzozowski, A.M. & Davies, G.J. (1997). Structure of the *Aspergillus oryzae* α -amylase complexed with the inhibitor acarbose at 2.0 Å resolution. *Biochemistry* **36**, 10837-10845.
- Budisa, N., Steipe, B., Demange, P., Eckerskorn C., Kellermann, J. & Huber, R. (1995). High-level biosynthetic substitution of methionine in proteins by its analogs 2-aminohexanoic acid, selenomethionine, telluromethionine and ethionine in *Escherichia coli*. *Eur. J. Biochem.* **230**, 788-796.
- Busing W.R. & Levy, H.A. (1961). Computing methods and phase problems in X-ray crystal analysis. Pergamon, Oxford.
- Campbell, J.A., Davies, G.J., Bulone, V. & Henrissat, B. (1997). A classification of nucleotide-diphospho-sugar glycosyltransferases based on amino acid sequence similarities. *Biochem. J.* **326**, 929-942.
- Cole, S.T., Brosch, R., Parkhill, J., Garnier, T., Churcher, C., Harris, D., Gordon, S.V., Eiglmeier, K., Gas, S., Barry, C.E. 3rd, Tekaia, F., Badcock, K., Basham, D., Brown, D., Chillingworth, T., Connor, R., Davies, R., Devlin, K., Feltwell, T., Gentles, S., Hamlin, N., Holroyd, S., Hornsby, T., Jagels, K., Barrell, B.G. et al. (1998). Deciphering the biology of *Mycobacterium tuberculosis* from the complete genome sequence. *Nature* **393**, 537-544.
- Collaborative Computational Project Number 4. (1994). The CCP4 suite: programs for protein crystallography. *Acta Cryst. D* **50**, 760-767.
- Coutinho, P.M. & Henrissat, B. (1999). Carbohydrate-active enzymes server at URL: <http://afmb.cnrs-mrs.fr/~pedro/CAZY/db.html>
- Davies, G. J., Wilson, K. S. & Henrissat, B. (1997). Nomenclature for sugar-binding subsites in glycosyl hydrolases. *Biochem. J.* **321**, 557-559.
- Dauter, Z. (1999). Data-collection strategies. *Acta Cryst. D*, **55**, 1703-1717.

Dawson, R.M.C., Elliot, D.C., Elliot, W.H. & Jones, K.M. (1986). *Data for biochemical research* (3rd ed.), Oxford Science Publications, pp. 1-31.

De La Fortelle, E & Bricogne, G. (1997). Maximum-likelihood heavy-atom parameter refinement for multiple isomorphous replacement and multiwavelength anomalous diffraction methods. *Methods Enzymol.* **276** 472-494.

Deacon, A.M. & Ealick, S.E. (1999). Selenium-based MAD phasing: setting the sites on larger structures. *Structure* **7**, 161-166.

Deckert, G., Warren, P.V., Gaasterland, T., Young, W.G., Lenox, A.L., Graham, D.E., Overbeek, R., Snead, M.A., Keller, M., Aujay, M., Huber, R., Feldman, R.A., Short, J.M., Olsen, G.J. & Swanson, R.V. (1998). The complete genome of the hyperthermophilic bacterium *Aquifex aeolicus*. *Nature* **26**, 392, 353-398.

Desseaux, V., Payan, F., Ajandouz, E.H., Svensson, B., Haser, R. & Marchis-Mouren, G. (1991). Effect of limited proteolysis in the 8th loop of the barrel and of antibodies on porcine pancreas amylase activity. *Biochim. Biophys. Acta* **1080**, 237-244.

Ducruix, A. & Giegé, R. (1992). Crystallization of nucleic acids and proteins. A practical approach. Oxford University Press.

Fleischmann, R.D., Adams, M.D., White, O., Clayton, R.A., Kirkness, E.F., Kerlavage, A.R., Bult, C.J., Tomb, J.F., Dougherty, B.A., Merrick, J.M., *et al.* (1995). Whole-genome random sequencing and assembly of *Haemophilus influenzae*. *Science* **269**, 496-512.

Fraser, C.M., Casjens, S., Huang, W.M., Sutton, G.G., Clayton, R., Lathigra, R., White, O., Ketchum, K.A., Dodson, R., Hickey, E.K., Gwinn, M., Dougherty, B., Tomb, J.F., Fleischmann, R.D., Richardson, D., Peterson, J., Kerlavage, A.R., Quackenbush, J., Salzberg, S., Hanson, M., van Vugt, R., Palmer, N., Adams, M.D., Gocayne, J. *et al.*, & Venter, J.C. (1997). Genomic sequence of a Lyme disease spirochaete, *Borrelia burgdorferi*. *Nature* **390**, 580-586.

Fujimoto, Z., Takase, K., Doui, N., Momma, M., Matsumoto, T. & Mizuno, H. (1998). Crystal structure of a catalytic-site mutant α -amylase from *Bacillus subtilis* complexed with maltopentaose. *J. Mol. Biol.* **277**, 393-407.

Gerstein, M & Levitt, M (1996). "Using iterative dynamic programming to obtain accurate pairwise and multiple alignments of protein structures," in Proceedings of the Fourth International Conference on Intelligent Systems in Molecular Biology, 59-67 (Menlo Park, CA, AAAI Press, June 12-15).

Geßler, K., Usón, I., Takaha, T., Krauss, N., Smith, S. M., Okada, S., Sheldrick, G. M. & Saenger, W. (1999). V-Amylose at atomic resolution: X-ray structure of a cycloamylose with 26 glucose residues (cyclomaltohexaicosaose). *Proc. Natl. Acad. Sci. USA* **96**, 4246-4251.

Gilles, C., Astier, J.P., Marchis-Mouren, G., Cambillau, C. & Payan, F. (1996). Crystal structure of pig pancreatic α -amylase isoenzyme II, in complex with the carbohydrate inhibitor acarbose. *Eur. J. Biochem.* **238**, 561-569.

Goda, S.K., Eissa, O., Akhtar, M. & Minton, N.P. (1997). Molecular analysis of a *Clostridium butyricum* NCIMB 7423 gene encoding 4- α -glucanotransferase and characterization of the recombinant enzyme produced in *Escherichia coli*. *Microbiology* **143**, 3287-3294.

Hägner, A., et al. & Battersby, A.R. (1993). Purification, characterisation, crystallisation and X-ray analysis of selenomethionine-labelled hydroxymethylbilane synthase from *Escherichia coli*. *Eur. J. Biochem.* **211**, 615-624.

Harata, K., Haga, K., Nakamura, A., Aoyagi, M., Yamane, K. (1996). X-ray structure of cyclodextrin glucanotransferase from alkalophilic *Bacillus* Sp. 1011. Comparison of two independent molecules at 1.8 Å resolution. *Acta Cryst. D* **52**, 1136-1145.

Hedges, A.R (1998). Industrial applications of cyclodextrins. *Chem. Rev.* **98**, 2035-2044.

Hendrickson, W.A., Horton, J.R. & LeMaster, D.M. (1990). Selenomethionyl proteins produced for analysis by multiwavelength anomalous diffraction (MAD): a vehicle for direct determination of three-dimensional structure. *EMBO J.*, **9**, 1665-1672.

Henrissat, B. (1991). A classification of glycosyl hydrolases based on amino acid sequence similarities. *Biochem. J.* **280**, 309-316.

Henrissat, B. & Bairoch, A. (1993). New families in the classification of glycosyl hydrolases based on amino acid sequence similarities. *Biochem. J.* **293**, 781-788.

Henrissat, B. & Bairoch, A. (1996). Updating the sequence-based classification of glycosyl hydrolases. *Biochem. J.* **316**, 695-696.

Holm, L., Koivula, A.K., Lehtovaara, P.M., Hemminki, A. & Knowles, J.K. (1990). Random mutagenesis used to probe the structure and function of *Bacillus stearothermophilus* α -amylase. *Prot. Eng.* **3**, 181-191.

Holm, L. & Sander, C. (1993). Protein structure comparison by alignment of distance matrices. *J. Mol. Biol.* **233**, 123-138.

Hsia, R.C., Pannekoek, Y., Ingerowski, E., & Bavoil, P.M. (1997). Type III secretion genes identify a putative virulence locus of *Chlamydia*. *Mol. Microbiol.* **25**, 351-359.

Hizukuri, S. (1996) Starch: Analytical aspects. In *Carbohydrates in food* (A. Eliasson ed.). New York, Marcel Dekker, Inc., pp347-429.

International Union of Biochemistry and Molecular Biology (1992). Enzyme nomenclature: recommendations of the nomenclature committee of the international Union of Biochemistry and Molecular Biology. Academic Press, San Diego.

Ishimaru, K., Kamezono Y., Teshima, S. & Hayashi, Y. (1992). Enzymatic synthesis of 2-chloro-4-nitrophenyl 4,6-O-3-ketobutylidene β -maltopentaose, a substrate for α -amylase. *Biosci. Biotech. Biochem.* **56**, 1552-1556.

Jähnicke, R. & Böhm, G. (1997). The stability of proteins in extreme environments. *Curr. Opin. Struct. Biol.* **8**, 738-748.

Jancarik, J. & Kim, S.H (1991). Sparse matrix sampling: a screening method for crystallization of proteins. *J. Appl. Cryst.*, **24**, 409-411.

Janeček, Š (1995). Close evolutionary relatedness among functionally distantly related members of the $(\alpha, \beta)_8$ -barrel glycosyl hydrolases suggested by the similarity of their fifth conserved sequence region. *FEBS Lett.* **377**, 6-8.

Janeček, Š. (1997). α -Amylase family: molecular biology and evolution. *Prog. Biophys. Molec. Biol.* **67**, 67-97.

Janeček, Š., Svensson, B. & Henrissat, B. (1997). Domain evolution in the α -amylase family. *J. Mol. Evol.* **45**, 322-331.

Janeček, S., MacGregor, E.A. & Svensson, B.: ALAMY - an ALpha-AMYlase database for sequences, structures and evolution of proteins from the α -amylase family. "3rd Carbohydrate Bioengineering Meeting", Newcastle upon Tyne, UK, 11-14 April 1999.

Jeon, B.-S., Taguchi, H., Sakai, H., Ohshima, T., Wakagi, T. & Matsuzawa, H. (1997). 4- α -Glucanotransferase from the thermophilic archaeon *Thermococcus litoralis*. *Eur. J. Biochem.* **248**, 171-178.

Jespersen, H.M., MacGregor, E.A., Sierks, M.R. & Svensson, B. (1991). Comparison of the domain-level organization of starch hydrolases and related enzymes. *Biochem. J.* **280**, 51-55.

Jesperson, H.M., MacGregor, E.A., Henrissat, B., Sierks, M.R. & Svensson, B. (1993). Starch- and glycogen-debranching and branching enzymes: prediction of structural features of the catalytic (β , α)₈-barrel domain and evolutionary relationship to other amyloytic enzymes. *J. Protein Chem.* **12**, 791-805.

Jones, G. & Whelan, W.J. (1969). The action pattern of D-enzyme, a transmaltodextrinylase from potato. *Carbohydr. Res.* **9**, 483-490.

Jones, T.A., Zou, J.Y., Cowan, S.W. & Kjeldgaard, M. (1991). Improved methods for the building of protein models. In *Crystallographic Computing*. (Moras, D., Podany, A.D. & Thierry, J.C., eds), pp. 413-432, Oxford Univ. Press, Oxford.

Kadziola, A., Abe, J., Svensson, B. & Haser, R. (1994). Crystal and molecular structure of barley α -amylase. *J. Mol. Biol.* **239**, 104-121.

Kalman, S., Mitchell, W., Marathe, R., Lammel, C., Fan, J., Hyman, R.W., Olinger, L., Grimwood, J., Davis, R.W. & Stephens, R.S (1999). Comparative genomes of *Chlamydia pneumoniae* and *C. trachomatis*. *Nat. Genet.* **21**, 385-389.

Kamitori, S. *et al.*, & Sakano, Y. (1999). Crystal structure of *Thermoactinomyces vulgaris* R-47 α -amylase II (TVAII) hydrolysing cyclodextrins and pullulan at 2.6 Å resolution. *J Mol. Biol.* **287**, 907-21.

Kaneko, T., Sato, S., Kotani, H., Tanaka, A., Asamizu, E., Nakamura, Y., Miyajima, N., Hiroswa, M., Sugiura, M., Sasamoto, S., Kimura, T., Hosouchi, T., Matsuno, A., Muraki, A., Nakazaki, N., Naruo, K., Okumura, S., Shimpoo, S., Takeuchi, C., Wada, T., Watanabe, A., Yamada, M., Yasuda, M. & Tabata, S. (1996). Sequence analysis of the genome of the unicellular cyanobacterium *Synechocystis* sp. strain PCC6803. II. Sequence determination of the entire genome and assignment of potential protein-coding regions. *DNA Res.* **3**, 109-136.

Katsuya, Y., Mezaki, Y., Kubota, M. & Matsuura, Y. (1998). Three-dimensional structure of *Pseudomonas* isoamylase at 2.2 Å resolution. *J. Mol. Biol.* **281**, 885-897.

Kizaki, H., Hata, Y., Watanabe, K., Katsume, Y. & Suzuki, Y. (1993). Polypeptide folding of *Bacillus cereus* ATCC7064 oligo-1,6-glucosidase revealed by 3.0 Å resolution X-ray analysis. *J. Biochem.* **113**, 646-649.

Klein, C. & Schulz, G.E. (1991). Structure of cyclodextrin glycosyltransferase refined at 2.0 Å resolution. *J. Mol. Biol.* **217**, 737-750.

Kleywegt, G.J. & Jones, T.A. (1993). Masks made easy. CCP4/ESF-EACBM Newsletter on Protein Crystallography 28, 56-59.

Kleywegt, G.J. (2000). Validation of protein crystal structures. *Acta Cryst. D* **56**, 249-265.

Knegtel, R.M., *et al.*, & Dijkstra, B.W. (1996). Crystal structure at 2.3 Å resolution and revised nucleotide sequence of the thermostable cyclodextrin glycosyltransferase from *Thermoanaerobacterium thermosulfurigenes* EM1. *J. Mol. Biol.* **256**, 611-622.

Kraulis, P.J. (1991). MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures. *J. Appl. Crystallogr.* **24**, 946-950.

- Kubota, M., Matsuura, Y., Sakai, S. & Katsume, Y. (1991). Molecular structure of *B. stearothermophilus* cyclodextrin glucanotransferase and analysis of substrate binding site. *Denpun Kagaku* **38**, 141-146.
- Kuriki, T., et al., & Okada, S. (1996). Controlling substrate preference and transglycosylation activity of neopullulanase by manipulating steric constraint and hydrophobicity in active center. *J. Biol. Chem.* **271**, 17321-17329.
- Kuriki, T. & Imanaka, T. (1999). The concept of the α -amylase family: structural similarity and common catalytic mechanism. *J. Biosci. Bioeng.* **87**, 557-565.
- Lacks, S.A., Dunn, J.J. & Greenberg, B. (1982). Identification of base mismatches recognized by the heteroduplex-DNA-repair system of *Streptococcus pneumoniae*. *Cell* **31**, 327-336.
- Laemmli, U.K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**, 680-685.
- Larson, S.B., Greenwood, A., Cascio, D., Day, J. & McPherson, A. (1994). Refined molecular structure of pig pancreatic α -amylase at 2.1 Å resolution. *J. Mol. Biol.* **235**, 1560-1584.
- Laskowski, R.A., MacArthur, M.W., Moss, D. & Thornton, J.M. (1993). PROCHECK: a program to check the stereochemical quality of protein structures. *J. Appl. Crystallogr.* **26**, 283-291.
- Lawson, C.L., et al., & Dijkstra, B.W. (1994). Nucleotide sequence and X-ray structure of cyclodextrin glycosyltransferase from *Bacillus circulans* strain 251 in a maltose-dependent crystal form. *J. Mol. Biol.* **236**, 590-600.
- Liebl W., Feil R., Gabelsberger J., Kellermann J. & Schleifer K.-H. (1992). Purification and characterization of a novel thermostable 4- α -glucanotransferase of *Thermotoga maritima* cloned in *Escherichia coli*. *Eur. J. Biochem.* **207**, 81-88.
- Machius, M., Wiegand, G. & Huber, R. (1995). Crystal structure of calcium-depleted *Bacillus licheniformis* α -amylase at 2.2 Å resolution. *J. Mol. Biol.* **246**, 545-559.

Machius, M., Vértesey, L., Huber, R. & Wiegand, G. (1996). Carbohydrate and protein-based inhibitors of porcine pancreatic α -amylase: structure analysis and comparison of their binding characteristics. *J. Mol. Biol.* **260**, 409–421.

Manners, D.J. (1985). Starch. In *Biochemistry of Storage Carbohydrates* (P. M. Dey and R. A. Dixon eds.). London, Academic, pp. 149-204.

Matsui, I., Ishikawa, K., Miyairi, S., Fukui, S. & Honda, K. (1991). An increase in the transglycosylation activity of *Saccharomyces* α -amylase altered by site-directed mutagenesis. *Biochim. Biophys. Acta* **1077**, 416-419.

Matsuura, Y., Kusunoki, M., Harada, W. & Kakudo, M. (1984). Structure and possible catalytic residues of Taka-amylase A. *J. Biochem.* **95**, 697-702.

Meritt, E.A. & Murphy, M.E.P. (1994). *Raster 3D* Version 2.0. A program for photorealistic molecular graphics. *Acta Cryst. D* **50**, 869-873.

Miwa, I., Okuda, J., Maeda, K., Okuda, G. (1972). Mutarotase effect on colorimetric determination of blood glucose with β -D-glucose oxidase. *Clin. Chim. Acta* **37**, 538-542.

Monod, J. & Torriani, A.M. (1948). Synthèse d'un polysaccharide de type amidon aux dépens du maltose, en présence d'un extrait enzymatique d'origine bactérienne. *C. R. Acad. Sci.* **227**, 240-242.

Morishita, Y., Hasegawa, K., Matsuura, Y., Katsume, Y., Kubota, M. & Sakai, S. (1997). Crystal structure of a maltotetraose-forming exo-amylase from *Pseudomonas stutzeri*. *J. Mol. Biol.* **267**, 661-672.

Mosi, R., Sham, H., Uitdehaag, J.C., Ruiterkamp, R., Dijkstra B.W. & Withers, S.G. (1998). Reassessment of acarbose as a transition state analogue inhibitor of cyclodextrin glycosyltransferase. *Biochemistry* **37**, 17192-17198.

Nakamura, A., Haga, K. & Yamane, K. (1994). Four aromatic residues in the active center of cyclodextrin glucanotransferase from alkalophilic *Bacillus sp.* 1011: effects of replacements on substrate binding and cyclization characteristics. *Biochemistry* **33**, 9929-9936.

- Nicholls, A., Sharp, K.A. & Honig, B (1991). Protein folding and association: insights from the interfacial and thermodynamic properties of hydrocarbons. *Proteins* **11**, 281-296.
- Otwinowski, Z. (1993). Oscillation data reduction program. In Proceedings of the CCP4 Study Weekend: Data Collection and Processing. (Sawyer, L., Isacas, N. & Bailey, S., ed.), pp.56-62, SERC, Daresbury Laboratory, Warrington, UK.
- Parsiegla, G., Schmidt, A.K. & Schulz, G.E. (1998). Substrate binding to a cyclodextrin glycosyltransferase and mutations increasing the γ -cyclodextrin production. *Eur. J. Biochem.* **255**, 710-717.
- Penninga, D., et al., & Dijkhuizen, L. (1995). Site-directed mutations in tyrosine 195 of cyclodextrin glycosyltransferase from *Bacillus circulans* strain 251 affect activity and product specificity. *Biochemistry* **34**, 3368-3376.
- Preiss, J. (1991). Biology and molecular biology of starch synthesis and its regulation. In *Oxford surveys of plant molecular and cell biology*. pp. 59-114.
- Pugsley, A.P. & Dubreuil C. (1988). Molecular characterization of *malQ*, the structural gene for the *Escherichia coli* enzyme amylomaltase. *Mol Microbiol* **2**, 4473-4479.
- Qian, M., Haser, R. & Payan, F. (1993). Structure and molecular model refinement of pig pancreatic α -amylase at 2.1 Å resolution. *J. Mol. Biol.* **231**, 785-799.
- Qian, M., Haser, R., Buisson, G., Duée, E. & Payan, F. (1994). The active center of a mammalian α -amylase. Structure of the complex of a pancreatic α -amylase with a carbohydrate inhibitor refined to 2.2 Å resolution. *Biochemistry* **33**, 6284-6294.
- Ramasubbu, N., Paloth, V. Luo, Y., Brayer, G.D. & Levine, M.J. (1996). Structure of human salivary α -amylase at 1.6 Å resolution: implications for its role in the oral cavity. *Acta Cryst. D* **52**, 435-446.
- Rodgers, D.W (1994). Cryocrystallography. *Structure* **2**, 1135-1140.

Sambrook, J., Fritsch, E.F. & Maniatis, T. (1989). Molecular cloning: a laboratory manual. 2nd edition. Cold Spring Harbor Laboratory Press, New York.

Sarko, A. & Zugenmaier, P. (1980) in *Fiber Diffraction Methods*, eds. French, A.D. & Gardner, K.C.H., ACS Symposium Series (Am. Chem. Soc., Washington, DC), No. 141, pp.459-482.

Schein, A.J. (1997). Drug treatment of non-insulin-dependent diabetes mellitus in the 1990s. Achievements and future developments. *Drugs* **54**, 355-368

Schmidt, A.K., Cottaz, S., Driguez, H. & Schulz, G.E. (1998). Structure of cyclodextrin glycosyltransferase complexed with a derivative of its main product β -cyclodextrin. *Biochemistry* **37**, 5909-5915.

Schwartz, M. (1987). In: *Escherichia coli and Salmonella typhimurium: cellular and molecular biology* (Neidhardt, F.D., Ed.), pp. 1482-1502, *Am. Soc. f. Microbiology*, Washington, D.C.

Shannon, J.C. and Garwood, D.L. (1984). Genetics and physiology of starch development. In *Starch: Chemistry and Technology*, 2nd edition (Whister, R.L., Bemiller, J.N. and Paschall, E.F. eds.). Orlando, Academic Press, pp. 25-86.

Sin, K.-A., Nakamura, A., Masaki, H., Matsuura, Y. & Uozumi, T. (1994). Replacement of an amino acid residue of cyclodextrin glucanotransferase of *Bacillus ohbensis* doubles the production of γ -cyclodextrin. *J. Biotechnol.* **32**, 283-288.

Smith, J.L. (1991). Determination of three-dimesional structure by multiwavelength anomalous diffraction. *Curr. Opin. Struc. Biol.* **1**, 1002-1011.

Stephens, R.S., Kalman, S., Lammel, C., Fan, J., Marathe, R., Aravind, L., Mitchell, W., Olinger, L., Tatusov, R.L., Zhao, Q., Koonin, E.V. & Davis, R.W. (1998). Genome sequence of an obligate intracellular pathogen of humans: *Chlamydia trachomatis*. *Science* **282**, 754-759.

Steup, M. (1988). Strach degradation. In *The biochemistry of plants, vol. 14* (J. Preiss ed.). New York, Academic Press Inc, pp. 255-296.

Steup, M. & Schächtele, C. (1981). Mode of glucan degradation by purified phosphorylase forms from spinach leaves. *Planta* **158**, 351-361.

- Strobl, S., *et al.*, & Glockshuber, R. (1998). Crystal structure of yellow meal worm α -amylase at 1.64 Å resolution. *J. Mol. Biol.* **278**, 617-628.
- Strokopytov, B., Penninga, D., Rozeboom, H.J., Kalk, K.H., Dijkhuizen, L. & Dijkstra B.W. (1995). X-ray structure of cyclodextrin glycosyltransferase complexed with acarbose. Implications for the catalytic mechanism of glycosidases. *Biochemistry* **34**, 2234-2240.
- Strokopytov, B. *et al.*, & Dijkstra, B.W. (1996). Structure of cyclodextrin glycosyltransferase complexed with a maltononaose inhibitor at 2.6 Å resolution. Implications for product specificity. *Biochemistry* **35**, 4241-4249.
- Sarko, A. & Zugenmaier, P. (1980) in *Fiber Diffraction Methods*, eds. French, A.D. & Gardner, K.C.H., ACS Symposium Series (Am. Chem. Soc., Washington, DC), No. 141, pp. 459-482.
- Svensson, B., Jespersen, H.M., Sierks, M.R. & MacGregor, E.A. (1989). Sequence homology between putative raw-starch binding domains from different starch-degrading enzymes. *Biochem. J.* **264**, 309-311.
- Svensson, B. & Sierks, M.R. (1992). Roles of the aromatic side chains in the binding of substrates, inhibitors, and cyclomalto-oligosaccharides to the glucoamylase from *Aspergillus niger* probed by perturbation difference spectroscopy, chemical modification, and mutagenesis. *Carbohydr. Res.* **227**, 29-44.
- Swift, H.F., *et al.*, & Wilkinson, A.J. (1991). Structure and molecular model refinement of *Aspergillus oryzae* (TAKA) α -amylase: an application of the simulated-annealing method. *Acta Cryst. B* **47**, 535-544.
- Tabor, S. & Richardson, C.C. (1985). A bacteriophage T7 RNA polymerase/promoter system for controlled exclusive expression of specific genes. *Proc. Natl. Acad. Sci.* **82**, 1074-1078.
- Takata, H. *et al.*, & Imanaka, T. (1992). Action of Neopullulanase. Neopullulanase catalyzes both hydrolysis and transglycosylation at α -1,4 and α -1,6-glucosidic linkages. *J. Biol. Chem.* **267**, 18447-18452.

Takaha, T., Yanase, M., Okada, S. & Smith, S.M. (1993). Disproportionating enzyme (4- α -glucanotransferase; EC 2.4.1.25) of potato. Purification, molecular cloning, and potential role in starch metabolism. *J. Biol. Chem.* **268**, 1391-1396.

Takaha, T., Yanase, M., Takata, H., Okada, S. & Smith, S. M. (1996). Potato D-enzyme catalyzes the cyclization of amylose to produce cycloamylose, a novel cyclic glucan. *J. Biol. Chem.* **271**, 2902-2908.

Takaha, T. & Smith, S.M. (1999). The function of 4- α -glucanotransferases and their use for the production of cyclic glucans. *Biotechnol. Gennet. Eng. Rev.* **16**, 257-280.

Takusagawa, F. & Jacobson, R.A. (1978). The crystal and molecular structure of α -maltose. *Acta Cryst. B* **34**, 213-218.

Terada, Y., Yanase, M., Takata, H., Takaha, T. & Okada, S. (1997). Cyclodextrins are not the major cyclic α -1,4-glucans produced by the initial action of cyclodextrin glucanotransferase on amylose. *J. Biol. Chem.* **272**, 15729-15733.

Terada, Y., Fuji, K., Takaha, T. & Okada, S. (1999). *Thermus aquaticus* ATCC33923 amylomaltase gene cloning and expression and enzyme characterization: production of cycloamylose. *Appl. Environ. Microbiol.* **65**, 910-915.

Thompson, J.D., Higgins, D.G. & Gibson, T.J. (1994). CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res.* **22** 4673-4680.

Uitdehaag, J.C.M. *et al.*, & Dijkstra, B.W. (1999). X-ray structures along the reaction pathway of cyclodextrin glycosyltransferase elucidate catalysis in the α -amylase family. *Nature Struc. Biol.* **6**, 432-436.

Vihinen, M., Peltonen, T., Iitiä, A., Suominen, I. & Mäntsälä, P. (1994). C-terminal truncations of a thermostable *Bacillus stearothermophilus* α -amylase. *Prot. Eng.* **7**, 1255-1259.

Villette, J.R., Krzewinski, F.S., Looten, P.J., Sicard, P.J. & Bouquelet, S.J.-L. (1992). Cyclomaltodextrin glucanotransferase from *Bacillus circulans* E192. IV. Evidence for a raw

starch-binding site and its interaction with β -cyclodextrin copolymer. *Biotechnol. Appl. Biochem.* **16**, 57-63.

Vriend, G. (1990). WHAT IF: a molecular modelling and drug design program. *J. Mol. Graph.* **8**, 52-56.

Wallace A.C., Laskowski, R.A. & Thornton J.M. (1995). LIGPLOT: A program to generate schematic diagrams of protein-ligand interactions. *Prot. Eng.* **8**, 127-134.

Watanabe, K., Hata, Y., Kizaki, H., Katsume, Y. & Suzuki, Y. (1997). The refined crystal structure of *Bacillus cereus* oligo-1,6-glucosidase at 2.0 Å resolution: structural characterization of proline-substitution sites for protein thermostabilization. *J. Mol. Biol.* **269**, 142-153.

Wilcox, E.R. & Whitaker, J.R. (1984). Some aspects of the mechanism of complexation of red kidney bean α -amylase inhibitor and α -amylase. *Biochemistry* **23**, 1783-1791.

Wind, R.D., Uitdehaag, J.C.M., Buitelaar, R.M., Dijkstra, B.W. & Dijkhuizen, L. (1997). Engineering of cyclodextrin product specificity and pH optima of the thermostable cyclodextrin glycosyltransferase from *Thermoanaerobacterium thermosulfurigenes* EM1. *J. Biol. Chem.* **273**, 5771-5779.

Yee, H.S. & Fong, N.T. (1996). A review of the safety and efficacy of acarbose in diabetes mellitus. *Pharmacotherapy* **16**, 792-805.

Yoshio, N., Maeda, H., Taniguchi, H. & Nakamura, M. (1986). Purification and properties of D-enzyme from malted barley. *J. Jpn. Soc. Starch Sci.* **33**, 244-252.

Yoshioka, Y., Hasegawa, K., Matsuura, Y., Katsume, Y. & Kubota, M. (1997). Crystal structures of a mutant maltotetraose-forming exo-amylase cocrystallized with maltopentaose. *J. Mol. Biol.* **271**, 619-628.