

8 Literaturverzeichnis

Ahnert-Hilger, G. & Bigalke, H. (1995). Molecular aspects of tetanus and botulinum neurotoxin poisoning. *Prog Neurobiol* **46**, 83-96.

Antonin, W., Holroyd, C., Fasshauer, D., Pabst, S., Mollard, G. F. v. & Jahn, R. (2000). A SNARE complex mediating fusion of late endosomes defines conserved properties of SNARE structure and function. *EMBO J* **19**, 6453-6464.

Appukuttan, P. S. & Wu, H. C. (1989). Fatty acylation of yeast glycoproteins proceeds independently of N-linked glycosylation. *FEBS Lett* **255**, 139-142.

Arcaro, A., Grégoire, C., Boucheron, N., Stotz, S., Palmer, E., Malissen, B. & Luescher, I. F. (2000). Essential Role of CD8 Palmitoylation in CD8 Coreceptor Function. *J Immun* **165**, 2068-2076.

Bano, M. C., Jackson, C. S. & Magee, A. I. (1998). Pseudo-enzymatic S-acylation of a myristoylated yes protein tyrosine kinase peptide in vitro may reflect non-enzymatic S-acylation in vivo. *Biochem J* **330**, 723-731.

Bark, I. C., Hahn, K. M., Ryabinin, A. E. & Wilson, M. C. (1995). Differential expression of SNAP-25 protein isoforms during divergent vesicle fusion events of neural development. *Proc Natl Acad Sci USA* **92**, 1510-1514.

Bark, I. C. & Wilson, M. C. (1994). Regulated vesicular fusion in neurons: Snapping together the details. *Proc Natl Acad Sci* **91**, 4621-4624.

Bean, A. J., Seifert, R., Chen, Y. A., Sacks, R. & Scheller, R. H. (1997). Hrs-2 is an ATPase implicated in calcium-regulated secretion. *Nature* **385**, 826-829.

Belanger, C., Ansanay, H., Qanbar, R. & Bouvier, M. (2001). Primary sequence requirements for S-acylation of beta(2)-adrenergic receptor peptides. *FEBS Lett* **499**, 59-64.

Bennett, M. K. & Scheller, R. H. (1993). The molecular machinery for secretion is conserved from yeast to neurons. *Proc Natl Acad Sci USA* **90**, 2559-2563.

Berger, M. & Schmidt, M. F. G. (1984). Cell free fatty acid acylation of Semliki Forest viral polypeptides with microsomal membranes from eukaryotic cells. *J Biol Chem* **259**, 7245-7252

Berger, M. & Schmidt, M. F. G. (1985). Protein fatty acyltransferase is located in the rough endoplasmatic reticulum. *FEBS Lett* **187**, 289-294.

Berthiaume, L., Deichaite, I., Peseckis, S. M. & Resh, M. D. (1994). Regulation of enzymatic activity by active side fatty acylation. *J Biol Chem* **269**, 6498-6505.

Berthiaume, L., Peseckis, S. M. & Resh, M. D. (1995). Synthesis and use of iodo-fatty acid analogs. *Meth Enzym* **250**, 454-466.

Berthiaume, L. & Resh, M. D. (1995). Biochemical Characterization of a Palmitoyl Acyltransferase Activity That Palmitoylates Myristoylated Proteins. *J Biol Chem* **270**, 22399-22405.

Bhatnagar, R. S. & Gordon, J. I. (1997). Understanding covalent modifications of proteins by lipids: where cell biology and biophysics mingle. *Trends in Cell Biology* **7**, 14-20.

Bhattacharyya, R., Das, A. K., Moitra, P. K., Pal, B., Mandal, I. & Basu, J. (1999). Mapping of a palmitoylatable band 3-binding domain of human erythrocyte membrane protein 4.2. *Biochem J* **340**, 505-512.

Bhattacharyya, R. & Wedegaertner, P. B. (2000). $G\alpha_13$ Requires Palmitoylation for Plasma Membrane Localization, Rho-dependent Signaling, and Promotion of p115-RhoGEF Membrane Binding. *J Biol Chem* **275**, 14992-14999.

Bizzozero, O. A. (1997). The Mechanism and Functional Roles of Protein Palmitoylation in the Nervous System. *Neuropadiatrics* **28**, 23-26.

Bizzozero, O. A., Bixler, H. A. & Pastuszyn, A. (2001). Structural determinants influencing the reaction of cysteine-containing peptides with palmitoyl-coenzyme A and other thioesters. *Biochim Biophys Acta* **1545**, 278-288.

Bizzozero, O. A. & Lees, M. B. (1986). Spectroscopic analysis of acylated and deacylated myelin proteolipid protein. *Biochemistry* **25**, 6762-6768.

Literaturverzeichnis

Bizzozero, O. A., Tetzloff, S. U. & Bharadwaj, M. (1994). Overview: Protein Palmitoylation in the Nervous System: Current Views and Unsolved Problems. *Neurochem Res* **19**, 923-933.

Bonatti, S., Migliaccio, G. & Simons, K. (1989). Palmitoylation of viral membrane glycoproteins take place after exit from ER. *J Biol Chem* **264**, 12590-12595.

Bordier, C. (1981). Phase Separation of Integral Membrane Proteins in Triton X-114 Solution. *J Biol Chem* **256**, 1604-1607.

Bracha, M., Sagher, D. & Schlesinger, M. J. (1977). Reaction of the protease inhibitor p-nitrophenyl-p'-guanidinobenzoate with Sindbis virus. *Virology* **83**, 246-253.

Brose, N., Petrenko, A. G., Südhof, T. C. & Jahn, R. (1992). Synaptotagmin: a calcium sensor on the synaptic vesicle surface. *Science* **256**, 1021-1025.

Brunger, A. T. (2001). Structure of Proteins Involved in Synaptic Vesicle Fusion in Neurons. *Annu Rev Biophys Biomol Struct* **30**, 157-171.

Camp, L. A., Verkruyse, L. A., Afendis, S. J., Slaughter, C. A. & Hofmann, S. L. (1994). Molecular cloning and expression of palmitoyl-protein thioesterase. *J Biol Chem* **269**, 23212-23219.

Casey, P. J. (1995). Protein Lipidation in Cell Signaling. *Science* **268**, 221-225.

Chapman, E. R., An, S., Barton, N. & Jahn, R. (1994). SNAP-25, a t-SNARE Which Binds to Both Syntaxin and Synaptobrevin via Domains That May Form Coiled Coils. *J Biol Chem* **269**, 27427-27432.

Chen, D., Minger, S. L., Honer, W. G. & Whiteheart, S. W. (1999b). Organization of the secretory machinery in the rodent brain: distribution of the t-SNAREs, SNAP-25 and SNAP-23. *Brain Res* **831**, 11-24.

Chen, Y. A., Scales, S. J., Patel, S. M., Doung, Y.-C. & Scheller, R. H. (1999a). SNARE Complex Formation Is Triggered by Ca^{2+} and Drives Membrane Fusion. *Cell* **97**, 165-174.

Clary, D. O., Griff, I. C. & Rothman, J. E. (1990). SNAPS, a family of NSF attachment proteins involved in intracellular membrane fusion in animals and yeast. *Cell* **61**, 709-721.

Coats, S. G., Booden, M. A. & Buss, J. E. (1999). Transient Palmitoylation Supports H-Ras Membrane Binding but Only Partial Biological Activity. *Biochemistry* **38**, 12926-12934.

Crise, B. & Rose, J. K. (1992). Identification of palmitoylation sites on CD4, the human immunodeficiency virus receptor. *J Biol Chem* **267**, 13593-13597.

Cross, G. A. M. (1987). Eucariotic protein modification and membrane attachment via phosphotidylinositol. *Cell* **48**, 179-181.

Dagert, M. & Ehrlich, S. D. (1979). Prolonged incubation in calcium chloride improves the competence of *Escherichia coli* cells. *Gene* **6**, 23-28.

Das, A. K., Dasgupta, B., Bhattacharyya, R. & Basu, J. (1997). Purification and biochemical characterization of a protein-palmitoyl acyltransferase from human erythrocytes. *J Biol Chem* **272**, 11021-11025.

Das, A. K., Kundu, M., Chakrabarti, P. & Basu, J. (1992). Fatty acylation of a 55 kDa membrane protein of human erythrocytes. *Biochim Biophys Acta* **1108**, 128-132.

Davidson, D. J. und Castellino, F. J. (1990). Asparagine-linked oligosaccharide processing in lepidopteran insect cells. Temporal dependence of the nature of the oligosaccharides assembled on asparagine-289 of recombinant human plasminogen produced in baculovirus infected *Spodoptera frugiperda* (IPLB-SF-21-AE) cells. *Biochemistry* **30**, 6167-6174.

Degtyarev, M. Y., Spiegel, A. M. & Jones, T. L. (1994). Increased palmitoylation of the Gs protein alpha subunit after activation by the beta-adrenergic receptor or cholera toxin. *J Biol Chem* **268**, 23769-23772.

Deschenes, R. J., Resh, M. D. & Broach, J. R. (1990). Acylation and prenylation of proteins. *Curr Opin Cell Biol* **2**, 1108-1113.

Devedjiev, Y., Dauter, Z., Kuznetsov, S. R., Jones, T. L. & Derewenda, Z. S. (2000). Crystal structure of the human acyl protein thioesterase I from a single X-ray data set to 1.5 Å. *Struct Fold Des* **8**, 1137-1146.

Dietzen, J. D., Hastings, W. R. & Lublin, D. M. (1995). Caveolin Is Palmitoylated on Multiple Cysteine Residues. *J Biol Chem* **270**, 6838-6842.

Literaturverzeichnis

- Dulubova, I., Sugita, S., Hill, S., Hosoka, M., Fernandez, I., Südhof, T. C. & Rizo, J. (1999). A conformational switch in syntaxin during exocytosis: role of munc18. *EMBO J* **18**, 4372-4382.
- Duncan, J. A. & Gilman, A. G. (1996). Autoacylation of G Protein α Subunits. *J Biol Chem* **271**, 23594-23600.
- Duncan, J. A. & Gilman, A. G. (1998). A cytoplasmic acyl-protein thioesterase that removes palmitate from G protein α subunits and p21(RAS). *J Biol Chem* **273**, 15830-15837.
- Dunphy, J. T. & Linder, M. E. (1998). Signalling functions of protein palmitoylation. *Biochim Biophys Acta* **1436**, 245-261.
- Dunphy, J. T., Schroeder, H., Leventis, R., Greentree, K. W., Knudsen, J. K., Silvius, J. R. & Linder, M. E. (2000). Differential effects of acyl-CoA binding protein on enzymatic and non-enzymatic thioacylation of protein and peptide substrates. *Biochim Biophys Acta* **1485**, 185-198.
- Dunphy, W. G., Fries, E., Urbani, L. J. & Rothman, J. E. (1981). Early and late functions associated with the Golgi apparatus reside in distinct compartments. *Proc Natl Acad Sci USA* **78**, 7453-7457.
- Edelmann, L., Hanson, P. I., Chapman, E. R. & Jahn, R. (1995). Synaptobrevin binding to synaptophysin: a potential mechanism for controlling exocytotic fusion machine. *EMBO J* **14**, 224-231.
- Fasshauer, D., Antonin, W., Margittai, M., Pabst, S. & Jahn, R. (1999). Mixed and non-cognate SNARE complexes. Characterization of assembly and biophysical properties. *J Biol Chem* **274**, 15440-15446.
- Fasshauer, D., Antonin, W., Subramaniam, V. & Jahn, R. (2002). SNARE assembly and disassembly exhibit a pronounced hysteresis. *Nat Struct Biol* **9**, 144-151.
- Fasshauer, D., Bruns, D., Shen, B., Jahn, R. & Brünger, A. T. (1997b). A Structural Change Occurs upon Binding of Syntaxin to SNAP-25. *J Biol Chem* **272**, 4582-4590.

- Fasshauer, D., Eliason, W. K., Brünger, A. T. & Jahn, R. (1998a). Identifikation of a Minimal Core of the Synaptic SNARE Complex Sufficient for Reversible Assembly and Disassembly. *Biochemistry* **37**, 10354-10362.
- Fasshauer, D. & Jahn, R. (2000). Mechanismen intrazellulärer Membranfusion. *Biospektrum* **6**, 27-31.
- Fasshauer, D., Otto, H., Eliason, W. K., Jahn, R. & Brünger, A. T. (1997a). Structural Changes Are Associated with Soluble N-Ethylmaleimide-sensitive Fusion Protein Attachment Protein Receptor Complex Formation. *J Biol Chem* **272**, 28036-28041.
- Fasshauer, D., Sutton, R. B., Brunger, A. T. & Jahn, R. (1998b). Conserved structural features of the synaptic fusion complex: SNARE proteins reclassified as Q- and R-SNAREs. *Proc Natl Acad Sci USA* **95**, 15781-15786.
- Fatt, P. & Katz, B. (1952). Spontaneous subthreshold activity at motor nerve endings. *J Physiol* **117**, 109-128.
- Fernandez, I., Ubach, J., Dulubova, I., Zhang, X., Südhof, T. C. & Rizo, J. (1998). Three-dimensional structure of an evolutionarily conserved N-terminal domain of Syntaxin 1A. *Cell* **94**, 841-849.
- Ferro-Novick, S. & Novick, P. (1993). The role of GTP-binding proteins in transport along the exocytotic pathway. *Annu Rev Cell Biol* **9**, 575-599.
- Fiebig, K. M., Rice, L. M., Pollock, E. & Brunger, A. T. (1999). Folding intermediates of SNARE complex assembly. *Nat Struct Biol* **6**, 117-123.
- Folch-Pi, J. & Lees, M. (1951). Proteolipids, a new type of tissue lipoprotein. Their isolation from brain. *J Biol Chem* **191**, 807-817.
- Fraser, I. D. C., Tavalin, S. J., Lester, L. B., Langenberg, L. K., Westphal, A. M., Dean, R. A., Marrion, N. V. & Scott, J. D. (1998). A novel lipid-anchored A-kinase Anchoring Protein facilitates cAMP-responsive membrane events. *EMBO J* **17**, 2261-2272.

Literaturverzeichnis

- Fuerst, T. R., Niles, E. G., Studier, F. W. & Moss, B. (1986). Eukaryotic transient-expression system based on recombinant vaccinia virus that synthesizes bacteriophage T7 RNA polymerase. *Proc Natl Acad Sci USA* **83**, 8122-8126.
- Gaedigk-Nitschko, K., Ding, M., Levy, M. & Schlesinger, M. J. (1990). Site-directed mutations in the Sindbis virus 6K protein reveal sites for fatty acylation and the underacylated protein affects virus release and virion structure. *Virology* **175**, 282-291.
- Gaedigk-Nitschko, K. & Schlesinger, M. J. (1991). Site-directed mutations in Sindbis virus E2 glycoprotein's cytoplasmic domain and the 6K protein lead to similar defects in virus assembly and budding. *Virology* **183**, 206-214.
- Galbiati, F., Guzzi, F., Magee, A. I., Milligan, G. & Parenti, M. (1994). N-Terminal fatty acylation of the alpha-subunit of the G-protein G_{i1} : only the myristoylated protein is a substrate for palmitoylation. *Biochem J* **303**, 697-700.
- Gebhardt, A., Bosch, J. V., Ziemiecki, M. A. & Friis, R. R. (1984). Rous sarcoma virus p19 and gp35 can be chemically crosslinked to high molecular weight complexes. *J Mol Biol* **174**, 297-317.
- Gerona, R. R. L., Larsen, E. C., Kowalchyk, J. A. & Martin, T. F. J. (2000). The C Terminus of SNAP25 Is Essential for Ca^{2+} -dependent Binding of Synaptotagmin to SNARE Complexes. *J Biol Chem* **275**, 6328-6336.
- Glick, B. S. & Rothman, J. E. (1987). Possible role for fatty acyl-coenzym A in intracellular protein transport. *Nature* **326**, 309-312.
- Gonelle-Gispert, C., Molinete, M., Halban, P. A. & Sadoul, K. (2000). Membrane localization and biological activity of SNAP-25 cysteine mutants in insulin-secreting cells. *J Cell Sci* **113**, 3197-3205.
- Gonzalo, S., Greentree, W. K. & Linder, M. E. (1999). SNAP-25 Is Targeted to the Plasma Membrane through a Novel Membrane-binding Domain. *J Biol Chem* **274**, 21313-21318.
- Gonzalo, S. & Linder, M. E. (1998). SNAP-25 Palmitoylation and Plasma Membrane Targeting Require a Functional Secretory Pathway. *Mol Biol Cell* **9**, 585-597.

-
- Grand, R. J. A. (1989). Acylation of viral and eukaryotic proteins. *Biochem J* **258**, 625-638.
- Grassie, M. A., McCallum, J. F., Guzzi, F., Magee, A. I., Milligan, G. & Parenti, M. (1994). The palmitoylation status of the G-protein G(o)1 alpha regulates its activity of interaction with the plasma membrane. *Biochem J* **302**, 913-920.
- Gray, P. C., Johnson, B. D., Westenbroek, R. E., Hays, L. G., III, J. R. Y., Scheuer, T., Catterall, W. A. & Murphy, B. J. (1998). Primary Struture and Function of an A Kinase Anchoring Protein Associated with Calcium Channels. *Neuron* **20**, 1017-1026.
- Gundersen, C. B., Mastrogiacomo, A. & Umbach, J. A. (1994). Extensive lipidation of a *Torpedo* cysteine string protein. *J Biol Chem* **269**, 19197-19199.
- Guzzi, F., Zanchetta, D., Chini, B. & Parenti, M. (2001). Thioacylation is required for targeting G-protein subunit G₀_αa to detergent-insoluble caveolin-containing membrane domains. *Biochem J* **355**, 323-331.
- Hallak, H., Brass, L. F. & Manning, D. R. (1994a). Failure to myristoylate the alpha subunit of Gz is correlated with an inhibition of palmitoylation and membrane attachment, but has no effect on phosphorylation by protein kinase C. *J Biol Chem* **269**, 4571-4576.
- Hallak, H., Muszbek, L., Laposata, M., Belmonte, E., Brass, L. F. & Manning, D. R. (1994b). Covalent binding of arachidonate to G protein alpha subunits of human platelets. *J Biol Chem* **269**, 4713-4716.
- Hancock, J. F., Magee, A. I., Childs, J. E. & Marshall, C. J. (1989). All ras proteins are polyisoprenylated but only some are palmitoylated. *Cell* **57**, 1167-1177.
- Hanson, P. I., Heuer, J. E. & Jahn, R. (1997). Neurotransmitter release-four years of SNARE-complexes. *Curr Opin Neurobiol* **7**, 310-315.
- Hanson, P. I., Roth, R., Morisaki, H., Jahn, R. & Heuser, J. E. (1998). Structure and conformational changes in NSF and its membrane receptor complexes visualized by quick-freeze/deep-etch electron microscopy. *Cell* **90**, 523-535.

Literaturverzeichnis

- Hayashi, T., McMahon, H., Yamasaki, S., Binz, T., Hata, Y., Südhof, T. C. & Niemann, H. (1994). Synaptic vesicle membrane fusion complex: action of clostridial neurotoxins on assembly. *EMBO J* **13**, 5051-5061.
- Hayashi, T., Yamasaki, S., Binz, T. & Niemann, H. (1995). Disassembly of the reconstituted synaptic vesicle membran fusion complex in vitro. *EMBO J* **14**, 2317-2325.
- Hazzard, J., Südhof, T. C. & Rizo, J. (1999). NMR analysis of the structure of synaptobrevin and of its interaction with syntaxin. *J Biomol NMR* **14**, 203-207.
- Heindel, U. (2001). Synaptotagmin I: Palmitoylierung und intrazelluläre Prozessierung. *Dissertation Fachbereich Biologie, Chemie, Pharmazie der Freien Universität Berlin*.
- Hepler, J. R., Biddlecome, G. H., Kleuss, C., Camp, L. A., Hofmann, S. L., Ross, E. M. & Gilman, A. G. (1996). Functional importance of the amino terminus of Gq alpha. *J Biol Chem* **271**, 496-504.
- Hess, D. T., Slater, T. M., Wilson, M. C. & Skene, J. H. P. (1992). The 25 kDa synaptosomal-associated protein SNAP-25 is the major methionine-rich polypeptide in rapid transport and a major substrate for palmitoylation in adult CNS. *J Neurosci* **12**, 4634-4641.
- Hilfiker, S., Greengard, P. & Augustine, G. J. (1999). Coupling calcium to SNARE-mediated synaptic vesicle fusion. *Nature Neurosci* **2**, 104-106.
- Horstmeyer, A., Cramer, H., Sauer, T., Müller-Esterl, W. & Schroeder, C. (1996). Palmitoylation of Endothelin Receptor A. *J Biol Chem* **271**, 20811-20819.
- Hsueh, Y.-P., Kim, E. & Sheng, M. (1997). Disulfide-Linked Head-to-Head Multimerization in the Mechanism of Ion Channel Clustering by PSD-95. *Neuron* **18**, 803-814.
- Hua, Y. & Scheller, R. H. (2001). Three SNARE complexes cooperate to mediate membrane fusion. *Proc Natl Acad Sci* **98**, 8065-8070.
- Huang, C., Duncan, J. A., Gilman, A. G. & Mumby, S. M. (1999). Persistent membrane association of activated and depalmitoylated G protein alpha subunits. *Proc Natl Acad Sci USA* **96**, 412-417.

Iiri, T., Jr., P. S. B., Jones, T. L., Wedegaertner, P. B. & Bourne, H. R. (1996). Reciprocal regulation of Gs alpha by palmitate and the beta gamma subunit. *Proc Natl Acad Sci USA* **93**, 14592-14597.

Ilardi, J. M., Mochida, S. & Sheng, Z. H. (1999). Snapin: a SNARE-associated protein implicated in synaptic transmission. *Nat Neurosci* **2**, 119-124

James, G. & Olson, E. N. (1990). Fatty acylated proteins as components of intracellular signaling pathways. *Biochemistry* **29**, 2623-2634.

Jing, S. & Trowbridge, I. S. (1990). Nonacylated human transferrin receptors are rapidly internalized and mediate iron uptake. *J Biol Chem* **265**, 11555-11559.

Jones, T. L., Degtyarev, M. Y. & Jr., P. S. B. (1997). The stoichiometry of G alpha(s) palmitoylation in its basal and activated states. *Biochemistry* **36**, 7185-7191.

Jung, V., Chen, L., Hofmann, S. L., Wigler, M. & Powers, S. (1995). Mutations in the SHR5 gene of *Saccharomyces cerevisiae* suppress Ras function and block membrane attachment and palmitoylation of Ras proteins. *Mol Cell Biol* **15**, 1333-1342.

Karnik, S. S., Ridge, K. D., Bhattacharya, S. & Khorana, H. G. (1993). Palmitoylation of bovine opsin and its cysteine mutants in COS cells. *Proc Natl Acad Sci USA* **90**, 40-44.

Kawate, N. & Menon, K. M. (1994). Palmitoylation of luteinizing hormone/human choriogonadotropin receptors in transfected cells. Abolition of palmitoylation by mutation of Cys-621 and Cys-622 residues in the cytoplasmic tail increases ligand-induced internalization of the receptor. *J Biol Chem* **269**, 30651-30658.

King, L. A. und Posee, R. D. (1992). The baculovirus expression system: a laboratory guide. London: Chapman and Hall.

Koegl, M., Zlatkine, P., Ley, S. C., Courtneidge, S. A. & Magee, A. I. (1994). Palmitoylation of multiple Src-family kinases at a homologous N-terminal motif. *Biochem J* **303**, 749-753.

Koticha, D. K., Huddleston, S. J., Witkin, J. W. & Baldini, G. (1999). Role of the Cysteine-rich Domain of the t-SNARE Component, SYNDET, in Membrane Binding and Subcellular Localization. *J Biol Chem* **274**, 9053-9060.

Literaturverzeichnis

- Kuroda, K., Geyer, H., Geyer, R., Doerfler, W. & Klenk, H. D. (1990). The oligosaccharides of influenza virus hemagglutinin expressed in insect cells by a baculovirus vector. *Virology* **174**, 418-429.
- Kuroda, K., Veit, M. & Klenk, H.-D. (1991). Retarded processing of influenza virus hemagglutinin in insect cells. *Virology* **180**, 159-165.
- Laage, R. & Langosch, D. (1997). Dimerization of the synaptic vesicle protein synaptobrevin (vesicle-associated membrane protein) II depends on specific residues within the transmembrane segment. *Eur J Biochem* **249**, 540-546.
- Lane, S. R. & Liu, Y. (1997). Characterization of the Palmitoylation Domain of SNAP-25. *J Neurochem* **69**, 1864-1869.
- Lawrence, D. S., Zilfou, J. T. & Smith, C. D. (1999). Structure-activity studies of cerulenin analogues as protein palmitoylation inhibitors. *J Med Chem* **42**, 4932-4941.
- Lin, R. C. & Scheller, R. H. (1997). Structural organization of the synaptic exocytosis core complex. *Neuron* **19**, 1087-1094.
- Lin, R. C. & Scheller, R. H. (2000). Mechanisms of Synaptic Vesicle Exocytosis. *Annu Rev Cell Dev Biol* **16**, 19-49.
- Liu, L., Dudler, T. & Gelb, M. H. (1996). Purification of a protein palmitoyltransferase that acts on H-Ras protein and on a C-terminal N-Ras peptide. *J Biol Chem* **271**, 23269-23276.
- Liu, Y., Fisher, D. A. & Storm, D. R. (1993). Analysis of the Palmitoylation and Membrane Targeting Domain of Neuromodulin (GAP-43) by Site-Specific Mutagenesis. *Biochemistry* **32**, 10714-10719.
- Luzio, J. P., Mullock, B. M., Pryor, P. R., Lindsay, M. R., James, D. E. & Piper, R. C. (2001). Relationship between endosomes and lysosomes. *Biochem Soc Trans* **29**, 476-480.
- Mack, D. & Kruppa, J. (1988). Fatty acid acylation at a single cystein residue in the cytoplasmic domain of the glycoprotein of vesicular-stomatitis virus. *Biochem J* **256**, 1021-1027.

- Mack, D. & Kruppa, J. (1988). Fatty acid acylation at the single cysteine residue in the cytoplasmic domain of the glycoprotein of vesicular-stomatitis virus. *Biochem J* **256**, 1021-1027.
- Magee, A. I. & Courtneidge, S. A. (1985). Two classes of fatty acid acylated proteins exist in eukaryotic cells. *EMBO J* **4**, 1137-1144.
- Magee, A. I., Gutierrez, L., McKay, I. A. Marshall, C. J. & Hall, A. (1987). Dynamic fatty acylation of p21^{N-ras}. *EMBO J* **6**, 3353-3357.
- Magee, A. I., Koyama, A. H., Malfer, C., Wen, D. & Schlesinger, M. J. (1984). Release of fatty acids from virus glycoproteins by hydroxylamine. *Biochim Biophys Acta* **695**, 156-166.
- Magee, A. I. & Schlesinger, M. J. (1982). Fatty acid acylation of eukaryotic cell membrane proteins. *Biochim Biophys Acta* **695**, 279-289.
- Mandel, M. & Higa, A. (1970). Calcium dependent bacteriophage DNA infection. *J Mol Biol* **53**, 154-162.
- Maniatis, T., Fritsch, E. E. & Sambrook, F. (1982). Molecular cloning: a laboratory manual. *Cold Spring Harbor Laboratory 2nd Edition, New York*.
- Margittai, M., Fasshauer, D., Pabst, S., Jahn, R. & Langen, R. (2001). Homo- and Heterooligomeric SNARE Complexes Studied by Site-directed Spin Labeling. *J Biol Chem* **276**, 13169-13177.
- Margittai, M., Otto, H. & Jahn, R. (1999). A stable interaction between syntaxin 1a and synaptobrevin 2 mediated by their transmembrane domains. *FEBS Lett* **446**, 40-44.
- Martin, M. L. & Buconi, L. (2000). Membrane localization of a rice calcium-dependent protein kinase (CDPK) is mediated by myristoylation and palmitoylation. *Plant J* **24**, 429-435.
- McLaughlin, R. E. & Denny, J. B. (1999). Palmitoylation of GAP-43 by the ER-Golgi intermediate compartment and Golgi apparatus. *Biochim Biophys Acta* **1451**, 82-92.
- McMahon, H. T., Missler, M., Li, C. & Südhof, T. C. (1995). Complexins: cytosolic proteins that regulate SNAP receptor function. *Cell* **83**, 111-119.

Literaturverzeichnis

- McNew, J. A., Parlati, F., Fukuda, R., Johnston, R. J., Paz, K. Paumet, F. Söllner, T. H. & Rothman, J. E. (2000). Compartmental specificity of cellular membrane fusion encoded in SNARE proteins. *Nature* **407**, 153-159.
- Meffert, M. K., Calakos, N. C., Scheller, R. H. & Schulman, H. (1996). Nitric oxide modulates synaptic vesicle docking fusion reactions. *Neuron* **16**, 1229-1236.
- Milligan, G., Parenti, M. & Magee, A. I. (1995). The dynamic role of palmitoylation in signal transduction. *TIBS* **20**, 181-186.
- Moss, B., Elroy-Stein, O., Mizukami, T., Alexander, W. A. & Fuerst, T. R. (1990). New mammalian expression vector. *Nature* **348**, 91-92.
- Mumby, S. M. (1997). Reversible Palmitoylation of signaling proteins. *Curr Opin Cell Biol* **9**, 148-154.
- Mumby, S. M., Kleuss, C. & Gilman, A. G. (1994). Receptor regulation of G-protein palmitoylation. *Proc Natl Acad Sci USA* **93**, 2800-2804.
- Muszbek, L. & Laposata, M. (1993). Covalent modification of proteins by arachidonate and eicosapentaenoate in platelets. *J Biol Chem* **268**, 18243-18248.
- Ng, G. Y., George, S. R., Zastawny, R., Caron, M., Dennis, M. & O'Dowd, B. F. (1993). Human serotonin 1B receptor expression in *Sf9* cells: phosphorylation, palmitoylation and adenylyl cyclase inhibition. *Biochemistry* **32**, 11727-11733.
- Ng, G. Y., Mouillac, B., George, S. R., Caron, M., Dennis, M., Bouvier, M. & O'Dowd, B. F. (1994). Desensitization, phosphorylation and palmitoylation of the human dopamine D₁ receptor. *Eur J Pharmacol* **267**, 7-19.
- Niemann, H., Blasi, J. & Jahn, R. (1994). Clostridial neurotoxins: new tools for dissecting exocytosis. *Trends Cell Biol* **4**, 179-185.
- Okamoto, M., Schoch, S. & Südhof, T. C. (1999). EHSH1/Intersectin, a Protein That Contains EH and SH3 Domains and Binds to Dynamin and SNAP-25. *J Biol Chem* **274**, 18446-18454.

- Okamoto, Y., Ninomiya, H., Tanioka, M., Sakamoto, A., Miwa, S. & Masaki, T. (1997). Palmitoylation of Human Endothelin_B. *J Biol Chem* **272**, 21589-21596.
- Olson, E. N., Merlie, J. P. & Glaser, L. (1984). Alpha and beta subunits of the nicotinic acetylcholine receptor contain covalently bound lipid. *J Biol Chem* **259**, 5364-5367.
- Olson, E. N. & Spizz, G. (1986). Fatty acylation of cellular proteins. Temporal and subcellular differences between palmitate and myristate acylation. *J Biol Chem* **261**, 2458-2466.
- Omary, M. B. & Trowbridge, I. S. (1981). Covalent binding of fatty acids to the transferrin receptor in cultured human cells. *J Biol Chem* **256**, 4715-4718.
- Ossig, R., Schmitt, H. D., Groot, B. d., Riedel, D., Keränen, S., Ronne, H., Grubmüller, H. & Jahn, R. (2000). Exocytosis requires asymmetry in the central layer of the SNARE complex. *EMBO J* **19**, 6000-6010.
- Otto, H. (1999). Der SNARE-Komplex - zwischen Vesikelbindung und Membranfusion. *Biospektrum* **5**, 36-38.
- Otto, H., Hanson, P. I. & Jahn, R. (1997). Assembly and disassembly of a ternary complex for synaptobrevin, syntaxin and SNAP-25 in the membrane of synaptic vesicles. *Proc Natl Acad Sci USA* **94**, 6197-6201.
- Ovchinnikov, Y. A., Abdulaev, N. G. & Bogachuk, A. S. (1988). Two adjacent cysteine residues in the C-terminal cytoplasmic fragment of the bovine rhodopsin are palmitoylated. *FEBS Lett* **230**, 1-5.
- Oyler, G. A., Higgins, G. A., Hart, R. A., Battenberg, E., Billingsley, M., Bloom, F. E. & Wilson, M. C. (1989). The Identification of a Novel Synaptosomal-associated Protein, SNAP-25, Differentially Expressed by Neuronal Subpopulations. *J Cell Biol* **109**, 3039-3052.
- Pabst, S., Hazzard, J. W., Antonin, W., Südhof, T. C., Jahn, R., Rizo, J. & Fasshauer, D. (2000). Selective Interaction of Complexin with the Neuronal SNARE Complex. *J Biol Chem* **275**, 19808-19818.

Literaturverzeichnis

- Parlatti, F., Weber, T., McNew, J. A., Westermann, B., Söllner, T. H. & Rothman, J. E. (1999). Rapid and efficient fusion of phospholipid vesicles by the a-helical core of a SNARE complex in the absence of an N-terminal regulatory domain. *Proc Natl Acad Sci USA* **96**, 12565-12570.
- Parlatti, F., McNew, J. A., Fukuda, R., Miller, R., Söllner, T. H. & Rothman, J. E. (2000). Topological restriction of SNARE-dependent membrane fusion. *Nature* **407**, 194-198.
- Patterson, S. I. & Skene, J. H. (1994). Novel inhibitory action of tunicamycin homologues suggests a role for dynamic protein fatty acylation in growth cone-mediated neurite extension. *J Cell Biol* **124**, 521-536.
- Patterson, S. I. & Skene, J. H. P. (1989). Novel inhibitory action of tunicamycin homologues suggests a role for dynamic protein fatty acylation in growth cone-mediated neurite extension. *J Cell Biol* **124**, 521-536.
- Peitzsch, R. M. & McLaughlin, S. (1993). Binding of acylated peptides and fatty acids to phospholipid vesicles: pertinence to myristoylated proteins. *Biochemistry* **32**, 10436-10443.
- Pelham, H. R. B. (1999). SNAREs and the Secretory Pathway - Lessons from Yeast. *Exp Cell Res* **247**, 1-8.
- Pellegrini, L. L., O'Connor, V., Lottspeich, F. & Betz, H. (1995). Clostridial neurotoxins compromise the stability of a low energy SNARE complex mediating NSF activation of synaptic vesicle fusion. *EMBO J* **14**, 4705-4713.
- Pevsner, J., Hsu, S. C., Braun, J. E., Calakos, N., Ting, A. E., Bennett, M. K. & Scheller, R. H. (1994a). Specificity and Regulation of a Synaptic Vesicle Docking Complex. *Neuron* **13**, 353-361.
- Pevsner, J., Hsu, S.-C. & H. Scheller, R. (1994b). n-Sec1: a neuronal-specific syntaxin-binding protein. *Proc Natl Acad Sci USA* **91**, 1445-1449.
- Poirier, M. A., Hao, J. C., Malkus, P. N., Chan, C., Moore, M. F., King, D. S. & Bennett, M. K. (1998a). Protease Resistance of Syntaxin-SNAP-25-VAMP Complexes. *J Biol Chem* **273**, 11370-11377.

Poirier, M. A., Xiao, W., Macosko, J. C., Chan, C., Shin, Y.-K. & Bennett, M. K. (1998b). The synaptic SNARE complex is a parallel four-stranded helical bundle. *Nature Struct Biol* **5**, 765-769.

Ponimaskin, E. (1994). Palmitoylierung viraler Membranproteine: Untersuchung der strukturellen Voraussetzung für die kovalente Bindung von Fettsäuren. *Dissertation Fachbereich Biologie, Chemie, Pharmazie der Freien Universität Berlin*.

Ponimaksin, E. & Schmidt, M. F. G. (1995). Acylation of viral glycoproteins: structural requirements for palmitoylation of transmembrane proteins. *Biochem Soc Trans* **23**, 565-568.

Ponimaskin, E. & Schmidt, M. F. G. (1995). Acylation of viral glycoproteins: structural requirements for palmitoylation of transmembrane proteins. *Biochem Soc Trans* **23**, 565-568.

Ponimaskin, E. G., Schmidt, M. F. G., Heine, M., Bickmeyer, U. & Richter, D. W. (2001). 5-Hydroxytryptamine 4(a) receptor expressed in Sf9 cells is palmitoylated in an agonist-dependent manner. *Biochem J* **353**, 627-634.

Puffer, E. B., Lomneth, R. B., Sarkar, H. K. & Singh, B. R. (2001). Differential Roles of Developmentally Distinct SNAP-25 Isoforms in the Neurotransmitter Release Process. *Biochemistry* **40**, 9374-9378.

Qanbar, R. & Bouvier, M. (2002). Role of Palmitoylation/Depalmitoylation Reactions in GPCR Function. *Pharmacol Therap*

Quinn, D., Griffiths, G. & Warren, G. (1983). Dissection of the Golgi complex. II. Density separation of specific Golgi functions in virally infected cells treated with monensin. *J Cell Biol* **96**, 851-856.

Ramjeesingh, M., Huan, L.-J., Garami, E. & Bear, C. E. (1999). Novel method for evaluation of the oligomeric structure of membrane proteins. *Biochem J* **342**, 119-123.

Reim, K., Mansour, M., Varoqueaux, F., McMahon, H. T., Südhof, T. C., Brose, N. & Rosenmund, C. (2001). Complexins Regulate a Late Step in Ca^{2+} -Dependent Neurotransmitter Release. *Cell* **104**, 71-81.

Literaturverzeichnis

- Resh, M. D. (1996). Regulation of Cellular Signalling by Fatty Acid Acylation and Prenylation of Signal Transduction Proteins. *Cell* **8**, 403-412.
- Resh, M. D. (1999). Fatty acylation of proteins: new insights into membrane targeting of myristoylated and palmitoylated proteins. *Biochim Biophys Acta* **1451**, 1-16.
- Reverey, H., Veit, M., Ponimaskin, E. & Schmidt, M. F. G. (1996). Differential fatty acid selection during biosynthetic S-acylation of a transmembrane protein (HEF) and other proteins in insect cells. *J Biol Chem* **271**, 23607-23610.
- Rice, L. M., Brennwald, P. & Brunger, A. T. (1997). Formation of a yeast SNARE complex is accompanied by significant structural changes. *FEBS Lett* **415**, 49-55.
- Risinger, C. & Bennett, M. K. (1999). Differential phosphorylation of syntaxin and synaptosome-associated protein of 25 kDa (SNAP-25) isoforms. *J Neurochem* **72**, 614-624.
- Rizo, J. & Südhof, T. C. (1998). Mechanics of membrane fusion. *Nat Struct Biol* **5**, 839-842.
- Rizzolo, L. J. & Kornfeld, R. (1988). Post-translational protein modification in the endoplasmic reticulum. *J Biol Chem* **263**, 9520-9525.
- Robbins, S. M., Quintrell, N. A. & Bishop, J. M. (1995). Myristylation and differential palmitoylation of the HCK protein-tyrosine kinases govern their attachment to membranes and association with caveolae. *Mol Cell Biol* **15**, 3507-3515.
- Robinson, L. J. & Michel, T. (1995). Mutagenesis of palmitoylation sites in endothelial nitric oxide synthase identifies a novel motif for dual acylation and subcellular targeting. *Proc Natl Acad Sci* **92**, 11776-11780.
- Rohrmann, G. F. (1986). Polyhedrin structure. *J Gen Virol* **67**, 1499-1513.
- Rothman, J. E. (1994). Mechanisms of intracellular protein transport. *Nature* **372**, 55-63.
- Roussou, I., Mixon, M. B., Chen, B. K. & Kim, P. S. (2000). Palmitoylation of the HIV-1 envelope glycoprotein is critical for viral infectivity. *Proc Natl Acad Sci USA* **97**, 13523-13525.

- Sadoul, K., Berger, A., Niemann, H., Regazzi, R., Catsicas, S. & Halban, P. A. (1997). SNAP-25 Can Self-Associate to Form a Disulfide-Linked Complex. *Biol Chem* **378**, 1171-1176.
- Sal, G. D., Manfioletti, G. & Schneider, C. (1988). A one-tube plasmid DNA mini-preparation suitable for sequencing. *Nucl Acids Res* **16**, 9878.
- Scales, S. J., Chen, Y. A., Yoo, B. Y., Patel, S. M., Doung, Y. C. & Scheller, R. H. (2000). SNAREs contribute to the specificity of membrane fusion. *Neuron* **26**, 457-464.
- Scales, S. J., Yoo, B. Y. & Scheller, R. H. (2001). The ionic layer is required for efficient dissociation of the SNARE complex by α -SNAP and NSF. *Proc Natl Acad Sci USA* **98**, 14262-14267.
- Schiavo, G., Rossetto, O. & Montecucco, C. (1994). Clostridial neurotoxins as tools to investigate the molecular events of neurotransmitter release. *Sem Cell Biol* **5**, 221-229.
- Schlesinger, J. M., Magee, A. I. & Schmidt, M. F. G. (1980). Fatty acid acylation of proteins in cultured cells. *J Biol Chem* **255**, 10021-10024.
- Schlesinger, M. J. (1992). Lipid modifications of proteins. *Boca Raton, USA: CRC Press*.
- Schlesinger, M. J. & Malfer, C. (1982). Cerulenin blocks fatty acid acylation of glycoproteins and inhibits vesicular stomatitis and Sindbis virus particle formation. *J Biol Chem* **257**, 9887-9890.
- Schmidt, M., Schmidt, M. F. G. & Rott, R. (1988). Chemical identification of cysteine as palmitoylation site in a transmembrane protein (semliki Forest virus E1). *J Biol Chem* **263**, 18635-18639.
- Schmidt, M. F. G. (1982). Acylation of viral spike glycoproteins: a feature of enveloped RNA viruses. *Virology* **116**, 327-338.
- Schmidt, M. F. G. (1989). Fatty acylation of proteins. *Biochim Biophys Acta* **988**, 411-426.

Literaturverzeichnis

- Schmidt, M. F. G., Bracha, M. & Schlesinger, M. J. (1979). Evidence for the covalent attachment of fatty acids to Sindbis virus glycoproteins. *Proc Natl Acad Sci USA* **76**, 1678-1691.
- Schmidt, M. F. G. & Burns, G. R. (1989). Solubilization of protein fatty acyltransferase from placental membranes and cell-free acyl transfer onto exogenous acceptors. *Biochim Soc Trans* **17**, 859-861.
- Schmidt, M. F. G. & Burns, G. R. (1991). On the enzymes which make "fatty proteins". *Behring Inst Mitt* **89**, 185-197.
- Schmidt, M. F. G., McIlhinney, R. A. & Burns, G. R. (1995). Palmitoylation of endogenous and viral acceptor proteins by fatty acyltransferase (PAT) present in erythrocyte ghosts and in placental membranes. *Biochim Biophys Acta* **1257**, 205-213.
- Schmidt, M. F. G. & Schlesinger, M. J. (1979). Fatty acid binding to vesicular stomatitis virus glycoprotein - a new type of posttranslational modification of the viral glycoprotein. *Cell* **17**, 813-817.
- Schroeder, H., Leventis, R., Shahinian, S., Walton, P. A. & Silvius, J. R. (1996). Lipid-modified, cysteinyl-containing peptides of diverse structures are efficiently S-acylated at the plasma membrane of mammalian cells. *J Cell Biol* **134**, 647-660.
- Schultz, A. M., Henderson, L. E. & Oroszlan, S. (1988). Fatty acylation of proteins. *Ann Rev Cell Biol* **4**, 611-647.
- Schweizer, A., Kornfeld, S. & Rohrer, J. (1996). Cysteine³⁴ of the Cytoplasmic Tail of the Cation-dependent Mannose 6-Phosphate Receptor Is Reversibly Palmitoylated and Required for Normal Trafficking and Lysosomal Enzyme Sorting. *J Cell Biol* **132**, 577-584.
- Shahinian, S. and Silvius, J. R. (1995). Doubly-lipid-modified protein sequence motifs exhibit long-lived anchorage to lipid bilayer membranes. *Biochemistry* **34**, 3813-3822.
- Shaul, P. W., Smart, E. J., Robinson, L. J., German, Z., Yuhanna, I. S., Ying, Y., Anderson, R. G. W. & Michel, T. (1996). Acylation Targets Endothelial Nitric-oxide Synthase to Plasma-malemmal Caveolae. *J Biol Chem* **271**, 6518-6522.

- Shimazaki, Y., Nishiki, T., Omori, A., Sekiguchi, M., Kamata, Y., Kozaki, S. & Takahashi, M. (1996). Phosphorylation of 25-kDa synaptosome-associated protein. Possible involvement in protein kinase C-mediated regulation of neurotransmitter release. *J Biol Chem* **271**, 14548-14553.
- Shum, L., Turck, C. W. & Derynck, R. (1996). Cysteines 153 and 154 of Transmembrane Transforming Growth Factor- α Are Palmitoylated and Mediate Cytoplasmic Protein Association. *J Biol Chem* **271**, 28502-28508.
- Skehel, P. A., Armitage, B. A., Bartsch, D., Hu, Y., Kaang, B. K., Siegelbaum, S. A., Kandel, E. R. & Martin, K. C. (1995). Proteins functioning in synaptic transmission at the sensory to motor synapse of Aplysia. *Neuropharmacology* **34**, 1379-1385.
- Smith, D. B. & Johnson, K. S. (1988). Single-step purification of polypeptides expressed in *E. coli* as fusions with glutathione S-transferase. *Gene* **67**, 31-40.
- Söllner, T., Whiteheart, S. W., Brunner, M., Erdjument-Bromage, H., Geromanos, S., Tempst, P. & Rothman, J. E. (1993a). SNAP receptors implicated in vesicle targeting and fusion. *Nature* **362**, 318-324.
- Söllner, T., Bennett, M. K., Whiteheart, S. W., Scheller, R. H. & Rothman, J. E. (1993b). A Protein Assembly-Disassembly Pathway In Vitro That May Correspond to Sequential Steps of Synaptic Vesicle Docking, Activation, and Fusion. *Cell* **75**, 409-418.
- Soyombo, A. A., Yi, W. & Hofmann, S. L. (1999). Structure of the human palmitoyl-protein thioesterase-2 gene (PPT2) in the major histocompatibility complex on chromosome 6p21.3. *Genomics* **56**, 208-216.
- Staufenbiel, M. (1987). Ankyrin-bound fatty acid turns over rapidly at the erythrocyte plasma membrane. *Mol Cell Biol* **7**, 2981.
- Staufenbiel, M. (1988). Fatty acids covalently bound to erythrocyte plasma undergo a differential turnover *in vitro*. *J Biol Chem* **263**, 13615-13622.
- Steegmaier, M., Yang, B., Yoo, J.-S., Huang, B., Shen, M., Yu, S., Luo, Y. & Scheller, R. H. (1998). Three Novel Proteins of the Syntaxin/SNAP-25 Family. *J Biol Chem* **273**, 34171-34179.

Literaturverzeichnis

- Stoffyn, P. & Folch-Pi, J. (1971). On the type of linkage binding fatty acids present in brain white matter proteolipid apoprotein. *Biochim Biophys Res Commun* **44**, 157-161.
- Südhof, T. C. (1995). The synaptic vesicle cycle: a cascade of protein-protein interactions. *Nature* **375**, 645-653.
- Südhof, T. C. & Rizo, J. (1996). Synaptotagmins: C2-Domain proteins that regulate membrane traffic. *Neuron* **17**, 379-388.
- Sutton, R. B., Fasshauer, D., Jahn, R. & Brunger, A. T. (1998). Crystal structure of a SNARE complex involved in synaptic exocytosis at 2.4 Å resolution. *Nature* **395**, 347-353.
- Tao, N., Wagner, S. J. & Lublin, D. M. (1996). CD36 Is Palmitoylated on Both N- and C-terminal Cytoplasmic Tails. *J Biol Chem* **271**, 22315-22320.
- Ting, A. E. & Scheller, R. H. (1995). Insights into the molecular mechanisms of synaptic vesicle docking and fusion. *Cold Spring Harbor Symp Quant Biol* **60**, 361-369.
- Tiruppathi, C., Alpers, D. H. & Seetharam, B. (1986). Phase Separation of Rat Intestinal Brush Border Membrane Proteins Using Triton X-114. *Anal Biochem* **153**, 330-335.
- Tokumaru, H., Umayahara, J., Pellegrini, L. L., Ishizuka, T., Saisu, H., Betz, H., Augustine, G. J. & Abe, T. (2001). SNARE Complex Oligomerization by Synaphin/Complexin Is Essential for Synaptic Vesicle Exocytosis. *Cell* **104**, 421-432.
- Topinka, J. R. & Bredt, D. S. (1998). N-Terminal Palmitoylation of PSD-95 Regulates Association with Cell Membranes and Interaction with K⁺ Channel K_v 1.4. *Neuron* **20**, 125-134.
- Towler, D. A., Gordon, J. I., Adams, S. P. & Glaster, L. (1988). The biology and enzymology of eukaryotic protein acylation. *Annu Rev Biochem* **57**, 69-99.
- Tsujimoto, S., Pelto-Huikko, M., Aitola, M., Meister, B., Vik-Mo, E. O., Davanger, S., Scheller, R. H. & Bean, A. J. (1999). The cellular and developmental expression of hrs-2 in rat. *Eur J Neurosci* **11**, 3047-3063.

- Tu, Y., Popov, S., Slaughter, C. & Ross, E. M. (1999). Palmitoylation of a Conserved Cysteine in the Regulator of G Protein Signaling (RGS) Domain Modulates the GTPase-activating Activity of RGS4 and RGS10. *J Biol Chem* **274**, 38260-38267.
- Turner, K. M., Burgoyne, R. D. & Morgan, A. (1999). Protein phosphorylation and the regulation of synaptic membrane traffic. *TINS* **22**, 459-464.
- Ueno, K. & Suzuki, Y. (1997). p260/270 expressed in embryonic abdominal leg cells of *Bombyx mori* can transfer palmitate to peptides. *J Biol Chem* **272**, 13519-13526.
- Ungermann, C., Sato, K. & Wickner, W. (1998). Defining the functions of trans-SNARE pairs. *Nature* **396**, 543-548.
- Utsumi, T., Takeshige, T., Tanaka, K., Takami, K., Kira, Y., Klostergaard, J. & Ishisaka, R. (2001). Transmembrane TNF (pro-TNF) is palmitoylated. *FEBS Lett* **500**, 1-6.
- Veit, M. (1999). Molekularbiologie der Neurosekretion und ihre Hemmung durch Tetanus- und Botulinum-Toxin. *Berl Münch Tierärztl Wschr* **112**, 186-191.
- Veit, M. (2000a). Palmitoylation of the 25-kDa synaptosomal protein (SNAP-25) in vitro occurs in the absence of an enzyme, but is stimulated by binding to syntaxin. *Biochem J* **345**, 145-151.
- Veit, M., Becher, A. & Ahnert-Hilger, G. (2000b). Synaptobrevin 2 is palmitoylated in synaptic vesicles prepared from adult but not from embryonic brain. *Mol Cell Neurosci* **15**, 408-416.
- Veit, M., Kretzschmar, E., Kuroda, K., Garten, W., Schmidt, M. F. G., Klenk, H.-D. & Rott, R. (1991). Site-specific mutagenesis identifies three cystein residues in the cytoplasmic tail as acylation site of influenza virus hemagglutinin. *J Virol* **65**, 2491-2500.
- Veit, M., Laage, R., Dietrich, L., Wang, L. & Ungermann, C. (2001). Vac8p release from the SNARE complex and its palmitoylation are coupled and essential for vacuole fusion. *EMBO J* **20**, 1-11.
- Veit, M., Reverey, H. & Schmidt, M. F. G. (1996b). Cytoplasmic tail length influences fatty acid selection for acylation of viral glycoproteins. *Biochem J* **318**, 163-172.

Literaturverzeichnis

- Veit, M., Sachs, K., Heckelmann, M., Maretzki, D., Hofmann, K. P. & Schmidt, M. F. G. (1998). Palmitoylation of rhodopsin with S-protein acyltransferase: enzyme catalyzed reaction versus autocatalytic acylation. *Biochim Biophys Acta* **1394**, 90-98.
- Veit, M. & Schmidt, M. F. G. (1998). Membrane Targeting via Protein Palmitoylation. *Meth Mol Biol* **88**, 227-239.
- Veit, M. & Schmidt, M. F. G. (2001). Enzymatic Depalmitoylation of viral Glycoproteins with Acyl-Protein Thioesterase 1 *in Vitro*. *Virology* **288**, 1-7.
- Veit, M., Söllner, T. H. & Rothman, J. E. (1996a). Multiple palmitoylation of synaptotagmin and the t-SNARE SNAP-25. *FEBS Lett* **385**, 119-123.
- Verkruyse, L. A. & Hofmann, S. L. (1996). Lysosomal targeting of palmitoyl-protein thioesterase. *J Biol Chem* **271**, 15831-15836.
- Vesa, J., Hellsten, E., Verkruyse, L. A., Camp, L. A., Rapola, J., Santavuori, P., Hofmann, S. L. & Peltonen, L. (1995). Mutations in the palmitoyl protein thioesterase gene causing infantile neuronal ceroid lipofuscinosis. *Nature* **376**, 584-587.
- Vialard, J. Lalumiere, M. Vernet, T., Briedis, D., Alkhatib, G., Henning, D., Levin, D. und Richardson, C. (1990). Synthesis of the membrane fusion and hemagglutinin proteins of measles virus, using a novel baculovirus vector containing the β -galactosidase gene. *J Virol* **64**, 37-50
- Vogel, K., Cabaniols, J.-P. & Roche, P. A. (2000). Targeting of SNAP-25 to Membranes Is Mediated by Its Association with the Target SNARE Syntaxin. *J Biol Chem* **275**, 2959-2965.
- Vogel, K. & Roche, P. A. (1999). SNAP-23 and SNAP-25 Are Palmitoylated *in Vivo*. *Biochem Biophys Res Comm* **258**, 407-410.
- Walser, A. & Deppert, W. A. (1989). A novel mechanism for covalent attachment of fatty acid to SV40 large T antigen. *Oncogene* **4**, 249-252.
- Wang, Y., Johnson, C. A., Jones, Y., Ellisman, M. H. & Dennis, E. A. (2000). Subcellular localization and PKC-dependent regulation of the human lysophospholipase A/acyl-protein thioesterase in WISH cells. *Biochim Biophys Acta* **1484**, 207-214.

- Washbourne, P., Cansino, V., Mathews, J. R., Graham, M., Burgoyne, R. D. & Wilson, M. C. (2001). Cysteine residues of SNAP-25 are required for SNARE disassembly and exocytosis, but not for membrane targeting. *Biochem J* **357**, 625-634.
- Webb, Y., Hermida-Matsumoto, L. & Resh, M. D. (2000). Inhibition of protein palmitoylation, raft localization, and T cell signaling by 2-bromopalmitate and polyunsaturated fatty acids. *J Biol Chem* **275**, 261-270.
- Weber, T., Parlati, F., McNew, J. A., Johnston, R. J., Westermann, B., Söllner, T. H. & Rothman, J. E. (2000). SNAREpins Are Functionally Resistant to Disruption by NSF and α -SNAP. *J Cell Biol* **149**, 1063-1072.
- Weber, T., Zemelman, B. V., McNew, J. A., Westermann, B., Gmachl, M., Parlati, F., Söllner, T. H. & Rothman, J. E. (1998). SNAREpins: Minimal Machinery for Membrane Fusion. *Cell* **92**, 759-772.
- Wedegaertner, P. B. & Bourne, H. R. (1994). Activation and depalmitoylation of Gs alpha. *Cell* **77**, 1063-1070.
- Wedegaertner, P. B., Bourne, H. R. & Zastrow, M. v. (1996). Activation-induced subcellular redistribution of Gs alpha. *Mol Biol Cell* **7**, 1225-1233.
- Wedegaertner, P. B., Chu, D. H., Wilson, P. T., Levis, M. J. & Bourne, H. R. (1993). Palmitoylation is required for signaling functions and membrane attachment of Gq alpha and Gs alpha. *J Biol Chem* **268**, 25001-25008.
- Wedegaertner, P. B., Wilson, P. T. & Bourne, H. R. (1995). Lipid modifications of trimeric G proteins. *J Biol Chem* **270**, 503-506.
- Weisz, O. A. & Machamer, C. E. (1994). Use of Recombinant Vaccinia Virus Vectors for Cell Biology. *Meth Cell Biol* **43**, 137-159.
- Whiteheart, S. W., Griff, I. C., Brunner, M., Clary, D. O., Mayer, T., Buhrow, S. A. & Rothman, J. E. (1993). SNAP family of NSF attachment proteins includes a brain-specific isoform. *Nature* **362**, 353-355.

Literaturverzeichnis

Whiteheart, S. W., Rossnagel, K., Buhrow, S. A., Brunner, M., Jaenicke, R. & Rothman, J. E. (1994). N-ethylmaleimide-sensitive fusion protein: a trimeric ATPase whose hydrolysis of ATP is required for membrane fusion. *J Cell Biol* **126**, 945-954.

Wiedenmann, B. & Franke, W. W. (1985). Identifikation and localization of synaptophysin, an integral membran glycoprotein of Mr 38,000 of presynaptic vesicles. *Cell* **41**, 1017-1028.

Wolff, J., Zambito, A. M., Britto, P. J. & Knipling, L. (2000). Autopalmitoylation of tubulin. *Protein Sci* **9**, 1357-1364.

Yalovsky, S., Rodríguez-Concepción, M. & Grussem, W. (1999). Lipid modifications of proteins-slipping in and out of membranes. *Trends Plant Sci* **4**, 439-445.

Yang, B., L. Gonzalez, J., Prekeris, R., Steegmaier, M., Advani, R. J. & Scheller, R. H. (1999). SNARE Interactions Are Not Selective: implications for membrane fusion specificity. *J Biol Chem* **274**, 5649-5653.

Yeh, D. C., Duncan, J. A., Yamashita, S. & Michel, T. (1999). Depalmitoylation of endothelial nitric-oxide synthase by acyl-protein thioesterase 1 is potentiated by Ca(2+)-calmodulin. *J Biol Chem* **274**, 33148-33154.

Zeng, F. Y., Kaphalia, B. S., Ansari, G. A. & Weigel, P. H. (1995). Fatty acylation of the rat asialoglycoprotein receptor. The three subunits from active receptors contain covalently bound palmitate and stearate. *J Biol Chem* **270**, 21382-21387.