

## 8 Literatur

1. Adikwu, M.U. & Osondu, B.O. (1991). Four years of essential drugs' list in Nigeria. *Soc Sci Med* **33**, 1005-1010
2. Agyepong, I.A., Ansah, E., Gyapong, M., Adjei, S., Barnish, G. & Evans, D. (2002). Strategies to improve adherence to recommended chloroquine treatment regimes: a quasi-experiment in the context of integrated primary health care delivery in Ghana. *Soc Sci Med* **55**, 2215-2226
3. Akin, J.S., Guilkey, D.K. & Denton, E.H. (1995). Quality of services and demand for health care in Nigeria: a multinomial probit estimation. *Soc Sci Med* **40**, 1527-1537
4. Anker, M., Guidotti, R.J., Orzeszyna, S., Sapirie, S.A. & Thuriaux, M.C. (1993). Rapid evaluation methods (REM) of health services performance: methodological observations. *Bull World Health Organ* **71**, 15-21
5. Arhinful, D.K., Das, A.M., Hadiyono, J.P.H.K., Higginbotham, N., Iyem, F.B., Quick, J. & Ross-Degnan, D. (1996). How to use applied qualitative methods to design drug use interventions. *WHO Manual*
6. Auswärtiges Amt (2003). Länder- und Reiseinformationen. [www.auswaertiges-amt.de/www/de/laenderinfos](http://www.auswaertiges-amt.de/www/de/laenderinfos)
7. Baird-Lambert, J. & Buchanan, N. (1985). Compliance with medication regimens in children. Can it be improved? *Med J Aust* **142**, 201-203
8. Baltussen, R.M., Ye, Y., Haddad, S. & Sauerborn, R.S. (2002). Perceived quality of care of primary health care services in Burkina Faso. *Health Policy Plan* **17**, 42-48
9. Bichmann, W., Diesfeld, H.-J., Agboton, Y., Ac Gbaguidi, E. & Simshäuser, U. (1991). District health systems: users' preferences for services in Benin. *Health Policy Plan* **6**, 361-370
10. Björck, M., Johannson, R. & Kanji, N. (1992). Improving the quality of primary care services in Angola. *Health Policy Plan* **7**, 290-295

11. Black, R.E., Morris, S.S. & Bryce, J. (2003). Where and why are 10 million children dying every year? *Lancet* **361**, 2226-2234
12. Blendon, R.J., Leitman, R., Morrison, I. & Donelan, K. (1990). Satisfaction with health systems in ten nations. *Health Affairs* **9 (2)**, 185-192
13. Boonstra, E., Lindbaek, M., Khulumani, P., Ngome, E. & Fugelli, P. (2002). Adherence to treatment guidelines in primary health care facilities in Botswana. *Trop Med Int Health* **7**, 178-186
14. Bouchet, B., Francisco, M. & Ovretveit, J. (2002). The Zambia quality assurance program: successes and challenges. *Int J Qual Health Care* **14 Suppl 1**, 89-95
15. Brook, R.H. (1989). Practice guidelines and practicing medicine. Are they compatible? *JAMA* **262**, 3027-3030
16. Brown, L.D., Franco, L.M., Rafeh, N. & Hatzell, T. (2003). Quality assurance of health care in developing countries. [www.qaproject.org/pdf/devcont.pdf](http://www.qaproject.org/pdf/devcont.pdf)
17. Bryce, J., el Arifeen, S., Pariyo, G., Lanata, C., Gwatkin, D. & Habicht, J.P. (2003). Reducing child mortality: can public health deliver? *Lancet* **362**, 159-164
18. Carvalho, I. (2000). Traditional midwives: a general overview on training programmes. In: *Obstetrics unplugged* (Wacker, J., Baldé, M.D., Bastert, G., eds.). Urban & Fischer, München, Jena, 60-63
19. Central Intelligence Agency (2003). CIA World Fact Book. [www.odci.gov/cia/publications/factbook/index.html](http://www.odci.gov/cia/publications/factbook/index.html)
20. Chace, L. & Krause, G. (1999). La Surveillance active de paralysies flasques aiguës dans le cadre de l'éradication de la poliomyélite au Niger. Rapport de mission du 14 mai au 10 Aout 1999, Organisation Mondiale de la Santé, Niamey, Niger
21. Christensen, R.O. & Anokbonggo, W.W. (1990). Prescribing in hospital outpatient departments and rural health facilities in Uganda: some clinical and educational implications. *Dan Med Bull* **37**, 375-377

22. Commission National du Guide Diagnostique et Thérapeutique. (1993). Stratégies de diagnostic et traitement pour le premier niveau de soins de santé. Ministère de la Santé, de l'Action Sociale et de la Famille, Ouagadougou, Burkina Faso, 1-92
23. Coste, J. & Venot, A. (1999). An epidemiologic approach to drug prescribing quality assessment: a study in primary care practice in France. *Med Care* **37**, 1294-1307
24. Davis, M.S. (1966). Variations in patients' compliance with doctors' orders: analysis of congruence between survey response and results of empirical investigations. *J Med Educ* **41**, 1037-1048
25. de Wet, B. & Hollingshead, J. (1980). Medicine compliance in paediatric outpatients. *S Afr Med J* **58**, 846-848
26. Deming, M.S., Gayibor, A., Murphy, K., Jones, T.S. & Karsa, T. (1989). Home treatment of febrile children with antimalarial drugs in Togo. *Bull World Health Organ* **67**, 695-700
27. Diesfeld, H.J. (2001a). Sozioökonomische, politische und kulturelle Rahmenbedingungen von Gesundheit und Krankheit. In: Gesundheitsversorgung in Entwicklungsländern, 2. Auflage (Diesfeld H.J., Falkenhorst G., Razum O., Hampel D., Hrsg.). Springer Verlag, Berlin, Heidelberg, New York, 1-33
28. Diesfeld, H.J. (2001b). Das „Primary Health Care“- (PHC-)Konzept. In: Gesundheitsversorgung in Entwicklungsländern, 2. Auflage (Diesfeld H.J., Falkenhorst G., Razum O., Hampel D., Hrsg.). Springer Verlag, Berlin, Heidelberg, New York, 45-57
29. Diesfeld, H.J., Krause, G., Teichmann, D. (2003a). Differentialdiagnostische Hinweise auf Tropenkrankheiten. In: Praktische Tropen- und Reisemedizin, 2. Auflage. Thieme Verlag, Stuttgart, New York, 34-47
30. Diesfeld, H.J., Krause, G., Teichmann, D. (2003b). Vorkommen ausgewählter Krankheiten mit spezifischen Endemiegebieten. In: Praktische Tropen- und Reisemedizin, 2. Auflage. Thieme Verlag, Stuttgart, New York, 222-231

31. Dixon, S., McDonald, S. & Roberts, J. (2002). The impact of HIV and AIDS on Africa's economic development. *BMJ* **324**, 232-234
32. Donabedian, A. (1968). Promoting quality through evaluating the process of patient care. *Med Care* **6**, 181-202
33. Donohoe, M. (2003). Causes and health consequences of environmental degradation and social injustice. *Soc Sci Med* **56**, 573-587
34. Doyle, V. & Haran, D. (1996). Making quality count. *Health Action* **15**, 4-5
35. Doyle, V., Rojas, Z., Borchert, M., Sauerborn, R., Kimatta, S., Alabi, G., Krause, G., Wahser, U. & Siddiqi, S. (1996). Caring about quality: Enabling factors. What are the factors that allow for a successful quality assurance programme? *Health Action* **15**, 6-6
36. Ehrhardt, S., Mockenhaupt, F.P., Agana-Nsiire, P., Mathieu, A., Anemana, S.D., Stark, K., Otchwemah, R.N. & Bienzle, U. (2002). Efficacy of chloroquine in the treatment of uncomplicated, *Plasmodium falciparum* malaria in northern Ghana. *Ann Trop Med Parasitol* **96**, 239-247
37. Eldar, R. (1989). Standards for hospitals of less-developed countries. *Int J Health Care Qual Assur* **2**, 4-6
38. Epi Info, Version 6.02, (1994) Centers for Disease Control and Prevention, Atlanta, GA 30333, USA
39. Erdkunde-online (2003). IWebYou GmbH, [www.erdkunde-online.de/0291.htm](http://www.erdkunde-online.de/0291.htm)
40. Ezzati, M., Lopez, A.D., Rodgers, A., Vander Hoorn, S. & Murray, C.J. (2002). Selected major risk factors and global and regional burden of disease. *Lancet* **360**, 1347-1360
41. Fabricant, S.J. & Hirschhorn, N. (1987). Deranged distribution, perverse prescription, unprotected use: the irrationality of pharmaceuticals in the developing world. *Health Policy Plan* **2**, 204-213

42. Ferrinho, P. & Valli, A. (1994). Cost of drugs at an urban primary health care centre in Alexandra, South Africa. *Ann Soc Belg Med Trop* **74**, 327-338
43. Figueiras, A., Caamano, F. & Gestal-Otero, J.J. (2000). Influence of physician's education, drug information and medical-care settings on the quality of drugs prescribed. *Eur J Clin Pharmacol* **56**, 747-753
44. Fleischer, B. (2002) Alliances against malaria in Africa. *Int J Med Microbiol* **291**, 585-586
45. Fleischer, K. (1993) Special problems in the „Third World“ possibilities of intervention concerning prevention and care of AIDS in the „Third World“. *Trop Med Parasitol* **44** (2), 134-137
46. Font, F., Alonso, G.M., Nathan, R., Kimario, J., Lwilla, F., Ascaso, C., Tanner, M., Menendez, C. & Alonso, P.L. (2001). Diagnostic accuracy and case management of clinical malaria in the primary health services of a rural area in south-eastern Tanzania. *Trop Med Int Health* **6**, 423-428
47. Franco, L.M., Franco, C., Kumwenda, N. & Nkhoma, W. (2002). Methods for assessing quality of provider performance in developing countries. *Int J Qual Health Care* **14** (Suppl 1), 17-24
48. Friebel, H., Schäfer, T., Balthasar, R., Dinnendahl, V., Feyerabend, H., Hoffmans-Hohn, M., Müller-Oerlinghausen, B. & Overhoff, H. (1988a). Arzneimitteltransparenz und -beratung in Dortmund. Über therapiegerechte und wirtschaftliche Arzneiverordnung (3. Mitteilung). *Pharmazeutische Zeitung* **133** (10), 680-690
49. Friebel, H., Schäfer, T., Balthasar, R., Dinnendahl, V., Feyerabend, H., Hoffmans-Hohn, M., Müller-Oerlinghausen, B. & Overhoff, H. (1988b). Arzneimitteltransparenz und -beratung in Dortmund. Über therapiegerechte und wirtschaftliche Arzneiverordnung (3. Mitteilung – Teil 2). *Pharmazeutische Zeitung* **133** (13), 932-940
50. Gastmeier, P., Daschner, F., Rüden, H. (1999). Guidelines for infection prevention and control in Germany: evidence- or expert-based? *J Hosp Infect* **43** (sup): S301-S305

51. Garner, P. (1989). The Bamako initiative. *BMJ* **299**, 277-278
52. Gentilini M. (Hrsg.)(1993a). Aspects sanitaires dans les pays en développement. In: *Médecine Tropicale*, Flammarion, Paris, 77-90
53. Gentilini M. (Hrsg.)(1993b). Paludisme. In: *Médecine Tropicale*, Flammarion, Paris, 91-122
54. Gerteis, M. (1993). What patients really want. *HMQ* **15**(3), 2-6
55. Gideon Informatics (1999). Gideon, Version 2.01, Gideon Informatics Ltd, San Francisco
56. Gilson, L., Alilio, M. & Heggenhougen, K. (1994). Community satisfaction with primary health care services: an evaluation undertaken in the Morogoro region of Tanzania. *Soc Sci Med* **39**, 767-780
57. Gilson, L., Jaffar, S., Mwankusye, S. & Teuscher, T. (1993). Assessing Prescribing Practice: A Tanzanian Example. *Int J Health Plann Manage* **8**, 37-58
58. Görgen, R. (2001). Frauen und Gesundheit. In: *Gesundheitsversorgung in Entwicklungsländern*, 2. Auflage (Diesfeld H.J, Falkenhorst G, Razum O., Hampel D., Hrsg.). Springer Verlag, Berlin, Heidelberg, New York, 150-164
59. Greenberg, R.N. (1984). Overview of patient compliance with medication dosing: a literature review. *Clin Ther* **6**, 592-599
60. Greifeld, K. (2001). Einführung in Konzepte von "Gesundheit" und "Krankheit". In: *Gesundheitsversorgung in Entwicklungsländern*, 2. Auflage (Diesfeld H.J, Falkenhorst G, Razum O., Hampel D., Hrsg.). Springer Verlag, Berlin, Heidelberg, New York, 33-40
61. Griffith, S. (1990). A review of the factors associated with patient compliance and the taking of prescribed medicines. *Br J Gen Pract* **40**, 114-116
62. Guiguemde, T.R., Aouba, A., Ouedraogo, J.B. & Lamizana, L. (1994). Ten-year surveillance of drug-resistant malaria in Burkina Faso (1982-1991). *Am J Trop Med Hyg* **50**, 699-704

63. Gul, V. & Mackenzie, M. (1993). Medical counselling and patient compliance in Turkish and Greek speaking communities in Haringey and Enfield. *J R Soc Health* **113**, 286-287
64. Guyon, A.B., Barman, A., Ahmed, J.U., Ahmed, A.U. & Alam, M.S. (1994). A baseline survey on use of drugs at the primary health care level in Bangladesh. *Bull World Health Organ* **72**, 265-271
65. Haddad, S. & Fournier, P. (1995). Quality, cost and utilization of health services in developing countries. A longitudinal study in Zaire. *Soc Sci Med* **40**, 743-753
66. Haines, A. & Feder, G. (1992). Guidance on guidelines. *BMJ* **305**, 785-786
67. Harrison, L.H., Khallaf, N., El Mouggi, M., Koura, H., Shobair, I. & Terreri, N. (1993). An instrument to assess acute respiratory infection case management in Egypt. *Qual Assur Health Care* **5**, 67-73
68. Haynes, R.B., McKibbin, K.A., Kanani, R., Brouwers, M.C. & Oliver, T. (1997). Interventions to assist patients to follow prescriptions for medications. *The Cochrane Library* **3**, 1-19
69. Hazra, A., Tripathi, S.K. & Alam, M.S. (2000). Prescribing and dispensing activities at the health facilities of a non-governmental organization. *Natl Med J India* **13**, 177-182
70. Hermida, J. (1994) Improving quality of care in cholera and acute diarrhea in Ecuador through a QA approach. Draft report, unpublished, 1-10.
71. Hermida, J., Laspina, C. & Idrovo, F. (1995). QA methods improve quality of cholera/acute diarrhea care in local health districts in Ecuador. *Q.A. Brief* **1**, 2-35
72. Herrmann, M. (1991). Was wissen wir über das Einnahmeverhalten unserer Patienten: Ergebnisse von Umfragen. *Verh Dtsch Ges Inn Med* **97:342-6**, 342-346
73. Hogerzeil, H.V. & Moore, G.D. (1987). Essential drugs for church-related rural health care. *World Health Forum* **8**, 472-473

74. Hogerzeil, H.V., Bimo, Ross-Degnan, D., Laing, R.O., Ofori-Adjei, D., Santoso, B., Azad, C.A., Das, A.M., Kafle, K.K. & Mabadeje, A.F. (1993). Field tests for rational drug use in twelve developing countries. *Lancet* **342**, 1408-1410
75. Holden, J.D. (2001). Hawthorne effects and research into professional practice. *J Eval Clin Pract* **7**, 65-70
76. Holloway, K.A. & Gautam, B.R. (2001). Consequences of over-prescribing on the dispensing process in rural Nepal. *Trop Med Int Health* **6**, 151-154
77. Holloway, K.A., Gautam, B.R. & Reeves, B.C. (2001). The effects of different kinds of user fee on prescribing costs in rural Nepal. *Health Policy Plan* **16**, 421-427
78. Homedes, N. & Ugalde, A. (2001). Improving the use of pharmaceuticals through patient and community level interventions. *Soc Sci Med* **52**, 99-134
79. Isaakidis, P., Swingler, G.H., Pienaar, E., Volmink, J. & Ioannidis, J.P. (2002). Relation between burden of disease and randomised evidence in sub-Saharan Africa: survey of research. *BMJ*, **324**, 702
80. Jallow, M.T. (1993). Essential drugs in the Gambia. *World Health Forum*, **14**, 136-139
81. James, P.T., Leach, R., Kalamara, E. & Shayegi, M. (2001). The worldwide obesity epidemic. *Obes Res*, **9** (Suppl. 4), 228S-233S
82. Jones, G., Steketee, R.W., Black, R.E., Bhutta, Z.A. & Morris, S.S. (2003). How many child deaths can we prevent this year? *Lancet* **362**, 65-71
83. Juncker, T. (1993). Cost recovery for drugs provided at the rural dispensary: an experiment in Niger. *Ann Soc Belg Med Trop* **73**, 235-246
84. Kaldor, A. (1991). How to comply with non-compliance. *Int J Clin Pharmacol Ther Toxicol* **29**, 209



85. Kasilo, O.J. & Mwaluko, G.M. (1992). The essential drugs in Tanzania: a ten year (1979-1988) review following the Alma Ata declaration. *East Afr Med J* **69**, 288-293
86. Kassirer, J.P. (1993). The quality of care and the quality of measuring it. *N Engl J Med* **329**, 1263-1265
87. Kellaway, G.S. & McCrae, E. (1979). The effect of counselling on compliance-failure in patient drug therapy. *N Z Med J* **89**, 161-165
88. Khan, I.M., Laaser, U. (2002) Resistance and refugees in Pakistan: challenges ahead in tuberculosis control. *Lancet* **2**, 270-272
89. Khan, I.M., Yassin, K.M., Hurrelmann, K., Laaser, U. (2002) Urging health system research: identifying gaps and fortifying tuberculosis control in Pakistan. *Croat Med J* **43** (4), 480-484
90. Kirkwood B.R. & Sterne J.A.C. (2003a). Chi-squared tests for 2x2 and larger contingency tables. In: *Essentials of Medical Statistics*. Blackwell Science Ltd, Oxford, 165-176
91. Kirkwood B.R. & Sterne J.A.C. (2003b). Relaxing model assumptions. In: *Essentials of Medical Statistics*. Blackwell Science Ltd, Oxford, 343-354
92. Kiyingi, K.S. & Lauwo, J.A. (1993). Drugs in the home: danger and waste. *World Health Forum* **14**, 381-384
93. Kosek, M., Bern, C. & Guerrant, R.L. (2003). The global burden of diarrhoeal disease, as estimated from studies published between 1992 and 2000. *Bull World Health Organ* **81**, 197-204
94. Krause, G. (2000). Infection control in obstetric care in the district hospital. In: *Obstetrics unplugged* (Wacker, J., Baldé, M.D., Bastert, G., eds.). Urban & Fischer, München, Jena, 14-21
95. Krause, G., Borchert, M., Benzler, J., Diesfeld, H.J. (2000) From diagnosis to drug taking: staff compliance with guidelines and patients compliance to prescriptions in Burkina Faso. *Int J Qual Health Care* **12** (1), 25-30

96. Krause, G. & Sauerborn, R. (2000). Comprehensive community effectiveness of health care. A study of malaria treatment in children and adults in rural Burkina Faso. *Ann Trop Paediatr* **20**, 273-282
97. Krause, G., Noodt, B., Schlecht, C., Speer, E., Visbeck, A. & Weber, I. (1992). Lernprogramm: Gesundheit in Entwicklungsländern: Ursachen - Einflüsse - Folgen. Abteilung für Tropenhygiene und Öffentliches Gesundheitswesen der Universität Heidelberg, 29-65
98. Krause, G. & Heinmüller, R. (1996). Utilisation des MEG: étude sur la qualité depuis le diagnostic jusqu'a la prise des médicaments. 5 èmes Journée des Sciences de la Santé, Bobo-Dioulasso, Burkina Faso, 10-12 April 1996
99. Krause, G., Benzler, J., Heinmüller, R., Borchert, M., Koob, E., Ouattara, K. & Diesfeld, H.J. (1998a). Performance of village pharmacies and patient compliance after implementation of an essential drug programme in rural Burkina Faso. *Health Policy Plan* **13**, 159-166
100. Krause, G., Borchert, M., Benzler, J. & Diesfeld, H.-J. (1998b). Nurses' adherence to treatment protocols and patient compliance in rural Burkina Faso. 2<sup>nd</sup> European Congress on Tropical Medicine, Liverpool, Sept. 1998
101. Krause, G., Borchert, M., Benzler, J., Heinmüller, R., Kaba, I., Savadogo, M., Siho, N. & Diesfeld, H.J. (1999). Rationality of drug prescriptions in rural health centres in Burkina Faso. *Health Policy Plan* **14**, 291-298
102. Krause, G., Schleiermacher, D., Borchert, M., Benzler, J., Heinmüller, R., Ouattara, K., Coulibaly, S., Diasso, I., Ilboudo, A. & Diesfeld, H.J. (1998c). Diagnostic quality in rural health centres in Burkina Faso. *Trop Med Int Health* **3**, 100-107
103. Kritzinger, N.A. (1980). Adherence to drug therapy. An outpatient survey at the Johannesburg General Hospital. *S Afr Med J* **58**, 767-770
104. Kroeger, A. (1985). Response errors and other problems of health interview surveys in developing countries. *World Health Stat Q* **38**, 15-37
105. Kroeger, A. (1994). Past and present trends of community health in tropical countries. *Trans R Soc Trop Med Hyg* **88**, 497-498

106. Kroeger, A., Falkenberg, T., Tomson, G., Sen, K., Diesfeld, H.J., Dujardin, B., Tang, S. & Van der Stuyft, P. (2002). Does Brussels listen? European health systems research in developing countries at the edge of extinction. *Trop Med Int Health* **7**, 101-103
107. Kroeger, A., Ochoa, H., Arana, B., Diaz, A., Rizzo, N. & Flores, W. (2001). Inadequate drug advice in the pharmacies of Guatemala and Mexico: the scale of the problem and explanatory factors. *Ann Trop Med Parasitol* **95**, 605-616
108. Külker, R. (2001). Der Gesundheitsdistrikt – Aufbau und Aufgaben. In: Gesundheitsversorgung in Entwicklungsländern, 2. Auflage (Diesfeld H.J, Falkenhorst G, Razum O., Hampel D., Hrsg.). Springer Verlag, Berlin, Heidelberg, New York, 314-336
109. Lewis, J. R. (1994). Patient views on quality care in general practice: literature review. *Soc Sci Med* **39**(5), 655-670
110. Leyva-Flores, R., Erviti-Erice, J., Kageyama-Escobar, L., Gallardo-Diaz, E. & Lara-Rodriguez, F. (1995). Utilización de servicios de salud por febriles en un área de transmisión de paludismo en México. *Salud Publica Mex* **37**, 400-407
111. Lied, T.R. & Kazandjian, V.A. (1998). A Hawthorne strategy: implications for performance measurement and improvement. *Clin Perform Qual Health Care* **6**, 201-204
112. Linder-Pelz, S. (1982). Social psychological determinants of patient satisfaction: a test of five hypotheses. *Soc Sci Med* **16**, 583-589.
113. Litvack, J.I. & Bodart, C. (1993). User fees plus quality equals improved access to health care: results of a field experiment in Cameroon. *Soc Sci Med* **37**, 369-383
114. MacDonald, E.T., MacDonald, J.B. & Phoenix, M. (1977). Improving drug compliance after hospital discharge. *Br Med J* **2**, 618-621
115. Macgregor, F.C. (1967). Uncooperative patients: some cultural interpretations. *Am J Nurs* **67**, 88-91

116. maps.com (2003). www.maps.com
117. Martin Sanchez, A.; Gene Badia, J.; Sanz Moragas, E.; Sabria Mestras, F. (1988). La entrevista como método de valoración del cumplimiento. *Med Clin (Barc)* **90**, 434
118. McLigeyo, S.O. (2002). Ageing population in Africa and other developing communities: a public health challenge calling for urgent solutions. *East Afr Med J* **79**, 281-283
119. McPake, B. (1993). User charges for health services in developing countries: a review of the economic literature. *Soc Sci Med* **36**, 1397-1405
120. McPake, B., Hanson, K. & Mills, A. (1993). Community financing of health care in Africa: an evaluation of the Bamako initiative. *Soc Sci Med* **36**, 1383-1395
121. Mendez, G.F. & Cowie, M.R. (2001). The epidemiological features of heart failure in developing countries: a review of the literature. *Int J Cardiol* **80**, 213-219
122. Ministère de la Santé et de l'Action Sociale. (1989). Formulaire National des Médicaments Essentiels, Ouagadougou, Burkina Faso, 1-160
123. Mock, C.; Ofosu, A. & Gish, O. (2001). Utilization of district health services by injured persons in a rural area of Ghana. *Int J Health Plann Manage* **16**, 19-32
124. Muela, S.H., Ribera, J.M., Mushi, A.K. & Tanner, M. (2002). Medical syncretism with reference to malaria in a Tanzanian community. *Soc Sci Med* **55**, 403-413
125. Müller, O., Becher, H., Baltussen van Zweeden, A., Ye, Y., Diallo, D.A., Konate A.T., Gbangou A., Kouyate B., Garenne, M. (2001) Effect of Zinc supplementation on malaria and other causes of morbidity in west African children: randomized double blind placebo controlled trial. *BMJ* **322**, 1-6

126. Mugisha, F., Kouyate, B., Gbangou, A. & Sauerborn, R. (2002). Examining out-of-pocket expenditure on health care in Nouna, Burkina Faso: implications for health policy. *Trop Med Int Health* **7**, 187-196
127. Nichter, M. & Vuckovic, N. (1994). Agenda for an anthropology of pharmaceutical practice. *Soc Sci Med* **39**, 1509-1525
128. Nordberg, E. (2000). Injuries as a public health problem in sub-Saharan Africa: epidemiology and prospects for control. *East Afr Med J* **77**, S1-S43
129. Nougara, A., Sauerborn, R., Oepen, C. & Diesfeld, H.J. (1989). Assessment of MCH services offered by professional and community health workers in the district of Solenzo, Burkina Faso. I. Utilization of MCH services. *J Trop Pediatr* **35 Suppl 1**, 2-9
130. Nshakira, N., Kristensen, M., Ssali, F. & Whyte, S.R. (2002). Appropriate treatment of malaria? Use of antimalarial drugs for children's fevers in district medical units, drug shops and homes in eastern Uganda. *Trop Med Int Health* **7**, 309-316
131. Nsimba, S.E., Masele, A.Y., Eriksen, J., Gustafsson, L.L., Tomson, G. & Warsame, M. (2002). Case management of malaria in under-fives at primary health care facilities in a Tanzanian district. *Trop Med Int Health* **7**, 201-209
132. Nyamongo, I.K. (2002). Health care switching behaviour of malaria patients in a Kenyan rural community. *Soc Sci Med* **54**, 377-386
133. Okojie, C.E. (1994). Gender inequalities of health in the Third World. *Soc Sci Med* **39**, 1237-1247
134. Okonkwo, P.O., Akpala, C.O., Okafor, H.U., Mbah, A.U. & Nwaiwu, O. (2001). Compliance to correct dose of chloroquine in uncomplicated malaria correlates with improvement in the condition of rural Nigerian children. *Trans R Soc Trop Med Hyg* **95**, 320-324
135. Oshiname, F.O. & Brieger, W.R. (1992). Primary care training for patent medicine vendors in rural Nigeria. *Soc Sci Med* **35**, 1477-1484

136. Ouedraogo, A. & Sawadogo, A. (1989). Formulaire national des médicaments essentiels. Ministère de la santé, de l'action sociale et de la famille, Burkina Faso, Ouagadougou, pp. 1-160.
137. Ouedraogo, J.B., Dutheil, Y., Tinto, H., Traore, B., Zampa, H., Tall, F., Coulibaly, S.O. & Guiguemde, T.R. (1998). In vitro sensitivity of Plasmodium falciparum to halofantrine compared with chloroquine, quinine and mefloquine in the region of Bobo-Dioulasso, Burkina Faso (West Africa). *Trop Med Int Health* **3**, 381-384
138. Oyediran, M.A. (1993). The importance of training and supervision in quality of care. *Adv Contracept* **9**, 175-178
139. Palmer, N., Mills, A., Wadee, H., Gilson, L. & Schneider, H. (2003). A new face for private providers in developing countries: what implications for public health? *Bull World Health Org* **81** (4), 292-297
140. Peters, D.H. & Becker, S. (1991). Quality of care assessment of public and private outpatient clinics in metro Cebu, the Philippines. *Int J Health Plann Manage* **6**, 273-286
141. Pickering, W.G. (1993). Patient satisfaction: an imperfect measurement of quality medicine. *J Med Ethics* **19**, 121-122
142. Press, I., Ganey, R.F. & Malone, M.P. (1992). Patient satisfaction: where does it fit in the quality picture? *Trustee* **45**(4), 8-10
143. Rapoff, M.A. & Christophersen, E.R. (1982). Improving compliance in pediatric practice. *Pediatr Clin North Am* **29**, 339-357
144. Razum, O. & Falkenhorst, G. (2001). Impfen und Impfprogramme. In: Gesundheitsversorgung in Entwicklungsländern, 2. Auflage (Diesfeld H.J, Falkenhorst G, Razum O., Hampel D., Hrsg.). Springer Verlag, Berlin, Heidelberg, New York, 245-264
145. Razum, O., Görden, R. & Diesfeld, H.J. (1997). 'Action research' in health programmes. *World Health Forum* **18**, 54

146. Reddy, K.S. (2002). Cardiovascular diseases in the developing countries: dimensions, determinants, dynamics and directions for public health action. *Public Health Nutr* **5**, 231-237
147. Reerink, E. (1989). Quality assurance in health care of developing countries. *Qual Assur Health Care* **1**, 195-196
148. Reerink, I. & Sauerborn, R. (1996). Quality of primary health care in developing countries: recent experiences and future directions. *Int J Qual Health Care* **8**, 131-139
149. Ren, X.S., Kazis, L.E., Lee, A., Zhang, H. & Miller, D.R. (2002). Identifying patient and physician characteristics that affect compliance with antihypertensive medications. *J Clin Pharm Ther* **27**, 47-56
150. Rosegrant, M.W. & Meijer, S. (2002). Appropriate food policies and investments could reduce child malnutrition by 43% in 2020. *J Nutr* **132**, 3437S-3440S
151. Rossi-Espagnet, A. (1983). Primary health care in the context of rapid urbanization. *Community Dev J* **18**, 104-119
152. Rouillon, A., Perdrizet, S. & Parrot, R. (1976). Transmission of tubercle bacilli: The effects of chemotherapy. *Tubercle* **57**, 275-299
153. Sauerborn, R., Adams, A. & Hien, M. (1996a). Household strategies to cope with the economic costs of illness. *Soc Sci Med* **43**, 291-301
154. Sauerborn, R., Berman, P. & Nougara, A. (1996b). Age bias, but no gender bias, in the intra-household resource allocation for health care in rural Burkina Faso. *Health Transit Rev* **6**, 131-145
155. Sauerborn, R., Bodart, C. & Essomba, R.O. (1995). Recovery of recurrent health service costs through provincial health funds in Cameroon. *Soc Sci Med* **40**, 1731-1739
156. Sauerborn, R., Nougara, A. & Diesfeld, H.-J. (1989a). Low utilization of community health workers: results from a household interview survey in Burkina Faso. *Soc Sci Med* **29**, 1163-1174

157. Sauerborn, R., Nougara, A., Benzler, J., Borchert, M., Koob, E., Krause, G., Heinmüller, R., Hien, M., Hornung, U. & Diesfeld, H.-J. (1997). The impact on infant mortality of improving mothers' home treatment and access to health services – an intervention study in rural Burkina Faso. Progress report 1994-96. Department of Tropical Hygiene and Public Health, University of Heidelberg
158. Sauerborn, R., Nougara, A., Hien, M. & Diesfeld, H.J. (1996c). Seasonal variations of household costs of illness in Burkina Faso. *Soc Sci Med* **43**, 281-290
159. Sauerborn, R., Nougara, A. & Latimer, E. (1994). The elasticity of demand for health care in Burkina Faso: differences across age and income groups. *Health Policy Plan* **9**, 185-192
160. Sauerborn, R., Nougara, A., Sorgho, G., Bidiga, J., Tiebelesse, L. & Diesfeld, H.J. (1989b). Assessment of MCH services in the district of Solenzo, Burkina Faso. II. Acceptability. *J Trop Pediatr* **35** Suppl 1, 10-13
161. Sclar, D.A. (1991). Improving medication compliance: a review of selected issues. *Clin Ther* **13**, 436-440
162. Seidel, W. & McGuinness, H. (1996). Setting quality standards. *Health Action* **7**, 7
163. Sekwat, A. (2003). Health financing reform in sub-Saharan Africa: major constraints, goals, and strategies. *J Health Care Finance*, **29**, 67-78
164. Sirima, S.B., Sawadogo, R., Moran, A.C., Konate, A., Diarra, A., Yameogo, M., Parise, M.E. & Newman, R.D. (2003) Failure of a chloroquine chemoprophylaxis program to adequately prevent malaria during pregnancy in Koupéla district, Burkina Faso. *CID* **36**, 1374-1382
165. Snell, B. & Dualeh, M.W. (1988). Proper use of the right drugs: a complex task. *World Health Forum* **9**, 207-213
166. SPSS for Windows, Version 11.5.2.1, Lead Technologies Inc., Chicago, IL 60606, USA, 2003 www.spss.com



167. Stewart, M. (1987). The validity of an interview to assess a patient's drug taking. *Am J Prev Med* **3**, 95-100
168. Stich, A. (2001). Malariakontrolle. In: Gesundheitsversorgung in Entwicklungsländern, 2. Auflage (Diesfeld H.J, Falkenhorst G, Razum O., Hampel D., Hrsg.). Springer Verlag, Berlin, Heidelberg, New York, 165-180
169. Tanner, M., Lengeler, C. & Lorenz, N. (1993). From the efficacy of disease control tools to community effectiveness: case studies from the biomedical and health systems research activities of the Swiss Tropical Institute in Africa. *Trans R Soc Trop Med Hyg* **87**, 518-523
170. Testa, J., Zanre, Y.Z., Kone, B., Lankouande, J. & Sondo, B. (1996). Difficultés de l'évaluation de la qualité des soins dans un contexte d'hôpital africain: l'expérience du service de gynécologie obstétrique du centre hospitalier national de Ouagadougou, Burkina Faso. *Med Trop (Mars)* **56**, 151-155
171. Thomas, M., Mathai, D., Cherian, A.M., Seshadri, M.S., Ganesh, A., Moses, P. (1995). Promoting rational drug use in India. *World Health Forum* **16**, 33-35
172. Tinto, H., Zoungrana, E.B., Coulibaly, S.O., Ouedraogo, J.B., Traoré, M., Guiguemde, T.R., van Marck, E., D'Alessandro, U. (2002) Chloroquine and sulphadoxine-pyrimethamine efficacy for uncomplicated malaria treatment and haematological recovery in children in Bobo-Dioulasso, Burkina Faso, during a 3-year period 1998-2000. *Trop Med Int Health* **7**(11), 925-930
173. Tugwell, P., Bennett, K.J., Sackett, D.L. & Haynes, R.B. (1985). The measurement iterative loop: a framework for the critical appraisal of need, benefits and costs of health interventions. *J Chronic Dis* **38**, 339-351
174. Ugalde, A., Homedes, N. & Urena, J.C. (1986). Do patients understand their physician? Prescription compliance in a rural area of the Dominican Republic. *Health Policy Plan* **1**, 250-259
175. UNICEF. (2004). Child mortality statistics. [www.childinfo.org/cm2.html](http://www.childinfo.org/cm2.html)

176. United Nations Secretariat (1984). Mortality and health policy: main issues for the 1980s. *Popul Bull UN* **16**, 40-61
177. Utzinger, J., Tanner, M., Kammen, D.M., Killeen, G.F. & Singer, B.H. (2002). Integrated programme is key to malaria control. *Nature* **419**, 431
178. Van Lerberghe, W., Tellier, V., and Van Dormael, M. (1992). Quality of Health Care Provision in Africa through the Bamako Initiative: Problems and Strategies. Bamako Initiative Management Unit, UNICEF New York, 1-29
179. Vermeire, E., Hearnshaw, H., Van Royen, P. & Denekens, J. (2001). Patient adherence to treatment: three decades of research. A comprehensive review. *J Clin Pharm Ther* **26**, 331-342
180. Vernon, A.A., Taylor, W.R., Biey, A., Mundeke, K.M., Chahnazarian, A., Habicht, H., Mutombo, M. & Makani, B. (1993). Changes in use of health services in a rural health zone in Zaire. *Int J Epidemiol* **22** Suppl 1, S20-S31
181. Waaler, H.T. & Piot, M.A. (1969). The use of an epidemiological model for estimating the effectiveness of tuberculosis control measures. Sensitivity of the effectiveness of tuberculosis control measures to the coverage of the population. *Bull World Health Organ* **41**, 75-93
182. Walker, G.J., Hogerzeil, H.V., Sallami, A.O., Alwan, A.A., Fernando, G. & Kassem, F.A. (1990). Evaluation of rational drug prescribing in Democratic Yemen. *Soc Sci Med* **31**, 823-828
183. WHO (1993). How to investigate drug use in health facilities. Selected drug use indicators. WHO/DAP/93.1 Geneva
184. WHO (2002). The rationale of essential medicines.  
[www.who.int/medicines/rationale.shtml](http://www.who.int/medicines/rationale.shtml)
185. WHO (2003). Countries. [www.who.int/country/en](http://www.who.int/country/en)
186. Williams, B. (1994) Patient satisfaction: a valid concept? *Soc Sci Med* **38**(4), 509-516

187. Winch, P.J., Leban, K., Casazza, L., Walker, L., Percy, K. (2002). An implementation framework for household and community integrated management of childhood illness. *Health Policy Plan* **17**, 345-353
188. Woolf, S.H. (1992). Practice guidelines, a new reality in medicine. II. Methods of developing guidelines. *Arch Intern Med* **152**, 946-952
189. Yassin, K., Laaser, U., Krämer A. (2003) Maternal morbidity in rural upper Egypt: levels, determinants, and care seeking. *Health Care Women Int* **24** (5), 452-467

