

Chapter 8

REFERENCES

- Amato, J. M., Johnson, C. M., Baumgartner, L. P. and Beard, B. L. (1999).** Rapid exhumation of the Zermatt-Saas ophiolite deduced from high-precision Sm-Nd and Rb-Sr geochronology. *Earth and Planetary Science Letters* 171 425-438.
- Aoya, M., Uehara, S., Matsumoto, M., Wallis, S. R. and Enami, M. (2003).** Subduction-stage pressure-temperature path of eclogite from the Sambagawa belt: Prophetic record for oceanic-ridge subduction. *Geology* 31 (12): 1045-1048.
- Arenas, R., Abati, J., Catalan, J. R. M., Garcia, F. D. and Pascual, F. J. R. (1997).** P-T evolution of eclogites from the Agualada unit (Ordenes complex, northwest Iberian Massif, Spain): Implications for crustal subduction. *Lithos* 40 (2-4): 221-242.
- Argand, E. (1916).** Sur l'arc des Alpes Occidentales. *Eclogae Geologicae Helvetiae* 14 145-191.
- Avigad, D., Chopin, C., Goffe, B. and Michard, A. (1993).** Tectonic model for the evolution of the Western Alps. *Geology (Boulder)* 21 (7): 659-662.
- Avigad, D. (1996).** Pre-collisional ductile extension in the internal Western Alps (Sesia Zone, Italy). *Earth and Planetary Science Letters* 137 (1-4): 175-188.
- Ayres, M. and Vance, D. (1997).** A comparative study of diffusion profiles in Himalayan and Dalradian garnets; constraints on diffusion data and the relative duration of the metamorphic events. *Contributions to Mineralogy and Petrology*. 128 (1): 66-80.
- Ballèvre, M. and Merle, O. (1993).** The Combin Fault; compressional reactivation of a Late Cretaceous-early Tertiary detachment fault in the Western Alps. *Schweizerische Mineralogische und Petrographische Mitteilungen* 73 (2): 205-227.
- Berman, R. G. (1990).** Mixing properties of Ca-Mg-Fe-Mn garnets. *American Mineralogist* 75 (3-4): 328-344.
- Bianchi, A. and Dal Piaz, G. V. (1963).** Gli inclusi di 'micaschisti eclogitici' della zona Sesia nella formazione porfiritica permiana della zone del Canavese fra Biella ed Oropa; caratteristiche ed eta dei fenomeni metamorfici. *Giornale Geologico* 31 39-76.
- Biino, G. and Compagnoni, R. (1989).** The Canavese Zone between the Serra d'Ivrea and the Dora Baltea River (Western Alps). *Eclogae Geologicae Helvetiae* 82 (2): 413-427.
- Bistacchi, A., Dal Piaz, G. V., Massironi, M., Zattin, M. and Balestrieri, M. L.**

(2001). The Aosta-Ranzola extensional fault system and Oligocene-Present evolution of the Austroalpine-Penninic wedge in the northwestern Alps. *International Journal of Earth Sciences* 90 (3): 654-667.

Bock, G., Schurr, B. and Asch, G. (2000). High-resolution image of the oceanic Moho in the subducting Nazca plate from P-S converted waves. *Geophysical Research Letters* 27 (23): 3929-3932.

Bousquet, R., Goffe, B., Henry, P., LePichon, X. and Chopin, C. (1997). Kinematic, thermal and petrological model of the Central Alps: Lepontine metamorphism in the upper crust and eclogitisation of the lower crust. *Tectonophysics* 273 (1-2): 105-127.

Burov, E., Jolivet, L., Le Pourhiet, L. and Poliakov, A. (2001). A thermomechanical model of exhumation of high pressure (HP) and ultra-high pressure (UHP) metamorphic rocks in Alpine-type collision belts. *Tectonophysics* 342 (1-2): 113-136.

Burov, E. B. (2003). The upper crust is softer than dry quartzite. *Tectonophysics* 361 (3-4): 321-326.

Byerlee, J. D. (1978). Friction of rocks. *Pure and Applied Geophysics* 116 615-626.

Carlson, W. D. (1989). The Significance of intergranular Diffusion to the Mechanisms and Kinetics of Porphyroblast Crystallisation. *Contributions to Mineralogy and Petrology*. 103 (1): 1-24.

Carlson, W. D. (1991). Competitive diffusion-controlled Growth of Porphyroblasts. *Mineralogical Magazine* 55 (380): 317-330.

Carlson, W. D. (1999). The Case against Ostwald Ripening of Porphyroblasts. *Canadian Mineralogist* 37 (Part 2): 403-413.

Carlson, W. D. (2000). The Case against Ostwald Ripening of Porphyroblasts: Reply. *Canadian Mineralogist* 38 (Part 4): 1029-1032.

Carraro, F., Dal Piaz, G. V. and Sacchi, R. (1970). Serie di Valpelline e II Zona Diorito-Kinzigitica sono i relitti di un ricoprimento proveniente dalla Zona Ivrea-Verbano. *Memorie della Societa Geologica Italiana* 9 197-224.

Carswell, D. A. and Zhang, R. Y. (1999). Petrographic characteristics and metamorphic evolution of ultrahigh-pressure eclogites in plate-collision belts. *International Geology Review* 41 (9): 781-798.

Carswell, D. A., Brueckner, H. K., Cuthbert, S. J., Mehta, K. and O'Brien, P. J. (2003). The timing of stabilisation and the exhumation rate for ultra-high pressure rocks in the Western Gneiss Region of Norway. *Journal of Metamorphic Geology* 21 (6): 601-612.

Cartwright, I. and Barnicoat, A. C. (1999). Stable isotope geochemistry of

Alpine ophiolites: a window to ocean-floor hydrothermal alteration and constraints on fluid-rock interaction during high-pressure metamorphism. *International Journal of Earth Sciences* 88 (2): 219-235.

Castelli, D. (1991). Eclogitic metamorphism in carbonate rocks; the example of impure marbles from the Sesia-Lanzo Zone, Italian Western Alps. *Journal of Metamorphic Geology* 9 (1): 61-77.

Chakraborty, S. and Ganguly, J. C. (1991). Compositioinal zoning and cation diffusion in garnets. *Advances in Physical Geochemistry* 8 120-175.

Chakraborty, S. and Ganguly, J. (1992). Cation diffusion in aluminosilicate garnets; experimental determination in spessartine-almandine diffusion couples, evaluation of effective binary, diffusion coefficients, and applications. *Contributions to Mineralogy and Petrology*. 111 (1): 74-86.

Chemenda, A. I., Mattauer, M., Malavieille, J. and Bokun, A. N. (1995). A Mechanism for Syn-Collisional Rock Exhumation and Associated Normal Faulting - Results from Physical Modeling. *Earth and Planetary Science Letters* 132 (1-4): 225-232.

Chernoff, C. B. and Carlson, W. D. (1997). Disequilibrium for Ca during growth of pelitic garnet. *Journal of Metamorphic Geology* 15 (4): 421-438.

Chopin, C. (1984). Coesite and Pure Pyrope in High-Grade Blueschists of the Western Alps - a 1st Record and Some Consequences. *Contributions to Mineralogy and Petrology* 86 (2): 107-118.

Chopra, P. N. and Paterson, M. S. (1981). The Experimental Deformation of Dunite. *Tectonophysics* 78 (1-4): 453-473.

Chopra, P. N. and Paterson, M. S. (1984). The Role of Water in the Deformation of Dunite. *Journal of Geophysical Research* 89 (NB9): 7861-7876.

Cloos, M. (1982). Flow melanges: numerical modelling and geologic constraints on their origin in the Franciscan subduction complex, California. *Bulletin of the Geological Society of America* 93 330-345.

Compagnoni, R. and Maffeo, B. (1973). Jadeite-bearing metagranites l. s. and related rocks in the Mount Mucrone Area (Sesia-Lanzo Zone, Western Italian Alps). *Schweizerische Mineralogische und Petrographische Mitteilungen* 53 355-378.

Compagnoni, R., Dal Piaz, G. V., Hunziker, J. C., Goso, G., Lombardo, B. and Williams, P. F. (1977). The Sesia-Lanzo Zone, a slice of continental crust with Alpine high pressure-low temperature assemblages in the western Italian Alps. *Rendiconti della Societa Italiana di Mineralogia e Petrologia* 33 (2): 335-374.

Compagnoni, R. and Hirajima, T. (2001). Superzoned garnets in the coesite-bearing Brossasco-Isasca Unit, Dora-Maira Massif, Western Alps, and the origin

of the whiteschists. *Lithos* 57 (4): 219-236.

Connolly, J. A. D. and Kerrick, D. M. (1987). An algorithm and Computer Program for calculation Composition Phase Diagrams. *Calphad* 11 (1): 1-55.

Connolly, J. A. D. (1995). Phase-Diagram Methods for Graphitic Rocks and Application to the System C-O-H-FeO-TiO₂SiO₂. *Contributions to Mineralogy and Petrology* 119 (1): 94-116.

Cooke, R. A., O'Brien, P. J. and Carswell, D. A. (2000). Garnet zoning and the identification of equilibrium mineral compositions in high-pressure-temperature granulites from the Moldanubian Zone, Austria. *Journal of Metamorphic Geology* 18 (5): 551-569.

Cosgrove, J. W. (1997). The influence of mechanical anisotropy on the behaviour of the lower crust. *Tectonophysics* 280 (1-2): 1-14.

Cowan, D. S. and Silling, R. M. (1978). A dynamic scaled model of accretion at trenches and its implications for the tectonic evolution of subduction complexes. *Journal of Geophysical Research* 83 5389-5396.

Cygan, R. T. and Lasaga, A. C. (1982). Crystal-Growth and the Formation of Chemical Zoning in Garnets. *Contributions to Mineralogy and Petrology* 79 (2): 187-200.

Dachs, E. and Proyer, A. (2002). Constraints on the duration of high-pressure metamorphism in the Tauern Window from diffusion modelling of discontinuous growth zones in eclogite garnet. *Journal of Metamorphic Geology* 20 (8): 769-780.

Dal Piaz, G. V., Gosso, G. and Martinotti, G. (1971). La II Zona Diorito-Kinzigitica tra la Valle Sesia e la Valle d'Ayas (Alpi Occidentali). *Memorie della Società Geologica Italiana* 11 433-460.

Dal Piaz, G. V., Hunziker, J. C. and Martinotti, G. (1972). La Zona Sesia-Lanzo e l'evoluzione tettonico-metamorfica delle Alpi nordoccidentali interne. *Memorie della Società Geologica Italiana* 11 433-466.

Dal Piaz, G. V., Hunziker, J. C. and Stern, W. B. (1978). The Sesia-Lanzo Zone, a slice of subducted continental crust? *Open-File Report - U. S. Geological Survey* 83-86.

Dal Piaz, G. V., Cortiana, G., Del Moro, A., Martin, S., Pennacchioni, G. and Tartarotti, P. (2001). Tertiary age and paleostructural inferences of the eclogitic imprint in the Austroalpine outliers and Zermatt-Saas ophiolite, western Alps. *International Journal of Earth Sciences* 90 (3): 668-684.

de Capitani, C. and Brown, T. H. (1987). The computation of chemical equilibrium in complex systems containing non-ideal solutions. *Geochimica et Cosmochimica Acta* 51 (10): 2639-2652.

Dercourt, J. and Zonenshain, L. P. et. al. (1986). Geological evolution of the Tethys belt from the Atlantic to the Pamirs since the Lias. *Tectonophysics* 123 241-315.

Desmons, J. and O'Neil, J. R. (1978). Oxygen and Hydrogen Isotope Compositions of Eclogites and Associated Rocks from Eastern Sesia Zone (Western Alps, Italy). *Contributions to Mineralogy and Petrology* 67 (1): 79-85.

Dewey, J. F., Helman, M. L., Turco, E., Hutton, D. H. W. and Knott, S. D. (1989). Kinematics of the Western Mediterranean. In: *Alpine Tectonics*. Geological Society of London, Special Publications, 45: 265-283

Diamond, L. W., Wiedenbeck, M. (1986). K-Ar radiometric ages of the gold-quartz veins at Brusson, Val d'Ayas, NW Italy: Evidence for mid-Oligocene hydrothermal activity in the northwestern Alps. *Schweizerische Mineralogische und Petrographische Mitteilungen* 66 385-393.

Dohmen, R. and Chakraborty, S. (2003). Mechanisms and kinetics of element and isotopic exchange mediated by a fluid phase. *American Mineralogist* 88 1251-1270.

Dohmen, R., Chakraborty, S., Palme, H. and Rammensee, W. (2003). Role of element solubility on the kinetics of element partitioning: In situ observations and a thermodynamic kinetic model. *Journal of Geophysical Research-Solid Earth* 108 (B3):

Droop, G. T. R. and Harte, B. (1995). The effect of Mn on the phase relations of medium-grade pelites; constraints from natural assemblages on petrogenetic grid topology. *Journal of Petrology* 36 (6): 1549-1578.

Ducea, M. N., Ganguly, J., Rosenberg, E. J., Patchett, P. J., Cheng, W. J. and Isachsen, C. (2003). Sm-Nd dating of spatially controlled domains of garnet single crystals: a new method of high-temperature thermochronology. *Earth and Planetary Science Letters* 213 (1-2): 31-42.

Duchêne, S., Blichert, T. J., Luais, B., Telouk, P., Lardeaux, J. M. and Albarede, F. (1997). The Lu-Hf dating of garnets and the ages of the Alpine high-pressure metamorphism. *Nature (London)* 387 (6633): 586-589.

Echtler, H. P. and Hetzel, R. (1997). Main Uralian thrust and main Uralian normal fault: non-extensional Palaeozoic high-P rock exhumation, oblique collision, and normal faulting in the Southern Urals. *Terra Nova* 9 (4): 158-162.

Enami, M. (1998). Pressure-temperature path of Sanbagawa prograde metamorphism deduced from grossular zoning of garnet. *Journal of Metamorphic Geology* 16 (16c): 97-106.

Enami, M. and Nagasaki, A. (1999). Prograde P-T path of kyanite eclogites from Junan in the Sulu ultrahigh-pressure province, eastern China. *Island Arc* 8 (4): 459-474.

England, P. C. and Holland, T. J. B. (1979). Archimedes and the Tauern Eclogites - Role of Buoyancy in the Preservation of Exotic Eclogite Blocks. *Earth and Planetary Science Letters* 44 (2): 287-294.

England, P. and Molnar, P. (1990). Surface uplift, uplift of rocks, and exhumation of rocks. *Geology* 18 1173-1177.

Ernst, W. G. (1971). Metamorphic Zonations on Presumably Subducted Lithospheric Plates from Japan, California and Alps. *Contributions to Mineralogy and Petrology* 34 (1): 43-&.

Ernst, W. G., Maruyama, S. and Wallis, S. (1997). Buoyancy-driven, rapid exhumation of ultrahigh-pressure metamorphosed continental crust. *Proceedings of the National Academy of Sciences of the United States of America* 94 (18): 9532-9537.

Ernst, W. G. (2001). Subduction, ultrahigh-pressure metamorphism, and regurgitation of buoyant crustal slices - implications for arcs and continental growth. *Physics of the Earth and Planetary Interiors* 127 (1-4): 253-275.

Escher, A. and Beaumont, C. (1997). Formation, burial and exhumation of basement nappes at crustal scale: A geometric model based on the Western Swiss-Italian Alps. *Journal of Structural Geology* 19 (7): 955-974.

Escuder-Viruete, J., Indares, A. and Arenas, R. (2000). P-T paths derived from garnet growth zoning in an extensional setting; an example from the Tormes gneiss dome (Iberian Massif, Spain). *Journal of Petrology* 41 (10): 78.

Feenstra, A. and Peters, T. (1996). Experimental determination os activities in FeTiO₃-MnTiO₃ ilmenite solid solution by redox reversals. *Contributions to Mineralogy and Petrology*. 126 (1-2): 109-120.

Ferrando, S., Bernoulli, D. and Compagnoni, R. (2004). The Canavese zone (internal Western Alps): a distal margin of Adria. *Schweizerische Mineralogische und Petrographische Mitteilungen* 84 (1-20):

Ferraris, C. and Compagnoni, R. (2003). Metamorphic evolution and significance of a serpentized peridotite slice within the Eclogitic Micaschist Complex of the Sesia-zone (western Alps - Italy). *Schweizerische Mineralogische und Petrographische Mitteilungen* 83 (1): 3-13.

Fitz Gerald, J. D. and Stünitz, H. (1993). Deformation of Granitoids at Low Metamorphic Grade .1. Reactions and Grain-Size Reduction. *Tectonophysics* 221 (3-4): 269-297.

Froitzheim, N., Schmid, S. M. and Frey, M. (1996). Mesozoic paleogeography and the timing of eclogite-facies metamorphism in the Alps: A working hypothesis. *Eclogae Geologicae Helvetiae* 89 (1): 81-&.

Froitzheim, N., Conti, P. and van Daalen, M. (1997). Late Cretaceous, synorogenic, low-angle normal faulting along the Schlinig Fault (Switzerland,

Italy, Austria) and its significance for the tectonics of the Eastern Alps.
Tectonophysics 280 (3-4): 267-293.

Fruh-Green, G. L., Scambelluri, M. and Vallis, F. (2001). O-H isotope ratios of high pressure ultramafic rocks: implications for fluid sources and mobility in the subducted hydrous mantle. *Contributions to Mineralogy and Petrology* 141 (2): 145-159.

Fruh-Green, G. L. (1994). Interdependence of Deformation, Fluid Infiltration and Reaction Progress Recorded in Eclogitic Metagranitoids (Sesia Zone, Western Alps). *Journal of Metamorphic Geology* 12 (3): 327-343.

Fu, B., Touret, J. L. R. and Zheng, Y. F. (2003). Remnants of premetamorphic fluid and oxygen isotopic signatures in eclogites and garnet clinopyroxenite from the Dabie-Sulu terranes, eastern China. *Journal of Metamorphic Geology* 21 (6): 561-578.

Fuhrman, M. L. and Lindsley, D. H. (1988). Ternary-Feldspar Modeling and Thermometry. *American Mineralogist* 73 (3-4): 201-215.

Ganguly, J. (1968). Analysis of Stabilities of Chloritoid and Staurolite and Some Equilibria in System Feo-Al₂O₃-SiO₂-H₂O-O₂. *American Journal of Science* 266 (4): 277-&.

Ganguly, J., Cheng, W. and Tirone, M. (1996). Thermodynamics of aluminosilicate garnet solid solution: new experimental data, an optimized model, and thermometric applications. *Contributions to Mineralogy and Petrology*. 126 (1-2): 137-151.

Ganguly, Y., Chakraborty, S., Sharp, T. G. and Rumble, D. (1996). Constraint on the time scale of biotite-grade metamorphism during Acadian orogeny from a natural garnet-garnet diffusion couple. *American Mineralogist* 81 (9-10): 1208-1216.

Ganguly, J. and Tirone, M. (1999). Diffusion closure temperature and age of a mineral with arbitrary extent of diffusion; theoretical formulation and applications. *Earth and Planetary Science Letters* 170 (1-2): 131-140.

Garcia-Casco, A., Torres-Roldan, R. L., Millan, G., Monie, P. and Schneider, J. (2002). Oscillatory zoning in eclogitic garnet and amphibole, Northern Serpentinite Melange, Cuba: a record of tectonic instability during subduction? *Journal of Metamorphic Geology* 20 (6): 581-598.

Gerya, T. V., Stockhert, B. and Perchuk, A. L. (2002). Exhumation of high-pressure metamorphic rocks in a subduction channel: A numerical simulation. *Tectonics* 21 (6):

Gerya, T. V. and Yuen, D. A. (2003). Rayleigh-Taylor instabilities from hydration and melting propel 'cold plumes' at subduction zones. *Earth and Planetary Science Letters* 212 (1-2): 47-62.

Gosso, G. (1977). Metamorphic evolution and fold history in the eclogitic micaschists of the upper Gressoney Valley (Sesio-Lanzo Zone, Western Alps). *Rendiconti della Societa Italiana di Mineralogia e Petrologia* 33 (2): 389-407.

Gosso, G., Dal Piaz, G. V., Piovano, V. and Polino, R. (1979). High pressure emplacement of early-Alpine nappes, post-nappe deformations and structural levels (Internal Northwestern Alps). *Memorie degli Instituti di Geologia e Mineralogia dell'Università di Padova* 32 5-15.

Hacker, B. R., Ratschbacher, L., Webb, L. and Shuwen, D. (1995). What Brought Them up - Exhumation of the Dabie-Shan Ultrahigh-Pressure Rocks. *Geology* 23 (8): 743-746.

Hacker, B. R., Ratschbacher, L., Webb, L., McWilliams, M. O., Ireland, T., Calvert, A., Dong, S. W., Wenk, H. R. and Chateigner, D. (2000). Exhumation of ultrahigh-pressure continental crust in east central China: Late Triassic-Early Jurassic tectonic unroofing. *Journal of Geophysical Research-Solid Earth* 105 (B6): 13339-13364.

Hacker, B. R., Peacock, S. M., Abers, G. A. and Holloway, S. D. (2003). Subduction factory - 2. Are intermediate-depth earthquakes in subducting slabs linked to metamorphic dehydration reactions? *Journal of Geophysical Research-Solid Earth* 108 (B1):

Hames, W. E. and Menard, T. (1993). Fluid-Assisted Modification of Garnet Composition Along Rims, Cracks, and Mineral Inclusion Boundaries in Samples of Amphibolite Facies Schists. *American Mineralogist* 78 (3-4): 338-344.

Handy, M. R. (1989). Deformation Regimes and the Rheological Evolution of Fault Zones in the Lithosphere - the Effects of Pressure, Temperature, Grainsize and Time. *Tectonophysics* 163 (1-2): 119-152.

Handy, M. R. (1996). The transition from passive to active margin tectonics: A case study from the Zone of Samedan (eastern Switzerland). *Geologische Rundschau* 85 (4): 832-851.

Handy, M. R., Franz, L., Heller, F., Janott, B. and Zurbriggen, R. (1999). Multistage accretion and exhumation of the continental crust (Ivrea crustal section, Italy and Switzerland). *Tectonics* 18 (6): 1154-1177.

Handy, M. R. and Oberhänsli, R. (2004). Age Map of the Metamorphic Structure of the Alps - Tectonic Interpretation and Outstanding Problems. *Mitteilungen der Österreichischen Mineralogischen Gesellschaft* 149 97-121.

Handy, M. R., Babist, J., Wagner, R., Rosenberg, C. L. and Konrad, M. (2005). Decoupling and its relation to strain partitioning in continental lithosphere: insight from the Periadriatic fault system (European Alps). In: *Deformation Mechanisms; Rheology and Tectonics: from Minerals to Lithosphere*. Geological Society of London, London. 243: 249-276

Hansen, F. D. and Carter, N. L. (1982). Creep of selected crustal rocks at 1000

MPa. *Eos, Transactions, American Geophysical Union* 63 437.

Henry, C., Michard, A. and Chopin, C. (1993). Geometry and Structural Evolution of Ultra-High-Pressure and High-Pressure Rocks from the Dora-Maira Massif, Western Alps, Italy. *Journal of Structural Geology* 15 (8): 965-981.

Hermann, J., Rubatto, D., Korsakov, A. and Shatsky, V. S. (2001). Multiple zircon growth during fast exhumation of diamondiferous, deeply subducted continental crust (Kokchetav Massif, Kazakhstan). *Contributions to Mineralogy and Petrology* 141 (1): 66-82.

Hirsch, D., Prior, D. and Carlson, W. (2003b). An overgrowth model to explain multiple, dispersed high-Mn regions in the cores of garnet porphyroblasts. *American Mineralogist* 88 (1): 131-141.

Hirth, G., Teyssier, C. and Dunlap, W. J. (2001). An evaluation of quartzite flow laws based on comparisons between experimentally and naturally deformed rocks. *International Journal of Earth Sciences* 90 (1): 77-87.

Holland, T. J. B. (1988). Preliminary phase reactions involving glaucophane and applications to high pressure petrology; new heat capacity and thermodynamic data. *Contributions to Mineralogy and Petrology*. 99 (1): 134-142.

Holland, T. and Blundy, J. (1994). Nonideal Interactions in Calcic Amphiboles and Their Bearing on Amphibole-Plagioclase Thermometry. *Contributions to Mineralogy and Petrology* 116 (4): 433-447.

Holland, T. J. B. and Powell, R. (1998). An internally consistent thermodynamic data set for phases of petrological interest. *Journal of Metamorphic Geology* 16 (3): 309-343.

Hollister, L. S. (1966). Garnet Zoning - an Interpretation Based on Rayleigh Fractionation Model. *Science* 154 (3757): 1647-1649.

Hoschek, G. (2004). Comparison of calculated P-T pseudosections for a kyanite eclogite from the Tauern Window, Eastern Alps, Austria. *European Journal of Mineralogy* 16 (1): 59-72.

Hurford, A. J. and Hunziker, J. C. (1985). Alpine cooling history of the Monte Mucrone eclogites (Sesia-Lanzo Zone); fission track evidence. *Schweizerische Mineralogische und Petrographische Mitteilungen* 65 (2-3): 325-334.

Hurford, A. J., C., H. J. and Stoeckert, B. (1991). Constraints on the late thermotectonic evolution of the Western Alps; evidence for episodic rapid uplift. *Tectonics* 10 (4): 758-769.

Imon, R., Okudaira, T. and Fujimoto, A. (2002). Dissolution and precipitation processes in deformed amphibolites: an example from the ductile shear zone of the Ryoke metamorphic belt, SW Japan. *Journal of Metamorphic Geology* 20 (3): 297-308.

Inger, S. and Ramsbotham, W. (1997). Syn-convergent exhumation implied by progressive deformation and metamorphism in the Valle dell'Orco Transect, NW Italian Alps. *Journal of the Geological Society of London* 154 (Part 4): 667-677.

Isler, A. and Zingg, A. (1974). Geologie der Sesia-Zone zwischen Rimella und der Valle Anzasca (Norditalien). *Schweizerische Mineralogische und Petrographische Mitteilungen* 54 (1): 81-97.

Jamieson, R. A., Beaumont, C., Nguyen, M. H. and Lee, B. (2002). Interaction of metamorphism, deformation and exhumation in large convergent orogens. *Journal of Metamorphic Geology* 20 (1): 9-24.

Jamtveit, B., Carswell, D. A. and Mearns, E. W. (1991). Chronology of the High-Pressure Metamorphism of Norwegian Garnet Peridotites Pyroxenites. *Journal of Metamorphic Geology* 9 (2): 125-139.

Jamtveit, B. and Hervig, R. L. (1994). Constraints on Transport and Kinetics in Hydrothermal Systems from Zoned Garnet Crystals. *Science* 263 (5146): 505-508.

Jaoul, O., Tullis, J. and Kronenberg, A. (1984). The Effect of Varying Water Contents on the Creep-Behavior of Heavitree Quartzite. *Journal of Geophysical Research* 89 (NB6): 4298-4312.

John, T. and Schenk, V. (2003). Partial eclogitisation of gabbroic rocks in a late Precambrian subduction zone (Zambia): prograde metamorphism triggered by fluid infiltration. *Contributions to Mineralogy and Petrology* 146 (2): 174-191.

Jolivet, L., Famin, V., Mehl, C., Parra, T., Aubourg, C., Hébert, R. and Philippot, P. (2004). Strain localization during crustal-scale boudinage to form extensional metamorphic domes in the Aegean Sea. In: *Gneiss Domes in Orogeny*. Geological Society of America, Boulder, Colorado. 380: 185–210

Jung, H., Green, H. W. and Dobrzhinetskaya, L. F. (2004). Intermediate-depth earthquake faulting by dehydration embrittlement with negative volume change. *Nature* 428 (6982): 545-549.

Karato, S., Riedel, M. R. and Yuen, D. A. (2001). Rheological structure and deformation of subducted slabs in the mantle transition zone: implications for mantle circulation and deep earthquakes. *Physics of the Earth and Planetary Interiors* 127 (1-4): 83-108.

Karig, D. E. (1980). Material Transport within Accretionary Prisms and the Knocker Problem. *Journal of Geology* 88 (1): 27-39.

Keller, L. M., Hess, M., Fügenschuh, B. and Schmid, S. M. (2005). Structural and metamorphic evolution of the Camughera-Moncucco, Antrona and Monte Rosa units southwest of the Simplon line, Western Alps. *Eclogae Geologicae Helvetiae* 98 19-49.

Kerrick, D. M. and Connolly, J. A. D. (1998). Subduction of ophiocarbonates and recycling of CO₂ and H₂O. *Geology* 26 (4): 375-378.

Kerrick, D. M. and Connolly, J. A. D. (2001). Metamorphic devolatilization of subducted marine sediments and the transport of volatiles into the Earth's mantle. *Nature* 411 (6835): 293-296.

Konrad-Schmolke, M., Handy, M. R., Babist, J. and O'Brien, P. J. (2005). Thermodynamic modelling of diffusion-controlled garnet growth. *Contributions to Mineralogy and Petrology* 149 (2): 181-195.

Koops, P. O. (1986). Relative geobarometry from high-pressure rocks of quartzofeldspathic composition from the Sesia Zone, Western Alps, Italy. *Contributions to Mineralogy and Petrology*. 93 (3): 322-334.

Kurz, W. and Froitzheim, N. (2002). The exhumation of eclogite-facies metamorphic rocks - a review of models confronted with examples from the Alps. *International Geology Review* 44 (8): 702-743.

Lanza, R. (1979). Palaeomagnetic data on the andesitic cover of the Sesia-Lanzo Zone; Western Alps. *Geologische Rundschau* 68 (1): 83-92.

Lapen, T. J., Johnson, C. M., Baumgartner, L. P., Mahlen, N. J., Beard, B. L. and Amato, J. M. (2003). Burial rates during prograde metamorphism of an ultra-high-pressure terrane: an example from Lago di Cignana, western Alps, Italy. *Earth and Planetary Science Letters* 215 (1-2): 57-72.

Lardeaux, J. M., Gosso, G., Kienast, J. R. and Lombardo, B. (1982). Metamorphism and Deformation in Sesia-Lanzo Site (Western Alps) and Eclogitization of Continental-Crust. *Bulletin De La Societe Geologique De France* 24 (4): 793-800.

Lardeaux, J.-M. and Spalla, M. I. (1991). From granulites to eclogites in the Sesia Zone (Italian Western Alps); a record of the opening and closure of the Piedmont ocean. *Journal of Metamorphic Geology* 9 (1): 35-59.

Lasaga, A. C. and Jiang, J. X. (1995). Thermal History of Rocks - P-T-T Paths from Geospeedometry, Petrological Data, and Inverse-Theory Techniques. *American Journal of Science* 295 (6): 697-741.

Lattard, D. (1975). Conditions de formation des roches appartenant au facies des schistes vert dans la zone de Sesia-Lanzo; Alpes Italiennes. *Comptes Rendus Hebdromadiaries des Seances de l'Academie des Sciences, Serie D: Sciences Naturelles* 280 (23): 2629-2632.

Leake, B. E., Woolley, A. R., Arps, C. E. S., Birch, W. D., Gilbert, M. C., Grice, J. D., Hawthorne, F. C., Kato, A., Kisch, H. J., Krivovichev, V. G., Linthout, K., Laird, J., Mandarino, J. A., Maresch, W. V., Nickel, E. H., Rock, N. M. S., Schumacher, J. C., Smith, D. C., Stephenson, N. C. N., Ungaretti, L., Whittaker, E. J. W. and Guo, Y. (1997). Nomenclature of amphiboles; report of the subcommittee on amphiboles of the International Mineralogical Association, Commission on New Minerals and Mineral Names. *The Canadian Mineralogist* 35 (Part 1): 219-246.

Liati, A. and Gebauer, D. (1999). Constraining the prograde and retrograde P-T path of Eocene HP rocks by SHRIMP dating of different zircon domains: inferred rates of heating, burial, cooling and exhumation for central Rhodope, northern Greece. *Contributions to Mineralogy and Petrology* 135 (4): 340-354.

Liou, J. G. and Zhang, R. Y. (1995). Significance of Ultrahigh-P Talc-Bearing Eclogitic Assemblages. *Mineralogical Magazine* 59 (394): 93-102.

Liou, J. G., Hacker, B. R. and Zhang, R. Y. (2000). Geophysics - Into the forbidden zone. *Science* 287 (5456): 1215-1216.

Loomis, T. P. (1982). Numerical-Simulation of the Disequilibrium Growth of Garnet in Chlorite-Bearing Aluminous Pelitic Rocks. *Canadian Mineralogist* 20 (AUG): 411-423.

Loomis, T. P. and Nimick, F. B. (1982). Equilibrium in Mn-Fe-Mg Aluminous Pelitic Compositions and the Equilibrium Growth of Garnet. *Canadian Mineralogist* 20 (AUG): 393-410.

Luais, B., Duchene, S. and de Sigoyer, J. (2001). Sm-Nd disequilibrium in high-pressure, low-temperature Himalayan and Alpine rocks. *Tectonophysics* 342 (1-2): 1-22.

Mader, U. K., Percival, J. A. and Berman, R. G. (1994). Thermobarometry of Garnet-Clinopyroxene-Hornblende Granulites from the Kapuskasing Structural Zone. *Canadian Journal of Earth Sciences* 31 (7): 1134-1145.

Mahar, E. M., Baker, J. M., Powell, R., Holland, T. J. B. and Howell, N. (1997). The effect of Mn on mineral stability in metapelites. *Journal of Metamorphic Geology* 15 (2): 223-238.

Mann, P. and Gordon, M. (1996). Tectonic uplift and exhumation of blueschist belts along transpressional strike-slip fault zones. In: *Subduction top to bottom*. American Geophysical Union, Washington, DC. 143-154

Marmo, B. A., Clarke, G. L. and Powell, R. (2002). Fractionation of bulk rock composition due to porphyroblast growth: effects on eclogite facies mineral equilibria, Pam Peninsula, New Caledonia. *Journal of Metamorphic Geology* 20 (1): 151-165.

Massonne, H. J. and Schreyer, W. (1987). Phengite Geobarometry Based on the Limiting Assemblage with K-Feldspar, Phlogopite, and Quartz. *Contributions to Mineralogy and Petrology* 96 (2): 212-224.

Massonne, H.-J. and O'Brien, P. J. (2003). The Bohemian Massif and the Himalaya. *EMU Notes in Mineralogy* 5 p.145-187.

Matsumoto, M., Wallis, S., Aoya, M., Enami, M., Kawano, J., Seto, Y. and Shimobayashi, N. (2003). Petrological constraints on the formation conditions and retrograde P-T path of the Kotsu eclogite unit, central Shikoku. *Journal of*

Metamorphic Geology 21 (4): 363-376.

Means, W. D. (1990). Kinematics, Stress, Deformation and Material Behavior. *Journal of Structural Geology* 12 (8): 953-971.

Menard, T. and Spear, F. S. (1993). Metamorphism of Calcic Pelitic Schists, Stratford Dome, Vermont - Compositional Zoning and Reaction History. *Journal of Petrology* 34 (5): 977-1005.

Meyre, C., de Capitani, C. and Partzsch, J. H. (1997). A ternary solid solution model for omphacite and its application to geothermobarometry of eclogites from the middle Adula Nappe (Central Alps, Switzerland). *Journal of Metamorphic Geology* 15 (6): 687-700.

Meyre, C., De Capitani, C., Zack, T. and Frey, M. (1999). Petrology of high-pressure metapelites from the Adula nappe (Central Alps, Switzerland). *Journal of Petrology* 40 (1): 199-213.

Michard, A., Chopin, C. and Henry, C. (1993). Compression Versus Extension in the Exhumation of the Dora-Maira Coesite-Bearing Unit, Western Alps, Italy. *Tectonophysics* 221 (2): 173-193.

Minnigh, L. D. (1977). A new klippe of "II Zona Diorito-Kinzigitica" in the Sesia-Lanzo Zone. *Rendiconti della Societa Italiana di Mineralogia e Petrologia* 33 409-412.

Mishra, O. P. and Zhao, D. P. (2004). Seismic evidence for dehydration embrittlement of the subducting Pacific slab. *Geophysical Research Letters* 31 (9):

Miyazaki, K. (1991). Ostwald Ripening of garnet in High P/T Metamorphic Rocks. *Contributions to Mineralogy and Petrology*. 108 (1-2): 118-128.

Miyazaki, K. (1996). A numerical simulation of textural evolution due to Ostwald ripening in metamorphic rocks: A case for small amount of volume of dispersed crystals. *Geochimica et Cosmochimica Acta* 60 (2): 277-290.

Miyazaki, K. (2000). The case against Ostwald ripening of porphyroblasts: Discussion. *Canadian Mineralogist* 38 1027-1028.

Mosenfelder, J. L., Schertl, H. P., Smyth, J. R. and Liou, J. G. (2005). Factors in the preservation of coesite: The importance of fluid infiltration. *American Mineralogist* 90 (5-6): 779-789.

Nadeau, S., Philippot, P. and Pineau, F. (1993). Fluid Inclusion and Mineral Isotopic Compositions (H-C-O) in Eclogitic Rocks as Tracers of Local Fluid Migration During High-Pressure Metamorphism. *Earth and Planetary Science Letters* 114 (4): 431-448.

Nakamura, D. and Hirajima, T. (2000). Granulite-facies overprinting of ultrahigh-pressure metamorphic rocks, northeastern Su-Lu region, eastern China.

Journal of Petrology 41 (4): 563-582.

O'Brien, P. J. and Vrana, S. (1995). Eclogites with a short-lived granulite facies overprint in the Moldanubian Zone, Czech Republic: petrology, geochemistry and diffusion modelling of garnet zoning. *Geologische Rundschau* 84 473-488.

O'Brien, P. J. (1997). Garnet zoning and reaction textures in overprinted eclogites, Bohemian Massif, European Variscides; a record of their thermal history during exhumation. *Lithos* 41 (1-3): 119-133.

O'Brien, P. J. (1999). Asymmetric zoning profiles in garnet from HP-HT granulite and implications for volume and grain-boundary diffusion. *Mineralogical Magazine* 63 (2): 227-238.

O'Brien, P. J., Zotov, N., Law, R., Khan, M. A. and Jan, M. Q. (2001). Coesite in Himalayan eclogite and implications for models of India-Asia collision. *Geology* 29 (5): 435-438.

Oberhänsli, R., Hunziker, J. C., Martinotti, G. and Stern, W. B. (1985). Geochemistry, geochronology and petrology of Monte Mucrone; an example of Eo-Alpine eclogitization of Permian granitoids in the Sesia-Lanzo Zone, Western Alps, Italy. *Chemical Geology* 52 (2): 165-184.

Oberhänsli, R., Martinotti, G., Schmid, R. and Liu, X. (2002). Preservation of primary volcanic textures in the ultrahigh-pressure terrain of Dabie Shan. *Geology* 30 (8): 699-702.

Okudaira, T. (1996). Temperature-time path for the low-pressure Ryoke metamorphism, Japan, based on chemical zoning in garnet. *Journal of Metamorphic Geology* 14 (4): 427-440.

Olker, B., Altherr, R. and Paquin, J. (2003). Fast exhumation of the ultrahigh-pressure Alpe Arami garnet peridotite (Central Alps, Switzerland): constraints from geospeedometry and thermal modelling. *Journal of Metamorphic Geology* 21 (4): 395-402.

Parkinson, C. D. (2000). Coesite inclusions and prograde compositional zonation of garnet in whiteschist of the HP-UHPM Kokchetav Massif, Kazakhstan; a record of progressive UHP metamorphism. *Lithos* 52 (1-4): 215-233.

Parra, T., Vidal, O. and Jolivet, L. (2002). Relation between the intensity of deformation and retrogression in blueschist metapelites of Tinos Island (Greece) evidenced by chlorite-mica local equilibria. *Lithos* 63 (1-2): 41-66.

Passchier, C. W., Urai, J. L., van Loon, J. and Williams, P. F. (1981). Structural geology of the central Sesia Lanzo Zone. *Geologie en Mijnbouw* 60 (4): 497-507.

Peacock, S. M. (1993). The Importance of Blueschist - Eclogite Dehydration Reactions in Subducting Oceanic-Crust. *Geological Society of America Bulletin* 105 (5): 684-694.

Peacock, S. M. and Wang, K. (1999). Seismic consequences of warm versus cool subduction metamorphism: Examples from southwest and northeast Japan. *Science* 286 (5441): 937-939.

Perchuk, A., Philippot, P., Erdmer, P. and Fialin, M. (1999). Rates of thermal equilibration at the onset of subduction deduced from diffusion modeling of eclogitic garnets, Yukon-Tanana Terrane, Canada. *Geology* 27 (6): 531-534.

Perchuk, A. L. and Philippot, P. (2000). Geospeedometry and time scales of high-pressure metamorphism. *International Geology Review* 42 (3): 207-223.

Pfiffner, A. (1992). Tectonic evolution of Europe - Alpine Orogeny. In: *A continent revealed - the European Geotraverse*. Cambridge University Press, Cambridge. 180-190

Philippot, P., Chevallier, P., Chopin, C. and Dubessy, J. (1995). Fluid Composition and Evolution in Coesite-Bearing Rocks (Dora-Maira Massif, Western Alps) - Implications for Element Recycling During Subduction. *Contributions to Mineralogy and Petrology* 121 (1): 29-44.

Platt, J. P. (1986). Dynamics of orogenic wedges and the uplift of high-pressure metamorphic rocks. *Geol. Soc. Am. Bull.* 97 1037-1053.

Platt, J. P. (1993). Exhumation of High-Pressure Rocks - a Review of Concepts and Processes. *Terra Nova* 5 (2): 119-133.

Pognante, U., Compagnoni, R. and Goso, G. (1980). Micro-mesostructural relationships in the continental eclogitic rocks of the Sesia-Lanzo Zone (Italian Western Alps): A record of a subduction cycle. *Rendiconti della Societa Italiana di Mineralogia e Petrologia* 36 (1): 169-186.

Pognante, U., Talarico, F., Rastelli, N. and Ferrati, N. (1987). High pressure metamorphism in the nappes of the Valle dell'Orco traverse (Western Alps collisional belt). *Journal of Metamorphic Geology* 5 (3): 397-414.

Pognante, U. (1989). Lawsonite, blueschist and eclogite formation in the southern Sesia zone (Western Alps, Italy). *European Journal of Mineralogy* 1 (1): 89-104.

Powell, R., Holland, T. and Worley, B. (1998). Calculating phase diagrams involving solid solutions via non-linear equations, with examples using THERMOCALC. *Journal of Metamorphic Geology* 16 (4): 577-588.

Powell, R. and Guiraud, M. (1999). Can a reaction be written between a set of minerals within error? *Journal of Metamorphic Geology* 17 (1): 1-8.

Ranalli, G. (2003). How soft is the crust? *Tectonophysics* 361 (3-4): 319-320.

Ratschbacher, L., Hacker, B. R., Webb, L. E., McWilliams, M., Ireland, T., Dong, S., Calvert, A., Chateigner, D. and Wenk, H. R. (2000). Exhumation of the ultrahigh-pressure continental crust in east central China: Cretaceous and

Cenozoic unroofing and the Tan-Lu fault. *Journal of Geophysical Research-Solid Earth* 105 (B6): 13303-13338.

Rebay, G. and Spalla, M. I. (2001). Emplacement at granulite facies conditions of the Sesia-Lanzo metagabbros: an early record of Permian riftig? *Lithos* 58 (3-4): 85-104.

Reddy, S. M., Wheeler, J. and Cliff, R. A. (1999). The geometry and timing of orogenic extension: an example from the Western Italian Alps. *Journal of Metamorphic Geology* 17 (5): 573-589.

Reddy, S. M., Wheeler, J., Butler, R. W. H., Cliff, R. A., Freeman, S., Inger, S., Pickles, C. and Kelley, S. P. (2003). Kinematic reworking and exhumation within the convergent Alpine Orogen. *Tectonophysics* 365 (1-4): 77-102.

Regenauer-Lieb, K. and Yuen, D. A. (2003). Modeling shear zones in geological and planetary sciences: solid- and fluid-thermal-mechanical approaches. *Earth-Science Reviews* 63 (3-4): 295-349.

Reinecke, T. (1991). Very-high-pressure metamorphism and uplift of coesite-bearing metasediments from the Zermatt-Saas zone, Western Alps. *European Journal of Mineralogy* 3 7-17.

Reinsch, D. (1979). Glauconphanites and eclogites from Val Chiusella, Sesia-Lanzo Zone (Italian Alps). *Contributions to Mineralogy and Petrology*. 70 (3): 257-266.

Ricou, L. E. and Siddans, A. W. B. (1986). Collision tectonics in the Western Alps. In: *Collision Tectonics*. Geological Society of London, 19: 229-244

Ridley, J. (1989). Structural and metamorphic history of a segment of the Sesia-Lanzo Zone, and its bearing on the kinematics of Alpine deformation in the Western Alps. *Geological Society Special Publications* 45 189-201.

Ring, U., Kroner, A., Buchwaldt, R., Toulkeridis, T. and Layer, P. W. (2002). Shear-zone patterns and eclogite-facies metamorphism in the Mozambique belt of northern Malawi, east-central Africa: implications for the assembly of Gondwana. *Precambrian Research* 116 (1-2): 19-56.

Roselle, G. T. and Engi, M. (2002). Ultra high pressure (UHP) terrains: Lessons from thermal modeling. *American Journal of Science* 302 (5): 410-441.

Rosenberg, C. L. (2004). Shear zones and magma ascent: A model based on a review of the Tertiary magmatism in the Alps. *Tectonics* 23
doi:10.1029/2003TC001526.

Rubatto, D., Gebauer, D. and Compagnoni, R. (1999). Dating of eclogite-facies zircons; the age of Alpine metamorphism in the Sesia-Lanzo Zone (Western Alps). *Earth and Planetary Science Letters* 167 (3-4): 141-158.

Rubatto, D. and Hermann, J. (2001). Exhumation as fast as subduction?

Geology 29 (1): 3-6.

Rubie, D. C. (1984). A thermal-tectonic model for high-pressure metamorphism and deformation in the Sesia Zone, Western Alps. *Journal of Geology* 92 (1): 21-36.

Rubie, D. C. (1990). Role of kinetics in the formation and preservation of eclogites. In: *Eclogite Facies Rocks*. Blackie, Glasgow, London. 111-140

Ruffet, G., Gruau, G., Ballevre, M., Feraud, G. and Philippot, P. (1997). Rb-Sr and (⁴⁰Ar-³⁹Ar) laser probe dating of high-pressure phengites from the Sesia Zone (Western Alps); underscoring of excess argon and new age constraints on the high-pressure metamorphism. *Chemical Geology* 141 (1-2): 1-18.

Rutter, E. H. and Brodie, K. H. (2004). Experimental grain size-sensitive flow of hot-pressed Brazilian quartz aggregates. *Journal of Structural Geology* 26 (11): 2011-2023.

Rybacki, E. and Dresen, G. (2004). Deformation mechanism maps for feldspar rocks. *Tectonophysics* 382 (3-4): 173-187.

Scambelluri, M., Muntener, O., Hermann, J., Piccardo, G. B. and Trommsdorff, V. (1995). Subduction of Water into the Mantle - History of an Alpine Peridotite. *Geology* 23 (5): 459-462.

Scambelluri, M. and Phillipot, P. (2001). Deep fluids in subduction zones. *Lithos* 55 213–227.

Scheuber, E., Bogdanic, T., Jensen, A. and Reutter, K. J. (1994). Tectonic Development of the North Chilean Andes in Relation to Plate Convergence and Magmatism Since the Jurassic. In: *Tectonics of the Southern Central Andes*. Reutter, K.J.; Scheuber, E. & Wigger, P. (eds.), Springer, Heidelberg: 121-139

Scheuring, B., Ahrendt, H., Hunziker, J. C. and Zingg, A. (1974). Paleobotanical and geochronological evidence for the Alpine age of metamorphism in the Sesia-Zone. *Geologische Rundschau* 63 (1): 305-326.

Schilling, J. G., Zajak, M., Evans, R., Johnston, T., White, W., Devine, J. D. and Kingsley, R. (1983). Petrologic and geochemical Variations along the Mid-atlantic Ridge from 27°N to 73°N. *American Journal of Science* 283 510-586.

Schmid, S. M., Zingg, A. and Handy, M. (1987). The Kinematics of Movements Along the Insubric Line and the Emplacement of the Ivrea Zone. *Tectonophysics* 135 (1-3): 47-66.

Schmid, S. M., Aebli, H. R., Heller, F. and Zingg, A. (1989). The role of the Periadriatic Line in the evolution of the Alps. In: *Alpine Tectonics*. Geol. Soc. Spec. Public., 45: 153-171

Schmid, S. H., Pfiffner, O. A., Froitzheim, N., Schönborn, G. and Kissling, E.

(1996). Geophysical-geological transect and evolution of the Swiss-Italian Alps. *Tectonics* 15 (5): 1036-1064.

Schmid, S. M., Froitzheim, N., Pfiffner, O. A., Schonborn, G. and Kissling, E. **(1997).** Geophysical-geological transect and tectonic evolution of the Swiss-Italian Alps (vol 15, pg 1036, 1996). *Tectonics* 16 (1): 186-188.

Schmid, S. and Kissling, E. (2000). The arc of the Western Alps in the light of geophysical data on deep crustal structure. *Tectonics* 19 (1): 65-85.

Schmid, S. M., Fugenschuh, B., Kissling, E. and Schuster, R. (2004). Tectonic map and overall architecture of the Alpine orogen. *Eclogae Geologicae Helvetiae* 97 (1): 93-117.

Schmidt, M. W. and Poli, S. (1998). Experimentally based water budgets for dehydrating slabs and consequences for arc magma generation. *Earth and Planetary Science Letters* 163 (1-4): 361-379.

Schmocker, M., Bystricky, M., Kunze, K., Burlini, L., Stunitz, H. and Burg, J. P. (2003). Granular flow and Riedel band formation in water-rich quartz aggregates experimentally deformed in torsion. *Journal of Geophysical Research-Solid Earth* 108 (B5):

Schumacher, M. E., Schönborn, G., Bernoulli, D. and Laubscher, H. P. **(1997).** Rifting and collision in the Southern Alps. In: *Deep Structure of the Alps: Results of NFP20*. Birkhäuser Verlag, Basel. 380 pp.

Seyferth, M. and Henk, A. (2004). Syn-convergent exhumation and lateral extrusion in continental collision zones - insights from three-dimensional numerical models. *Tectonophysics* 382 (1-2): 1-29.

Shelton, G. and Tullis, J. (1981). Experimental flow laws for crustal rocks. *Eos, Transactions, American Geophysical Union* 62 396.

Solomatov, V. S. (2001). Grain size-dependent viscosity convection and the thermal evolution of the Earth. *Earth and Planetary Science Letters* 191 (3-4): 203-212.

Sörlva, H., Thoni, M. and Habler, G. (2003). Dating a single garnet crystal with very high Sm/Nd ratios (Campo basement unit, Eastern Alps). *European Journal of Mineralogy* 15 (1): 35-42.

Spalla, M. I., Lardeaux, J. M., Dal Piaz, G. V. and Goso, G. (1991). Metamorphisme et tectonique à la marge de la Zone Sesia-Lanzo. *Memorie degli Instituti di Geologia e Mineralogia dell'Università di Padova* 43 361-369.

Spear, F. S. and Selverstone, J. (1983). Quantitative P-T path from zoned minerals; theory and tectonic applications. *Contributions to Mineralogy and Petrology*. 83 (3-4): 348-357.

Spear, F. S., Selverstone, J., Hickmott, D., Crowley, P. and Hodges, K. V.

(1984). P-T paths from garnet zoning; a new technique for deciphering tectonic processes in crystalline terranes. *Geology (Boulder)* 12 (2): 87-90.

Spear, F. S. and Menard, T. (1989). Program GIBBS; a generalized Gibbs method algorithm. *American Mineralogist* 74 (7-8): 942-943.

Spear, F. S. (1993). Metamorphic Phase Equilibria and Pressure-Temperature-Time Paths.

Spear, F. S. and Daniel, C. G. (2001). Diffusion control of garnet growth, Harpswell Neck, Maine, USA. *Journal of Metamorphic Geology* 19 (2): 179-195.

Stampfli, G. M., Mosar, J., Marquer, D., Marchant, R., Baudin, T. and Borel, G. (1998). Subduction and obduction processes in the Swiss Alps. *Tectonophysics* 296 (1-2): 159-204.

Stünitz, H. (1989). Partitioning of metamorphism and deformation in the boundary region of the "Seconda Zona Diorito-Kinzigitica", Sesia Zone, Western Alps. 244.

Thomson, S. N., Stockhert, B. and Brix, M. R. (1998). Thermochronology of the high-pressure metamorphic rocks of Crete, Greece: Implications for the speed of tectonic processes. *Geology* 26 (3): 259-262.

Thöni, M. and Jagoutz, E. (1992). Some New Aspects of Dating Eclogites in Orogenic Belts - Sm-Nd, Rb-Sr, and Pb-Pb Isotopic Results from the Austroalpine Saualpe and Koralpe Type-Locality (Carinthia Styria, Southeastern Austria). *Geochimica et Cosmochimica Acta* 56 (1): 347-368.

Thöni, M. and Miller, C. (1996). Garnet Sm-Nd data from the Saualpe and the Koralpe (eastern Alps, Austria): Chronological and P-T constraints on the thermal and tectonic history. *Journal of Metamorphic Geology* 14 (4): 453-466.

Thöni, M. (2002). Sm-Nd isotope systematics in garnet from different lithologies (Eastern Alps): age results, and an evaluation of potential problems for garnet Sm-Nd chronometry. *Chemical Geology* 185 (3-4): 255-281.

Tibi, R., Bock, G. and Wiens, D. A. (2003). Source characteristics of large deep earthquakes: Constraint on the faulting mechanism at great depths. *Journal of Geophysical Research-Solid Earth* 108 (B2):

Tropper, P., Essene, E. J., Sharp, Z. D. and Hunziker, J. C. (1999). Application of K-feldspar-jadeite-quartz barometry to eclogite facies metagranites and metapelites in the Sesia Lanzo Zone (Western Alps, Italy). *Journal of Metamorphic Geology* 17 (2): 195-209.

Trotet, F., Vidal, O. and Jolivet, L. (1999). Exhumation of HP-LT metamorphic rocks in the Aegean Sea, Sifnos and Syros islands (Cyclades, Greece). *European Journal of Mineralogy* 13 901-920.

Vance, D. and O'Nions, R. K. (1990). Isotopic chronometry of zoned garnets;

growth kinetics and metamorphic histories. *Earth and Planetary Science Letters* 97 (3-4): 227-240.

Vance, D. and Mahar, E. (1998). Pressure-temperature paths from P-T pseudosections and zoned garnets; potential, limitations and examples from the Zanskar Himalaya, NW India. *Contributions to Mineralogy and Petrology*. 132 (3): 225-245.

Venturini, G., Martinotti, G., Armando, G., Barbero, M. and Hunziker, J. C. (1994). The Central Sesia-Lanzo Zone (Western Italian Alps) - New Field Observations and Lithostratigraphic Subdivisions. *Schweizerische Mineralogische und Petrographische Mitteilungen* 74 (1): 111-121.

Venturini, G. (1995). Geology, geochemistry and geochronology of the inner central Sesia Zone (Western Alps, Italy). *Memoires de Géologie Lausanne* 25 148.

Vidal, O. and Parra, T. (2000). Exhumation paths of high-pressure metapelites obtained from local equilibria for chlorite-phengite assemblages. *Geological Journal* 35 139-161.

Von Blanckenburg, F. and Davies, J. H. (1995). Slab Breakoff - a Model for Syncollisional Magmatism and Tectonics in the Alps. *Tectonics* 14 (1): 120-131.

Vuichard, J. P. and Ballevre, M. (1988). Garnet Chloritoid Equilibria in Eclogitic Pelitic Rocks from the Sesia Zone (Western Alps) - Their Bearing on Phase-Relations in High-Pressure Metapelites. *Journal of Metamorphic Geology* 6 (2): 135-157.

Walsh, E. O. and Hacker, B. R. (2004). The fate of subducted continental margins: Two-stage exhumation of the high-pressure to ultrahigh-pressure Western Gneiss Region, Norway. *Journal of Metamorphic Geology* 22 (7): 671-687.

Wheeler, J. and Butler, R. W. H. (1993). Evidence for extension in the western Alpine Orogen; the contact between the oceanic Piemonte and overlying continental Sesia units. *Earth and Planetary Science Letters* 117 (3-4): 457-474.

Wheeler, J., Reddy, S. M. and Cliff, R. A. (2001). Kinematic linkage between internal zone extension and shortening in more external units in the NW Alps. *Journal of the Geological Society* 158 439-443.

White, R. W., Powell, R., Holland, T. J. B. and Worley, B. A. (2000). The effect of TiO₂ and Fe₂O₃ on metapelitic assemblages at greenschist and amphibolite facies conditions; mineral equilibria calculations in the system K₂O-FeO-MgO-Al₂O₃-SiO₂-H₂-Fe₂O₃. *Journal of Metamorphic Geology* 18 (5): 497-511.

White, R. W., Powell, R. and Holland, T. J. B. (2001). Calculation of partial melting equilibria in the system Na₂O-CaO-K₂O-FeO-MgO-Al₂O₃-SiO₂-H₂O (NCKFMASH). *Journal of Metamorphic Geology* 19 (2): 139-153.

Wibberley, C. (1999). Are feldspar-to-mica reactions necessarily reaction-softening processes in fault zones? *Journal of Structural Geology* 21 (8-9): 1219-1227.

Wiens, D. A. (2001). Seismological constraints on the mechanism of deep earthquakes: temperature dependence of deep earthquake source properties. *Physics of the Earth and Planetary Interiors* 127 (1-4): 145-163.

Williams, P. F. and Compagnoni, R. (1983). Deformation and metamorphism in the Bard area of the Sesia Lanzo Zone, Western Alps, during subduction and uplift. *Journal of Metamorphic Geology* 1 (2): 117-140.

Willner, A. P., Herve, F. and Massonne, H. J. (2000). Mineral chemistry and pressure-temperature evolution of two contrasting high-pressure-low-temperature belts in the Chonos Archipelago, Southern Chile. *Journal of Petrology* 41 (3): 309-330.

Wintsch, R. P., Christoffersen, R. and Kronenberg, A. K. (1995). Fluid-Rock Reaction Weakening of Fault Zones. *Journal of Geophysical Research-Solid Earth* 100 (B7): 13021-13032.

Worley, B. and Powell, R. (2000). High-precision relative thermobarometry; theory and a worked example. *Journal of Metamorphic Geology* 18 (1): 91-101.

Yoshida, D., Hirajima, T. and Ishiwatari, A. (2004). Pressure-temperature path recorded in the Yangkou garnet peridotite, in Su-Lu ultrahigh-pressure metamorphic belt, eastern China. *Journal of Petrology* 45 (6): 1125-1145.

Yui, T. F., Rumble, D. and Lo, C. H. (1995). Unusually Low Delta-O-18 Ultra-High-Pressure Metamorphic Rocks from the Sulu Terrain, Eastern China. *Geochimica et Cosmochimica Acta* 59 (13): 2859-2864.

Zack, T., Foley, S. F. and Rivers, T. (2002). Equilibrium and disequilibrium trace element partitioning in hydrous eclogites (Trescolmen, Central Alps). *Journal of Petrology* 43 (10): 1947-1974.

Zhang, R. Y. and Liou, J. G. (1994). Coesite-Bearing Eclogite in Henan Province, Central China - Detailed Petrography, Glaucomphane Stability and Pt-Path. *European Journal of Mineralogy* 6 (2): 217-233.

Zhang, R. Y., Liou, J. G., Ernst, W. G., Coleman, R. G., Sobolev, N. V. and Shatsky, V. S. (1997). Metamorphic evolution of diamond-bearing and associated rocks from the Kokchetav Massif, northern Kazakhstan. *Journal of Metamorphic Geology* 15 (4): 479-496.

Zhang, R. Y., Liou, J. G., Yang, J. S. and Ye, K. (2003). Ultrahigh-pressure metamorphism in the forbidden zone: the Xugou garnet peridotite, Sulu terrane, eastern China. *Journal of Metamorphic Geology* 21 (6): 539-550.

Zhang, J. F., Green, H. W., Bozhilov, K. and Jin, Z. M. (2004). Faulting

induced by precipitation of water at grain boundaries in hot subducting oceanic crust. *Nature* 428 (6983): 633-636.

Zheng, Y. F., Fu, B., Xiao, Y. L., Li, Y. L. and Gong, B. (1999). Hydrogen and oxygen isotope evidence for fluid-rock interactions in the stages of pre- and post-UHP metamorphism in the Dabie Mountains. *Lithos* 46 (4): 677-693.

Zingg, A. H., J. C.; Frey, M.; Ahrendt, H. (1976). Age and degree of metamorphism of the Canavese Zone and of the sedimentary cover of the Sesia Zone. *Schweizerische Mineralogische und Petrographische Mitteilungen* 56 (2): 361-375.

Zingg, A. and Hunziker, J. C. (1990). The age of movements along the Insubric Line west of Locarno (northern Italy and southern Switzerland). *Eclogae Geologicae Helvetiae* 83 (3): 629-644.

Zingg, A., Handy, M. R., Hunziker, J. C. and Schmid, S. M. (1990). Tectonometamorphic History of the Ivrea Zone and Its Relationship to the Crustal Evolution of the Southern Alps. *Tectonophysics* 182 (1-2): 169-192.

Zucali, M., Spalla, M. I. and Gosso, G. (2002). Strain partitioning and fabric evolution as a correlation tool: the example of the Eclogitic Micaschists Complex in the Sesia-Lanzo Zone (Monte Mucrone-Monte Mars, Western Alps, Italy). *Schweizerische Mineralogische und Petrographische Mitteilungen* 82 (3): 429-454.