

5 Referenzen

Aubert, C., Vos, M.H., Mathis, P., Eker, A.P., and Brettel, K. (2000) Intraprotein radical transfer during photoactivation of DNA photolyase. *Nature* **405**, 586-590.

Baynes, J.W., and Thorpe, S.R. (1999) Role of oxidative stress in diabetic complications: a new perspective on an old paradigm. *Diabetes* **48**, 1-9.

Beckman, K.B., and Ames, B.N. (1998) The free radical theory of aging matures. *Physiol. Rev.* **78**, 547-581.

Behl, C. (1997) Amyloid β -protein toxicity and oxidative stress in Alzheimer's disease. *Cell Tissue Res.* **290**, 471-480.

Behl, C., Davis, J.B., Lesley, R., and Schubert, D. (1994) Hydrogen peroxide mediates amyloid β protein toxicity. *Cell* **77**, 817-827.

Behl, C., Skutella, T., Lezoualc'h, F., Post, A., Widmann, M., Newton, C., and Holsboer, F. (1997) Neuroprotection against oxidative stress by estrogens: structure-activity relationship. *Mol. Pharmacol.* **51**, 535-541.

Behl, C., Moosmann, B., Manthey, D., and Heck, S. (2000) The female sex hormone oestrogen as neuroprotectant: activities at various levels. *Novartis Found. Symp.* **230**, 221-238.

Biedler, J.L., Helson, L., and Spengler, B.A. (1973) Morphology and growth, tumorigenicity, and cytogenetics of human neuroblastoma cells in continuous culture. *Cancer Res.* **33**, 2643-2652.

Bisby, R.H., and Parker, A.W. (1995) Reaction of ascorbate with the α -tocopheroxyl radical in micellar and bilayer membrane systems. *Arch. Biochem. Biophys.* **317**, 170-178.

Bohm, F., Edge, R., McGarvey, D.J., and Truscott, T.G. (1998) β -carotene with vitamins E and C offers synergistic cell protection against NO_x . *FEBS Lett.* **436**, 387-389.

Borg, D.C. (1972) Electron spin resonance applied to free radicals of physiological, pharmacological, or biochemical interest, in *Biological Applications of Electron Spin Resonance* (Swartz, H.M., Bolton, J.R., and Borg, D.C.), Seiten 265-350. Wiley Interscience, New York.

Buchczyk, D.P., Briviba, K., Hartl, F.U., and Sies, H. (2000) Responses to peroxynitrite in yeast: glyceraldehyde-3-phosphate dehydrogenase (GAPDH) as a sensitive intracellular target for nitration and enhancement of chaperone expression and ubiquitination. *Biol. Chem.* **381**, 121-126.

Burton, G.W., le Page, Y., Gabe, E.J., and Ingold, K.U. (1980) Antioxidant activity of vitamin E and related phenols: importance of stereoelectronic factors. *J. Am. Chem. Soc.* **102**, 7791-7792.

Busciglio, J., and Yankner, B.A. (1995) Apoptosis and increased generation of reactive oxygen species in Down's syndrome neurons in vitro. *Nature* **378**, 776-779.

Chia, L.S., Thompson, J.E., and Moscarello, M.A. (1983) Changes in lipid phase behaviour in human myelin during maturation and aging. Involvement of lipid peroxidation. *FEBS Lett.* **157**, 155-158.

Christen, W.G. (1999) Antioxidant vitamins and age-related eye disease. *Proc. Assoc. Am. Physicians* **111**, 16-21.

Clement-Jones, V., Lowry, P.J., Rees, L.H., and Besser, G.M. (1980) Met-enkephalin circulates in human plasma. *Nature* **283**, 295-297.

Cowan, S.W., Schirmer, T., Rummel, G., Steiert, M., Ghosh, R., Paupit, R.A., Jansonius, J.N., and Rosenbusch, J.P. (1992) Crystal structures explain functional properties of two E. coli porins. *Nature* **358**, 727-733.

Deisenhofer, J., Epp, O., Sinning, I., and Michel, H. (1995) Crystallographic refinement at 2.3 Å resolution and refined model of the photosynthetic reaction centre from *Rhodospseudomonas viridis*. *J. Mol. Biol.* **246**, 429-457.

de Planque, M.R., Kruijtzter, J.A., Liskamp, R.M., Marsh, D., Greathouse, D.V., Koeppe R.E., de Kruijff, B., and Killian, J.A. (1999) Different membrane anchoring positions of tryptophan and lysine in synthetic transmembrane α -helical peptides. *J. Biol. Chem.* **274**, 20839-20846.

Desnuelle, C., Dib, M., Garrel, C., and Favier, A. (2001) A double-blind, placebo-controlled randomized clinical trial of α -tocopherol (vitamin E) in the treatment of amyotrophic lateral sclerosis. ALS riluzole-tocopherol Study Group. *Amyotroph. Lateral Scler. Other Motor Neuron Disord.* **2**, 9-18.

Di Bernardo, S., Fato, R., Casadio, R., Fariselli, P., and Lenaz, G. (1998) A high diffusion coefficient for coenzyme Q10 might be related to a folded structure. *FEBS Lett.* **426**, 77-80.

Dougherty, D.A. (1996) Cation- π interactions in chemistry and biology: a new view of benzene, phe, tyr, and trp. *Science* **271**, 163-168.

Ducrocq, C., Dendane, M., Laprevote, O., Serani, L., Das, B.C., Bouchemal-Chibani, N., Doan, B.T., Gillet, B., Karim, A., Carayon, A., and Payen, D. (1998) Chemical modifications of the vasoconstrictor peptide angiotensin II by nitrogen oxides (NO, HNO₂, HOONO) - evaluation by mass spectrometry. *Eur. J. Biochem.* **253**, 146-153.

Eiserich, J.P., Hristova, M., Cross, C.E., Jones, A.D., Freeman, B.A., Halliwell, B., and van der Vliet, A. (1998) Formation of nitric oxide-derived inflammatory oxidants by myeloperoxidase in neutrophils. *Nature* **391**, 393-397.

Gil, T., Ipsen, J.H., Mouritsen, O.G., Sabra, M.C., Sperotto, M.M., and Zuckermann, M.J. (1998) Theoretical analysis of protein organization in lipid membranes. *Biochim. Biophys. Acta* **1376**, 245-266.

Gilgun-Sherki, Y., Melamed, E., and Offen, D. (2001) Oxidative stress-induced neurodegenerative diseases: the need for antioxidants that penetrate the blood-brain barrier. *Neuropharmacology* **40**, 959-975.

Gladyshev, V.N., and Hatfield, D.L. (1999) Selenocysteine-containing proteins in mammals. *J. Biomed. Sci.* **6**, 151-160.

Griendling, K.K., Minieri, C.A., Ollerenshaw, J.D., and Alexander, R.W. (1994) Angiotensin II stimulates NADH and NADPH oxidase activity in cultured vascular smooth muscle cells. *Circ. Res.* **74**, 1141-1148.

Gu, M., Owen, A.D., Toffa, S.E., Cooper, J.M., Dexter, D.T., Jenner, P., Marsden, C.D., and Schapira, A.H. (1998) Mitochondrial function, GSH and iron in neurodegeneration and Lewy body diseases. *J. Neurol. Sci.* **158**, 24-29.

Halliwell, B. (1988) Albumin - an important extracellular antioxidant? *Biochem. Pharmacol.* **37**, 569-571.

Halliwell, B., and Gutteridge, J.M. (1999) *Free Radicals in Biology and Medicine*. Oxford University Press, Oxford, New York.

Halliwell, B. (2001) Role of free radicals in the neurodegenerative diseases: therapeutic implications for antioxidant treatment. *Drugs Aging* **18**, 685-716.

Harman, D. (1998) Extending functional life span. *Exp. Gerontol.* **33**, 95-112.

Harman, D. (2001) Aging: overview. *Ann. NY Acad. Sci.* **928**, 1-21.

Harrington, L.A., and Harley, C.B. (1988) Effect of vitamin E on lifespan and reproduction in *Caenorhabditis elegans*. *Mech. Ageing Dev.* **43**, 71-78.

Heginbotham, L., and MacKinnon, R. (1992) The aromatic binding site for tetraethylammonium ion on potassium channels. *Neuron* **8**, 483-491.

- Heinecke, J.W. (1999) Is lipid peroxidation relevant to atherogenesis? *J. Clin. Invest.* **104**, 135-136.
- Hensley, K., Maitt, M.L., Yu, Z., Sang, H., Markesbery, W.R., and Floyd, R.A. (1998) Electrochemical analysis of protein nitrotyrosine and dityrosine in the Alzheimer brain indicates region-specific accumulation. *J. Neurosci.* **18**, 8126-8132.
- Hucho, F., und Weise, C. (2001) Ligandengesteuerte Ionenkanäle. *Angew. Chem.* **113**, 3194-3211.
- Huntington Study Group (2001) A randomized, placebo-controlled trial of coenzyme Q10 and remacemide in Huntington's disease. *Neurology* **57**, 397-404.
- Ishige, K., Schubert, D., and Sagara, Y. (2001) Flavonoids protect neuronal cells from oxidative stress by three distinct mechanisms. *Free Radic. Biol. Med.* **30**, 433-446.
- Jakobsson, E. (1997) Computer simulation studies of biological membranes: progress, promise and pitfalls. *Trends Biochem. Sci.* **22**, 339-344.
- Jones, D.T., Taylor, W.R., and Thornton, J.M. (1994) A model recognition approach to the prediction of all-helical membrane protein structure and topology. *Biochemistry* **33**, 3038-3049.
- Jordan, A., and Reichard, P. (1998) Ribonucleotide reductases. *Annu. Rev. Biochem.* **67**, 71-98.
- Jung, C., Rong, Y., Doctrow, S., Baudry, M., Malfroy, B., and Xu, Z. (2001) Synthetic superoxide dismutase/catalase mimetics reduce oxidative stress and prolong survival in a mouse amyotrophic lateral sclerosis model. *Neurosci. Lett.* **304**, 157-160.
- Ketchum, R.R., Hu, W., and Cross, T.A. (1993) High-resolution conformation of gramicidin A in a lipid bilayer by solid-state NMR. *Science* **261**, 1457-1460.

Killian, J.A. (1998) Hydrophobic mismatch between proteins and lipids in membranes. *Biochim. Biophys. Acta* **1376**, 401-416.

Kohrl, J., Brigelius-Flohe, R., Bock, A., Gartner, R., Meyer, O., and Flohe, L. (2000) Selenium in biology: facts and medical perspectives. *Biol. Chem.* **381**, 849-864.

Lacey, J.C., Wickramasinghe, N.S., and Cook, G.W. (1992) Experimental studies on the origin of the genetic code and the process of protein synthesis: a review update. *Orig. Life Evol. Biosph.* **22**, 243-275.

Lander, H.M. (1997) An essential role for free radicals and derived species in signal transduction. *FASEB J.* **11**, 118-124.

Landolt-Marticorena, C., Williams, K.A., Deber, C.M., and Reithmeier, R.A. (1993) Non-random distribution of amino acids in the transmembrane segments of human type I single span membrane proteins. *J. Mol. Biol.* **229**, 602-608.

Leeuwenburgh, C., Rasmussen, J.E., Hsu, F.F., Mueller, D.M., Pennathur, S., and Heinecke, J.W. (1997) Mass spectrometric quantification of markers for protein oxidation by tyrosyl radical, copper, and hydroxyl radical in low density lipoprotein isolated from human atherosclerotic plaques. *J. Biol. Chem.* **272**, 3520-3526.

Lezoualc'h, F., Sparapani, M., and Behl, C. (1998) N-acetyl-serotonin (normelatonin) and melatonin protect neurons against oxidative challenges and suppress the activity of the transcription factor NF- κ B. *J. Pineal Res.* **24**, 168-178.

Li, X.Y., and Liu, J.F. (2001) A theoretical study of solvent effect and reaction mechanism of electron transfer reaction between indole side chain and phenol side chain of peptide involving tryptophan and tyrosine. *J. Comput. Chem.* **22**, 1067-1081.

Lien, E.J., Ren, S., Bui, H., and Wang, R. (1999) Quantitative structure-activity relationship analysis of phenolic antioxidants. *Free Radic. Biol. Med.* **26**, 285-294.

Lipton, S.A., Rayudu, P.V., Choi, Y.B., Sucher, N.J., and Chen, H.S. (1998) Redox modulation of the NMDA receptor by NO-related species. *Prog. Brain Res.* **118**, 73-82.

Ma, J.C., and Dougherty, D.A. (1997) The cation- π interaction. *Chem. Rev.* **97**, 1303-1324.

Maher, P., and Schubert, D. (2000) Signaling by reactive oxygen species in the nervous system. *Cell. Mol. Life Sci.* **57**, 1287-1305.

Marsh, D., and Horvath, L.I. (1998) Structure, dynamics and composition of the lipid-protein interface. Perspectives from spin-labelling. *Biochim. Biophys. Acta* **1376**, 267-296.

McIntire, W.S. (1998) Newly discovered redox cofactors: possible nutritional, medical, and pharmacological relevance to higher animals. *Annu. Rev. Nutr.* **18**, 145-177.

McIntosh, T.J., Advani, S., Burton, R.E., Zhelev, D.V., Needham, D., and Simon, S.A. (1995) Experimental tests for protrusion and undulation pressures in phospholipid bilayers. *Biochemistry* **34**, 8520-8532.

Melov, S., Ravenscroft, J., Malik, S., Gill, M.S., Walker, D.W., Clayton, P.E., Wallace, D.C., Malfroy, B., Doctrow, S.R., Lithgow, G.J. (2000) Extension of life-span with superoxide dismutase/catalase mimetics. *Science* **289**, 1567-1569.

Millan, M.J., Przewlocki, R., Jerlicz, M., Gramsch, C., Holtt, V., and Herz, A. (1981) Stress-induced release of brain and pituitary β -endorphin: major role of endorphins on generation of hyperthermia, not analgesia. *Brain Res.* **208**, 325-338.

Mooradian, A.D. (1993) Antioxidant properties of steroids. *J. Steroid Biochem. Mol. Biol.* **45**, 509-511.

Moosmann, B., Uhr, M., and Behl, C. (1997) Neuroprotective potential of aromatic alcohols against oxidative cell death. *FEBS Lett.* **413**, 467-472.

Moosmann, B., and Behl, C. (1999) The antioxidant neuroprotective effects of estrogens and phenolic compounds are independent from their estrogenic properties. *Proc. Natl. Acad. Sci. USA* **96**, 8867-8872.

Moosmann, B., and Behl, C. (2002) Antioxidants as treatment for neurodegenerative disorders. *Expert Opin. Investig. Drugs*, in press.

Moosmann, B., Skutella, T., Beyer, K., and Behl, C. (2001) Protective activity of aromatic amines and imines against oxidative nerve cell death. *Biol. Chem.* **382**, 1601-1612.

Morimoto, B.H., and Koshland, D.E.Jr. (1990) Induction and expression of long- and short-term neurosecretory potentiation in a neural cell line. *Neuron* **5**, 875-880.

Morley, A.A., and Trainor, K.J. (2001) Lack of an effect of vitamin E on lifespan of mice. *Biogerontology* **2**, 109-112.

Mullins, D.W., Lacey, J.C., and Hearn, R.A. (1973) 5S rRNA and tRNA: evidence for a common evolutionary origin. *Nat. New Biol.* **242**, 80-82.

Nakayama, K. (1994) Rapid viability loss on exposure to air in a superoxide dismutase-deficient mutant of *Porphyromonas gingivalis*. *J. Bacteriol.* **176**, 1939-1943.

Niki, E., Kawakami, A., Saito, M., Yamamoto, Y., Tsuchiya, J., and Kamiya, Y. (1985) Effect of phytyl side chain of vitamin E on its antioxidant activity. *J. Biol. Chem.* **260**, 2191-2196.

Noguchi, N., and Niki, E. (2000) Phenolic antioxidants: a rationale for design and evaluation of novel antioxidant drug for atherosclerosis. *Free Radic. Biol. Med.* **28**, 1538-1546.

Nohl, H., Kozlov, A.V., Staniek, K., and Gille, L. (2001) The multiple functions of coenzyme Q. *Bioorg. Chem.* **29**, 1-13.

Osawa, S., Jukes, T.H., Watanabe, K., and Muto, A. (1992) Recent evidence for evolution of the genetic code. *Microbiol. Rev.* **56**, 229-264.

- Parkes, T.L., Elia, A.J., Dickinson, D., Hilliker, A.J., Phillips, J.P., and Boulianne, G.L. (1998) Extension of *Drosophila* lifespan by overexpression of human SOD1 in motoneurons. *Nat. Genetics* **19**, 171-174.
- Pawagi, A.B., and Deber, C.M. (1990) Ligand-dependent quenching of tryptophan fluorescence in human erythrocyte hexose transport protein. *Biochemistry* **29**, 950-955.
- Pebay-Peyroula, E., Rummel, G., Rosenbusch, J.P., and Landau, E.M. (1997) X-ray structure of bacteriorhodopsin at 2.5 angstroms from microcrystals grown in lipidic cubic phases. *Science* **277**, 1676-1681.
- Pietraforte, D., and Minetti, M. (1997a) One-electron oxidation pathway of peroxynitrite decomposition in human blood plasma: evidence for the formation of protein tryptophan centred radicals. *Biochem. J.* **321**, 743-750.
- Pietraforte, D., and Minetti, M. (1997b) Direct ESR detection of peroxynitrite-induced tyrosine-centred protein radicals in human blood plasma. *Biochem. J.* **325**, 675-684.
- Prutz, W.A., Butler, J., Land, E.J., and Swallow, A.J. (1980) Direct demonstration of electron transfer between tryptophan and tyrosine in proteins. *Biochem. Biophys. Res. Commun.* **96**, 408-414.
- Przewlocki, R., Millan, M.J., Gramsch, C., Millan, M.H., and Herz, A. (1982) The influence of selective adeno- and neurointermedio-hypophysectomy upon plasma and brain levels of β -endorphin and their response to stress in rats. *Brain Res.* **242**, 107-117.
- Reiter, R.J. (1995) Functional pleiotropy of the neurohormone melatonin: antioxidant protection and neuroendocrine regulation. *Front. Neuroendocrinol.* **16**, 385-415.
- Reiter, R.J. (1998) Oxidative damage in the central nervous system: protection by melatonin. *Prog. Neurobiol.* **56**, 359-384.
- Reithmeier, R.A. (1995) Characterization and modeling of membrane proteins using sequence analysis. *Curr. Opin. Struct. Biol.* **5**, 491-500.

Rettori, V., Belova, N., Dees, W.L., Nyberg, C.L., Gimeno, M., and McCann, S.M. (1993) Role of nitric oxide in the control of luteinizing hormone-releasing hormone release in vivo and in vitro. *Proc. Natl. Acad. Sci. USA* **90**, 10130-10134.

Ribas de Pouplana, L., Frugier, M., Quinn, C.L., and Schimmel, P. (1996) Evidence that two present-day components needed for the genetic code appeared after nucleated cells separated from eubacteria. *Proc. Natl. Acad. Sci. USA* **93**, 166-170.

Ricciarelli, R., Zingg, J.M., and Azzi, A. (2001) Vitamin E: protective role of a Janus molecule. *FASEB J.* **15**, 2314-2325.

Richardson, J.S. (1981) The anatomy and taxonomy of protein structure. *Adv. Protein Chem.* **34**, 167-339.

Ridder, A.N., Morein, S., Stam, J.G., Kuhn, A., de Kruijff, B., and Killian, J.A. (2000) Analysis of the role of interfacial tryptophan residues in controlling the topology of membrane proteins. *Biochemistry* **39**, 6521-6528.

Rosen, D.R., Siddique, T., Patterson, D., Figlewicz, D.A., Sapp, P., Hentati, A., Donaldson, D., Goto, J., O'Regan, J.P., Deng, H.X., *et al.* (1993) Mutations in Cu/Zn superoxide dismutase gene are associated with familial amyotrophic lateral sclerosis. *Nature* **362**, 59-62.

Ryzhov, V., Dunbar, R.C., Cerda, B., and Wesdemiotis, C. (2000) Cation- π effects in the complexation of Na⁺ and K⁺ with Phe, Tyr, and Trp in the gas phase. *J. Am. Soc. Mass. Spectrom.* **11**, 1037-1046.

Sano, M., Ernesto, C., Thomas, R.G., Klauber, M.R., Schafer, K., Grundman, M., Woodbury, P., Growdon, J., Cotman, C.W., Pfeiffer, E., *et al.* (1997) A controlled trial of selegiline, α -tocopherol, or both as treatment for Alzheimer's disease. The Alzheimer's Disease Cooperative Study. *N. Engl. J. Med.* **336**, 1216-1222.

Saxton, M.J., and Jacobson, K. (1997) Single-particle tracking: applications to membrane dynamics. *Annu. Rev. Biophys. Biomol. Struct.* **26**, 373-399.

Schiffer, M., Chang, C.H., and Stevens, F.J. (1992) The functions of tryptophan residues in membrane proteins. *Protein Eng.* **5**, 213-214.

Schirmer, T., and Cowan, S.W. (1993) Prediction of membrane-spanning β -strands and its application to maltoporin. *Protein Sci.* **2**, 1361-1363.

Schubert, D., and Piasecki, D. (2001) Oxidative glutamate toxicity can be a component of the excitotoxicity cascade. *J. Neurosci.* **21**, 7455-7462.

Shen, L., Bassolino, D., and Stouch, T. (1997) Transmembrane helix structure, dynamics, and interactions: multi-nanosecond molecular dynamics simulations. *Biophys. J.* **73**, 3-20.

Sies, H. (1999) Glutathione and its role in cellular functions. *Free Radic. Biol. Med.* **27**, 916-921.

Sies, H., and Murphy, M.E. (1991) Role of tocopherols in the protection of biological systems against oxidative damage. *J. Photochem. Photobiol.* **8**, 211-218.

Singh, R.J., Hogg, N., Joseph, J., Konorev, E., and Kalyanaraman, B. (1999) The peroxyxynitrite generator, SIN-1, becomes a nitric oxide donor in the presence of electron acceptors. *Arch. Biochem. Biophys.* **361**, 331-339.

Smith, Q.R. (1993) Drug delivery to the brain and the role of carrier-mediated transport, in *Frontiers in Cerebral Vascular Biology: Transport and Its Regulation* (Drewes, L.R., and Betz, A.L.), Seiten 83-93. Plenum Press, New York.

Söderberg, M., Edlund, C., Kristensson, K., and Dallner, G. (1990) Lipid compositions of different regions of the human brain during aging. *J. Neurochem.* **54**, 415-423.

Söderberg, M., Edlund, C., Alafuzoff, I., Kristensson, K., and Dallner, G. (1992) Lipid composition in different regions of the brain in Alzheimer's disease/senile dementia of Alzheimer's type. *J. Neurochem.* **59**, 1646-1653.

Sohal, R.S., Mockett, R.J., and Orr, W.C. (2000) Current issues concerning the role of oxidative stress in aging: a perspective. *Results Probl. Cell. Differ.* **29**, 45-66.

Souza, J.M., Daikhin, E., Yudkoff, M., Raman, C.S., and Ischiropoulos, H. (1999) Factors determining the selectivity of protein tyrosine nitration. *Arch. Biochem. Biophys.* **371**, 169-178.

Staves, M.P., Bloch, D.P., and Lacey, J.C. (1988) Evolution of E. coli tRNA^{Trp}. *Orig. Life Evol. Biosph.* **18**, 97-105.

Stubbe, J., and van der Donk, W.A. (1998) Protein radicals in enzyme catalysis. *Chem. Rev.* **98**, 705-762.

Tan, D.X., Manchester, L.C., Reiter, R.J., Plummer, B.F., Hardies, L.J., Weintraub, S.T., Vijayalaxmi, and Shepherd, A.M. (1998) A novel melatonin metabolite, cyclic 3-hydroxymelatonin: a biomarker of in vivo hydroxyl radical generation. *Biochem. Biophys. Res. Commun.* **253**, 614-620.

Tieleman, D.P., Marrink, S.J., and Berendsen, H.J. (1997) A computer perspective of membranes: molecular dynamics studies of lipid bilayer systems. *Biochim. Biophys. Acta* **1331**, 235-270.

Tower, J. (2000) Transgenic methods for increasing Drosophila life span. *Mech. Ageing Dev.* **118**, 1-14.

Valcic, S., Burr, J.A., Timmermann, B.N., and Liebler, D.C. (2000) Antioxidant chemistry of green tea catechins. New oxidation products of (-)-epigallocatechin gallate and (-)-epigallocatechin from their reactions with peroxy radicals. *Chem. Res. Toxicol.* **13**, 801-810.

van Acker, S.A., Koymans, L.M., and Bast, A. (1993) Molecular pharmacology of vitamin E: structural aspects of antioxidant activity. *Free Radic. Biol. Med.* **15**, 311-328.

van Acker, S.A., de Groot, M.J., van den Berg, D.J., Tromp, M.N., den Kelder, G., van der Vijgh, W.J., and Bast, A. (1996) A quantum mechanical explanation of the antioxidant activity of flavonoids. *Chem. Res. Toxicol.* **9**, 1305-1312.

van der Vliet, A., Hristova, M., Cross, C.E., Eiserich, J.P., and Goldkorn, T. (1998) Peroxynitrite induces covalent dimerization of epidermal growth factor receptors in A431 epidermoid carcinoma cells. *J. Biol. Chem.* **273**, 31860-31866.

Vatassery, G.T., Fahn, S., and Kuskowski, M.A. (1998) α -Tocopherol in CSF of subjects taking high-dose vitamin E in the DATATOP study. Parkinson Study Group. *Neurology* **50**, 1900-1902.

von Heijne, G. (1994) Membrane proteins: from sequence to structure. *Annu. Rev. Biophys. Biomol. Struct.* **23**, 167-192.

Wallace, B.A., and Janes, R.W. (1999) Tryptophans in membrane proteins. X-ray crystallographic analyses. *Adv. Exp. Med. Biol.* **467**, 789-799.

Wintjens, R., Lievin, J., Rooman, M., and Buisine, E. (2000) Contribution of cation- π interactions to the stability of protein-DNA complexes. *J. Mol. Biol.* **302**, 395-410.

Woese, C.R., Olsen, G.J., Ibba, M., and Söll, D. (2000) Aminoacyl-tRNA synthetases, the genetic code, and the evolutionary process. *Microbiol. Mol. Biol. Rev.* **64**, 202-236.

Wong, J.T. (1975) A co-evolution theory of the genetic code. *Proc. Natl. Acad. Sci. USA* **72**, 1909-1912.

Yamakura, F., Rardin, R.L., Petsko, G.A., Ringe, D., Hiraoka, B.Y., Nakayama, K., Fujimura, T., Taka, H., and Murayama, K. (1998) Inactivation and destruction of conserved Trp159 of Fe-superoxide dismutase from *Porphyromonas gingivalis* by hydrogen peroxide. *Eur. J. Biochem.* **253**, 49-56.

Yu, W.H., Karanth, S., Walczewska, A., Sower, S.A., and McCann, S.M. (1997) A hypothalamic follicle-stimulating hormone-releasing decapeptide in the rat. *Proc. Natl. Acad. Sci. USA* **94**, 9499-9503.

Zs-Nagy, I. (1997) The membrane hypothesis of aging: its relevance to recent progress in genetic research. *J. Mol. Med.* **75**, 703-714.