

## VII. Literaturverzeichnis

- <sup>1</sup> Dehio C., A. Sander. *Bartonella* as emerging pathogens. Trends Microbiol 1999; 7(6):226-228.
- <sup>2</sup> Kerkhoff F.T., A.M. Bergmanns, A. van der Zee, A. Rothova et al. Demonstration of *Bartonella grahamii* DNA in ocular fluids of a patient with neuroretinitis. J Clin Microbiol 1999; 37(12):4034-4038.
- <sup>3</sup> Slater L.N., D.F. Welch, D. Hensel, D.W. Coody. A newly recognized fastidious gram-negative pathogen as a cause of fever and bacteremia. N Engl J Med 1990; 323(23):1587-1593.
- <sup>4</sup> Regnery R.L., B.E. Anderson, J.E. Clarridge III, M.C. Rodriguez-Barradas et al. Characterization of a novel *Rochalimaea* species, *R. henselae* sp. nov., isolated from blood of a febrile, human immunodeficiency virus-positive patient. J Clin Microbiol 1992; 30(2):265-274.
- <sup>5</sup> Schwartzman W.A., C.A. Nesbit, E.J. Baron. Development and evaluation of a blood-free medium for determining growth curves and optimizing growth of *Rochalimaea henselae*. J Clin Microbiol 1993; 31(7):1882-1885.
- <sup>6</sup> Batterman H.J., J.A. Peek, J.S. Loutit, S. Falkow et al. *Bartonella henselae* and *Bartonella quintana* adherence to and entry into cultured human epithelial cells. Infect Immun 1995; 63(11):4553-4556.
- <sup>7</sup> Minnick M.F., S.J. Mitchell, S.J. McAllister. Cell entry and the pathogenesis of *Bartonella* infections. Trends Microbiol 1996; 4(9):343-347.
- <sup>8</sup> Murakawa, G.J. Pathogenesis of *Bartonella henselae* in cutaneous and systemic disease. J Am Acad Dermatol 1997; 37(5):775-776.
- <sup>9</sup> Jacobs R.F., G.E. Schutze. *Bartonella henselae* as a cause of prolonged fever and fever of unknown origin in children. Clin Infect Dis 1998; 26:80-84.
- <sup>10</sup> Tsukahara M., H. Tsuneoka, H. Iino, I. Murano et al. *Bartonella henselae* infection as a cause of fever of unknown origin. J Clin Microbiol 2000; 38(5):1990-1991.
- <sup>11</sup> Zangwill K.M., D.H. Hamilton, B.A. Perkins, R.L. Regnery et al. Cat scratch disease in Connecticut. Epidemiology, risk factors, and evaluation of a new diagnostic test. N Engl J Med 1993; 329(1):8-13.

- <sup>12</sup> Regnery R., J. Tappero. Unraveling mysteries associated with cat-scratch disease, bacillary angiomatosis, and related syndromes. *Emerg Infect Dis* 1995; 1(1):16-21.
- <sup>13</sup> Carithers H.A. Cat-scratch disease. An overview based on a study of 1,200 patients. *Am J Dis Child* 1985; 139:1124-1133.
- <sup>14</sup> Margileth A.M. Cat scratch disease: nonbacterial regional lymphadenitis. The study of 145 patients and review of the literature. *Pediatrics* 1968; 42(5):803-818.
- <sup>15</sup> Margileth A.M. Cat scratch disease. *Adv Pediatr Infect Dis* 1993; 8:1-21.
- <sup>16</sup> Schwartzman W.A. Infections due to *Rochalimaea*: the expanding clinical spectrum. *Clin Infect Dis* 1992; 15:893-902.
- <sup>17</sup> Jackson L.A., B.A. Perkins, J.D. Wenger. Cat scratch disease in the United States: an analysis of three national databases. *Am J Public Health* 1993; 83(12):1707-1711.
- <sup>18</sup> Wear D.J., R.H. Malaty, L.F. Zimmerman, T.L. Hadfield et al. Cat scratch disease bacilli in the conjunctiva of patients with Parinaud's oculoglandular syndrome. *Ophthalmology* 1985; 92(9):1282-1287.
- <sup>19</sup> Maggiore G., F. Massei, R. Bussani, A. Ventura. Bone pain after lymphadenitis. *Eur J Pediatr* 1999; 158(2):165-166.
- <sup>20</sup> Holmes A.H., T.C. Greenough, G.J. Balady, R.L. Regnery et al. *Bartonella henselae* endocarditis in an immunocompetent adult. *Clin Infect Dis* 1995; 21(4):1004-1007.
- <sup>21</sup> Wong M.T., M.J. Dolan, C.P. Lattuada, R.L. Regnery et al. Neuroretinitis, aseptic meningitis, and lymphadenitis associated with *Bartonella (Rochalimaea) henselae* infection in immunocompetent patients and patients infected with human immunodeficiency virus type 1. *Clin Infect Dis* 1995; 21:352-360.
- <sup>22</sup> Lamps L.W., G.F. Gray, M.A. Scott. The histologic spectrum of hepatic cat scratch disease. *Am J Surg Pathol* 1996; 20(10):1253-1259.
- <sup>23</sup> Waldvogel K., R.L. Regnery, B.E. Anderson, R. Caduff et al. Disseminated cat-scratch disease: detection of *Rochalimaea henselae* in affected tissue. *Eur J Pediatr* 1994; 153(1):23-27.
- <sup>24</sup> Massei F., F. Messina, I. Talini, M. Massimetti et al. Widening of the clinical spectrum of *Bartonella henselae* infection as recognized through serodiagnostics. *Eur J Pediatr* 2000; 159(6):416-19.
- <sup>25</sup> Garcia C.J., C. Varela, K. Abarca, M. Ferres, P. Prado et al. Regional lymphadenopathy in cat-scratch disease: ultrasonographic findings. *Pediatr Radiol* 2000; 30(9):640-43.

- <sup>26</sup> Estrada B. Azithromycin and cat-scratch disease. *Infect Med* 1998; 15(8):517.
- <sup>27</sup> Margileth A.M. Antibiotic therapy for cat-scratch disease: clinical study of therapeutic outcome in 268 patients and review of the literature. *Pediatr Infect Dis J* 1992; 11(6):474-478.
- <sup>28</sup> Hamilton D.H., K.M. Zangwill, J.L. Hadler, M.L. Cartter. Cat-scratch disease - Connecticut, 1992-1993. *J Infect Dis* 1995; 172:570-573.
- <sup>29</sup> Carithers H.A. Cat-scratch disease. Notes in its history. *Am J Dis Child* 1970; 119:200-203.
- <sup>30</sup> Debré R., M. Lamy, M.-L. Jammet, L. Costil et al. La maladie des griffes de chat. *Bull Mem Soc Med Hop Paris* 1950; 66:76-79.
- <sup>31</sup> Emmons R.W. Cat scratch disease: the mystery finally solved? *Ann Intern Med* 1984; 100(2):303-304.
- <sup>32</sup> Gerber M.A., A.K. Sedgwick, T.J. McAlister, K.B. Gustafson et al. The etiological agent of cat scratch disease. *Lancet* 1985; 1236-1239.
- <sup>33</sup> Kalter S.S., C.S. Kim, R.L. Heberling. Herpes-like virus particles associated with cat scratch disease. *Nature* 1969; 224:190.
- <sup>34</sup> English C.K., D.J. Wear, A.M. Margileth, C.R. Lissner et al. Cat-scratch disease. Isolation and culture of the bacterial agent. *JAMA* 1988; 259(9):1347-1352.
- <sup>35</sup> Brenner D.J., D.G. Hollis, C.W. Moss, C.K. English et al. Proposal of *Afipia* gen. nov., with *Afipia felis* sp. nov. (formerly the cat scratch disease bacillus), *Afipia clevelandensis* sp. nov. (formerly the cleveland clinic foundation strain), *Afipia broomeae* sp. nov., and three unnamed genospecies. *J Clin Microbiol* 1991; 29(11):2450-2460.
- <sup>36</sup> Drancourt M., A. Donnet, J. Pelletier, D. Raoult. Acute meningoencephalitis associated with seroconversion to "*Afipia felis*". *Lancet* 1992; 340:558.
- <sup>37</sup> Giladi M., B. Avidor, Y. Kletter, S. Abulafia et al. Cat scratch disease: the rare role of *Afipia felis*. *J Clin Microbiol* 1998; 36(9):2499-2502.
- <sup>38</sup> Del Prete R., D. Fumarola, L. Fumarola, V. Basile et al. Prevalence of antibodies to *Bartonella henselae* in patients with suspected cat scratch disease (CSD) in Italy. *Eur J Epidemiol* 1999; 15(6):583-587.
- <sup>39</sup> Najji A.F., F. Carbonell, H.J. Barker. Cat scratch disease: a report of three new cases, review of the literature, and classification of the pathologic changes in the lymph node during various stages of the disease. *Am J Clin Pathol* 1962; 38(5):513-521.

- <sup>40</sup> Dolan M.J., M.T. Wong, R.L. Regnery, J.H. Jorgensen et al. Syndrome of *Rochalimaea henselae* adenitis suggesting cat scratch disease. *Ann Intern Med* 1993; 118(5):331-336.
- <sup>41</sup> Regnery R.L., J.G. Olson, B.A. Perkins, W. Bibb. Serological response to "*Rochalimaea henselae*" antigen in suspected cat-scratch disease. *Lancet* 1992; 339:1443-1445.
- <sup>42</sup> Barka N.E., T. Hadfield, M. Patnaik, W.A. Schwartzman et al. EIA for detection of *Rochalimaea henselae*-reactive IgG, IgM, and IgA antibodies in patients with suspected cat-scratch disease. *J Infect Dis* 1993; 167:1503-1504.
- <sup>43</sup> Szelc-Kelly C.M., S. Goral, G.I. Perez-Perez, B.A. Perkins et al. Serologic responses to *Bartonella* and *Afipia* antigens in patients with cat scratch disease. *Pediatrics* 1995; 96(6):1137-42.
- <sup>44</sup> Litwin C.M., T.B. Martins, H.R. Hill. Immunologic response to *Bartonella henselae* as determined by enzyme immunoassay and Western blot analysis. *Am J Clin Pathol* 1997; 108(2):202-209.
- <sup>45</sup> La Scola B., D. Raoult. Culture of *Bartonella quintana* and *Bartonella henselae* from human samples: a 5-year experience (1993 to 1998). *J Clin Microbiol* 1999; 37(6):1899-1905.
- <sup>46</sup> Scott M.A., T.L. McCurley, C.L. Vnencak-Jones, C. Hager et al. Cat scratch disease. Detection of *Bartonella henselae* DNA in archival biopsies from patients with clinically, serologically, and histologically defined disease. *Am J Pathol* 1996; 146(6):2161-2167.
- <sup>47</sup> Avidor B., Y. Kletter, S. Abulafia, Y. Golan et al. Molecular diagnosis of cat scratch disease: a two-step approach. *J Clin Microbiol* 1997; 35(8):1924-1930.
- <sup>48</sup> Sander A., S. Penno. Semiquantitative species-specific detection of *Bartonella henselae* and *Bartonella quintana* by PCR-enzyme immunoassay. *J Clin Microbiol* 1999; 37(10):3097-3101.
- <sup>49</sup> Stoler M.H., T.A. Bonfiglio, R.T. Steibigel, M. Pereira. An atypical subcutaneous infection associated with acquired immune deficiency syndrome. *Am J Clin Pathol* 1983; 80(5):714-718.
- <sup>50</sup> Relman D.A., J.S. Loutit, T.M. Schmidt, S. Falkow et al. The agent of bacillary angiomatosis. An approach to the identification of uncultured pathogens. *N Engl J Med* 1990; 323(23):1573-1580.

- <sup>51</sup> Perkocha L.A., S.M. Geaghan, T.S.B. Yen, S.L. Nishimura et al. Clinical and pathological features of bacillary peliosis hepatitis in association with human immunodeficiency virus infection. *N Engl J Med* 1990; 323(23):1581-1586.
- <sup>52</sup> LeBoit P.E., T.G. Berger, B.M. Egbert, J.H. Beckstaed et al. Bacillary angiomatosis. The histopathology and differential diagnosis of a pseudoneoplastic infection in patients with human immunodeficiency virus disease. *Am J Surg Pathol* 1989; 13(11):909-920.
- <sup>53</sup> Kemper C.A., C.M. Lombard, S.C. Deresinski, L.S. Tompkins. Visceral bacillary epithelioid angiomatosis: possible manifestations of disseminated cat scratch disease in the immunocompromised host: a report of two cases. *Am J Med* 1990; 89:216-222.
- <sup>54</sup> Spach D.H., L.A. Panther, D.R. Thorning, J.E. Dunn et al. Intracerebral bacillary angiomatosis in a patient with human immunodeficiency virus. *Ann Intern Med* 1992; 116:740-742.
- <sup>55</sup> Mohle-Boetani J., J.E. Koehler, T.G. Berger, P.E. LeBoit et al. Bacillary angiomatosis and bacillary peliosis in patients infected with human immunodeficiency virus: clinical characteristics in a case-control study. *Clin Infect Dis* 1996; 22:794-800.
- <sup>56</sup> Cockerell C.J., P.E. LeBoit. Bacillary angiomatosis: a newly characterized, pseudo-neoplastic, infectious, cutaneous vascular disorder. *J Am Acad Dermatol* 1990; 22:501-512.
- <sup>57</sup> Webster G.F., C.J. Cockerell, A.E. Friedman-Kein. The clinical spectrum of bacillary angiomatosis. *Br J Dermatol* 1992; 126:535-541.
- <sup>58</sup> LeBoit P.E., T. Berger, B.M. Egbert, T.S.B. Yen et al. Epithelioid haemangioma-like vascular proliferation in AIDS: manifestation of cat scratch disease bacillus infection? *Lancet* 1988; April:960-963.
- <sup>59</sup> Koehler J.E., P.E. LeBoit, B.M. Egbert, T.G. Berger. Cutaneous vascular lesions and disseminated cat-scratch disease in patients with the acquired immunodeficiency syndrome (AIDS) and AIDS-related complex. *Ann Intern Med* 1988; 109:449-455.
- <sup>60</sup> Cockerell C.J., P.R. Bergstresser, C. Myrie-Williams, P.M. Tierno. Bacillary epithelioid angiomatosis occurring in an immunocompetent individual. *Arch Dermatol* 1990; 126:787-790.
- <sup>61</sup> Tappero J.W., J. Mohle-Boetani, J.E. Koehler, B. Swaminathan et al. The epidemiology of bacillary angiomatosis and bacillary peliosis. *JAMA* 1993; 269(6):770-775.

- <sup>62</sup> Tappero J.W., J.E. Koehler, T.G. Berger, C.J. Cockerell et al. Bacillary angiomatosis and bacillary splenitis in immunocompetent adults. *Ann Intern Med* 1993; 118(5):363-365.
- <sup>63</sup> Ahsan N., M.J. Holman, T.R. Riley, C.S. Abendroth et al. Peliosis hepatis due to *Bartonella henselae* in transplantation: a hemato-hepato-renal syndrome. *Transplantation* 1998; 65(7):1000-1003.
- <sup>64</sup> Koehler J.E., F.D. Quinn, T.G. Berger, P.E. LeBoit et al. Isolation of *Rochalimaea* species from cutaneous and osseous lesions of bacillary angiomatosis. *N Engl J Med* 1992; 327(23):1625-1631.
- <sup>65</sup> Cockerell C.J., M.A. Whitlow, G.F. Webster et al. Epithelioid angiomatosis: a distinct vascular disorder in patients with the acquired immunodeficiency syndrome or AIDS-related complex. *Lancet* 1987; 2:654-66.
- <sup>66</sup> Adal K.A., C.J. Cockerell, W.A. Petri. Cat scratch disease, bacillary angiomatosis, and other infections due to *Rochalimaea*. *N Engl J Med* 1994; 330(21):1509-1515.
- <sup>67</sup> Koehler J.E., C.A. Glaser, J.W. Tappero. *Rochalimaea henselae* infection. A new zoonosis with the domestic cat as a reservoir. *JAMA* 1994; 271(7):531-535.
- <sup>68</sup> Glaus T., R. Hofmann-Lehmann, C. Greene, B. Glaus et al. Seroprevalence of *Bartonella henselae* infection and correlation with disease status in cats in Switzerland. *J Clin Microbiol* 1997; 35(11):2883-2885.
- <sup>69</sup> Haimerl M., A.M. Tenter, K. Simon, M. Rommel et al. Seroprevalence of *Bartonella henselae* in cats in Germany. *J Med Microbiol* 1999; 48:849-856.
- <sup>70</sup> Jameson P., C. Green, R.L. Regnery, M. Dryden et al. Prevalence of *Bartonella henselae* antibodies in pet cats throughout regions of North America. *J Infect Dis* 1995; 172:1145-1149.
- <sup>71</sup> Allerberger F., M. Schönbauer, R. Zangerle, M. Dierich. Prevalence of antibody to *Rochalimaea henselae* among Austrian cats. *Eur J Pediatr* 1995; 154:165.
- <sup>72</sup> Chomel B.B., E.T. Carlos, R.W. Kasten, K. Yamamoto et al. *Bartonella henselae* and *Bartonella clarridgeiae* infection in domestic cats from the Philippines. *Am J Trop Med Hyg* 1999; 60(4):593-597.
- <sup>73</sup> Rotstein D.S. Prevalence of *Bartonella henselae* antibody in Florida panthers. *J Wildl Dis* 2000; 36(1):157-160.

- <sup>74</sup> Foley J.E., B. Chomel, Y. Kikuchi, K. Yamamoto et al. Seroprevalence of *Bartonella henselae* in cattery cats: association with cattery hygiene and flea infestation. *Vet Q* 1998; 20(1):1-5.
- <sup>75</sup> Chomel B.B., R.W. Kasten, K. Floyd-Hawkins, B. Chi et al. Experimental transmission of *Bartonella henselae* by the cat flea. *J Clin Microbiol* 1996; 34(8):1952-1956.
- <sup>76</sup> Foil L., E. Andress, R.L. Freeland, A.F. Roy et al. Experimental infection of domestic cats with *Bartonella henselae* by inoculation of *Ctenocephalides felis* (Siphonaptera: Pulicidae) feces. *J Med Entomol* 1998; 35(5):625-628.
- <sup>77</sup> Flexman J.P., N.J. Lavis, I.D. Kay, M. Watson et al. *Bartonella henselae* is a causative agent of cat scratch disease in Australia. *J Infect* 1995;31(3):241-245.
- <sup>78</sup> Higgins J.A., S. Radulovic, D.C. Jaworski, A.F. Azad. Acquisition of the cat scratch disease agent *Bartonella henselae* by cat fleas (Siphonaptera: Pulicidae). *J Med Entomol* 1996; 33(3):490-495.
- <sup>79</sup> Guptill L., L.N. Slater, C.-C. Wu, T.-L. Lin et al. Evidence of reproductive failure and lack of perinatal transmission of *Bartonella henselae* in experimentally infected cats. *Vet Immunol Immunopathol* 1998; 65:177-189.
- <sup>80</sup> Abbott R.C., B.B. Chomel, R.W. Kasten, K.A. Floyd-Hawkins et al. Experimental and natural infection with *Bartonella henselae* in domestic cats. *Comp Immunol Microbiol Infect Dis* 1997; 20(1):41-51.
- <sup>81</sup> Lappin M.R., J.C. Black. *Bartonella* spp. infection as a possible cause of uveitis in a cat. *J Am Vet Med Assoc* 1999; 214(8):1205-1207.
- <sup>82</sup> Tsukahara M., H. Tsuneoka, H. Iino, K. Ohno et al. *Bartonella henselae* infection from a dog [Letter]. *Lancet* 1998; 352:1682.
- <sup>83</sup> Demers D.M., J.W. Bass, J.M. Vincent, D.A. Person et al. Cat-scratch disease in Hawaii: etiology and seroepidemiology. *J Pediatr* 1995; 127(1):23-26.
- <sup>84</sup> Kitchell B.E. Peliosis hepatis in a dog infected with *Bartonella henselae*. *J Am Vet Med Assoc* 2000; 216(4):519-523.
- <sup>85</sup> Kosoy M.Y., R.L. Regnery, T. Tzianabos, E.L. Marston et al. Distribution, diversity, and host specificity of *Bartonella* in rodents from the southeastern United States. *Am J Trop Med Hyg* 1997; 57(5):578-588.

- <sup>86</sup> Ellis B.A., R.L. Regnery, L. Beati, F. Bacellar et al. Rats of the genus *Rattus* are reservoir hosts for pathogenic *Bartonella* species: an old world origin for a new world disease? *J Infect Dis* 1999; 180:220-224.
- <sup>87</sup> Kosoy M.Y., R.L. Regnery, O.I. Kosoya, D.C. Jones et al. Isolation of *Bartonella* spp. from embryos and neonates of naturally infected rodents. *J Wildl Dis* 1998; 34(2):305-309.
- <sup>88</sup> Thurnheer U., U. Wiprächtiger. Katzenkratz(?)krankheit. *Schweiz Rundsch Med Prax* 1995; 84(5):122-126.
- <sup>89</sup> Guptill L., L.N. Slater, C.-C. Wu, T.-L. Lin et al. Experimental infection of young specific pathogen-free cats with *Bartonella henselae*. *J Infect Dis* 1997; 176:206-216.
- <sup>90</sup> Kordick D.L., T.T. Brown, K. Shin, E.B. Breitschwerdt. Clinical and pathologic evaluation of chronic *Bartonella henselae* or *Bartonella clarridgeiae* infection in cats. *J Clin Microbiol* 1999; 37(5):1536-1547.
- <sup>91</sup> O'Reilly K.L., R.W. Bauer, R.L. Freeland, L.D. Foil et al. Acute clinical disease in cats following infection with a pathogenic strain of *Bartonella henselae* (LSU16). *Infect Immun* 1999; 67(6):3066-3072.
- <sup>92</sup> Mikolajczyk M.G., K.L. O'Reilly. Clinical disease in kittens inoculated with a pathogenic strain of *Bartonella henselae*. *Am J Vet Res* 2000; 61(4):375-379.
- <sup>93</sup> Maurin M., R. Birtles, D. Raoult. Current knowledge of *Bartonella* species. *Eur J Clin Microbiol Infect Dis*, 1997; 16:487-506.
- <sup>94</sup> Bergmans A.M.C., M.F. Peeters, J.F.P. Schellekens, M.C. Vos et al. Pitfalls and fallacies of cat scratch disease serology: evaluation of *Bartonella henselae*-based indirect fluorescence assay and enzyme-linked immunoassay. *J Clin Microbiol* 1997; 35(8):1931-1937.
- <sup>95</sup> Sander A., M. Posselt, K. Oberle, W. Bredt. Seroprevalence of antibodies to *Bartonella henselae* in patients with cat scratch disease and in healthy controls: evaluation and comparison of two commercial serological tests. *Clin Diagn Lab Immunol* 1998; 5(4):486-490.
- <sup>96</sup> Not T., M. Canciani, E. Buratti, G. Dal Molin et al. Serologic response to *Bartonella henselae* in patients with cat scratch disease and in sick and healthy children. *Acta Paediatr* 1999; 88(3):284-289.
- <sup>97</sup> Yamamoto K., B.B. Chomel, R.W. Kasten, C.-C. Chang et al. Homologous protection but lack of heterologous protection by various species and types of *Bartonella* in specific pathogen-free cats. *Vet Immunol Immunopathol* 1998; 65:191-204.



- <sup>98</sup> Regnath T., M.E.A. Mielke, M. Arvand, H. Hahn. Murine model of *Bartonella henselae* infection in the immunocompetent host. *Infect Immun* 1998; 66(11):5534-5536.
- <sup>99</sup> Karem K.L., K.A. Dubois, S.L. McGill, R.L. Regnery. Characterization of *Bartonella henselae*-specific immunity in BALB/c mice. *Immunology* 1999; 97:352-358.
- <sup>100</sup> Arvand M., C. Wendt, T. Regnath, R. Ullrich et al. Characterization of *Bartonella henselae* isolated from bacillary angiomatosis lesions in a human immunodeficiency virus-infected patient in Germany. *Clin Infect Dis* 1998; 26:1296-1299.
- <sup>101</sup> Bergmans A.M.C., J.F.P. Schellekens, J.D.A. van Embden, L.M. Schouls. Predominance of two *Bartonella henselae* variants among cat-scratch disease patients in the Netherlands. *J Clin Microbiol* 1996; 34(2):254-260.
- <sup>102</sup> Drancourt M., R. Birtles, G. Chaumentin, F. Vandenesch et al. New serotype of *Bartonella henselae* in endocarditis and cat-scratch disease. *Lancet* 1996; 347:441-443.
- <sup>103</sup> Sander A., C. Buhler, K. Pelz, E. von Cramm et al. Detection and identification of two *Bartonella henselae* variants in domestic cats in Germany. *J Clin Microbiol* 1997; 35(3):584-587.
- <sup>104</sup> Anderson B., K. Sims, R.L. Regnery, L. Robinson et al. Detection of *Rochalimaea henselae* DNA in specimens from cat scratch disease patients by PCR. *J Clin Microbiol* 1994; 32(4):942-948.
- <sup>105</sup> Anderson B., D. Jones, A. Burgess. Cloning, expression and sequence analysis of the *Bartonella henselae* gene encoding the *htrA* stress-response protein. *Gene* 1996; 178:35-38.
- <sup>106</sup> Mouritsen C.L., C.M. Litwin, R.L. Maiese, S.M. Segal et al. Rapid polymerase chain reaction-based detection of the causative agent of cat scratch disease (*Bartonella henselae*) in formalin-fixed, paraffin-embedded samples. *Hum Pathol* 1997; 28(7):820-826.
- <sup>107</sup> Mielke M.E.A., I.B. Autenrieth, T.K. Held. In vivo analysis. The immune response in mice challenged with bacterial infections. *Methods Microbiol* 1998; 25:315-364.
- <sup>108</sup> Greene C.E., M. McDermott, P.H. Jameson, C.L. Atkins et al. *Bartonella henselae* infection in cats: evaluation during primary infection, treatment, and rechallenge infection. *J Clin Microbiol* 1996; 34(7):1682-1685.
- <sup>109</sup> Kordick D.L., E.B. Breitschwerdt. Intraerythrocytic presence of *Bartonella henselae*. *J Clin Microbiol* 1995; 33(6):1655-1656.

- <sup>110</sup> Brenner S.A., J.A. Rooney, P. Menzewitsch, R.L. Regnery. Isolation of *Bartonella (Rochalimaeae) henselae*: effects of methods of blood collection and handling. J Clin Microbiol 1997; 35(3):544-547.
- <sup>111</sup> Sander A., M. Posselt, N. Böhm, M. Ruess et al. Detection of *Bartonella henselae* DNA by two different PCR assays and determination of the genotypes of strains involved in histologically defined cat scratch disease. J Clin Microbiol 1999; 37(4):993-997.
- <sup>112</sup> Bergmans A.M.C., J.-W. Groothedde, J.F.P. Schellekens, J.D.A. van Embden et al. Etiology of cat scratch disease: comparison of polymerase chain reaction detection of *Bartonella* (formerly *Rochalimaea*) and *Afipia felis* DNA with serology and skin test. J Infect Dis 1995; 171:916-923.
- <sup>113</sup> Sheridan G.E., C.I. Masters, J.A. Shallcross, B.M. MacKey. Detection of mRNA by reverse transcription-PCR as an indicator of viability in *Escherichia coli* cells. Appl Environ Microbiol 1998; 64(4):1313-1318.
- <sup>114</sup> Pai S.R., J.K. Actor, E. Sepulveda, R.L. Hunter et al. Identification of viable and non-viable *Mycobacterium tuberculosis* in mouse organs by directed RT-PCR for antigen 85B mRNA. Micob Pathol 2000; 28(6):335-42.
- <sup>115</sup> Jou N.T., R.B. Yoshimori, G.R. Mason, J.S. Liebling. Single-tube, nested, reverse transcriptase PCR for detection of viable *Mycobacterium tuberculosis*. J Clin Microbiol 1997; 35(5):1161-1165.
- <sup>116</sup> Domingue G.J., H.B. Woody. Bacterial persistence and expression of disease. Clin Microbiol Rev 1997; 10(2):320-44.
- <sup>117</sup> Kosoy M.Y., R.L. Regnery, O.I. Kosaya, J.E. Childs. Experimental infection of cotton rats with three naturally occurring *Bartonella* species. J Wildl Dis 1999; 35(2):275-284.
- <sup>118</sup> Sander A., M. Ruess, S. Bereswill, M. Schuppler et al. Comparison of different DNA fingerprinting techniques for molecular typing of *Bartonella henselae* isolates. J Clin Microbiol 1998; 36(10):2973-2981.
- <sup>119</sup> Relman D.A. Editorial response: are all *Bartonella henselae* strains created equal? Clin Infect Dis 1998; 26:1300-1301.