

6 Literaturverzeichnis

Adams CBT: Hemispherectomy: A modification. *J Neurol Neurosurg Psychiatry* 1983;46:617-619

Andermann F, Freeman JM, Vigevano F, Hwang PAL: Surgically remediable diffuse hemispheric syndromes. In: Engel J Jr (Hrsg) *Surgical Treatment of the Epilepsies*. New York 1993, S. 87–101

Arzimanoglou AA, Andermann F, Aicardi J, Sainte-Rose C, Beaulieu MA, Ville-mure JG, Olivier A, Rasmussen T: Sturge-Weber syndrome. Indications and results of surgery in 20 patients. *Neurology* 2000;55(10):1472-1479

Bärlocher F: Das Formulieren und Testen von Hypothesen. In Bärlocher F (Hrsg): *Biostatistik-Praktische Einführung in Konzepte und Methoden*. Stuttgart 1999, S. 56-58

Battaglia D, Di Rocco C, Iuvone L, Acquafondata C, Iannelli A, Lettori D, Guzzetta F: Neuro-cognitive development and epilepsy outcome in children with surgically treated hemimegalencephaly. *Neuropediatrics* 1999;30(6):307-313

Beardsworth ED, Adams CBT: Modified hemispherectomy for epilepsy: Early results in 10 cases. *Br J Neurosurg* 1988;2:73-84

Bittar RG, Ptito A, Reutens DC: Somatosensory representation in patients who have undergone hemispherectomy: a functional magnetic resonance imaging study. *J Neurosurg* 2000;92(1):45-51

Brandt J, Vining EPG, Stark RE, Ansel BM, Freeman JM: Hemispherectomy for intractable epilepsy in childhood: preliminary report on neuropsychological and psychosocial sequelae. *J Epilepsy* 1990;3(suppl.):261–270

Brian JE Jr, Deshpande JK, McPherson RW: Management of cerebral hemispherectomy in children. *J Clin Anesth* 1990;2:91-95

Carreno M, Wyllie E, Bingaman W, Kotagal P, Comair Y, Ruggieri P: Seizure outcome after functional hemispherectomy for malformations of cortical development. *Neurology* 2001;57:331-333

Carreno M, Kotagal P, Perez Jimenez A, Mesa T, Bingaman W, Wyllie E: Intractable epilepsy in vascular congenital hemiparesis: clinical features and surgical options. *Neurology* 2002;59:129-131

Carson BS: Indications and outcomes for lobectomy, corpus callosotomy, and hemispherectomy in pediatric neurosurgical patients. *Clin Neurosurg.* 2000;47:385-399

Carson BS, Javedan SP, Freeman JM, Vining EP, Zuckerberg AL, Lauer JA, Guarnieri M: Hemispherectomy: A hemidecortication approach and review of 52 cases. *J Neurosurg* 1996;84:903–911

Carson BS, Lauer JA, Guarnieri M: Hemispherectomy: A review. *Neurosurg Q* 1996;6:155–175

Comair Y: The transsylvian functional hemispherectomy: Patient selection and results, in Lüders HO, Comair YG (Hrsg): *Epilepsy Surgery*, edition 2. Philadelphia 2001, S. 699–704

Dandy WE: Removal of right cerebral hemisphere for certain tumors with hemiplegia: Preliminary report. *JAMA* 1928;90:823-825

Daniel RT, Joseph TP, Gnanamuthu C, Chandy MJ: Hemispherotomy for paediatric hemispheric epilepsy. *Stereotact Funct Neurosurg.* 2001;77(1-4):219-222

Daniel RT, Villemure JG : Comment on: J Neurosurg. 2002 :97(2):423-431 Hemispherotomy techniques. J Neurosurg. 2003:98(2):438-439

Danielpour M, von Koch CS, Ojemann SG, Peacock WJ: Disconnective hemispherectomy. Pediatr Neurosurg. 2001:35(4):169-172

Davies KG, Maxwell RE, French LA: Hemispherectomy for intractable seizures: Long-term results in 17 patients followed for up to 38 years. J Neurosurg 1993:78:733-740

Delalande O, Pinard JM, Basdevant C, Gauthe M, Plouin P, Dulac O: Hemispherotomy: A new procedure for central disconnection (abstr). Epilepsia 1992: 33[Suppl 3]:99-100

Delalande O, Pinard JM, Jalin C, Plouin P, Chiron C, Dulac O: Surgical Results of Hemispherotomy (abstr). Epilepsia 1995:36:241

Delalande O, Pinard J, Jalin C, Plouin P, Chiron C, Dulac O: Seizures post hemispherectomy. Pediatric Epilepsy Surgery, Proceedings of the 6th International Bethel-Cleveland Clinic Epilepsy Symposium (Abstract). 1995:61

Delalande O, Fohlen M, Jalin C, et al: From hemispherectomy to hemispherotomy, in Lüders HO, Comair YG (Hrsg): Epilepsy Surgery, edition 2. Philadelphia 2001, S. 741–746

Devlin AM, Cross JH, Harkness W, Chong WK, Harding B, Vargha-Khadem F, Neville BG: Clinical outcomes of hemispherectomy for epilepsy in childhood and adolescence. Brain. 2003:126:556-566

Di Rocco C, Iannelli A: Hemimegalencephaly and intractable epilepsy: complications of hemispherectomy and their correlations with the surgical technique. A report on 15 cases. Pediatr Neurosurg. 2000:33(4):198-207

Di Rocco C, Iannelli A: Disconnective hemispherectomy. *Pediatr Neurosurg.* 2002;37(2):109

Di Trapani G, Di Rocco C, Torrioli MG, Vaccario ML, Mazza S: Anatomopathological Findings in Hemimegacephaly: Report of Ten Operated Cases (Abstract). *Epilepsia.*1995;36:241

Döring S, Cross H, Boyd S, Harkness W, Neville B: The significance of bilateral EEG abnormalities before and after hemispherectomy in children with unilateral major hemisphere lesions. *Epilepsy Research* 1999;34:65-73

Duchowny M, Jayakar P, Resnick T, Harvey AS, Alvarez L, Dean P, Gilman J, Yaylali I, Morrison G, Prats A, Altman N, Birchansky S, Bruce J: Epilepsy surgery in the first three years of life. *Epilepsia* 1998;39(7):737-743

Dunn LT, Miles JB, May PL: Hemispherectomy for intractable seizures: a further modification and early experience. *Br J Neurosurg* 1995;9(6):775-783

Engel J Jr: Classification of Outcome. *J Epilepsy* 1990;3(Suppl):219-226

Engel J Jr, Van Ness PC, Rasmussen TB, Ojemann LM: Outcome with respect to epileptic seizures, in Engel J Jr (Hrsg): *Surgical Treatment of the Epilepsies*, edition 2. New York 1993, S. 609-621

Erba G, Cavazzuti V: Sturge-Weber Syndrome: Natural History and Indications for Surgery. *J Epilepsy* 1990;3(Suppl):287-291

Falconer MA: Delayed complications associated with ventricular dilatation following hemispherectomy. *Dev Med Child Neurol Suppl.* 1969;20:96-97

Falconer MA, Wilson PJE: Complications related to delayed haemorrhage after hemispherectomy. *J Neurosurg* 1969;30:413-426

Feindel W: Toward a Surgical Cure for Epilepsy. The Work of Wilder Penfield and His School at the Montreal Neurological Institute. In: Engel J Jr (Hrsg) Surgical Treatment of the Epilepsies. New York 1993, S. 1–9

Feindel W: Theodore Brown Rasmussen (1910–2002): epilepsy surgeon, scientist, and teacher. J Neurosurg 2003;98:631–637

Flanigin H, Hermann B, King D, Gallagher B, Smith J: The History of Surgical Treatment of Epilepsy in North America Prior to 1975. In Lüders H (Hrsg): Epilepsy Surgery. New York 1991, S. 19-35

Freeman JM, Vining EPG: Hemispherectomy-the ultimate focal resection. In: Lüders H, (Hrsg). Epilepsy Surgery. New York 1991, S. 111–118

Freeman JM, Arroyo S, Vining EP, Breiter SN, Barker PB, Pardo CA, Carson BS, Zuckerberg AL: Insular Seizures: A study in Sutton's law (Abstract). Epilepsia 1994;35(Suppl 8):49

Freeman JM, Vining EP, Carson B, Zuckerberg A: Comment on: Hemispherical deafferentation: an alternative to functional hemispherectomy. Neurosurgery 1996;39(3):622-623

Freeman JM, Vining EPG, Pillas DJ: Seizure outcome after hemispherectomy: The John Hopkins experience, in Tuxhorn I, Holthausen H, Boenigk H (Hrsg): Paediatric Epilepsy Syndromes and Their Surgical Treatment. London 1997, S. 743–748

Gardner WJ: Removal of the right cerebral hemisphere for infiltrating glioma. JAMA 1933;101:823-826

George R, Hoffman H, Hwang P, Becker L, Chuang S: Management of intractable seizures in unilateral megalencephaly. J Epilepsy 1990;3(Suppl):305–313

Goodman R: Hemispherectomy and its alternatives in the treatment of intractable epilepsy in patients with infantile hemiplegia. *Dev Med Child Neurol* 1986;28:251-258

Hart YM, Cortez M, Andermann F, Hwang P, Fish DR, Dulac O, et al: Medical treatment of Rasmussen's syndrome (chronic encephalitis and epilepsy): effect of high-dose steroids or immunoglobulins in 19 patients. *Neurology* 1994;44:1030-1036

Hoffman H, Hendrick E, Dennis M, Armstrong D: Hemispherectomy for Sturge-Weber syndrome. *Childs Brain* 1979;5:233-248

Holloway V, Gadian DG, Vargha-Khadem F, Porter DA, Boyd SG, Connelly A: The reorganization of sensorimotor function in children after hemispherectomy. A functional MRI and somatosensory evoked potential study. *Brain* 2000;123(12):2432-2444

Holthausen H, May TW, Adams CTB, Andermann F, Comair Y, Delalande O, Duchowny M, Freeman JM, Hoffman H, May P, Ooppel F, Oxbury JM, Peacock WJ, Polkey C, Resnick T, Schramm J, Shewmon DA, Tuxhorn I, Vigevano F, Villemure J-G, Wyllie E, Zaiwalla Z: Seizures post hemispherectomy, in Tuxhorn I, Holthausen H, Boenigk H (Hrsg): *Paediatric Epilepsy Syndromes and Their Surgical Treatment*. London 1997, S. 749-773

Holthausen H, Strobl K: Modes of reorganization of the sensorimotor system in children with infantile hemiplegia and after hemispherectomy. *Adv Neurol*. 1999;81:201-220

Holthausen H, Pieper T: Complications of hemispherectomy, in Lüders HO, Comair YG (Hrsg): *Epilepsy Surgery*, ed 2. Philadelphia 2001, S. 879-883

Humbertclaude VT, Coubes PA, Robain O, Echenne BB. Early hemispherectomy in a case of hemimegalencephaly. *Pediatr Neurosurg*. 1997;27(5):268-271

Hwang P, Graveline C, Jay V, Hoffmann H: The hemispheric epileptic disorders: Indications for Hemispherectomy, in Lüders HO, Comair YG (Hrsg): Epilepsy Surgery, edition 2. Philadelphia 2001, S. 157–163

Ignelzi RJ, Bucy PC: Cerebral hemidecortication in the treatment of infantile cerebral hemiatrophy. *J Nerv Ment Dis* 1968;147:14–30

Ito M, Sato K, Ohnuki A, Uto A: Sturge-Weber disease: operative indications and surgical results. *Brain Dev.* 1990;12(5):473-477

Kalkanis SN, Blumenfeld H, Sherman JC, Krebs DE, Irizarry MC, Parker SW, Cosgrove GR: Delayed complications thirty-six years after hemispherectomy: a case report. *Epilepsia.* 1996;37(8):758-762

Kanev PM, Foley CM, Miles D: Ultrasound-tailored functional hemispherectomy for surgical control of seizures in children. *J Neurosurg* 1997;86:762–767

Kestle J, Connolly M, Cochrane D: Pediatric peri-insular hemispherotomy. *Pediatr Neurosurg.* 2000;32(1):44-47

King M, Stephenson JB, Ziervogel M, Doyle D, Galbraith S: Hemimegalencephaly-a case for hemispherectomy? *Neuropediatrics* 1985;16:46-55

Koelfen W, Freund M, Rohr H, Schultze C, Holthausen H: Hemimegalenzephalie. Therapie mit Hemisphärektomie. *Monatsschr Kinderheilkd* 1993;141:300-302

Kossoff EH, Vining EP, Pyzik PL, Kriegler S, Min KS, Carson BS, Avellino AM, Freeman JM: The postoperative course and management of 106 hemidecortications. *Pediatr Neurosurg.* 2002;37:298-303

Kossoff EH, Buck C, Freeman JM: Outcomes of 32 hemispherectomies for Sturge-Weber syndrome worldwide. *Neurology* 2002;59:1735-1738

Krynauw RA: Infantile hemiplegia treated by removing one cerebral hemisphere. *J Neurol Neurosurg Psychiatry* 1950;13:243-267

Lilly DJ: Functional hemispherectomy: radical treatment for Rasmussen's encephalitis. *J Neurosci Nurs*. 2000;32:89-92

Lindsay J, Ounsted C, Richards P: Hemispherectomy for childhood epilepsy: a 36 year study. *Dev Med Child Neurol* 1987;29:592-600

Lindsay J: Hemispherectomy Outcome. *J Epilepsy* 1990;3(Suppl):253-256

Maehara T, Shimizu H, Kawai K, Shigetomo R, Tamagawa K, Yamada T, Inoue M: Postoperative development of children after hemispherotomy. *Brain Dev*. 2002;24(3):155-160

Matheson JM, Truskett P, Davies MA, Vonau M: Hemispherectomy: a further modification using omentum vascularized free flaps. *Aust N Z J Surg*. 1993;63(8):646-650

Mascott C, Villemure J-G, Andermann F, Rasmussen T: Hemispherectomy and the insula (Abstract). *Can J Neurol Sci* 1990;17:236

Mascott C, Villemure JG: Neuroanatomical principles of peri-insular hemispherotomy: A novel variant of functional hemispherectomy for epilepsy (Abstract). *Epilepsia* 1993;34(Suppl 6):101

McKenzie K: The present status of a patient who had the right cerebral hemisphere removed. *Am Med Assoc Chicago* 1938;111:168

Mittal S, Farmer JP, Rosenblatt B, Andermann F, Montes JL, Villemure JG: Intractable epilepsy after a functional hemispherectomy: important lessons from an unusual case. Case report. *J Neurosurg*. 2001;94(3):510-4.

Montes JL, Farmer JP, Andermann F, Poulin C: Hemispherectomy, in Wyllie E (Hrsg): *The Treatment of Epilepsy: Principles and Practice*. Philadelphia 2001, S. 1147-1159

Morino M, Shimizu H, Ohata K, Tanaka K, Hara M: Anatomical analysis of different hemispherotomy procedures based on dissection of cadaveric brains. *J Neurosurg*. 2002;97(2):423-431

Moyes PD, Jenkins LC, Doll WA: Hemispherectomies with particular reference to the anaesthetic management. *Br Coll Med J* 1971;13:241-243

Ogunmekan AO, Hwang PA, Hoffman HJ: Sturge-Weber-Dimitri disease: role of hemispherectomy in prognosis. *Can J Neurol Sci*. 1989;16(1):78-80

Oppenheimer DR, Griffith HB: Persistent intracranial bleeding as a complication of hemispherectomy. *J Neurol Neurosurg Psychiatry* 1966;29:229–240

Peacock WJ: Hemispherectomy for the treatment of intractable seizures in childhood. *Neurosurg Clin N Am*. 1995;6(3):549-563

Peacock WJ, Chugani H, Shewmon DA, Shields WD: Classical hemispherectomy for the control of intractable seizures in children with infantile hemiplegia. *J Epilepsy* 1990;3(Suppl):183-185

Peacock WJ, Wehby-Grant MC, Shields WD, Shewmon DA, Chugani HT, Sankar R, Vinters HV: Hemispherectomy for intractable seizures in children: A report of 58 cases. *Childs Nerv Syst* 1996;12:376–384

Piatt JH, Hwang PA, Armstrong DC, Becker LE, Hoffman JH: Chronic focal encephalitis (Rasmussen's syndrome): six cases. *Epilepsia* 1988;29:268–279

Polkey CE: The place of hemispherectomy and major cortical resection in the control of drug resistant epilepsy. *Acta Neurochir Suppl (Wien)*. 1990;50:131-133

Prayson RA, Bingaman W, Frater JL, Wyllie E: Histopathologic findings in 37 cases of functional hemispherectomy. *Ann Diagn Pathol*. 1999;3(4):205-212

Rasmussen T: Post-operative superficial hemosiderosis of the brain: Its diagnosis, treatment and prevention. *Am Neurol Assoc* 1973;98:133-137

Rasmussen T: Hemispherectomy for seizures revisited. *Can J Neurol Sci* 1983;10:71-78

Rasmussen T: Seizure Outcome After Hemispherectomy and Subtotal Hemispherectomy *J Epilepsy* 1990;3(Suppl):257-260

Ribaric I: Surgery of Infantile Hemiplegia-Seizure Syndrom: Our Experience with 22 Patients (Abstract). *Epilepsia* 1995;36:241

Schramm J: Hemispherectomy techniques. *Neurosurg Clin N Am*. 2002;13:113-134

Schramm J, Behrens E: Functional hemispherectomy (letter). *J Neurosurg* 1997;87:801–802

Schramm J, Behrens E, Entzian W: Hemispherical deafferentation: An alternative to functional hemispherectomy. *Neurosurgery* 1995;36:509–516

Schramm J, Kral T, Clusmann H: Transsylvian keyhole functional hemispherectomy. *Neurosurgery* 2001;49:891–901

Seino M, Mihara T: The History of Surgical Treatment of Epilepsy in Japan. In Lüders H (Hrsg): *Epilepsy Surgery*. New York 1991, S. 37-40

Shimizu H, Maehara T: Modification of peri-insular hemispherotomy and surgical results. *Neurosurgery* 2000;47:367–372

Shimizu H, Maehara T: Neuronal disconnection for the surgical treatment of pediatric epilepsy. *Epilepsia* 2000;41(Suppl 9):28-30

Smith SJ, Andermann F, Villemure JG, Rasmussen TB, Quesney LF: Functional hemispherectomy: EEG findings, spiking from isolated brain postoperatively, and prediction of outcome. *Neurology* 1991;41(11):1790-1794

Sorano V, Esposito S: Hemispherectomy complications in the light of craniocerebral disproportion: review of the literature and rationale for a filling-reduction cranioplasty. *Childs Nerv Syst.* 1998;14(9):440-447

Taha JM, Crone KR, Berger TS: The role of hemispherectomy in the treatment of holohemispheric hemimegalencephaly. *J Neurosurg* 1994;81:37-42

Tinuper P, Andermann F, Villemure JG, Rasmussen TB, Quesney LF: Functional hemispherectomy for treatment of epilepsy associated with hemiplegia: Rationale, indications, results, and comparison with callosotomy. *Ann Neurol* 1988;24:27-34

Tuxhorn IE, Pannek HW: Epilepsy surgery in bilateral Sturge-Weber syndrome. *Pediatr Neurol.* 2002;26(5):394-397

Vargha-Khadem F, Isaacs EB, Papaleloudi H, Polkey CE, Wilson J: Development of language in six hemispherectomized patients. *Brain* 1991;114:473-495

Vargha-Khadem F, Carr LJ, Issacs E, Brett E, Adams C, Mishkin M: Onset of speech after left hemispherectomy in a nine-year-old boy. *Brain* 1997;120:159-182

Verity CM, Strauss EH, Moyes PD, Wada JA, Dunn HG, Lapointe JS: Long-term follow-up after cerebral hemispherectomy: Neurophysiologic, radiologic, and psychological findings. *Neurology* 1982;32:629-639

Vigevano F, Bertini E, Boldrini R, Bosma C, Claps D, di Capua M, et al: Hemimegalencephaly and intractable epilepsy: benefits of hemispherectomy. *Epilepsia* 1989;30:833-843

Vigevano F, Di Rocco C: Effectiveness of hemispherectomy in hemimegalencephaly with intractable seizures. *Neuropediatrics*. 1990;21(4):222-223

Villemure JG: Hemispherectomy techniques, in Lüders H (Hrsg): *Epilepsy Surgery*. New York 1991, S. 569-578

Villemure JG: Anatomical to functional hemispherectomy from Krynauw to Rasmussen. *Epilepsy Res Suppl*. 1992;5:209-215

Villemure JG: Hemispherectomy, in Shorvon S, Dreifuss F, Fish D, Thomas D (Hrsg): *The Treatment of Epilepsy*. Oxford 1996, S. 713–721

Villemure JG: Functional hemispherectomy: Evolution of technique in 64 cases (Abstract). *Acta Neurochir (Wien)* 1998;140:858

Villemure JG: Functional hemispherectomy: evolution of the technique and result in 65 cases, in Lüders HO, Comair YG (Hrsg): *Epilepsy Surgery*, edition 2. Philadelphia 2001, S. 733–739

Villemure J-G, Mascott CR: Hemispherotomy: The peri-insular approach-Technical aspects (Abstract). *Epilepsia* 1993;34(Suppl 6):48

Villemure J-G, Mascott CR: Peri-insular hemispherotomy: Surgical principles and anatomy. *Neurosurgery* 1995;37:975–981

Villemure JG, Mascott C, Andermann F, Rasmussen T: Is removal of the insular cortex in hemispherectomy necessary? (Abstract) *Epilepsia* 1989;30:728

Villemure JG, Rasmussen T: Functional hemispherectomy: Methodology. *J Epilepsy* 1990;3(Suppl):177-182

Villemure JG, Adams CBT, Hoffman HJ, Peacock WJ: Hemispherectomy, in Engel J Jr (Hrsg): *Surgical Treatment of the Epilepsies*, ed 2. New York 1993, S. 511-518.

Villemure JG, Vernet O, Delalande O : Hemispheric Disconnection: Callosotomy and Hemispherotomy. *Adv Tech Stand Neurosurg*, 2000;26:25-78

Vining EPG, Freeman JM, Carson BS: Hemispherectomy. In: Wyler AR, Hermann BP, eds. *The Surgical Management of Epilepsy*. Boston 1994, S.146–154

Vining E, Freeman J, Carson B, Brandt J: Hemispherectomy in Children: The Hopkins Experience, 1968-1988, A Preliminary Report. *J Epilepsy* 1990;3(Suppl): 169-176

Vining E, Freeman J, Pillas D, Uematsu S, Carson B, Brandt J, Boatman D, Pulsifer M, Zuckerman A: Why would you remove half a brain? The outcome of 58 children after hemispherectomy— The Johns Hopkins experience: 1968 to 1996. *Pediatrics* 1997;100:163–171

Vining EP, Carson B, Brandt J: Hemispherectomy for Rasmussen's syndrome: report of 24 cases (Abstract). *Epilepsia* 1995;36:241

Wada J: Intractable Childhood Epilepsy: Why Early Surgical Intervention? *J Epilepsy* 1990;3(Suppl):131-140

White HH: Cerebral hemispherectomy in the treatment of infantile hemiplegia. *Confin Neurol* 1961;21:1–50

Wilson PJ: Cerebral hemispherectomy for infantile hemiplegia: A report of 50 cases. *Brain* 1970;93:147–180

Winston KR, Welch K, Adler JR, Erba G: Cerebral hemicortectomy for epilepsy. *J Neurosurg* 1992;77:889-895

Wolf P: The History of Surgical Treatment of Epilepsy in Europe, in Lüders H (Hrsg): *Epilepsy Surgery*. New York 1991, S. 9-17

Wolfes B: Funktionelle Hemisphärektomie und multilobäre Resektion bei Kindern und Säuglingen: Beeinflusst das Lebensalter der Patienten das anästhesiologische und intensivmedizinische Risiko? Inaugural Dissertation, Westfälische Wilhelms-Universität. Münster 1997, S. 14-42

Yoshioka H, Hasegawa K, Sakamoto T, Kihara M, Masuda A, Adachi S, Sawada T, Shimizu H: Modified functional hemispherectomy in hemimegalencephaly. *Brain Dev.* 1999;21(2):125-128

Zaiwalla Z, Adams C, Oxbury S, Oxbury J: Seizures post hemispherectomies. *Pediatric Epilepsy Surgery, Proceedings of the 6th International Bethel-Cleveland Clinic Epilepsy Symposium (Abstract)*. 1995:60

Zuckerberg AL, Arroyo S, Vining EPG, Freeman JM, Carson BS: The perioperative management of children undergoing cerebral hemispherectomy (Abstract). *Epilepsia* 1994;35:155