

7. Literaturverzeichnis

1. COLLINS, F. S., GREEN, E. D., GUTTMACHER, A. E. & GUYER, M. S. (2003) A vision for the future of genomics research, *Nature*, 422, 835-47.
2. WATSON, J. D. & CRICK, F. H. (1953) Molecular structure of nucleic acids; a structure for deoxyribose nucleic acid, *Nature*, 171, 737-8.
3. RAZIN, A. & RIGGS, A. D. (1980) DNA methylation and gene function, *Science*, 210, 604-10.
4. KIM, G. D., NI, J., KELESOGLU, N., ROBERTS, R. J. & PRADHAN, S. (2002) Co-operation and communication between the human maintenance and de novo DNA (cytosine-5) methyltransferases, *Embo J*, 21, 4183-95.
5. RHEE, I., BACHMAN, K. E., PARK, B. H. et al. (2002) DNMT1 and DNMT3b cooperate to silence genes in human cancer cells, *Nature*, 416, 552-6.
6. ROBERT, M. F., MORIN, S., BEAULIEU, N. et al. (2003) DNMT1 is required to maintain CpG methylation and aberrant gene silencing in human cancer cells, *Nat Genet*, 33, 61-5.
7. OKANO, M., BELL, D. W., HABER, D. A. & LI, E. (1999) DNA methyltransferases Dnmt3a and Dnmt3b are essential for de novo methylation and mammalian development, *Cell*, 99, 247-57.
8. RAMSAHOYE, B. H., BINISZKIEWICZ, D., LYKO, F. et al. (2000) Non-CpG methylation is prevalent in embryonic stem cells and may be mediated by DNA methyltransferase 3a, *Proc Natl Acad Sci U S A*, 97, 5237-42.
9. SVED, J. & BIRD, A. (1990) The expected equilibrium of the CpG dinucleotide in vertebrate genomes under a mutation model, *Proc Natl Acad Sci U S A*, 87, 4692-6.
10. CHAN, M. F., VAN AMERONGEN, R., NIJJAR, T. et al. (2001) Reduced rates of gene loss, gene silencing, and gene mutation in Dnmt1-deficient embryonic stem cells, *Mol Cell Biol*, 21, 7587-600.
11. CLARK, S. J. & MELKI, J. (2002) DNA methylation and gene silencing in cancer: which is the guilty party?, *Oncogene*, 21, 5380-7.
12. GARDINER-GARDEN, M. & FROMMER, M. (1987) CpG islands in vertebrate genomes, *J Mol Biol*, 196, 261-82.
13. TAKAI, D. & JONES, P. A. (2002) Comprehensive analysis of CpG islands in human chromosomes 21 and 22, *Proc Natl Acad Sci U S A*, 99, 3740-5.

LITERATURVERZEICHNIS

14. BRANDEIS, M., FRANK, D., KESHET, I. et al. (1994) Sp1 elements protect a CpG island from de novo methylation, *Nature*, 371, 435-8.
15. ISSA, J. P., OTTAVIANO, Y. L., CELANO, P. et al. (1994) Methylation of the oestrogen receptor CpG island links ageing and neoplasia in human colon, *Nat Genet*, 7, 536-40.
16. AHUJA, N., LI, Q., MOHAN, A. L., BAYLIN, S. B. & ISSA, J. P. (1998) Aging and DNA methylation in colorectal mucosa and cancer, *Cancer Res*, 58, 5489-94.
17. HOAL-VAN HELDEN, E. G. & VAN HELDEN, P. D. (1989) Age-related methylation changes in DNA may reflect the proliferative potential of organs, *Mutat Res*, 219, 263-6.
18. TONILO, D., MARTINI, G., MIGEON, B. R. & DONO, R. (1988) Expression of the G6PD locus on the human X chromosome is associated with demethylation of three CpG islands within 100 kb of DNA, *Embo J*, 7, 401-6.
19. HOLLIDAY, R., HO, T. & PAULIN, R. (1996) Epigenetic mechanism of Gene Regulation. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, pp. 47-61.
20. BOYES, J. & BIRD, A. (1992) Repression of genes by DNA methylation depends on CpG density and promoter strength: evidence for involvement of a methyl-CpG binding protein, *Embo J*, 11, 327-33.
21. HSIEH, C. L. (1994) Dependence of transcriptional repression on CpG methylation density, *Mol Cell Biol*, 14, 5487-94.
22. CHEN, C., YANG, M. C. & YANG, T. P. (2001) Evidence that silencing of the HPRT promoter by DNA methylation is mediated by critical CpG sites, *J Biol Chem*, 276, 320-8.
23. BELL, A. C. & FELSENFELD, G. (2000) Methylation of a CTCF-dependent boundary controls imprinted expression of the Igf2 gene, *Nature*, 405, 482-5.
24. HENDRICH, B. & BIRD, A. (1998) Identification and characterization of a family of mammalian methyl-CpG binding proteins, *Mol Cell Biol*, 18, 6538-47.
25. NAN, X., NG, H. H., JOHNSON, C. A. et al. (1998) Transcriptional repression by the methyl-CpG-binding protein MeCP2 involves a histone deacetylase complex, *Nature*, 393, 386-9.
26. JONES, P. L., VEENSTRA, G. J., WADE, P. A. et al. (1998) Methylated DNA and MeCP2 recruit histone deacetylase to repress transcription, *Nat Genet*, 19, 187-91.

LITERATURVERZEICHNIS

27. BIRD, A. P. (1995) Gene number, noise reduction and biological complexity, *Trends Genet*, 11, 94-100.
28. FUTSCHER, B. W., OSHIRO, M. M., WOZNIAK, R. J. et al. (2002) Role for DNA methylation in the control of cell type specific maspin expression, *Nat Genet*, 31, 175-9.
29. WALSH, C. P., CHAILLET, J. R. & BESTOR, T. H. (1998) Transcription of IAP endogenous retroviruses is constrained by cytosine methylation, *Nat Genet*, 20, 116-7.
30. YODER, J. A., WALSH, C. P. & BESTOR, T. H. (1997) Cytosine methylation and the ecology of intragenomic parasites, *Trends Genet*, 13, 335-40.
31. LI, E. (2002) Chromatin modification and epigenetic reprogramming in mammalian development, *Nat Rev Genet*, 3, 662-73.
32. LI, E., BEARD, C. & JAENISCH, R. (1993) Role for DNA methylation in genomic imprinting, *Nature*, 366, 362-5.
33. BEARD, C., LI, E. & JAENISCH, R. (1995) Loss of methylation activates Xist in somatic but not in embryonic cells, *Genes Dev*, 9, 2325-34.
34. PANNING, B. & JAENISCH, R. (1996) DNA hypomethylation can activate Xist expression and silence X-linked genes, *Genes Dev*, 10, 1991-2002.
35. JONES, P. A. & BAYLIN, S. B. (2002) The fundamental role of epigenetic events in cancer, *Nat Rev Genet*, 3, 415-28.
36. FEINBERG, A. P. (2001) Methylation meets genomics, *Nat Genet*, 27, 9-10.
37. COSTELLO, J. F., FRUHWALD, M. C., SMIRAGLIA, D. J. et al. (2000) Aberrant CpG-island methylation has non-random and tumour-type-specific patterns, *Nat Genet*, 24, 132-8.
38. GREGER, V., PASSARGE, E., HOPPING, W., MESSMER, E. & HORSTHEMKE, B. (1989) Epigenetic changes may contribute to the formation and spontaneous regression of retinoblastoma, *Hum Genet*, 83, 155-8.
39. EHRLICH, M., GAMA-SOSA, M. A., HUANG, L. H. et al. (1982) Amount and distribution of 5-methylcytosine in human DNA from different types of tissues of cells, *Nucleic Acids Res*, 10, 2709-21.
40. MURATA, J., TADA, M., IGGO, R. D. et al. (1997) Nitric oxide as a carcinogen: analysis by yeast functional assay of inactivating p53 mutations induced by nitric oxide, *Mutat Res*, 379, 211-8.

LITERATURVERZEICHNIS

41. HATADA, I., HAYASHIZAKI, Y., HIROTSUNE, S., KOMATSUBARA, H. & MUKAI, T. (1991) A genomic scanning method for higher organisms using restriction sites as landmarks, *Proc Natl Acad Sci U S A*, 88, 9523-7.
42. LISITSYN, N. & WIGLER, M. (1993) Cloning the differences between two complex genomes, *Science*, 259, 946-51.
43. FROMMER, M., McDONALD, L. E., MILLAR, D. S. et al. (1992) A genomic sequencing protocol that yields a positive display of 5-methylcytosine residues in individual DNA strands, *Proc Natl Acad Sci U S A*, 89, 1827-31.
44. HAYATSU, H., WATAYA, Y., KAI, K. & IIDA, S. (1970) Reaction of sodium bisulfite with uracil, cytosine, and their derivatives, *Biochemistry*, 9, 2858-65.
45. HERMAN, J. G., GRAFF, J. R., MYOHANEN, S., NELKIN, B. D. & BAYLIN, S. B. (1996) Methylation-specific PCR: a novel PCR assay for methylation status of CpG islands, *Proc Natl Acad Sci U S A*, 93, 9821-6.
46. EGGER, G., LIANG, G., APARICIO, A. & JONES, P. A. (2004) Epigenetics in human disease and prospects for epigenetic therapy, *Nature*, 429, 457-63.
47. JONES, P. A. & TAYLOR, S. M. (1980) Cellular differentiation, cytidine analogs and DNA methylation, *Cell*, 20, 85-93.
48. ISSA, J. P., GARCIA-MANERO, G., GILES, F. J. et al. (2004) Phase 1 study of low-dose prolonged exposure schedules of the hypomethylating agent 5-aza-2'-deoxycytidine (decitabine) in hematopoietic malignancies, *Blood*, 103, 1635-40.
49. BANELLI, B., GELVI, I., DI VINCI, A. et al. (2005) Distinct CpG methylation profiles characterize different clinical groups of neuroblastic tumors, *Oncogene*, 24, 5619-28.
50. MALINEN, T., PALOTIE, A., PAKKALA, S. et al. (1991) Acceleration of chronic myeloid leukemia correlates with calcitonin gene hypermethylation, *Blood*, 77, 2435-40.
51. HUSON, S. M. (1994) Neurofibromatosis 1: a clinical and genetic overview. In: Huson S. M., Hughes R. A. C. (eds.) *The neurofibromatoses*. Chapman and Hall Medical, London, pp 160-203.
52. HUSON, S. M., HARPER, P. S. & COMPSTON, D. A. (1988) Von Recklinghausen neurofibromatosis. A clinical and population study in south-east Wales, *Brain*, 111 (Pt 6), 1355-81.
53. KORF, B. R., HUSON, S. M., & VISKOCHIL (1997) Report of the working group on neurofibroma. The National Neurofibromatosis Foundation, New York. pp.4-27.

LITERATURVERZEICHNIS

54. WEISS, S. W. & GOLDBLUM, J. R. (2001) Benign tumors of peripheral nerves. In: WEISS, S. W. & GOLDBLUM (eds.) *Soft Tissue Tumors*, 4th ed. St. Louis: Mosby, pp.1111-207.
55. DUCATMAN, B. S., SCHEITHAUER, B. W., PIEPGGRAS, D. G., REIMAN, H. M. & ILSTRUP, D. M. (1986) Malignant peripheral nerve sheath tumors. A clinicopathologic study of 120 cases, *Cancer*, 57, 2006-21.
56. EVANS, D. G., BASER, M. E., McGAUGHRAN, J. et al. (2002) Malignant peripheral nerve sheath tumours in neurofibromatosis 1, *J Med Genet*, 39, 311-4.
57. FERNER, R. E., LUCAS, J. D., O'DOHERTY, M. J. et al. (2000) Evaluation of (18)fluorodeoxyglucose positron emission tomography ((18)FDG PET) in the detection of malignant peripheral nerve sheath tumours arising from within plexiform neurofibromas in neurofibromatosis 1, *J Neurol Neurosurg Psychiatry*, 68, 353-7.
58. ZOLLER, M., REMBECK, B., AKESSON, H. O. & ANGERVALL, L. (1995) Life expectancy, mortality and prognostic factors in neurofibromatosis type 1. A twelve-year follow-up of an epidemiological study in Goteborg, Sweden, *Acta Derm Venereol*, 75, 136-40.
59. SORENSEN, S. A., MULVIHILL, J. J. & NIELSEN, A. (1986) Long-term follow-up of von Recklinghausen neurofibromatosis. Survival and malignant neoplasms, *N Engl J Med*, 314, 1010-5.
60. SHANNON, K. M., O'CONNELL, P., MARTIN, G. A. et al. (1994) Loss of the normal NF1 allele from the bone marrow of children with type 1 neurofibromatosis and malignant myeloid disorders, *N Engl J Med*, 330, 597-601.
61. STUMPF, D. A., ALKSNE, J. F., ANNEGERS, J. F. et al. (1988) Neurofibromatosis conference statement. *Arch Neurol*, 45, 575-8.
62. (1987) Symposium on Linkage of von Recklinghausen Neurofibromatosis (NF1). Closing in on the gene for von Recklinghausen neurofibromatosis, *Genomics*, 1, 335-83.
63. SARFARAZI, M., HUSON, S. M. & EDWARDS, J. H. (1987) An exclusion map for Von Recklinghausen neurofibromatosis, *J Med Genet*, 24, 515-20.
64. CAWTHON, R. M., ANDERSEN, L. B., BUCHBERG, A. M. et al. (1991) cDNA sequence and genomic structure of EV12B, a gene lying within an intron of the neurofibromatosis type 1 gene, *Genomics*, 9, 446-60.

LITERATURVERZEICHNIS

65. VISKOCHIL, D., BUCHBERG, A. M., Xu, G. et al. (1990) Deletions and a translocation interrupt a cloned gene at the neurofibromatosis type 1 locus, *Cell*, 62, 187-92.
66. WALLACE, M. R., MARCHUK, D. A., ANDERSEN, L. B. et al. (1990) Type 1 neurofibromatosis gene: identification of a large transcript disrupted in three NF1 patients, *Science*, 249, 181-6.
67. MARCHUK, D. A., SAULINO, A. M., TAVAKKOL, R. et al. (1991) cDNA cloning of the type 1 neurofibromatosis gene: complete sequence of the NF1 gene product, *Genomics*, 11, 931-40.
68. LI, Y., O'CONNELL, P., BREIDENBACH, H. H. et al. (1995) Genomic organization of the neurofibromatosis 1 gene (NF1), *Genomics*, 25, 9-18.
69. UPADHYAYA, M., SHEN, M., CHERRYSON, A. et al. (1992) Analysis of mutations at the neurofibromatosis 1 (NF1) locus, *Hum Mol Genet*, 1, 735-40.
70. CROWE, F. W., SCHULL, W. J. & NEEL, J. V. (1956). A clinical, pathological and genetic study of multiple neurofibromatosis. Springfield, Illinois, C. C. Thomas, pp. 142-6.
71. RICCARDI, V. M. (1992) Neurofibromatosis: phenotype, natural history, and pathogenesis. Baltimore, MD: John Hopkins University Press.
72. DASTON, M. M., SCRABLE, H., NORDLUND, M. et al. (1992) The protein product of the neurofibromatosis type 1 gene is expressed at highest abundance in neurons, Schwann cells, and oligodendrocytes, *Neuron*, 8, 415-28.
73. HUYNH, D. P., LIN, C. T. & PULST, S. M. (1992) Expression of neurofibromin, the neurofibromatosis 1 gene product: studies in human neuroblastoma cells and rat brain, *Neurosci Lett*, 143, 233-6.
74. CANCE, W. G., BRENNAN, M. F., DUDAS, M. E., HUANG, C. M. & CORDON-CARDO, C. (1990) Altered expression of the retinoblastoma gene product in human sarcomas, *N Engl J Med*, 323, 1457-62.
75. Xu, G. F., O'CONNELL, P., VISKOCHIL, D. et al. (1990) The neurofibromatosis type 1 gene encodes a protein related to GAP, *Cell*, 62, 599-608.
76. SEIZINGER, B. R. (1993) NF1: a prevalent cause of tumorigenesis in human cancers?, *Nat Genet*, 3, 97-9.
77. TANG, Y., MARWAHA, S., RUTKOWSKI, J. L. et al. (1998) A role for Pak protein kinases in Schwann cell transformation, *Proc Natl Acad Sci U S A*, 95, 5139-44.
78. INGRAM, D. A., HIATT, K., KING, A. J. et al. (2001) Hyperactivation of p21(ras) and the hematopoietic-specific Rho GTPase, Rac2, cooperate to alter the prolifera-

- tion of neurofibromin-deficient mast cells in vivo and in vitro, *J Exp Med*, 194, 57-69.
79. YANG, F. C., INGRAM, D. A., CHEN, S. et al. (2003) Neurofibromin-deficient Schwann cells secrete a potent migratory stimulus for Nf1+/- mast cells, *J Clin Invest*, 112, 1851-61.
80. DONOVAN, S., SEE, W., BONIFAS, J., STOKOE, D. & SHANNON, K. M. (2002) Hyperactivation of protein kinase B and ERK have discrete effects on survival, proliferation, and cytokine expression in Nf1-deficient myeloid cells, *Cancer Cell*, 2, 507-14.
81. ZHANG, Y. Y., VIK, T. A., RYDER, J. W. et al. (1998) Nf1 regulates hematopoietic progenitor cell growth and ras signaling in response to multiple cytokines, *J Exp Med*, 187, 1893-902.
82. THE, I., HANNIGAN, G. E., COWLEY, G. S. et al. (1997) Rescue of a Drosophila NF1 mutant phenotype by protein kinase A, *Science*, 276, 791-4.
83. GUO, H. F., THE, I., HANNAN, F., BERNARDS, A. & ZHONG, Y. (1997) Requirement of Drosophila NF1 for activation of adenylyl cyclase by PACAP38-like neuropeptides, *Science*, 276, 795-8.
84. WASCHEK, J. A. (2002) Multiple actions of pituitary adenylyl cyclase activating peptide in nervous system development and regeneration, *Dev Neurosci*, 24, 14-23.
85. RODENHISER, D. I., COULTER-MACKIE, M. B. & SINGH, S. M. (1993) Evidence of DNA methylation in the neurofibromatosis type 1 (NF1) gene region of 17q11.2, *Hum Mol Genet*, 2, 439-44.
86. HAJRA, A., MARTIN-GALLARDO, A., TARLE, S. A. et al. (1994) DNA sequences in the promoter region of the NF1 gene are highly conserved between human and mouse, *Genomics*, 21, 649-52.
87. VISKOCHIL, D. (1998) Gene structure and expression, Chapter 3, In: Upadhyaya, M. & Cooper, D. (eds.) *Neurofibromatosis type 1: from genotype to phenotype*. Oxford, BIOS Scientific, pp 39-56.
88. KNUDSON, A. G. (2001) Two genetic hits (more or less) to cancer, *Nat Rev Cancer*, 1, 157-62.
89. DASGUPTA, B. & GUTMANN, D. H. (2003) Neurofibromatosis 1: closing the GAP between mice and men, *Curr Opin Genet Dev*, 13, 20-7.

LITERATURVERZEICHNIS

90. BRANNAN, C. I., PERKINS, A. S., VOGEL, K. S. et al. (1994) Targeted disruption of the neurofibromatosis type-1 gene leads to developmental abnormalities in heart and various neural crest-derived tissues, *Genes Dev*, 8, 1019-29.
91. JACKS, T., SHIH, T. S., SCHMITT, E. M. et al. (1994) Tumour predisposition in mice heterozygous for a targeted mutation in Nf1, *Nat Genet*, 7, 353-61.
92. CICHOWSKI, K., SHIH, T. S., SCHMITT, E. et al. (1999) Mouse models of tumor development in neurofibromatosis type 1, *Science*, 286, 2172-6.
93. SKUSE, G. R., KOSCIOLEK, B. A. & ROWLEY, P. T. (1991) The neurofibroma in von Recklinghausen neurofibromatosis has a unicellular origin, *Am J Hum Genet*, 49, 600-7.
94. KLUWE, L., FRIEDRICH, R. E. & MAUTNER, V. F. (1999) Allelic loss of the NF1 gene in NF1-associated plexiform neurofibromas, *Cancer Genet Cytogenet*, 113, 65-9.
95. RUTKOWSKI, J. L., Wu, K., GUTMANN, D. H., BOYER, P. J. & LEGIUS, E. (2000) Genetic and cellular defects contributing to benign tumor formation in neurofibromatosis type 1, *Hum Mol Genet*, 9, 1059-66.
96. SERRA, E., ROSENBAUM, T., WINNER, U. et al. (2000) Schwann cells harbor the somatic NF1 mutation in neurofibromas: evidence of two different Schwann cell subpopulations, *Hum Mol Genet*, 9, 3055-64.
97. SHERMAN, L. S., ATIT, R., ROSENBAUM, T., Cox, A. D. & RATNER, N. (2000) Single cell Ras-GTP analysis reveals altered Ras activity in a subpopulation of neurofibroma Schwann cells but not fibroblasts, *J Biol Chem*, 275, 30740-5.
98. ZHU, Y., GHOSH, P., CHARNAY, P., BURNS, D. K. & PARADA, L. F. (2002) Neurofibromas in NF1: Schwann cell origin and role of tumor environment, *Science*, 296, 920-2.
99. INGRAM, D. A., YANG, F. C., TRAVERS, J. B. et al. (2000) Genetic and biochemical evidence that haploinsufficiency of the Nf1 tumor suppressor gene modulates melanocyte and mast cell fates in vivo, *J Exp Med*, 191, 181-8.
100. NIELSEN, G. P., STEMMER-RACHAMIMOV, A. O., INO, Y. et al. (1999) Malignant transformation of neurofibromas in neurofibromatosis 1 is associated with CDKN2A/p16 inactivation, *Am J Pathol*, 155, 1879-84.
101. KOUREA, H. P., CORDON-CARDO, C., DUDAS, M., LEUNG, D. & WOODRUFF, J. M. (1999) Expression of p27(kip) and other cell cycle regulators in malignant peripheral nerve sheath tumors and neurofibromas: the emerging role of p27(kip) in malignant transformation of neurofibromas, *Am J Pathol*, 155, 1885-91.

LITERATURVERZEICHNIS

102. MENON, A. G., ANDERSON, K. M., RICCARDI, V. M. et al. (1990) Chromosome 17p deletions and p53 gene mutations associated with the formation of malignant neurofibrosarcomas in von Recklinghausen neurofibromatosis, *Proc Natl Acad Sci U S A*, 87, 5435-9.
103. BIRINDELLI, S., PERRONE, F., OGGIONNI, M. et al. (2001) Rb and TP53 pathway alterations in sporadic and NF1-related malignant peripheral nerve sheath tumors, *Lab Invest*, 81, 833-44.
104. LIAPIS, H., MARLEY, E. F., LIN, Y. & DEHNER, L. P. (1999) p53 and Ki-67 proliferating cell nuclear antigen in benign and malignant peripheral nerve sheath tumors in children, *Pediatr Dev Pathol*, 2, 377-84.
105. KINDBLOM, L. G., AHLDEN, M., MEIS-KINDBLOM, J. M. & STENMAN, G. (1995) Immunohistochemical and molecular analysis of p53, MDM2, proliferating cell nuclear antigen and Ki67 in benign and malignant peripheral nerve sheath tumours, *Virchows Arch*, 427, 19-26.
106. HALLING, K. C., SCHEITHAUER, B. W., HALLING, A. C. et al. (1996) p53 expression in neurofibroma and malignant peripheral nerve sheath tumor. An immunohistochemical study of sporadic and NF1-associated tumors, *Am J Clin Pathol*, 106, 282-8.
107. VOGEL, K. S., KLESSE, L. J., VELASCO-MIGUEL, S. et al. (1999) Mouse tumor model for neurofibromatosis type 1, *Science*, 286, 2176-9.
108. RICCARDI, V. M. (1987) Mast-cell stabilization to decrease neurofibroma growth. Preliminary experience with ketotifen, *Arch Dermatol*, 123, 1011-6.
109. RICCARDI, V. M. (1993) A controlled multiphase trial of ketotifen to minimize neurofibroma-associated pain and itching, *Arch Dermatol*, 129, 577-81.
110. GUPTA, A., COHEN, B. H., RUGGIERI, P., PACKER, R. J. & PHILLIPS, P. C. (2003) Phase I study of thalidomide for the treatment of plexiform neurofibroma in neurofibromatosis 1, *Neurology*, 60, 130-2.
111. YAN, N., RICCA, C., FLETCHER, J. et al. (1995) Farnesyltransferase inhibitors block the neurofibromatosis type I (NF1) malignant phenotype, *Cancer Res*, 55, 3569-75.
112. GURUJEYALAKSHMI, G., HOLLINGER, M. A. & GIRI, S. N. (1999) Pirfenidone inhibits PDGF isoforms in bleomycin hamster model of lung fibrosis at the translational level, *Am J Physiol*, 276, L311-8.

LITERATURVERZEICHNIS

113. IYER, S. N., GURUJAYALAKSHMI, G. & GIRI, S. N. (1999) Effects of pirfenidone on procollagen gene expression at the transcriptional level in bleomycin hamster model of lung fibrosis, *J Pharmacol Exp Ther*, 289, 211-8.
114. FERNER, R. E. & GUTMANN, D. H. (2002) International consensus statement on malignant peripheral nerve sheath tumors in neurofibromatosis, *Cancer Res*, 62, 1573-7.
115. SANTORO, A., TURSZ, T., MOURIDSEN, H. et al. (1995) Doxorubicin versus CYVADIC versus doxorubicin plus ifosfamide in first-line treatment of advanced soft tissue sarcomas: a randomized study of the European Organization for Research and Treatment of Cancer Soft Tissue and Bone Sarcoma Group, *J Clin Oncol*, 13, 1537-45.
116. (1997) Adjuvant chemotherapy for localised resectable soft-tissue sarcoma of adults: meta-analysis of individual data. Sarcoma Meta-analysis Collaboration, *Lancet*, 350, 1647-54.
117. SANGER, F., NICKLEN, S. & COULSON, A. R. (1977) DNA sequencing with chain-terminating inhibitors, *Proc Natl Acad Sci U S A*, 74, 5463-7.
118. PROBER, J. M., TRAINOR, G. L., DAM, R. J. et al. (1987) A system for rapid DNA sequencing with fluorescent chain-terminating dideoxynucleotides, *Science*, 238, 336-41.
119. ZOU, M. X., BUTCHER, D. T., SADIKOVIC, B. et al. (2004) Characterization of functional elements in the neurofibromatosis (NF1) proximal promoter region, *Oncogene*, 23, 330-9.
120. MANCINI, D. N., SINGH, S. M., ARCHER, T. K. & RODENHISER, D. I. (1999) Site-specific DNA methylation in the neurofibromatosis (NF1) promoter interferes with binding of CREB and SP1 transcription factors, *Oncogene*, 18, 4108-19.
121. JONES, P. A. & LAIRD, P. W. (1999) Cancer epigenetics comes of age, *Nat Genet*, 21, 163-7.
122. SAKAI, T., TOGUCHIDA, J., OHTANI, N. et al. (1991) Allele-specific hypermethylation of the retinoblastoma tumor-suppressor gene, *Am J Hum Genet*, 48, 880-8.
123. GREGER, V., DEBUS, N., LOHMANN, D. et al. (1994) Frequency and parental origin of hypermethylated RB1 alleles in retinoblastoma, *Hum Genet*, 94, 491-6.
124. GONZALEZ-ZULUETA, M., BENDER, C. M., YANG, A. S. et al. (1995) Methylation of the 5' CpG island of the p16/CDKN2 tumor suppressor gene in normal and

- transformed human tissues correlates with gene silencing, *Cancer Res*, 55, 4531-5.
125. STRAZZULLO, M., COSSU, A., BALDINU, P. et al. (2003) High-resolution methylation analysis of the hMLH1 promoter in sporadic endometrial and colorectal carcinomas, *Cancer*, 98, 1540-6.
126. FEINBERG, A. P. & TYCKO, B. (2004) The history of cancer epigenetics, *Nat Rev Cancer*, 4, 143-53.
127. HORAN, M. P., COOPER, D. N. & UPADHYAYA, M. (2000) Hypermethylation of the neurofibromatosis type 1 (NF1) gene promoter is not a common event in the inactivation of the NF1 gene in NF1-specific tumours, *Hum Genet*, 107, 33-9.
128. LUIJTEN, M., REDEKER, S., VAN NOESSEL, M. M. et al. (2000) Microsatellite instability and promoter methylation as possible causes of NF1 gene inactivation in neurofibromas, *Eur J Hum Genet*, 8, 939-45.
129. FISHBEIN, L., EADY, B., SANEK, N., MUIR, D. & WALLACE, M. R. (2005) Analysis of somatic NF1 promoter methylation in plexiform neurofibromas and Schwann cells, *Cancer Genet Cytogenet*, 157, 181-6.
130. EBINGER, M., SENF, L., WACHOWSKI, O. & SCHEURLEN, W. (2005) No aberrant methylation of neurofibromatosis 1 gene (NF1) promoter in pilocytic astrocytoma in childhood, *Pediatr Hematol Oncol*, 22, 83-7.
131. WONG, D. J., PAULSON, T. G., PREVO, L. J. et al. (2001) p16(INK4a) lesions are common, early abnormalities that undergo clonal expansion in Barrett's metaplastic epithelium, *Cancer Res*, 61, 8284-9.
132. BIAN, Y. S., OSTERHELD, M. C., FONTOLLIET, C., BOSMAN, F. T. & BENHATTAR, J. (2002) p16 inactivation by methylation of the CDKN2A promoter occurs early during neoplastic progression in Barrett's esophagus, *Gastroenterology*, 122, 1113-21.
133. NUOVO, G. J., PLAIA, T. W., BELINSKY, S. A., BAYLIN, S. B. & HERMAN, J. G. (1999) In situ detection of the hypermethylation-induced inactivation of the p16 gene as an early event in oncogenesis, *Proc Natl Acad Sci U S A*, 96, 12754-9.
134. KANG, G. H., SHIM, Y. H., JUNG, H. Y. et al. (2001) CpG island methylation in premalignant stages of gastric carcinoma, *Cancer Res*, 61, 2847-51.
135. WAKI, T., TAMURA, G., TSUCHIYA, T. et al. (2002) Promoter methylation status of E-cadherin, hMLH1, and p16 genes in nonneoplastic gastric epithelia, *Am J Pathol*, 161, 399-403.

LITERATURVERZEICHNIS

136. CHAN, A. O., BROADDUS, R. R., HOULIHAN, P. S. et al. (2002) CpG island methylation in aberrant crypt foci of the colorectum, *Am J Pathol*, 160, 1823-30.
137. SUZUKI, H., WATKINS, D. N., JAIR, K. W. et al. (2004) Epigenetic inactivation of SFRP genes allows constitutive WNT signaling in colorectal cancer, *Nat Genet*, 36, 417-22.
138. TOYOTA, M., AHUJA, N., OHE-TOYOTA, M. et al. (1999) CpG island methylator phenotype in colorectal cancer, *Proc Natl Acad Sci U S A*, 96, 8681-6.
139. CHAN, A. O., ISSA, J. P., MORRIS, J. S., HAMILTON, S. R. & RASHID, A. (2002) Concordant CpG island methylation in hyperplastic polyposis, *Am J Pathol*, 160, 529-36.
140. HARDER, A., ROSCHE, M., REUSS, D. E. et al. (2004) Methylation analysis of the neurofibromatosis type 1 (NF1) promoter in peripheral nerve sheath tumours, *Eur J Cancer*, 40, 2820-8.
141. FEINBERG, A. P. & VOGELSTEIN, B. (1983) Hypomethylation distinguishes genes of some human cancers from their normal counterparts, *Nature*, 301, 89-92.
142. FEINBERG, A. P. & VOGELSTEIN, B. (1983) Hypomethylation of ras oncogenes in primary human cancers, *Biochem Biophys Res Commun*, 111, 47-54.
143. GHAZI, H., GONZALES, F. A. & JONES, P. A. (1992) Methylation of CpG-island-containing genes in human sperm, fetal and adult tissues, *Gene*, 114, 203-10.
144. DE SMET, C., DE BACKER, O., FARAOXI, I. et al. (1996) The activation of human gene MAGE-1 in tumor cells is correlated with genome-wide demethylation, *Proc Natl Acad Sci U S A*, 93, 7149-53.
145. HANSEN, R. S., WIJMENGA, C., LUO, P. et al. (1999) The DNMT3B DNA methyltransferase gene is mutated in the ICF immunodeficiency syndrome, *Proc Natl Acad Sci U S A*, 96, 14412-7.
146. XU, G. L., BESTOR, T. H., BOURC'HIS, D. et al. (1999) Chromosome instability and immunodeficiency syndrome caused by mutations in a DNA methyltransferase gene, *Nature*, 402, 187-91.
147. EDEN, A., GAUDET, F., WAGHMARE, A. & JAENISCH, R. (2003) Chromosomal instability and tumors promoted by DNA hypomethylation, *Science*, 300, 455.
148. COLMAN, S. D., WILLIAMS, C. A. & WALLACE, M. R. (1995) Benign neurofibromas in type 1 neurofibromatosis (NF1) show somatic deletions of the NF1 gene, *Nat Genet*, 11, 90-2.

LITERATURVERZEICHNIS

149. DASCHNER, K., ASSUM, G., EISENBARTH, I. et al. (1997) Clonal origin of tumor cells in a plexiform neurofibroma with LOH in NF1 intron 38 and in dermal neurofibromas without LOH of the NF1 gene, *Biochem Biophys Res Commun*, 234, 346-50.
150. JOHN, A. M., RUGGIERI, M., FERNER, R. & UPADHYAYA, M. (2000) A search for evidence of somatic mutations in the NF1 gene, *J Med Genet*, 37, 44-9.
151. SERRA, E., PUIG, S., OTERO, D. et al. (1997) Confirmation of a double-hit model for the NF1 gene in benign neurofibromas, *Am J Hum Genet*, 61, 512-9.
152. BHATTACHARYA, S. K., RAMCHANDANI, S., CERVONI, N. & SZYF, M. (1999) A mammalian protein with specific demethylase activity for mCpG DNA, *Nature*, 397, 579-83.
153. BESTOR, T., LAUDANO, A., MATTALIANO, R. & INGRAM, V. (1988) Cloning and sequencing of a cDNA encoding DNA methyltransferase of mouse cells. The carboxyl-terminal domain of the mammalian enzymes is related to bacterial restriction methyltransferases, *J Mol Biol*, 203, 971-83.
154. BRUNIQUEL, D. & SCHWARTZ, R. H. (2003) Selective, stable demethylation of the interleukin-2 gene enhances transcription by an active process, *Nat Immunol*, 4, 235-40.
155. SANTOS, F., HENDRICH, B., REIK, W. & DEAN, W. (2002) Dynamic reprogramming of DNA methylation in the early mouse embryo, *Dev Biol*, 241, 172-82.
156. HSIEH, C. L. (1999) Evidence that protein binding specifies sites of DNA demethylation, *Mol Cell Biol*, 19, 46-56.
157. DE SMET, C., LORIOT, A. & BOON, T. (2004) Promoter-dependent mechanism leading to selective hypomethylation within the 5' region of gene MAGE-A1 in tumor cells, *Mol Cell Biol*, 24, 4781-90.
158. NARAYAN, A., JI, W., ZHANG, X. Y. et al. (1998) Hypomethylation of pericentromeric DNA in breast adenocarcinomas, *Int J Cancer*, 77, 833-8.
159. RIBIERAS, S., SONG-WANG, X. G., MARTIN, V. et al. (1994) Human breast and colon cancers exhibit alterations of DNA methylation patterns at several DNA segments on chromosomes 11p and 17p, *J Cell Biochem*, 56, 86-96.
160. USHIJIMA, T., MORIMURA, K., HOZOYA, Y. et al. (1997) Establishment of methylation-sensitive-representational difference analysis and isolation of hypo- and hypermethylated genomic fragments in mouse liver tumors, *Proc Natl Acad Sci U S A*, 94, 2284-9.

LITERATURVERZEICHNIS

161. EHRLICH, M., JIANG, G., FIALA, E. et al. (2002) Hypomethylation and hypermethylation of DNA in Wilms tumors, *Oncogene*, 21, 6694-702.
162. PINI, J. T., FRANCHINA, M., TAYLOR, J. M. & KAY, P. H. (2004) Evidence that general genomic hypomethylation and focal hypermethylation are two independent molecular events of non-Hodgkin's lymphoma, *Oncol Res*, 14, 399-405.
163. GONZALEZ-GOMEZ, P., BELLO, M. J., ARJONA, D. et al. (2003) Aberrant CpG island methylation in neurofibromas and neurofibrosarcomas, *Oncol Rep*, 10, 1519-23.
164. GONZALGO, M. L., HAYASHIDA, T., BENDER, C. M. et al. (1998) The role of DNA methylation in expression of the p19/p16 locus in human bladder cancer cell lines, *Cancer Res*, 58, 1245-52.
165. ABE, M., OKOCHI, E., KURAMOTO, T. et al. (2002) Cloning of the 5' upstream region of the rat p16 gene and its role in silencing, *Jpn J Cancer Res*, 93, 1100-6.
166. DENG, G., CHEN, A., HONG, J., CHAE, H. S. & KIM, Y. S. (1999) Methylation of CpG in a small region of the hMLH1 promoter invariably correlates with the absence of gene expression, *Cancer Res*, 59, 2029-33.
167. MIYAKURA, Y., SUGANO, K., KONISHI, F. et al. (2001) Extensive methylation of hMLH1 promoter region predominates in proximal colon cancer with microsatellite instability, *Gastroenterology*, 121, 1300-9.
168. YAN, P. S., SHI, H., RAHMATPANAH, F. et al. (2003) Differential distribution of DNA methylation within the RASSF1A CpG island in breast cancer, *Cancer Res*, 63, 6178-86.
169. MONTMINY, M. R., GONZALEZ, G. A. & YAMAMOTO, K. K. (1990) Regulation of cAMP-inducible genes by CREB, *Trends Neurosci*, 13, 184-8.
170. YAMAMOTO, K. K., GONZALEZ, G. A., BIGGS, W. H., 3RD & MONTMINY, M. R. (1988) Phosphorylation-induced binding and transcriptional efficacy of nuclear factor CREB, *Nature*, 334, 494-8.
171. GUTMANN, D. H., TENNEKOON, G. I., COLE, J. L., COLLINS, F. S. & RUTKOWSKI, J. L. (1993) Modulation of the neurofibromatosis type 1 gene product, neurofibromin, during Schwann cell differentiation, *J Neurosci Res*, 36, 216-23.
172. UPADHYAYA & COOPER. (1977) Construction of expression plasmids from 5' flanking sequence adjacent to the NF1 gene, In: Viskochil, D. (eds.) *Neurofibromatosis type 1*, London, Bios Sci Publ, p. 49.

LITERATURVERZEICHNIS

173. GETMAN, D. K., MUTERO, A., INOUE, K. & TAYLOR, P. (1995) Transcription factor repression and activation of the human acetylcholinesterase gene, *J Biol Chem*, 270, 23511-9.
174. JIANG, J. G., DEFRAZES, M. C., MACHEN, J., JOHNSON, C. & ZARNEGAR, R. (2000) The repressive function of AP2 transcription factor on the hepatocyte growth factor gene promoter, *Biochem Biophys Res Commun*, 272, 882-6.
175. COMB, M. & GOODMAN, H. M. (1990) CpG methylation inhibits proenkephalin gene expression and binding of the transcription factor AP-2, *Nucleic Acids Res*, 18, 3975-82.
176. STEWART, H. J., BRENNAN, A., RAHMAN, M. et al. (2001) Developmental regulation and overexpression of the transcription factor AP-2, a potential regulator of the timing of Schwann cell generation, *Eur J Neurosci*, 14, 363-72.
177. BIRD, A. (2002) DNA methylation patterns and epigenetic memory, *Genes Dev*, 16, 6-21.
178. BESTOR, T. H. (2003) Unanswered questions about the role of promoter methylation in carcinogenesis, *Ann N Y Acad Sci*, 983, 22-7.
179. VEIGL, M. L., KASTURI, L., OLECHNOWICZ, J. et al. (1998) Biallelic inactivation of hMLH1 by epigenetic gene silencing, a novel mechanism causing human MSI cancers, *Proc Natl Acad Sci U S A*, 95, 8698-702.
180. BAYLIN, S. & BESTOR, T. H. (2002) Altered methylation patterns in cancer cell genomes: cause or consequence?, *Cancer Cell*, 1, 299-305.
181. WOODRUFF, J. M., LOUREA, H. P., LOUIS, D. N. et al. (2000) Neurofibroma, In: Kleihues, P. et Cavenee, W. K. (eds.) World Health Organization classification of tumours, pathology and genetics of tumours of the nervous system. Lyon, IARC Press, pp. 167-8.
182. CARROLL, S. L. & STONECYPHER, M. S. (2004) Tumor suppressor mutations and growth factor signaling in the pathogenesis of NF1-associated peripheral nerve sheath tumors. I. The role of tumor suppressor mutations, *J Neuropathol Exp Neurol*, 63, 1115-23.
183. ESHLEMAN, J. R. & MARKOWITZ, S. D. (1996) Mismatch repair defects in human carcinogenesis, *Hum Mol Genet*, 5 Spec No, 1489-94.
184. SINSHEIMER, R. L. (1955) The action of pancreatic deoxyribonuclease. II. Isomeric dinucleotides, *J Biol Chem*, 215, 579-83.

LITERATURVERZEICHNIS

185. GRUENBAUM, Y., STEIN, R., CEDAR, H. & RAZIN, A. (1981) Methylation of CpG sequences in eukaryotic DNA, *FEBS Lett*, 124, 67-71.
186. TOTH, M., MULLER, U. & DOERFLER, W. (1990) Establishment of de novo DNA methylation patterns. Transcription factor binding and deoxycytidine methylation at CpG and non-CpG sequences in an integrated adenovirus promoter, *J Mol Biol*, 214, 673-83.
187. WOODCOCK, D. M., LAWLER, C. B., LINSENMEYER, M. E., DOHERTY, J. P. & WARREN, W. D. (1997) Asymmetric methylation in the hypermethylated CpG promoter region of the human L1 retrotransposon, *J Biol Chem*, 272, 7810-6.
188. CLARK, S. J., HARRISON, J. & FROMMER, M. (1995) CpNpG methylation in mammalian cells, *Nat Genet*, 10, 20-7.
189. FRANCHINA, M. & KAY, P. H. (2000) Evidence that cytosine residues within 5'-CCTGG-3' pentanucleotides can be methylated in human DNA independently of the methylating system that modifies 5'-CG-3' dinucleotides, *DNA Cell Biol*, 19, 521-6.
190. WHITE, G. P., WATT, P. M., HOLT, B. J. & HOLT, P. G. (2002) Differential patterns of methylation of the IFN-gamma promoter at CpG and non-CpG sites underlie differences in IFN-gamma gene expression between human neonatal and adult CD45RO- T cells, *J Immunol*, 168, 2820-7.
191. HAINES, T. R., RODENHISER, D. I. & AINSWORTH, P. J. (2001) Allele-specific non-CpG methylation of the Nf1 gene during early mouse development, *Dev Biol*, 240, 585-98.
192. MALONE, C. S., MINER, M. D., DOERR, J. R. et al. (2001) CmC(A/T)GG DNA methylation in mature B cell lymphoma gene silencing, *Proc Natl Acad Sci U S A*, 98, 10404-9.
193. KOUIDOU, S., AGIDOU, T., KYRKOU, A. et al. (2005) Non-CpG cytosine methylation of p53 exon 5 in non-small cell lung carcinoma, *Lung Cancer*, 50, 299-307.
194. OLEK, A., OSWALD, J. & WALTER, J. (1996) A modified and improved method for bisulphite based cytosine methylation analysis, *Nucleic Acids Res*, 24, 5064-6.
195. AOKI, A., SUETAKE, I., MIYAGAWA, J. et al. (2001) Enzymatic properties of de novo-type mouse DNA (cytosine-5) methyltransferases, *Nucleic Acids Res*, 29, 3506-12.

LITERATURVERZEICHNIS

196. INOUE, S. & OISHI, M. (2005) Effects of methylation of non-CpG sequence in the promoter region on the expression of human synaptotagmin XI (syt11), *Gene*, 348, 123-34.
197. CHAO, W., HUYNH, K. D., SPENCER, R. J., DAVIDOW, L. S. & LEE, J. T. (2002) CTCF, a candidate trans-acting factor for X-inactivation choice, *Science*, 295, 345-7.