

10 Literaturverzeichnis

Aird W.C., Edelberg J.M., Weiler-Gnottler H., Simmons W.W., Smith T.W., Rosenberg R.D. (1997)

Vascular bed-specific expression of an endothelial cell is programmed by the tissue microenvironment. *J. Cell Biol.* **138**: 1117 – 1124

Akimoto T., Liapis H., Hammerman M.R. (2002)

Microvessel formation from mouse embryonic aortic explants is oxygen and VEGF dependent.

Am. J. Physiol. Regulatory Integrative Comp. Physiol. **283**: R 487 – R 495

Algire G.H. (1943)

An adaption of the transparent-chamber technique to the mouse.

J. Natl. Cancer Inst. USA **4**: 1 – 11

Allt G., Lawrenson J.G. (2001)

Pericytes: cell biology and pathology.

Cells Tiss. Org. **169**: 1 – 11

Angiolillo A.L., Sgadari C., Taub D.D., Liao F., Farber J.M., Maheshwari S., Kleinman H.K., Reaman G.H., Tosato G. (1995)

Human interferon-inducible protein 10 is a potent inhibitor of angiogenesis in vivo.

J. Exp. Med. **182**: 155 – 162

Asahara T., Murohara T., Sullivan A. (1997)

Isolation of putative progenitor endothelial cells for angiogenesis.

Science **275**: 964 – 967

Ashton N., Cook C.H. (1953)

Mechanism of corneal neovascularisation.

Br. J. Ophthalmol. **37**: 193 – 209

Auerbach R., Lewis R., Shinnars B., Kubai L., Akhtar N. (2003)

Angiogenesis assays: a critical overview.

Clin. Chem. **49**: 32 – 40

Auerbach R. (2002)

Angiogenesis assays.

Trends Mol. Med. **8**: 243

Auerbach R., Akhtar N., Lewis R.L., Shinnars B.L. (2000)

Angiogenesis assays: Problems and pitfalls.

Cancer Metastasis Rev. **19**: 167 – 172

Auerbach W., Auerbach R. (1994)

Angiogenesis inhibition: a review.

Pharmacol. Ther. **63**: 265 – 311

Auerbach R., Auerbach W., Polakowski I. (1991)

Assays for angiogenesis: a review.

Pharmacol. Ther. **51**: 1 – 11

Auerbach R., Kubai L., Knighton D., Folkman J. (1974)

A simple procedure for the long-term cultivation of chicken embryos.

Dev. Biol. **41**: 391 – 394

Aumailley M., Smyth N. (1998)

The role of laminins in basement membrane function.

J. Anat. **193**: 1 – 21

Ausprunk D.H., Folkman J. (1977)

Migration and proliferation of endothelial cells in preformed and newly formed blood vessels during tumor angiogenesis.

Microvasc. Res. **14**: 53 – 65

Ausprunk D.H., Knighton D.R., Folkman J. (1975)

Vascularization of normal and neoplastic tissues grafted to the chick chorioallantois. Role of host and preexisting graft blood vessels.

Am. J. Pathol. **79**: 597 – 628

Ausprunk D.H., Knighton D.R., Folkman J. (1974)

Differentiation of the vascular endothelium in the chick chorioallantois: a structural and autoradiographic study.

Dev. Biol. **38**: 237 – 247

Babaei S., Stewart D.J. (2002)

Overexpression of endothelial NO synthase induces angiogenesis in a co-culture model.

Cardiovasc. Res. **55**: 190 – 200

Barendsz-Janson A.F., Griffioen A.W., Muller A.D., van Dam-Mieras M.C.E., Hillen H.F.P. (1998)

In vitro tumor angiogenesis assays: plasminogen lysine binding site 1 inhibits in vitro tumor-induced angiogenesis.

J. Vasc. Res. **35**: 109 – 114

Basaki Y., Chikahisa L., Aoyagi K., Miyadera K., Yonekura K., Hashimoto A., Okabe S., Wierzba K., Yamada Y. (2001)

γ -Hydroxybutyric acid and 5-fluorouracil, metabolites of UFT, inhibit the angiogenesis induced by Vascular Endothelial Growth Factor.

Angiogenesis **4**: 163 – 173

Bates D.O., Curry F.E. (1996)

Vascular endothelial growth factor increases hydraulic conductivity of isolated perfused microvessels.

Am. J. Physiol. **271**: H2520 – H2528

Baumgartner I., Pieczek A., Manor O. (1998)

Constitutive expression of phVEGF₁₆₅ after intramuscular gene transfer promotes collateral vessel development in patients with critical limb ischemia.

Circulation **97**: 1114 – 1123

Bernsen H.J., Rijken P.F., Peters J.P., Bakker J.H., Boerman R.H., Wesseling P., van der Kogel A.J. (1999)

Suramin treatment of human glioma xenografts; effects on tumor vasculature and oxygenation status.

J. Neurooncol. **44**:129 – 136

- Bishop E.T., Bell G.T., Bloor S., Broom I.J., Hendry N.F.K., Wheatley D.N. (1999)
An in vitro model of angiogenesis: Basic features.
Angiogenesis **3**: 335 – 344
- Blacher S., Devy L., Burbridge M.F., Roland G., Tucker G., Noel A., Foidart J.-M. (2001)
Improved quantification of angiogenesis in the rat aortic ring assay.
Angiogenesis **4**: 133 – 142
- Bocci G., Danesi R., Benelli U., Innocenti F., Di Paolo A., Fogli S., Del Tacca M. (1999)
Inhibitory effect of suramin in rat models of angiogenesis in vitro and in vivo.
Cancer Chemother. Pharmacol. **43**: 205 – 212
- Borsum T., Hagen I., Henriksten T., Carlander B. (1982)
Alterations in the protein composition and surface structure of human endothelial cells during growth in primary culture.
Atherosclerosis **44**: 367 – 378
- Boyden S. (1962)
The chemotactic effect of mixture of antibody antigen on polymorphonuclear leukocytes.
J. Exp. Med. **115**: 453 – 466
- Brew K., Dinakarbandian D., Nagase H. (2000)
Tissue inhibitors of metalloproteinases: evolution, structure and function.
Biochem. Biophys. Acta **1477**: 267 – 283
- Brogi E., Schatteman G., Wu T. (1996)
Hypoxia-induced paracrine regulation of VEGF receptor expression.
J. Clin. Invest. **97**: 469 – 476
- Brooks P.C., Montgomery A.M., Cheresh D.A. (1999)
Use of 10-day-old chick embryo model for studying angiogenesis.
Meth. Mol. Biol. **129**: 257 – 269
- Brooks P.C., Silletti S., von Schalscha T.L., Friedlander M., Cheresh D.A. (1998)
Disruption of angiogenesis by PEX, a noncatalytic metalloproteinase fragment with integrin binding activity.
Cell **92**: 391 – 400

Brown K.J., Maynes S.F., Bezos A., Maguire D.J., Ford M.D., Parish C.R. (1996)

A novel in vitro assay for human angiogenesis.

Lab. Invest. **75**: 539 – 555

Bucher O., Wartenberg H. (1989)

Kreislaufapparat. In: Cytologie, Histologie und mikroskopische Anatomie des Menschen (O. Bucher, H. Wartenberg, Hrsg.), 325 – 348. Verlag Hans Huber, Bern, Stuttgart, Toronto.

Budde A. (1999)

Immunhistochemischer Nachweis der Rezeptoren für Wachstumshormon und Oxytocin im bovinen Ovar. Dissertation. Tierärztliche Fakultät der Ludwig-Maximilians-Universität München.

Byzova T.V., Goldman C.K., Jankau J., Chen J., Cabrera G., Achen M.G., Stacker S.A., Carnevale K.A., Siemionow M., Deitcher S.R., DiCorleto P.E. (2002)

Adenovirus encoding vascular endothelial growth factor-D induces tissue-specific vascular patterns in vivo.

Blood **99**: 4434 – 4442

Cao R., Brankenhielm E., Li X., Pietras K., Widenfalk J., Ostman A., Eriksson U., Cao Y. (2002)

Angiogenesis stimulated by PDGF-CC, a novel member in the PDGF family, involves activation of PDGFR-alpha and alphabeta receptors.

FASEB **16**: 1575 – 1583

Cao R., Wu H.L., Veitonmaki N., Linden P., Farnebo J., Shi G.Y., Cao Y. (1999)

Suppression of angiogenesis and tumor growth by the inhibitor K 1-5 generated by plasmin-mediated proteolysis.

Proc. Natl. Acad. Sci. USA **96**: 5728 – 5733

Cao Y., Chen C., Weatherbee J.A., Tsang M., Folkman J. (1995)

Gro-beta, a C-X-C-chemokine, is an angiogenesis inhibitor that suppresses the growth of Lewis lung carcinoma in mice.

J. Exp. Med. **182**: 2069 – 2077

Cavallaro U., Tenan M., Castelli V., Perilli A., Maggiano N., Van Meir E.G., Montesano R., Soria M.R., Pepper M.S. (2001)

Response of bovine endothelial cells to FGF-2 and VEGF is dependent on their site of origin: relevance to the regulation of angiogenesis.

J. Cell. Biochem. **82**: 619 – 633

Célérier J., Cruz A., Lammandé N., Gasc J.M., Corvol P. (2002)

Angiotensinogen and its cleavage derivatives inhibit angiogenesis.

Hypertension **39**: 224 – 235

Chavakis E., Dimmeler S. (2002)

Regulation of Endothelial Cell Survival and Apoptosis During Angiogenesis.

Arterioscler. Thromb. Vasc. Biol. **22**: 887 – 893

Choi K., Kennedy M., Kazarov A. (1998)

A common precursor for hematopoietic and endothelial cells.

Development **125**: 725 – 732

Claesson-Welsh L., Welsh M., Ito N., Anand-Apte B., Soker S., Zetter B., O'Reilly M., Folkman J. (1998)

Angiostatin induces endothelial cell apoptosis and activation of focal adhesion kinase independently of the integrin-binding motif RGD.

Proc. Natl. Acad. Sci. USA **95**: 5579 – 5583

Clifford C.A., Mackin A.J., Henry C.J. (2000)

Treatment of canine hemangiosarcoma: 2000 and beyond.

J. Vet. Intern. Med. **14**: 479 – 485

Coffin J.D., Harrison J., Schwartz S. (1991)

Angioblast differentiation and morphogenesis of vascular endothelium in the mouse embryo.

Dev. Biol. **148**: 51 – 62

Collen A., Koolwijk P., Kroon M., van Hinsbergh W.M. (1998)

Influence of fibrin structure on the formation and maintenance of capillary-like tubules by human microvascular endothelial cells.

Angiogenesis **2**: 153 – 165

Colorado P.C., Torre A., Kamphaus G., Maeshima Y., Hopfer H., Takahashi K., Volk R., Zamborsky E.D., Herman S., Sarkar P.K., Ericksen E.M., Dhanabal M., Simons M., Post M., Kufe D.W., Weichselbaum R.R., Sukhatme V.P., Kalluri R. (2000)

Anti-angiogenic cues from vascular basement membrane collagen.

Cancer Res. **60**: 2520 – 2526

Connolly J.O., Simpson N., Hewlett L., Hall A. (2002)

Rac regulates endothelial morphogenesis and capillary assembly.

Mol. Biol. Cell **13**: 2474 – 2485

Connolly D.T., Heuvelman D.M., Nelson R., Olander J.V., Eppley B.L., Delfino J.J., Siegel N.R., Leimgruber R.M., Feder J. (1989)

Tumor vascular permeability factor stimulates endothelial cell growth and angiogenesis.

J. Clin. Invest. **84**: 1470 – 1478

Costa M., Danesi R., Agen C. (1994)

MCF-10A cells infected with the int-2 oncogene induce angiogenesis in the chick chorioallantoic membrane and the rat mesentery.

Cancer Res. **54**: 9 – 11

Crocker D.J., Murad T.M., Geer J.C. (1970)

Role of pericytes in wound healing. An ultrastructural study.

Exp. Mol. Pathol. **13**: 51 – 65

Dameron K.M., Volpert O.V., Tainsky M.A., Bouck N. (1994)

Control of angiogenesis by fibroblasts by p53 regulation of thrombospondin-1.

Science **265**: 1582 – 1584

Dammacco F., Vacca A., Ribatti D., Merchionne F. (2000)

Angiogenese und Antiangiogenese in Neoplasmen.

Die gelben Hefte **40**: 109 – 117

Davis G.E., Bayless K.J., Mavila A. (2002)

Molecular Basis of Endothelial Cell Morphogenesis in Three-Dimensional Extracellular Matrices.

The Anat. Rec. **268**: 252 – 275

Dawson D.W., Volpert O.V., Gillis P., Crawford S.E., Xu H., Benedict W., Bouck N.P. (1999)
Pigment epithelium-derived factor: a potent inhibitor of angiogenesis.
Science **285**: 245 – 248

Dellian M., Yuan F., Trubetskoy V.S., Torchilin V.P., Jain R.K. (2000)
Vascular permeability in a human tumour xenograft: molecular charge dependence.
Br. J. Cancer **82**: 1513 – 1518

Denis F., Bougnoux P., de Poncheville L., Prat M., Catroux R., Tranquart F. (2002)
In vivo quantitation of tumour vascularisation assessed by Doppler sonography in rat
mammary tumours. *Ultrasound*.
Med. Biol. **28**: 431 – 437

Dhanabal M., Ramchandran R., Waterman M.J., Lu H., Knebelmann B., Segal M., Sukhatme
V.P. (1999)
Endostatin induces endothelial cell apoptosis.
J. Biol. Chem. **274**: 11721 – 11726

Dimopoulos M.A., Zomas A., Viniou N.A., Grigoraki V., Galani E., Matsouka C., Economou
O., Anagnostopoulos N., Panayiotidis P. (2001)
Treatment of Waldenstrom's macroglobulinemia with thalidomide.
J. Clin. Onc. **19**: 3596 – 3601

Donovan D., Brown N.J., Bishop E.T., Lewis C.E. (2001)
Comparison of three in vitro human 'angiogenesis' assays with capillaries formed in vivo.
Angiogenesis **4**: 113 – 121

Endrich B., Asaishi K., Goetz A., Messmer K. (1980)
Technical report – a new chamber technique for microvascular studies in unanaesthetized
hamsters.
Res. Exp. Med. **177**: 125 – 134

Enomoto H., Inoki J., Komiya K., Shiomi T., Ikeda E., Obata K.-J., Matsumoto H., Toyama Y.,
Obada Y. (2003)
Vascular endothelial growth factor isoforms and their receptors are expressed in human
osteoarthritic cartilage.
Am. J. Path. **162**: 171 – 181

Epstein R.E., Kornowski R., Fuchs S., Dvorak H.F. (2001)

Angiogenesis therapy: amidst the hype, the neglected potential for serious side effects.

Circulation **104**: 115 – 119

Ergün S., Kilic N., Wurmbach J.-H., Ebrahimnejad A., Fernando M., Sevinc S., Kilic E., Chalajour F., Fiedler W., Lauke H., Lamszus K., Hammerer P., Weil J., Herbst H., Folkman J. (2001)

Endostatin inhibits angiogenesis by stabilization of newly formed endothelial tubes.

Angiogenesis **4**: 193 – 206

Fawcett D.W. (1977)

Temporäre Differenzierungen und Oberflächenaktivität. In: Atlas zur Elektronenmikroskopie der Zelle (Fawcett D.W., Hrsg.), 394 – 414. Urban & Schwarzenberg, München, Berlin, Wien

Feder J., Marasa J.C., Olander J.V. (1983)

The formation of capillary-like tubes by calf aortic endothelial cells grown in vitro.

J. Cell Physiol. **116**: 1 – 6

Fernig D.G., Gallagher J.T. (1994)

Fibroblast growth factors and their receptors: an information network controlling tissue growth, morphogenesis and repair.

Prog. Growth Factor Res. **5**: 353 – 377

Fierlbeck W., Liu A., Coyle R., Ballermann B.J. (2003)

Endothelial cell apoptosis during glomerular capillary lumen formation in vivo.

J. Am. Soc. Nephrol. **14**: 1349 – 1354

Findlay J.K. (1986)

Angiogenesis in reproductive tissues.

J. Endocrinol. **111**: 357 – 366

Folkman J., D'Amore P.A. (1996)

Blood vessel formation: what is the molecular basis?

Cell **87**: 1153 – 1157

Folkman J. (1995)

Angiogenesis in cancer, vascular, rheumatoid and other disease.

Nature Med. **1**: 27 – 32

Folkman J., Ingber D. (1992)

Inhibition of angiogenesis.

Sem. Canc. Biol. **3**: 89 – 96

Folkman J., Watson K., Ingber D., Hanahan D. (1989)

Induction of angiogenesis during the transition from hyperplasia to neoplasia.

Nature **339**: 58 – 61

Folkman J. (1984)

What is the role of endothelial cells in angiogenesis?

Lab. Invest. **51**: 601 – 604

Folkman J., Haudenschild C. (1980)

Angiogenesis by capillary endothelial cells in culture.

Trans. Ophthalmol. Soc. UK **100**: 346 – 353

Folkman J. (1971)

Tumor angiogenesis: therapeutic implications.

N. Engl. J. Med. **285**: 1182 – 1186

Fujiwara H., Kikkawa Y., Sanzen N., Sekiguchi K. (2001)

Purification and characterization of human laminin-8. Laminin-8 stimulates cell adhesion and migration through alpha3beta2 and alpha6beta1 integrins.

J. Biol. Chem. **276**: 17550 – 17558

Funatsu T., Sawa Y., Ohtake S., Takahashi T., Matsumiya G., Matsuura N., Nakamura T., Matsuda H. (2002)

Therapeutic angiogenesis in the ischemic canine heart induced by myocardial injection of naked complementary DNA plasmid encoding hepatocyte growth factor.

J. Thorac. Cardiovasc. Surg. **124**: 1099 – 1105

Gagliardi A., Hadd H., Collins D.C. (1992)

Inhibition of angiogenesis by suramin.

Cancer Res. **52**: 5073 – 5075

Gaudric A., N'guyen T., Moenner M., Glacet-Bernard A., Barrifault D. (1992)

Quantification of angiogenesis due to basic fibroblast growth factor in a modified rabbit corneal model.

Ophthalmic. Res. **24**: 181 – 188

Ghadially F.N. (1982)

Concentration of cristae. In: Ultrastructural Pathology of the Cell and Matrix (Ghadially F.N., Killam J.W., Lindsay W.S., Hrsg.), 152. Butterworths, Edinburgh, Dublin

Gimbrone M.A. Jr., Cotran R.S., Leapman S.B., Folkman J. (1974)

Tumor growth and neovascularisation: an experimental model using the rabbit cornea.

J. Natl. Cancer Inst. USA **52**: 413 – 419

Goede V., Schmidt T., Kimmina S., Kozian D.H., Augustin H.E. (1998)

Analysis of blood vessel maturation processes during cyclic ovarian angiogenesis.

Lab. Invest. **78**: 1385 – 1394

González R.P., Soares F., Farias R.F., Pessoa C., Leyva A., Barros Viana G.S., Moraes M.O. (2001)

Demonstration of inhibitory effect of oral shark cartilage on basic fibroblast growth factor-induced angiogenesis in the rabbit cornea.

Biol. Pharm. Bull. **24**: 151 – 154

Good D.J., Polverini P.J., Rastinejad F., Le Beau M.M., Lemons R.S., Frazier W.A., Bouck N.P. (1990)

A tumor suppressor-dependent inhibitor of angiogenesis is immunologically and functionally indistinguishable from a fragment of thrombospondin.

Proc. Natl. Acad. Sci. USA **87**: 6624 – 6628

Grant D.S., Kleinman H.K. (1997)

Regulation of capillary formation by laminin and other components of the extracellular matrix.

EXS **79**: 317 – 333

Greenblatt M., Shubik P. (1968)

Tumor angiogenesis: transfilter diffusion studies in the hamster by the transparent chamber technique.

J. Natl. Cancer Inst. **41**: 111 – 124

Griscelli F., Hong L., Bennaceur-Griscelli A., Soria J., Opolon P., Soria C., Perricaudet M., Yeh P., Lu H. (1998)

Angiostatin gene transfer: Inhibition of tumor growth in vivo by blockage of endothelial cell proliferation associated with a mitosis arrest.

Proc. Natl. Acad. Sci. USA **95**: 6367 – 6372

Guo L., Burke P., Lo S.-H., Gandour-Edwards R., Lan D. (2001)

Quantitative analysis using confocal laser scanning microscopy.

Angiogenesis **4**: 187 – 191

Haller C., Kübler W. (1999)

Zellpolarität im Herz-Kreislauf-System.

Z. Kardiol. **88**: 324 – 330

Hansen-Smith F.M. (2000)

Capillary network patterning during angiogenesis.

Clin. Exp. Pharmacol. Physiol. **27**: 830 – 835

Harvey K., Welch Z., Kovola T., Garcia J.G.N., English D. (2002)

Comparative analysis of in vitro angiogenic activities of endothelial cells of heterogeneous origin.

Microvasc. Res. **63**: 316 – 326

Hawking F. (1978)

Suramin: with special reference to onchocerciasis.

Adv. Pharmacol. Chemother. **15**:289 – 322

Hees H. (2000)

Kreislaufsystem. In: Histologie (H. Hees, F. Sinowatz, Hrsg.), 191 – 204. Deutscher Ärzte-Verlag, Köln.

Henkind P. (1978)

Ocular neovascularisation.

Am. J. Ophthal. **85**: 287 – 301

Hirschi K.K., D'Amore P.A. (1996)

Pericytes in the microvasculature.

Cardiovasc. Res. **32**: 687 – 698

Hoffmann J., Schirner M., Menrad A., Schneider M.R. (1997)

A highly sensitive model for quantification of in vivo tumor angiogenesis induced by alginate-encapsulated tumor cells.

Cancer Res. **57**: 3847 – 3851

Hoying J.B., Williams S.K. (1996)

Measurement of endothelial cell migration using an improved linear migration assay.

Microcirculation **3**: 167 – 174

Huang S.-M., Li J., Armstrong E.A., Harari P.M. (2002)

Modulation of radiation response and tumor-induced angiogenesis after epidermal growth factor receptor inhibition by ZD 1839 (Iressa).

Cancer Res. **62**: 4300 – 4306

Huber D., Cramer E.M., Kaufmann J.E., Meda P., Masse J.M., Kruithof E.K., Vischer U.M. (2002)

Tissue-type plasminogen activator (t-PA) is stored in Weibel-Palade bodies in human endothelial cells both in vitro and in vivo.

Blood **99**: 3637 – 3645

Hughes S., Chan-Ling T. (2000)

Roles of Endothelial Cell Migration and Apoptosis in Vascular Remodeling during Development of the Central Nervous System.

Microcirculation **7**: 317 – 333

Ibukiyama C. (1996)

Angiogenesis, angiogenic therapy using fibroblast growth factors and vascular endothelial growth factors for ischemic vascular lesions.

Jpn. Heart J. **37**: 285 – 300

Inoue K., Chikazawa M., Fukata S., Yoshikawa C., Shuin T. (2003)

Docetaxel enhances the therapeutic effect of the angiogenesis inhibitor TNP-470 (AGM-1470) in metastatic human transitional cell carcinoma.

Clin. Cancer Res. **9**: 886 – 899

Isner J.M., Rosenfield K. (1993)

Redefining the treatment of peripheral artery disease: role of percutaneous revascularisation.

Circulation **88**: 1534 – 1557

Iwahana M., Nakayama Y., Tanaka N.G., Goryo M., Okada K. (1996)

Quantification of tumour-induced angiogenesis by image analysis.

Int. J. Exp. Path. **77**: 109 – 114

Jain R.K., Schlenger K., Höckel M., Ynan F. (1997)

Quantitative angiogenesis assays: Progress and problems.

Nature Med. **3**: 1203 – 1208

Jakobsson A., Norrby K., Ericson L. (1994)

A morphometric method to evaluate angiogenesis kinetics in the rat mesentery.

Int. J. Exp. Path. **75**: 219 – 224

Josko J., Boleslaw G., Jedrzejowsk-Szypulka H., Hendryk S. (2000)

Vascular endothelial growth factor (VEGF) and its effect on angiogenesis.

Med. Sci. Monit. **6**: 1047 – 1052

Joussen A.M., Germann T., Kirchhof B. (1999)

Effect of thalidomide and structurally related compounds on corneal angiogenesis is comparable to their teratological potency.

Graefe´s Arch. Clin. Exp. Ophthalmol. **237**: 952 – 961

Jung S.P., Siegrist B., Wade M.R., Anthony C.T., Woltering E.A. (2001)

Inhibition of human angiogenesis with heparin and hydrocortisone.

Angiogenesis **4**: 175 – 186

Kalka C., Masuda H., Takahashi T. (2000a)

Transplantation of ex vivo expanded endothelial progenitor cells for therapeutic neovascularization.

Proc. Natl. Acad. Sci. USA **97**: 3422 – 3427

Kalka C., Asahara T., Krone W., Isner J.M. (2000b)

Angiogenesis and vasculogenesis. Therapeutic strategies for stimulation of postnatal neovascularization.

Herz **25**: 611 – 622

Kalka C., Iwaguro H., Masuda H. (1999)

Generation of differentiated endothelial cells from mononuclear cells of human umbilical cord blood.

Circulation **100**: 740 – 749

Kamphaus G.D., Colorado P.C., Panka D.J., Hopfer H., Ramchandran R., Torre A., Maeshima Y., Mier J.W., Sukhatme V.P., Kalluri R. (2000)

Canstatin, a novel matrix-derived inhibitor of angiogenesis and tumor growth.

J. Biol. Chem. **275**: 1209 – 1215

Kenyon B.M., Voest E.E., Chen C.C., Flynn E., Folkman J., D'Amato R.J. (1996)

A model of angiogenesis in the mouse cornea.

Invest. Ophthalmol. Vis. Sci. **37**: 1625 – 1632

Kirsch M., Santarius T., Black P.M., Schackert G. (2001)

Therapeutic anti-angiogenesis for malignant brain tumors.

Onkologie **24**: 423 – 430

Knighton D.R., Fiegel V.D., Phillips G.D. (1991)

The assays for angiogenesis.

Progr. Clin. Biol. Res. **365**: 291 – 299

Kruger E.A., Duray P.H., Price D.K., Pluda J.M., Figg W.D. (2001)

Approaches to preclinical screening of antiangiogenic agents.

Sem. Oncology **28**: 570 – 576

Kruger E.A., Figg W.D. (2001)

Protein binding alters the activity of Suramin, Carboxyamidotriazole, and UCN-01 in an ex vivo rat aortic ring angiogenesis assay.

Clin. Cancer Res. **7**: 1867 – 1872

Ku D.D., Zaleski J.K., Liu S., Brock T.A. (1993)

Vascular endothelial growth factor induces EDRF-dependent relaxation in coronary arteries.

Am. J. Physiol. **265**: H586 – H592

Kueng W., Silber E., Eppenberger U. (1989)

Quantification of cells cultured on 96-well plates.

Anal. Biochem. **182**: 16 – 19

Kuzuya M., Satake S., Ai S., Asai T., Kanda S., Ramos M.A., Miura H., Ueda M., Iguchi A. (1998)

Inhibition of angiogenesis on glycated collagen lattices.

Diabetologia **41**: 491 – 499

Lang I., Hoffmann C., Olip H., Pabst M.A., Hahn T., Dohr G., Desoye G. (2000)

Differential mitogenic responses of human macrovascular and microvascular endothelial cells to cytokines underline their phenotypic heterogeneity.

Cell Prolif. **34**: 143 – 155

Langer R., Folkman J. (1976)

Polymers for the sustained release of proteins and other macromolecules.

Nature **263**: 797 – 799

Larsen A.K. (1993)

Suramin: an anticancer drug with unique biological effects.

Cancer Chemother. Pharmacol. **32**: 96 – 98

Ledney G.D., Stewart D.A., Gruber D.F. (1985)

Hematopoietic colony-forming cells from mice after wound trauma.

J. Surg. Res. **38**: 55 – 65

Leene W., Duyzings M.J.M., von Steeg C. (1973)

Lymphoid stem cell identification in the developing thymus and bursa of Fabricius of the chick.

Z. Zellforsch. **136**: 521 – 533

Lehr H.A., Leunig M., Menger M.D., Nolte D., Messmer K. (1993)

Dorsal skinfold chamber technique for intravital microscopy in nude mice.

Am. J. Pathol. **143**: 1055 – 1062

Lenander C., Holmgren L. (1999)

A novel method of visualizing vessels in human tumor biopsies.

Angiogenesis **3**: 291 – 293

Li J., Zhang Y.-P., Kirsner R.S. (2003)

Angiogenesis in wound repair: angiogenic growth factors and the extracellular matrix.

Microsc. Res. Tech. **60**: 107 – 114

Lichtenberg J., Vig Hjarnaa P.-J., Kristjansen P.E.G., Hansen D., Binderup L. (1999)

The rat subcutaneous air sac model: a quantitative assay of antiangiogenesis in induced vessels.

Pharm. & Toxicol. **84**: 34 – 40

Lichtenberg J., Abildgaard Hansen C., Skak-Nielsen T., Bay C., Thing Mortensen J., Binderup L. (1997)

The rat subcutaneous air sac model: a new and simple method for in vivo screening of antiangiogenesis.

Pharm. & Toxicol. **81**: 280 – 284

Lin Y., Weisdorf D.J., Solovey A. (2000)

Origins of circulating endothelial cells and endothelial outgrowth from blood.

J. Clin. Invest. **105**: 71 – 77

Little T.K., Beyer E.C., Duling B.R. (1995)

Connexin 43 and connexin 40 gap junctional proteins are present in arteriolar smooth muscle and endothelium in vivo.

Am. J. Physiol. **268**: H 729 – H 739

Lloyd P.G., Prior B.M., Yang H.T., Terjung R.L. (2003)

Angiogenic growth factor expression in rat skeletal muscle in response to exercise training.
Am. J. Physiol. Heart Circ. Physiol. **284**: H 1668 – H 1678

MacDonald N.J., Murad A.C., Fogler W.E., Lu Y., Sim B.K. (1999)

The tumor-suppressing activity of angiostatin protein resides within kringles 1 to 3.
Biochem. Biophys. Res. Commun. **264**: 469 – 477

Madri J.A., Williams S.K. (1983)

Capillary Endothelial Cell Cultures: Phenotypic Modulation by Matrix Components.
J. Cell Biol. **97**: 153 – 165

Maeshima Y., Colorado P.C., Kalluri R. (2000)

Two RGD-independent alpha vbeta 3 integrin binding sites on tumstatin regulate distinct anti-tumor properties.
J. Biol. Chem. **275**: 23745 – 23750

Maione T.E., Gray G.S., Petro J., Hunt A.J., Donner A.L., Bauer S.I., Carson H.F., Sharpe R.J. (1990)

Inhibition of angiogenesis by recombinant human platelet factor-4 and related peptides.
Science **247**: 77 – 79

Maisonpierre P.C., Suri C., Jones P.F., Bartunkova S., Wiegand S.J., Radziejewski C., Compton D., McClain J., Aldrich T.H., Papadopoulos N., Daly T.J., Davis S., Sato T.N., Yancopoulos G.D. (1997)

Angiopoietin-2, a natural antagonist for Tie2 that disrupts in vivo angiogenesis.
Science **277**: 55 – 60

Mandriota S.J., Pepper M.S. (1997)

Vascular endothelial growth factor-induced in vitro angiogenesis and plasminogen activator expression are dependent on endogenous basic fibroblast growth factor.
J. Cell Sci **110**: 2293 – 2302

Masiero L., Lapidos K.A., Ambudkar I., Kohn E.C. (1999)

Regulation of the RhoA pathway in human endothelial cell spreading on type IV collagen: role of calcium influx.
J. Cell Science **112**: 3205 – 3213

- Matsumoto T., Turesson I., Book M., Gerwins P., Claesson-Welsh L. (2002)
p38 MAP kinase negatively regulates endothelial cell survival, proliferation, and differentiation in FGF-2-stimulated angiogenesis.
J. Cell Biol. **156**: 149 – 160
- Matsumoto M., Nishinakagawa H., Kurohmaru M., Hayashi Y., Otsuka J. (1992)
Pregnancy and lactation affect the microvasculature of the mammary gland in mice.
J. Vet. Med. Sci. **54**: 937 – 943
- Menger M.D., Laschke M.W., Vollmar B. (2002)
Viewing the microcirculation through the window: some twenty years experience with the hamster dorsal skinfold chamber.
Eur. Surg. Res. **34**: 83 – 91
- Meredith J.E., Fazeli B., Schwartz M.A. (1993)
The extracellular matrix as a cell survival factor.
Mol. Biol. Cell **4**: 953 – 961
- Meyer G.T., Matthias L.J., Noack L., Vadas M.A., Gamble J.R. (1997)
Lumen formation during angiogenesis in vitro involves phagocytic activity, formation and secretion of vacuoles, cell death, and capillary tube remodelling by different populations of endothelial cells.
Anat. Rec. **249**: 327 – 340
- Minischetti M., Vacca A., Ribatti D., Iurlaro M., Ria R., Pellegrino A., Gasparini G., Damacco F. (2000)
TNP-470 and recombinant human interferon- α 2a inhibit angiogenesis synergistically.
Brit. J. Haemat. **109**: 829 – 837
- Miyamoto S., Katz B.Z., Lafrenie R.M., Yamada K.M. (1998)
Fibronectin and integrins in cell adhesion, signaling, and morphogenesis.
Ann. NY Acad. Sci. **857**: 119 – 129
- Montesano R., Vassalli J.D., Baird A., Guillemin R., Orci L. (1986)
Basic fibroblast growth factor induces angiogenesis in vitro.
Proc. Natl. Acad. Sci. USA **83**: 7297 – 7301

Montesano R., Orci L., Vassalli P. (1983)

In vitro rapid organization of endothelial cells into capillary-like networks is promoted by collagen matrices.

J. Cell Biol. **97**: 1648 – 1652

Moser T.L., Kenan DJ. Ashley T.A., Roy J.A., Goodman M.D., Misra U.K., Cheek D.J., Pizzo S.V. (2001)

Endothelial cell surface F1-F0 ATP synthase is active in ATP synthesis and is inhibited by angiostatin.

Proc. Natl. Acad. Sci. USA **98**: 6656 – 6661

Moses M.A., Klagsburn M., Shing Y. (1995)

The role of growth factors in vascular cell developmental differentiation.

Int. Rev. Cytol. **161**: 1 – 48

Moses M.A., Wiederschain D., Wu I., Fernandez C.A., Ghazizadeh V., Lane W.S., Flynn E., Sytkowski A., Tao T., Langer R. (1999)

Troponin I is present in human cartilage and inhibits angiogenesis.

Proc. Natl. Acad. Sci. USA **96**: 2645 – 2650

Murohara T., Witzenbichler B., Spridopoulos I., Asahara T., Ding B., Sullivan A., Losardo D.W., Isner J.M. (1999)

Role of endothelial nitric oxide synthase in endothelial cell migration.

Arterioscler. Thromb. Vasc. Biol. **19**: 1156 – 1161

Nehls V., Drenckhahn D. (1995)

A novel, microcarrier-based in vitro assay for rapid and reliable quantification of three-dimensional cell migration and angiogenesis.

Microvasc. Res. **50**: 311 – 322

Nguyen M., Shing Y. Folkman J. (1994)

Quantitation of angiogenesis and antiangiogenesis in the chick chorioallantoic membrane.

Microvasc. Res. **47**: 31 – 40

Nico B., de Falco G., Vacca A., Roncali L., Ribatti D. (2001)

In vivo absence of synergism between fibroblast growth factor-2 and vascular endothelial growth factor.

J. Hematother. Stem Cell Res. **10**: 905 – 912

Nicosia R.F., Villaschi S. (1999)

Autoregulation of angiogenesis by cells of the vascular wall.

Int. Rev. Cytol. **185**: 1 – 43

Nicosia R.F., Nicosia S.V., Smith M. (1994)

Vascular endothelial growth factor, platelet-derived growth factor, and insulin-like growth factor-1 promote rat aortic angiogenesis in vitro.

Am. J. Pathol. **145**: 1023 – 1029

Nicosia R.F., Ottinetti A. (1990a)

Growth of microvessels in serum-free matrix culture of rat aorta: a quantitative assay of angiogenesis in vitro.

Lab. Invest. **63**: 115 – 122

Nicosia R.F., Ottinetti A. (1990b)

Modulation of microvascular growth and morphogenesis by reconstituted basement membrane gel in three-dimensional cultures of rat aorta: a comparative study of angiogenesis in matrigel, collagen, fibrin, and plasma clot.

In Vitro Cell Dev. Biol. **26**: 119 – 128

Nishikawa R., Cheng S.Y., Nagashima R., Huang H.J., Cavenee W.K., Matsutani M. (1998)

Expression of vascular endothelial growth factor in human brain tumors.

Acta Neuropathol (Berl) **96**: 453 – 462

Norrby K. (1994)

Basic fibroblast growth factor and de novo mammalian angiogenesis.

Microvasc. Res. **48**: 96 – 113

Norrby K., Jakobsson A., Sorbo J. (1990)

On mast-cell mediated angiogenesis in the rat mesenteric-window assay.

Agents Actions **30**: 231 – 233

Norrby K., Jakobsson A., Sorbo J. (1989)

Mast-cell secretion and angiogenesis, a quantitative study in rats and mice.

Virch. Arch. B. Cell Pathol. Incl. Mol. Pathol. **57**: 251 – 256

Norrby K., Jakobsson A., Sörbo J. (1986)

Mast cell mediated angiogenesis: a novel experimental model using the rat mesentery.

Virch. Arch. (Cell Pathol.) **52**: 195 – 206

Ord M.J., Smith R.A. (1982)

Correlation of mitochondrial form and function in vivo: microinjection of substrate and nucleotides.

Cell Tissue Res. **227**: 129 – 137

O'Reilly M.S., Pirie-Shepherd S., Lane W.S., Folkman J. (1999)

Antiangiogenic activity of the cleaved conformation of the serpin antithrombin.

Science **285**: 1926 – 1928

O'Reilly M.S., Boehm T., Shing Y., Fukai N., Vasios G., Lane W.S., Flynn E., Birkhead J.R., Olsen B.R., Folkman J. (1997)

Endostatin: an endogenous inhibitor of angiogenesis and tumor growth.

Cell **88**: 277 – 285

O'Reilly M.S., Holmgren L., Shing Y., Chen C., Rosenthal R.A., Moses M., Lane W.S. Cao Y., Sage E.H., Folkman J. (1994)

Angiostatin: a novel angiogenesis inhibitor that mediates the suppression of metastases by a Lewis lung carcinoma.

Cell **79**: 315 – 328

Papenfuss H.D., Gross J.F., Intaglietta M., Treese F.A. (1979)

A transparent access chamber for the rat dorsal skin fold.

Microvasc. Res. **18**: 311 – 318

Patan S. (2000)

Vasculogenesis and angiogenesis as mechanisms of vascular network formation, growth and remodelling.

J. Neuro-Onc. **50**: 1 – 15

Patan S., Haenni B., Burri P.H. (1996)

Implantation of intussusceptive microvascular growth in the chicken chorioallantoic membrane (CAM): 1. pillar formation by folding of the capillary wall.

Microvasc. Res. **51**: 80 – 98

Peacock D.J., Banquerigo M.L., Brahn E. (1992)

Angiogenesis inhibition suppresses collagen arthritis.

J. Exp. Med. **175**: 1135 – 1138

Pepper M.S. (1997)

Manipulating angiogenesis. From basic science to the bedside.

Arterioscler. Thromb. Vasc. Biol. **17**: 605 – 619

Pepper M.S., Mandriota S.J., Vassalli J.-D., Orci L., Montesano R. (1996)

Angiogenesis-regulating cytokines: activities and interactions.

Curr. Top. Microbiol. Immunol. **213**: 31 – 67

Pepper M.S., Ferrara N., Orci L., Montesano R. (1992)

Potent synergism between vascular endothelial growth factor and basic fibroblast growth factor in the induction of angiogenesis in vitro.

Biochem. Biophys. Res. Commun. **189**: 824 – 831

Peters K., Schmidt H., Unger R.E., Otto M., Kamp G., Kirkpatrick J. (2002)

Software-supported image quantification of angiogenesis in an in vitro culture system: application to studies of biocompatibility.

Biomaterials **23**: 3413 – 3419

Pike S.E., Yao L., Jones K.D., Cherney B., Appella E., Skaguchi K., Nakhasi H., Teruya-Feldstein J., Wirth P., Gupta G., Tosato G. (1998)

Vasostatin, a calreticulin fragment, inhibits angiogenesis and suppress tumor growth.

J. Exp. Med. **188**: 2349 – 2356

Plendl J., Gilligan B.J., Wang S.-J., Lewis R., Shiners B., Vandebroek K., Auerbach R. (2002a)

Primitive endothelial cell lines from the porcine embryonic yolk sac.

In Vitro Cell Dev. Biol. Anim. **38**: 334 – 342

Plendl J., Snyman C., Bhoola K. (2002b)

Expression of tissue kininogenase in the granulosa cells of the ovary.

Biol. Chem. **383**: 1917 – 1924

Plendl J., Hirschberg R., Hünigen H. (2002c)

Mechanismen der vaskulären Entwicklung und Regression.

Tierärztl. Praxis **30**: 243 – 253

Plendl J. (2000)

Angiogenesis and vascular regression in the ovary.

Anat. Histol. Embryol. **29**: 257 – 266

Plendl J., Sinowatz F. (1999)

Angiogenese und Antiangiogenese: neue therapeutische Strategien.

Tierärztl. Prax. **27**: 348 – 353

Plendl J. (1997)

Das Gefäßendothel: organ- und entwicklungsphasenspezifische Heterogenität im in vitro Modell. Habilitationsschrift. Tierärztliche Fakultät der Ludwig-Maximilians-Universität München.

Plendl J., Neumüller C., Sinowatz F. (1996)

Differences of microvascular endothelium in the bovine corpus luteum of pregnancy and the corpus luteum of the estrous cycle.

Biol. Cell. **87**:179 – 88

Plunkett M.L., Hailey J.A. (1990)

An in vivo quantitative angiogenesis model using tumor cells entrapped in alginate.

Lab. Invest. **62**: 510 – 517

Ramchandran R., Dhanabal M., Volk R., Waterman W.J., Segal M., Lu H., Knebelmann B., Sukhatme V.P. (1999)

Antiangiogenic activity of restin, NC10 domain of human collagen XV: comparison to endostatin.

Biochem. Biophys. Res. Commun. **255**: 735 – 739

Ramsauer M., Krause D., Dermietzel R. (2002)

Angiogenesis of the blood-brain barrier in vitro and the function of cerebral pericytes.

FASEB **16**: 1274 – 1276

Ribatti D., Nico B., Vacca A., Roncali L., Dammacco F. (2002a)

Endothelial cell heterogeneity and organ specificity.

J. Hematother. Stem Cell Res. **11**: 81 – 90

Ribatti D., Crivellato E., Candussio L., Vacca A., Nico B., Benaglio V., Roncali L., Dammacco F. (2002b)

Angiogenic activity of rat mast cells in the chick embryo chorioallantoic membrane is down-regulated by treatment with recombinant human α -2a interferon and partly mediated by fibroblast growth factor-2.

Haematologica **87**: 465 – 471

Ribatti D., Nico B., Vacca A., Roncali L., Burri P.H., Djonov V. (2001)

Chorioallantoic membrane capillary bed: a useful target for studying angiogenesis and anti-angiogenesis in vivo.

Anat. Rec. **264**: 317 – 324

Ribatti D., Vacca A., Roncali L., Dammacco F. (2000)

The chick embryo chorioallantoic membrane as a model for in vivo research on antiangiogenesis.

Curr. Pharmacol. Biotech. **1**: 73 – 82

Ribatti D., Presta M., Vacca A., Ria R., Giuliani R., Dell'Era P., Nico B., Roncali L., Dammacco F. (1999)

Human erythropoietin induces a pro-angiogenic phenotype in cultured endothelial cells and stimulates neovascularization in vivo.

Blood **93**: 2627 – 2636

Ribatti D., Gualandris A., Bastaki M., Vacca A., Iurlaro M., Roncali L. (1997)

New model for the study of angiogenesis and antiangiogenesis in the chick chorioallantoic membrane: the gelatin sponge / chorioallantoic membrane assay.

J. Vasc. Res. **34**: 455 – 463

Ribatti D., Vacca A., Iurlaro M., Ria R., Roncali L., Dammacco F. (1996a)

Human recombinant interferon alpha-2a inhibits angiogenesis of chick area vasculosa in shell-less culture.

Int. J. Microcirc. Clin. Exp. **16**: 165 – 169

Ribatti D., Vacca A., Roucali L., Damacco F. (1996b)

The chick embryo chorioallantoic membrane as a model for in vivo research on angiogenesis.

Int. J. Dev. Biol. **40**: 1189 – 1197

Risau W. (1997)

Mechanisms of angiogenesis.

Nature **386**: 671 – 674

Risau W. (1996)

What, if anything, is an angiogenic factor?

Cancer Metastasis Rev. **15**: 149 – 151

Risau W. (1995)

Differentiation of endothelium.

FASEB **9**: 926 – 933

Risau W., Flamme I. (1995)

Vasculogenesis.

Annu. Rev. Cell Dev. Biol. **11**: 73 – 91

Risau W., Sariola H., Zerwes H., Sasse J., Ekblom P., Kemler R., Doetschman T. (1988)

Vasculogenesis and angiogenesis in embryonic-stem-cell-derived embryoid bodies.

Development **102**: 471 – 478

Rodger F.E., Young F.M., Fraser H.M., Illingworth P.J. (1997)

Endothelial cell proliferation follows the mid-cycle luteinizing hormone surge, but not human chorionic gonadotropin rescue, in the human corpus luteum.

Hum. Reprod. **12**: 1723 – 1729

Rosenbruch M. (1997)

The sensitivity of chicken embryos in incubated eggs.

ALTEX **14**: 111 – 113

Rosengart T.K., Lee L.Y., Patel S.R. (1999)

Angiogenesis gene therapy: phase I assessment of direct intramyocardial administration of an adenovirus vector expressing VEGF₁₂₁ cDNA to individuals with clinically significant severe coronary artery disease.

Circulation **100**: 468 – 474

Runkel S., Hunter N., Milas L. (1991)

An intradermal assay for quantification and kinetic studies of tumor angiogenesis in mice.

Radiation Res. **126**: 237 – 243

Rupnick M.A., Panigrahy D., Zhang C., Dallabrida S.M., Bradford B.L., Langer R., Folkman J. (2002)

Adipose tissue mass can be regulated through the vasculature.

Proc. Natl. Acad. Sci. USA **99**:10730 – 10735

Rüsse I. (1998)

Fruchthüllen des Vogels. In: Lehrbuch der Embryologie der Haustiere (Rüsse I., Sinowatz F., Hrsg.), 204 – 206, Paul Parey, Berlin, Hamburg

Sachs L. (1993)

Statistische Tests: Standardtests. In: Statistische Methoden, 7. überarbeitete Auflage (Sachs L., Hrsg.), 67 – 106, Springer-Verlag, Berlin, Heidelberg, New York

Sado Y., Kagawa M., Naito I., Ueki Y., Seki T., Momota R., Oohashi T., Ninomiya Y. (1998)

Organisation and expression of basement membrane collagen IV genes and their roles in human disorders.

J. Biochem. **123**: 767 – 776

Sandison J.C. (1924)

A new method for the microscopic study of living growing tissues by the induction of a transparent chamber in the rabbit's ear.

Anat. Rec. **28**: 281 – 287

Sankar S., Mahooti-Brooks N., Bensen L., McCarthy T.L., Centrella M., Madri J.A. (1996)
Modulation of transforming growth factor β receptor levels on microvascular endothelial cells during in vitro angiogenesis.

J. Clin. Invest. **97**: 1436 – 1446

Schor A.M., Schor S.L., Allen T.D. (1983)

Effects of culture conditions on the proliferation, morphology and migration of bovine aortic endothelial cells.

J. Cell Sci. **62**: 267 – 285

Schwartz M.A. (2001)

Integrin signaling revisited.

Trends Cell Biol. **11**: 466 – 470

Senger D.R., Ledbetter S.R., Claffey K.P., Papadopoulos-Sergion A., Peruzzi C.A., Detmar M. (1996)

Stimulation of endothelial cell migration by vascular permeability factor through cooperative mechanisms involving the alpha v beta 3 integrin, osteopontin, and thrombin.

Am. J. Pathol. **149**: 293 – 305

Shepherd F.A., Sridhar S.S. (2003)

Angiogenesis inhibitors under study for the treatment of lung cancer.

Lung Cancer **41**: S63 – S72

Shepro P.R., Morel N.M.L. (1993)

Pericyte physiology.

FASEB **7**: 1031 – 1038

Sheu J.R., Fu C.C., Tsai M.L., Chung W.J. (1998)

Effect of U-995, a potent shark cartilage-derived angiogenesis inhibitor, on anti-angiogenesis and anti-tumor activities.

Anticancer Res. **18**: 4435 – 4441

Shi Q., Rafii S., Wu M.-D. (1998)

Evidence for circulating bone marrow-derived endothelial cells.

Blood **92**: 362 – 367

Shichiri M., Hirata Y. (2001)

Antiangiogenesis signals by endostatin.

FASEB **15**: 1044 – 1053

Sorenmo K., Duda L., Barber L., Cronin K., Sammarco C., Usborne A., Goldschmidt M., Shofer F. (2000)

Canine hemangiosarcoma treated with standard chemotherapy and minocycline.

J. Vet. Intern. Med. **14**: 395 – 398

Spaniel-Borowski K., Schnapper U., Heymer B. (1988)

The chick chorioallantoic membrane assay in the assessment of angiogenic factors.

Biomed. Res. **9**: 253 – 260

Springer T.A. (1994)

Traffic signals for lymphocytes recirculation and leukocyte emigration: the multistep paradigm.

Cell **76**: 301 – 314

Stack M.S., Gately S., Bafetti L.M., Enghild J.J., Soff G.A. (1999)

Angiostatin inhibits endothelial and melanoma cellular invasion by blocking matrix-enhanced plasminogen activation.

Biochem. J. **340**: 77 – 84

Stein J., Neeman M., Shweiki D. (1995)

Stabilization of vascular endothelial growth factor mRNA by hypoxia and hypoglycemia and coregulation with other ischemia-induced genes.

J. Mol. Cell Biol. **15**: 5359 – 5368

Streit M., Riccardi L., Velasco P., Brown L.F., Hawinghorst T., Bornstein P., Detmar M. (1999)

Thrombospondin-2: a potent endogenous inhibitor of tumor growth and angiogenesis.

Proc. Natl. Acad. Sci. USA **96**: 14888 – 14893

Suhardja A., Hoffman H. (2003)

Role of growth factors and their receptors in proliferation of microvascular endothelial cells.

Microsc. Res. Tech. **60**: 70 – 75

Takahashi T., Kalka C., Masuda H. (1999)

Ischemia- and cytokine-induced mobilization of bone-marrow derived endothelial progenitor cells for neovascularization.

Nat. Med. **5**: 434 – 438

Tarui T., Miles L.A., Takada Y. (2001)

Specific interaction of angiostatin with integrin $\alpha_v\beta_3$ in endothelial cells.

J. Biol. Chem. **276**: 39562 – 39568

Thyboll J., Kortessmaa J., Cao R., Soininen R., Wang L., Iivanainen A., Sorokin L., Risling M., Cao Y. (2002)

Deletion of the laminin α_4 chain leads to impaired microvessel maturation.

Mol. Cell Biol. **22**: 1194 – 1202

Tilling T., Engelbertz C., Decker S., Korte D., Hüwel S., Galla H.-J. (2002)

Expression and adhesive properties of basement membrane proteins in cerebral capillary endothelial cell cultures.

Cell Tissue Res. **310**: 19 – 29

Tolsma S.S., Volpert O.V., Good D.J., Frazier W.A., Polverini P.J., Bouck N. (1993)

Peptides derived from two separate domains of the matrix protein thrombospondin-1 have anti-angiogenic activity.

J. Cell Biol. **122**: 497 – 511

Torres Filho I.P., Hartley-Asp B., Borgström P. (1995)

Quantitative angiogenesis in a syngeneic tumor spheroid model.

Microvasc. Res. **49**: 212 – 226

Tunggal P., Smyth N., Paulsson M., Ott M.C. (2000)

Laminins: structure and genetic regulation.

Microsc. Res. Tech. **51**: 214 – 227

Uchio E.M., Linehan W.M., Figg W.D., Walther M.M. (2003)

A phase I study of intravesical suramin for the treatment of superficial transitional cell carcinoma of the bladder.

J. Urol. **169**: 357 – 360

Vailhé B., Vittet D., Feige J.-J. (2001)

In vitro models of vasculogenesis and angiogenesis.

Lab. Invest. **81**: 439 – 452

Vailhé B., Lecomte M., Wiernsperger N., Tranqui L. (1998)

The formation of tubular structures by endothelial cells is under the control of fibrinolysis and mechanical factors.

Angiogenesis **2**: 331 – 344

Vajkoczy P., Thurnher A., Hirth K.P., Schilling L., Schmiedek P., Ullrich A., Menger M.D. (2000)

Measuring VEGF-Fik-1 activity and consequences in vivo using intravital microscopy: clinical applications.

The Oncologist **5**: 16 – 19

Vandenberg P., Kern A., Ries A., Luckenbill-Edds L., Mann K., Kühn K. (1991)

Characterization of type IV collagen major cell binding site with affinity to the $\alpha 1\beta 1$ and the $\alpha 2\beta 1$ integrins.

J. Cell Biol. **113**: 1475 – 1483

Vasse M., Pourtan J., Trochon V., Muraine M., Vannier J.-P., Lu H., Soria J., Soria C. (1999)

Oncostatin M induces angiogenesis in vitro and in vivo.

Arterioscler. Thromb. Vasc. Biol. **19**: 1835 – 1842

Velazquez O.C., Snyder R., Lin Z.-J., Fairman R.M., Herlyn M. (2002)

Fibroblast-dependent differentiation of human microvascular endothelial cells into capillary-like 3-dimensional networks.

FASEB **16**: 1316 – 1318

Vernon R.B., Sage E.H. (1999)

A novel, quantitative model for study of endothelial cell migration and sprout formation within three-dimensional collagen matrices.

Microvasc. Res. **57**: 118 – 133

Voest E.E., Kenyon B.M., O'Reilly M.S., Truitt G., D'Amato R.J., Folkman J. (1995)

Inhibition of angiogenesis in vivo by interleukin 12.

J. Nat. Cancer Inst. **87**: 581 – 586

Vollmar B., Laschke M.W., Rohan R., Koenig K., Menger M.D. (2001)

In vivo imaging of physiological angiogenesis from immature to preovulatory ovarian follicles.
Am. J. Path. **159**: 1661 – 1670

Walter J.J., Sane D.C. (1999)

Angiostatin binds to smooth muscle cell in the coronary artery and inhibits smooth muscle cell proliferation and migration in vitro.
Arteriosc. Thromb. Vasc. Biol. **19**: 2041 – 2048

Weis M., Heeschen C., Glassford A.J., Cooke J.P. (2002)

Statins have biphasic effects on angiogenesis.
Circulation **105**: 739

Wild R., Ramakrishnan S., Sedgewick J., Griffioen A.W. (2000)

Quantitative assessment of angiogenesis and tumor vessel architecture by computer-assisted digital image analysis: effects of VEGF-toxin conjugate on tumor microvessel density.
Microvasc. Res. **59**: 368 – 376

Wilkie A.O., Patey S.J., Kan S.H., van den Ouweland A.M., Hamel B.C. (2002)

FGFs, their receptors, and human limb malformations: clinical and molecular correlations.
Am. J. Med. Genet. **112**: 266 – 278

Wilson L., Baldwin A. (1998)

Effects of environmental stress on the architecture and permeability of the rat mesenteric microvasculature.
Microcirculation **5**: 299 – 308

Witzenbichler B., Maisonpierre P.C., Jones P., Yancopoulos G.D., Isner J.M. (1998)

Chemotactic properties of angiopoietin-1 and -2, ligands for the endothelial-specific receptor tyrosin kinase tie 2.
J. Biol. Chem. **273**: 18514 – 18521

Yanagi K., Ohshima N. (1996)

Angiogenic vascular growth in the rat peritoneal disseminate tumor model.
Microvasc. Res. **51**: 15 – 28

- Yokoyama Y., Dhanabal M., Griffioen A.W., Sukhatme V.P., Ramakrishnan S. (2000)
Synergy between angiostatin and endostatin: inhibition of ovarian cancer growth.
Cancer Res. **60**: 2190 – 2196
- Yoon S.S., Eto H., Lin C., Nakamura H., Pawlik T.M., Song S.U., Tanabe K.K. (1999)
Mouse endostatin inhibits the formation of lung and liver metastases.
Cancer Res. **59**: 6251 – 6256
- Yoshida A., Anand-Apte B., Zetter B.R. (1996)
Differential endothelial migration and proliferation to basic fibroblast growth factor and vascular endothelial growth factor.
Growth Factors **13**: 57 – 64
- Zetter B.R. (1989)
Endothelial heterogeneity: influence of vessel size, organ localization and species specificity on the properties of cultured endothelial cells. In: *Endothelial cells*. Vol. 2 (ed. Ryan, U.S.), Boca Raton, FL.: CRC Press.
- Zhang M., Volpert O., Shi Y.H., Bouck N. (2000)
Maspin is an angiogenesis inhibitor.
Nat. Med. **6**: 196 – 199
- Zhu D., Cheng C.F., Pauli B.U. (1991)
Mediation of lung metastasis of murine melanoma by a lung-specific endothelial cell adhesion molecule.
Proc. Natl. Acad. Sci. USA **88**: 9568 – 9572
- Ziche M., Morbidelli L., Masini E., Amerin S., Granger H.J., Maggi C.A., Geppetti P., Ledda F. (1994)
Nitric oxide mediates angiogenesis in vivo and endothelial cell growth and migration in vitro promoted by substance P.
J. Clin. Invest. **94**: 2036 – 2044
- Zogakis T.G., Libutti S.K. (2001)
General aspects of anti-angiogenesis and cancer therapy.
Expert. Opin. Biol. Ther. **1**: 253 – 275

Zweifach B.W. (1973)

The microcirculation in the intestinal mesentery.

Microvasc. Res. **5**: 363 – 367